
Sergio D'addato

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/780705/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of Dietary Supplementation with Eufortyn® Colesterolo Plus on Serum Lipids, Endothelial Reactivity, Indexes of Non-Alcoholic Fatty Liver Disease and Systemic Inflammation in Healthy Subjects with Polygenic Hypercholesterolemia: The ANEMONE Study. Nutrients, 2022, 14, 2099.	4.1	11
2	Impact of simultaneous management of hypertension and hypercholesterolemia with ACE inhibitors and statins on cardiovascular outcomes in the Brisighella Heart Study: A 8-year follow-up. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 2246-2254.	2.6	1
3	Is the 2020 Sampson equation the best formula for LDL-C estimation?. European Journal of Internal Medicine, 2021, 83, 99-101.	2.2	12
4	Laboratory and Instrumental Risk Factors Associated with a Sudden Cardiac Death Prone ECG Pattern in the General Population: Data from the Brisighella Heart Study. Journal of Clinical Medicine, 2021, 10, 640.	2.4	5
5	Evaluation of twelve formulas for LDL-C estimation in a large, blinded, random Italian population International Journal of Cardiology, 2021, 330, 221-227.	1.7	21
6	Application of the Sampson equation to estimate LDL-C in children: Comparison with LDL direct measurement and Friedewald equation in the BLIP study. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1911-1915.	2.6	14
7	From classical to innovative clinical epidemiology: the 50 years' experience of the Brisighella Heart Study. Panminerva Medica, 2021, 63, .	0.8	2
8	Angiopoietin-like 3 and subclinical peripheral arterial disease: Evidence from the Brisighella Heart Study. European Journal of Preventive Cardiology, 2020, 27, 2251-2254.	1.8	12
9	Prevalent Seasoning and Cooking Fats, Arterial Stiffness and Blood Lipid Pattern in a Rural Population Sample: Data from the Brisighella Heart Study. Nutrients, 2020, 12, 3063.	4.1	10
10	A Randomized, Double-Blinded, Placebo-Controlled, Clinical Study of the Effects of a Nutraceutical Combination (LEVELIP DUO®) on LDL Cholesterol Levels and Lipid Pattern in Subjects with Sub-Optimal Blood Cholesterol Levels (NATCOL Study). Nutrients, 2020, 12, 3127.	4.1	10
11	Awareness of major cardiovascular risk factors and its relationship with markers of vascular aging: Data from the Brisighella Heart Study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 907-914.	2.6	27
12	Arterial Stiffness, Sugar-Sweetened Beverages and Fruits Intake in a Rural Population Sample: Data from the Brisighella Heart Study. Nutrients, 2019, 11, 2674.	4.1	28
13	InÂvitro functional characterization of splicing variants of the APOB gene found in familial hypobetalipoproteinemia. Journal of Clinical Lipidology, 2019, 13, 960-969.	1.5	3
14	Interaction between low-density lipoprotein-cholesterolaemia, serum uric level and incident hypertension. Journal of Hypertension, 2019, 37, 728-731.	0.5	56
15	A meta-analysis of Italian and Estonian individuals shows an effect of common variants in HMGCR on blood apoB levels. Biomarkers in Medicine, 2019, 13, 931-940.	1.4	Ο
16	Fatty liver index is associated to pulse wave velocity in healthy subjects: Data from the Brisighella Heart Study. European Journal of Internal Medicine, 2018, 53, 29-33.	2.2	37
17	LDL-oxidation, serum uric acid, kidney function and pulse-wave velocity: Data from the Brisighella Heart Study cohort. International Journal of Cardiology, 2018, 261, 204-208.	1.7	44
18	Relationship between Lipid Phenotypes, Overweight, Lipid Lowering Drug Response and KIF6 and HMG-CoA Genotypes in a Subset of the Brisighella Heart Study Population. International Journal of Molecular Sciences, 2018, 19, 49.	4.1	9

Sergio D'addato

#	Article	IF	CITATIONS
19	Circulating Levels of Proprotein Convertase Subtilisin/Kexin Type 9 and Arterial Stiffness in a Large Population Sample: Data From the Brisighella Heart Study. Journal of the American Heart Association, 2017, 6, .	3.7	66
20	Effect of spontaneous changes in dietary components and lipoprotein(a) levels: Data from the Brisighella Heart Study. Atherosclerosis, 2017, 262, 202-204.	0.8	23
21	High serum uric acid is associated to poorly controlled blood pressure and higher arterial stiffness in hypertensive subjects. European Journal of Internal Medicine, 2017, 37, 38-42.	2.2	70
22	Serum uric acid change and modification of blood pressure and fasting plasma glucose in an overall healthy population sample: data from the Brisighella heart study. Annals of Medicine, 2017, 49, 275-282.	3.8	52
23	Serum lipoprotein(a) level as long-term predictor of cardiovascular mortality in a large sample of subjects in primary cardiovascular prevention: data from the Brisighella Heart Study. European Journal of Internal Medicine, 2017, 37, 49-55.	2.2	42
24	A Relative Deficiency of Lysosomal Acid Lypase Activity Characterizes Non-Alcoholic Fatty Liver Disease. International Journal of Molecular Sciences, 2017, 18, 1134.	4.1	27
25	Effect of a food supplement containing berberine, monacolin K, hydroxytyrosol and coenzyme Q ₁₀ on lipid levels: a randomized, double-blind, placebo controlled study. Drug Design, Development and Therapy, 2017, Volume 11, 1585-1592.	4.3	25
26	Effect of a short-term dietary supplementation with phytosterols, red yeast rice or both on lipid pattern in moderately hypercholesterolemic subjects: a three-arm, double-blind, randomized clinical trial. Nutrition and Metabolism, 2017, 14, 61.	3.0	34
27	Association between self-reported snoring and arterial stiffness: data from the Brisighella Heart Study. Internal and Emergency Medicine, 2016, 11, 77-83.	2.0	13
28	Clinical and genetic features of 3 patients with familial chylomicronemia due to mutations in GPIHBP1 gene. Journal of Clinical Lipidology, 2016, 10, 915-921.e4.	1.5	22
29	Relationship Between Serum Uric Acid and Electrocardiographic Alterations in a Large Sample of General Population: Data From the Brisighella Heart Study. High Blood Pressure and Cardiovascular Prevention, 2015, 22, 129-134.	2.2	15
30	Serum uric acid and other short-term predictors of electrocardiographic alterations in the Brisighella Heart Study cohort. European Journal of Internal Medicine, 2015, 26, 255-258.	2.2	35
31	Subjective effects of a combined lipid-lowering nutraceutical or ezetimibe on well-being and sexual performance in patients with perceived worsening of erectile function during statin treatment: a randomised clinical trial. Nutrafoods, 2015, 14, 127-131.	0.5	1
32	Serum uric acid and impaired cognitive function in a cohort of healthy young elderly: data from the Brisighella Study. Internal and Emergency Medicine, 2015, 10, 25-31.	2.0	45
33	Serum <scp>LDL</scp> cholesterol levels and new onset of arterial hypertension: an 8â€year followâ€up. European Journal of Clinical Investigation, 2014, 44, 926-932.	3.4	18
34	Serum uric acid is inversely proportional to estimated stroke volume and cardiac output in a large sample of pharmacologically untreated subjects: data from the Brisighella Heart Study. Internal and Emergency Medicine, 2014, 9, 655-660.	2.0	23
35	Population Health Needs Assessment and Healthcare Services Use in a 3ÂYears Follow-Up on Administrative and Clinical Data: Results from the Brisighella Heart Study. High Blood Pressure and Cardiovascular Prevention, 2014, 21, 45-51.	2.2	4
36	Hepatic Steatosis Index and Lipid Accumulation Product as middle-term predictors of incident metabolic syndrome in a large population sample: data from the Brisighella Heart Study. Internal and Emergency Medicine, 2013, 8, 265-267.	2.0	26

Sergio D'addato

#	Article	IF	CITATIONS
37	Red yeast rice improves lipid pattern, high-sensitivity C-reactive protein, and vascular remodeling parameters in moderately hypercholesterolemic Italian subjects. Nutrition Research, 2013, 33, 622-628.	2.9	65
38	Dietary determinants of oxidized-low-density lipoprotein antibodies in a sample of pharmacologically untreated non-smoker subjects: data from the Brisighella heart study. Advances in Clinical and Experimental Medicine, 2013, 22, 69-76.	1.4	9
39	Leisure-time physical activity and cardiovascular disease mortality. Journal of Cardiovascular Medicine, 2012, 13, 559-564.	1.5	33
40	Plasma lipid effects of corn oil and extra-virgin olive oil in hypercholesterolaemic subjects: a randomised, controlled trial. Mediterranean Journal of Nutrition and Metabolism, 2009, 1, 187-192.	0.5	4
41	Serum Lipopotein (a) Levels in a Large Sample of Subjects Affected by Familial Combined Hyperlipoproteinaemia and in General Population. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 149-151.	2.8	3