

# Matthew J. Reed

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7807283/publications.pdf>

Version: 2024-02-01

105  
papers

4,224  
citations

201674

27  
h-index

118850

62  
g-index

109  
all docs

109  
docs citations

109  
times ranked

4893  
citing authors

#	ARTICLE	IF	CITATIONS
1	2018 ESC Guidelines for the diagnosis and management of syncope. <i>European Heart Journal</i> , 2018, 39, 1883-1948.	2.2	1,200
2	The ROSE (Risk Stratification of Syncope in the Emergency Department) Study. <i>Journal of the American College of Cardiology</i> , 2010, 55, 713-721.	2.8	237
3	Effects of a high-dose 24-h infusion of tranexamic acid on death and thromboembolic events in patients with acute gastrointestinal bleeding (HALT-IT): an international randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2020, 395, 1927-1936.	13.7	224
4	Can an airway assessment score predict difficulty at intubation in the emergency department?. <i>Emergency Medicine Journal</i> , 2005, 22, 99-102.	1.0	200
5	TIMI, GRACE and alternative risk scores in Acute Coronary Syndromes: A meta-analysis of 40 derivation studies on 216,552 patients and of 42 validation studies on 31,625 patients. <i>Contemporary Clinical Trials</i> , 2012, 33, 507-514.	1.8	190
6	Diagnosis of COVID-19 by analysis of breath with gas chromatography-ion mobility spectrometry - a feasibility study. <i>EClinicalMedicine</i> , 2020, 29-30, 100609.	7.1	153
7	Practical Instructions for the 2018 ESC Guidelines for the diagnosis and management of syncope. <i>European Heart Journal</i> , 2018, 39, e43-e80.	2.2	149
8	Influence of Intracerebral Hemorrhage Location on Incidence, Characteristics, and Outcome. <i>Stroke</i> , 2015, 46, 361-368.	2.0	142
9	Heart rate variability measurements and the prediction of ventricular arrhythmias. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2005, 98, 87-95.	0.5	141
10	Syncope clinical management in the emergency department: a consensus from the first international workshop on syncope risk stratification in the emergency department. <i>European Heart Journal</i> , 2016, 37, 1493-1498.	2.2	96
11	Incidence, etiology and predictors of adverse outcomes in 43,315 patients presenting to the Emergency Department with syncope: An international meta-analysis. <i>International Journal of Cardiology</i> , 2013, 167, 57-62.	1.7	90
12	Early fibrinogen concentrate therapy for major haemorrhage in trauma (E-FIT 1): results from a UK multi-centre, randomised, double blind, placebo-controlled pilot trial. <i>Critical Care</i> , 2018, 22, 164.	5.8	75
13	Prevalence and non-invasive predictors of left main or three-vessel coronary disease: evidence from a collaborative international meta-analysis including 22,740 patients. <i>Heart</i> , 2012, 98, 914-919.	2.9	72
14	Meta-Analysis of Randomized Controlled Trials and Adjusted Observational Results of Use of Clopidogrel, Aspirin, and Oral Anticoagulants in Patients Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2015, 115, 1185-1193.	1.6	65
15	The Risk stratification Of Syncope in the Emergency department (ROSE) pilot study: a comparison of existing syncope guidelines. <i>Emergency Medicine Journal</i> , 2007, 24, 270-275.	1.0	64
16	CONTINUOUS WAVELET TRANSFORM MODULUS MAXIMA ANALYSIS OF THE ELECTROCARDIOGRAM: BEAT CHARACTERISATION AND BEAT-TO-BEAT MEASUREMENT. <i>International Journal of Wavelets, Multiresolution and Information Processing</i> , 2005, 03, 19-42.	1.3	63
17	Analysing the ventricular fibrillation waveform. <i>Resuscitation</i> , 2003, 57, 11-20.	3.0	54
18	Can we abolish skull x rays for head injury?. <i>Archives of Disease in Childhood</i> , 2005, 90, 859-864.	1.9	48

#	ARTICLE	IF	CITATIONS
19	Coronary computed tomographic angiography for detection of coronary artery disease in patients presenting to the emergency department with chest pain: a meta-analysis of randomized clinical trials. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 782-789.	1.2	48
20	Multi-centre Randomised Controlled Trial of a Smartphone-based Event Recorder Alongside Standard Care Versus Standard Care for Patients Presenting to the Emergency Department with Palpitations and Pre-syncope: The IPED (Investigation of Palpitations in the ED) study. <i>EClinicalMedicine</i> , 2019, 8, 37-46.	7.1	42
21	Introduction of paramedic led Echo in Life Support into the pre-hospital environment: The PUCA study. <i>Resuscitation</i> , 2017, 112, 65-69.	3.0	39
22	A retrospective review of patients with head injury with coexistent anticoagulant and antiplatelet use admitted from a UK emergency department. <i>Emergency Medicine Journal</i> , 2009, 26, 871-876.	1.0	37
23	Discontinuation of Dual Antiplatelet Therapy Over 12 Months after Acute Coronary Syndromes Increases Risk for Adverse Events in Patients Treated with Percutaneous Coronary Intervention: Systematic Review and Meta-analysis. <i>Journal of Interventional Cardiology</i> , 2014, 27, 233-241.	1.2	32
24	Hepatitis C-associated glomerulonephritis—a novel therapeutic approach. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 869-871.	0.7	31
25	Prognostic value of cardiac biomarkers in the risk stratification of syncope: a systematic review. <i>Internal and Emergency Medicine</i> , 2015, 10, 1003-1014.	2.0	31
26	Is the 'LEMON' method an easily applied emergency airway assessment tool?. <i>European Journal of Emergency Medicine</i> , 2004, 11, 154-157.	1.1	30
27	Sensitive troponin assay predicts outcome in syncope. <i>Emergency Medicine Journal</i> , 2012, 29, 1001-1003.	1.0	29
28	One-Year Prognosis After Syncope and the Failure of the ROSE Decision Instrument to Predict One-Year Adverse Events. <i>Annals of Emergency Medicine</i> , 2011, 58, 250-256.	0.6	28
29	Role of brain natriuretic peptide (BNP) in risk stratification of adult syncope. <i>Emergency Medicine Journal</i> , 2007, 24, 769-773.	1.0	27
30	Diagnostic yield of an ambulatory patch monitor in patients with unexplained syncope after initial evaluation in the emergency department: the PATCH-ED study. <i>Emergency Medicine Journal</i> , 2018, 35, 477-485.	1.0	22
31	Emergency department led emergency ultrasound may improve the time to diagnosis in patients presenting with a ruptured abdominal aortic aneurysm. <i>European Journal of Emergency Medicine</i> , 2014, 21, 272-275.	1.1	19
32	Experience of implementing a National pre-hospital Code Red bleeding protocol in Scotland. <i>Injury</i> , 2017, 48, 41-46.	1.7	18
33	Collapse query cause: the management of adult syncope in the emergency department. <i>Emergency Medicine Journal</i> , 2006, 23, 589-594.	1.0	17
34	Diagnostic and prognostic utility of troponin estimation in patients presenting with syncope: a prospective cohort study. <i>Emergency Medicine Journal</i> , 2010, 27, 272-276.	1.0	17
35	Neural networks as a tool to predict syncope risk in the Emergency Department. <i>Europace</i> , 2017, 19, 1891-1895.	1.7	16
36	Outcomes in syncope research: a systematic review and critical appraisal. <i>Internal and Emergency Medicine</i> , 2018, 13, 593-601.	2.0	16

#	ARTICLE	IF	CITATIONS
37	Imaging infants with head injury: effect of a change in policy. <i>Emergency Medicine Journal</i> , 2005, 22, 33-36.	1.0	15
38	Intubation training in emergency medicine: a review of one trainee's first 100 procedures. <i>Emergency Medicine Journal</i> , 2007, 24, 654-656.	1.0	15
39	A review of blood product usage in a large emergency department over a one-year period. <i>Emergency Medicine Journal</i> , 2010, 27, 439-442.	1.0	15
40	Why emergency medicine needs senior decision makers. <i>European Journal of Emergency Medicine</i> , 2011, 18, 131-132.	1.1	15
41	Multi-centre randomised controlled trial of a smart phone-based event recorder alongside standard care versus standard care for patients presenting to the Emergency Department with palpitations and pre-syncope - the IPED (Investigation of Palpitations in the ED) study: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 711.	1.6	15
42	Uncontrolled organ donation after circulatory death: potential donors in the emergency department. <i>Emergency Medicine Journal</i> , 2014, 31, 741-744.	1.0	14
43	Resuscitation of the trauma patient: tell me a trigger for early haemostatic resuscitation please!. <i>Critical Care</i> , 2011, 15, 126.	5.8	13
44	Rotational thromboelastometry produces potentially clinical useful results within 10 min in bleeding Emergency Department patients. <i>European Journal of Emergency Medicine</i> , 2013, 20, 160-166.	1.1	13
45	Are the public ready for organ donation after out of hospital cardiac arrest?. <i>Emergency Medicine Journal</i> , 2013, 30, 226-231.	1.0	12
46	Management of the nontraumatic hot swollen joint. <i>European Journal of Emergency Medicine</i> , 2012, 19, 103-107.	1.1	11
47	Training paramedics in focussed echo in life support. <i>European Journal of Emergency Medicine</i> , 2015, 22, 430-435.	1.1	11
48	Approach to syncope in the emergency department. <i>Emergency Medicine Journal</i> , 2018, 36, emermed-2018-207767.	1.0	11
49	A review of blood component usage in a large UK emergency department after implementation of simple measures. <i>Emergency Medicine Journal</i> , 2013, 30, 842-845.	1.0	10
50	Get with the guidelines: management of chronic obstructive pulmonary disease in emergency departments in Europe and Australasia is suboptimal. <i>Internal Medicine Journal</i> , 2020, 50, 200-208.	0.8	10
51	Open Pyeloplasty in Children: Experience with an Improved Stenting Technique. <i>Urologia Internationalis</i> , 2003, 71, 201-203.	1.3	9
52	Syncope management in the UK and Republic of Ireland. <i>Emergency Medicine Journal</i> , 2009, 26, 331-333.	1.0	9
53	Syncope: the emergency department and beyond. <i>Internal and Emergency Medicine</i> , 2015, 10, 843-850.	2.0	9
54	Administering a glyceryl trinitrate infusion: big is not always best. <i>Emergency Medicine Journal</i> , 2007, 24, 423-424.	1.0	8

#	ARTICLE	IF	CITATIONS
55	High sensitive TROponin levels In Patients with Chest pain and kidney disease: A multicenter registry â€” The TROPIC study. <i>Cardiology Journal</i> , 2017, 24, 139-150.	1.2	8
56	Can an airway assessment score predict intubation success in the emergency department?. <i>EMA - Emergency Medicine Australasia</i> , 2005, 17, 94-96.	1.1	7
57	A description of echocardiography in life support use during cardiac arrest in an Emergency Department before and after a training programme. <i>European Journal of Emergency Medicine</i> , 2015, 22, 426-429.	1.1	7
58	Paroxysmal sympathetic surge associated with gamma hydroxybutyrate. <i>European Journal of Emergency Medicine</i> , 2006, 13, 41-42.	1.1	6
59	The effect of syncope on brain natriuretic peptide. <i>Emergency Medicine Journal</i> , 2011, 28, 1066-1067.	1.0	6
60	Impact of the introduction of emergency ultrasound to one large UK emergency department: the REBUS study. <i>Emergency Medicine Journal</i> , 2013, 30, 112-116.	1.0	6
61	The clinical effectiveness of the STUMBL score for the management of ED patients with blunt chest trauma compared to clinical evaluation alone. <i>Internal and Emergency Medicine</i> , 2022, 17, 1785-1793.	2.0	6
62	The utility of routine D-dimer measurement in syncope. <i>European Journal of Emergency Medicine</i> , 2009, 16, 256-260.	1.1	5
63	An evaluation of patient ownership and use and acceptability of smartphone technology within the emergency department. <i>European Journal of Emergency Medicine</i> , 2018, 25, 224-225.	1.1	5
64	Lessons from a pilot for uncontrolled donation after circulatory death in the ED in the UK. <i>Emergency Medicine Journal</i> , 2020, 37, 155-161.	1.0	5
65	The Livingston Paediatric Dose Calculator. <i>Emergency Medicine Journal</i> , 2007, 24, 567-568.	1.0	4
66	The influence of temperature and humidity on Emergency Department syncope attendances. <i>European Journal of Emergency Medicine</i> , 2010, 17, 240-242.	1.1	4
67	Initial emergency department coagulation profile does not predict survival in ruptured abdominal aortic aneurysm. <i>European Journal of Emergency Medicine</i> , 2013, 20, 397-401.	1.1	4
68	Successful implementation of strategies to transform Emergency Department transfusion practice.. <i>BMJ Quality Improvement Reports</i> , 2013, 2, u201055.w690.	0.8	4
69	Detection of physiological deterioration by the SNAP40 wearable device compared to standard monitoring devices in the emergency department: the SNAP40-ED study. <i>Diagnostic and Prognostic Research</i> , 2018, 2, 18.	1.8	4
70	Introduction of a ROTEM protocol for the management of trauma-induced coagulopathy. <i>Trauma</i> , 2021, 23, 308-321.	0.5	4
71	Personalized risk stratification through attribute matching for clinical decision making in clinical conditions with aspecific symptoms: The example of syncope. <i>PLoS ONE</i> , 2020, 15, e0228725.	2.5	4
72	Improvements in National Code Red transfusion practice in Scotland after adoption of recommendations from the Scottish National Code Red 2015 review. <i>Injury</i> , 2020, 51, 913-918.	1.7	4

#	ARTICLE	IF	CITATIONS
73	Pulmonary embolism management in the emergency department: part 2. <i>Emergency Medicine Journal</i> , 2023, 40, 69-75.	1.0	4
74	The inpatient management of syncope. <i>Emergency Medicine Journal</i> , 2010, 27, 870-872.	1.0	3
75	A Systematic Review of Noninvasive Electrocardiogram Monitoring Devices for the Evaluation of Suspected Cardiovascular Syncope. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2019, 13, .	0.7	3
76	Targeted HIV screening in the emergency department. <i>Internal and Emergency Medicine</i> , 2021, 16, 1273-1287.	2.0	3
77	The Role of Targeted HIV Screening in the Emergency Department: A Scoping Review. <i>Current HIV Research</i> , 2021, 19, 106-120.	0.5	3
78	Telephone triage of young adults with chest pain: population analysis of NHS24 calls in Scottish unscheduled care. <i>Emergency Medicine Journal</i> , 2022, 39, 508-514.	1.0	3
79	Management of syncope in the Emergency Department. <i>Minerva Medica</i> , 2009, 100, 259-73.	0.9	3
80	Vibrational Spectroscopy for the Triage of Traumatic Brain Injury Computed Tomography Priority and Hospital Admissions. <i>Journal of Neurotrauma</i> , 2022, 39, 773-783.	3.4	3
81	The missed clavicle fracture in children?. <i>Emergency Medicine Journal</i> , 2006, 23, 581-582.	1.0	2
82	The Prediction of Risk In Syncope using ECG characteristics (PRISE) pilot study: can heart rate variability be used to predict risk in patients presenting to the emergency department with syncope?. <i>Emergency Medicine Journal</i> , 2009, 26, 32-36.	1.0	2
83	Troponin use in Emergency Department syncope. <i>European Journal of Emergency Medicine</i> , 2016, 23, 77-78.	1.1	2
84	Establishing a Smartphone Ambulatory ECG Service for Patients Presenting to the Emergency Department with Pre-Syncope and Palpitations. <i>Medicina (Lithuania)</i> , 2021, 57, 147.	2.0	2
85	Experience of a smartphone ambulatory ECG clinic for emergency department patients with palpitation. <i>European Journal of Emergency Medicine</i> , 2021, Publish Ahead of Print, 463-468.	1.1	2
86	Unscheduled care pathways in patients with myocardial infarction in Scotland. <i>Heart</i> , 2022, , heartjnl-2021-320614.	2.9	2
87	018 One-year prognosis after syncope and the failure of the ROSE decision instrument to predict 1-year adverse events. <i>Emergency Medicine Journal</i> , 2011, 28, A8-A9.	1.0	1
88	Red cell discards in a large UK emergency department. <i>European Journal of Emergency Medicine</i> , 2015, 22, 144-145.	1.1	1
89	Physiological deterioration in the Emergency Department: The SNAP40-ED study. <i>Emergency Care Journal</i> , 2021, 17, .	0.3	1
90	Peripheral Intravenous Cannula Usage in the Emergency Department. <i>Emergency Care Journal</i> , 2020, 16, .	0.3	1

#	ARTICLE	IF	CITATIONS
91	Syncope Time Frames for Adverse Events after Emergency Department Presentation: An Individual Patient Data Meta-Analysis. <i>Medicina (Lithuania)</i> , 2021, 57, 1235.	2.0	1
92	A case of multiple missed fractures!. <i>European Journal of Emergency Medicine</i> , 2004, 11, 343-345.	1.1	0
93	The tetany syndrome at 9000â€Ÿfeet. <i>EMA - Emergency Medicine Australasia</i> , 2005, 17, 291-292.	1.1	0
94	A proper 24/7 emergency care service is needed in the NHS. <i>BMJ, The</i> , 2013, 346, f1871-f1871.	6.0	0
95	Brain natriuretic peptide and high-sensitivity Troponin at 3 hours post emergency department attendance with unexplained syncope predict 90 day outcome. <i>Emergency Care Journal</i> , 2018, 14, .	0.3	0
96	Management of syncope in the emergency department based on risk stratification. <i>Emergency Care Journal</i> , 2018, 14, .	0.3	0
97	The application of a haemorrhage assessment tool in evaluating control of bleeding in a pilot trauma haemorrhage trial. <i>Transfusion Medicine</i> , 2019, 29, 454-459.	1.1	0
98	Risk Stratification and Prognosis of Vasovagal Syncope in the Emergency Department. , 2015, , 225-236.		0
99	Managing Syncope/Collapse in the Emergency Department. , 2020, , 151-161.		0
100	Title is missing!. , 2020, 15, e0228725.		0
101	Title is missing!. , 2020, 15, e0228725.		0
102	Title is missing!. , 2020, 15, e0228725.		0
103	Title is missing!. , 2020, 15, e0228725.		0
104	Title is missing!. , 2020, 15, e0228725.		0
105	Title is missing!. , 2020, 15, e0228725.		0