## Ricardo Ramirez-Romero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7808020/publications.pdf

Version: 2024-02-01

33 papers 1,182 citations

471509 17 h-index 395702 33 g-index

33 all docs 33 docs citations

33 times ranked 1241 citing authors

| #  | Article  | IF            | CITATIONS    |
|----|--|---------------|--------------|
| 1  | Alternative extraguild prey modifies focal extraguild prey consumption and parasitism but not intraguild predation intensity. Biological Control, 2021, 153, 104475.   | 3.0           | 9            |
| 2  | Do entomopathogenic nematodes induce immune priming?. Microbial Pathogenesis, 2021, 154, 104844.   | 2.9           | 5            |
| 3  | Combination of generalist predators, Nesidiocoris tenuis and Macrolophus pygmaeus, with a companion plant, Sesamum indicum: What benefit for biological control of Tuta absoluta?. PLoS ONE, 2021, 16, e0257925.   | 2.5           | 10           |
| 4  | The Fitness of Mass Rearing Food on the Establishment of Chrysopa pallens in a Banker Plant System under Fluctuating Temperature Conditions. Insects, 2021, 12, 1014.  | 2.2           | 6            |
| 5  | Parasitism performance of the parasitoid Trichogrammadendrolimi on the plum fruit moth Grapholitha funebrana. Entomologia Generalis, 2020, 40, 385-395.  | 3.1           | 11           |
| 6  | Varying the spatial arrangement of synthetic herbivoreâ€induced plant volatiles and companion plants to improve conservation biological control. Journal of Applied Ecology, 2019, 56, 1176-1188.                  | 4.0           | 33           |
| 7  | Do assortative mating and immigrant inviability help maintain population genetic structuring of an herbivore on a crop and a wild relative?. Insect Science, 2019, 26, 283-296.                                    | 3.0           | 7            |
| 8  | Why can a predator increase its consumption of prey when it is released along with a parasitoid?. Entomologia Generalis, 2019, 39, 205-219.  | 3.1           | 8            |
| 9  | Impact of host suitability on oviposition preference toward fertilized and unfertilized host eggs in two Trichogramma parasitoid species. Entomologia Generalis, 2019, 39, 313-323.                                | 3.1           | 13           |
| 10 | Behavioral asymmetries in the mealybug parasitoid Anagyrus sp. near pseudococci: does lateralized antennal tapping predict male mating success?. Journal of Pest Science, 2018, 91, 341-349.                       | 3.7           | 25           |
| 11 | Host species suitability and instar preference of Aphidius ervi and Aphelinus abdominalis. Entomologia<br>Generalis, 2017, 36, 347-367.  | 3.1           | 15           |
| 12 | Intraguild predation of <i>Geocoris punctipes</i> on <i>Eretmocerus eremicus</i> and its influence on the control of the whitefly <i>Trialeurodes vaporariorum</i> . Pest Management Science, 2016, 72, 1110-1116. | 3.4           | 8            |
| 13 | Behavioral effects of insect-resistant genetically modified crops on phytophagous and beneficial arthropods: a review. Journal of Pest Science, 2016, 89, 859-883.   | 3.7           | 49           |
| 14 | Mixed release of two parasitoids and a polyphagous ladybird as a potential strategy to control the tobacco whitefly Bemisia tabaci. Scientific Reports, 2016, 6, 28245.  | 3.3           | 20           |
| 15 | Identification of genes differentially expressed in husk tomato (Physalis philadelphica) in response to whitefly (Trialeurodes vaporariorum) infestation. Acta Physiologiae Plantarum, 2015, 37, 1.                | 2.1           | 14           |
| 16 | Foraging behaviour of the parasitoid <i>Eretmocerus eremicus </i> under intraguild predation risk by <i>Macrolophus pygmaeus </i> Pest Management Science, 2015, 71, 1346-1353.                                    | 3.4           | 12           |
| 17 | Courtship Behavior of the Corn Leafhopper Dalbulus maidis (DeLong & Wolcott) (Hemiptera:) Tj ETQq1 1 0.784.  | 814 rgBT /0.7 | Overlock 10T |
| 18 | Delayed and time-cumulative toxicity of imidacloprid in bees, ants and termites. Scientific Reports, 2014, 4, 5566.  | 3.3           | 146          |

| #  | Article  | IF               | CITATIONS          |
|----|--|------------------|--------------------|
| 19 | Potential for combined use of parasitoids and generalist predators for biological control of the key invasive tomato pest Tuta absoluta. Journal of Pest Science, 2013, 86, 533-541.   | 3.7              | 109                |
| 20 | Intraguild Predation on the Whitefly Parasitoid Eretmocerus eremicus by the Generalist Predator Geocoris punctipes: A Behavioral Approach. PLoS ONE, 2013, 8, e80679.  | 2.5              | 25                 |
| 21 | Cross-Kingdom Effects of Plant-Plant Signaling via Volatile Organic Compounds Emitted by Tomato (Solanum lycopersicum) Plants Infested by the Greenhouse Whitefly (Trialeurodes vaporariorum). Journal of Chemical Ecology, 2012, 38, 1376-1386. | 1.8              | 43                 |
| 22 | Are individuals from thelytokous and arrhenotokous populations equally adept as biocontrol agents? Orientation and host searching behavior of a fruit fly parasitoid. BioControl, 2012, 57, 427-440.   | 2.0              | 22                 |
| 23 | Effect of continuous rearing on courtship acoustics of five braconid parasitoids, candidates for augmentative biological control of Anastrepha species. BioControl, 2010, 55, 573-582.   | 2.0              | 33                 |
| 24 | Attraction of the parasitoid Cotesia marginiventris to host (Spodoptera frugiperda) frass is affected by transgenic maize. Ecotoxicology, 2010, 19, 1183-1192.   | 2.4              | 27                 |
| 25 | Consideration of Eurytoma sivinskii Gates and Grissell, a eurytomid (Hymenoptera) with unusual foraging behaviors, as a biological control agent of tephritid (Diptera) fruit flies. Biological Control, 2010, 53, 9-17.                         | 3.0              | 6                  |
| 26 | Plant characteristics mediated by growing conditions can impact parasitoid's ability to attack host aphids in winter canola. Journal of Pest Science, 2009, 82, 335-342.   | 3.7              | 33                 |
| 27 | Bt-maize effects on biological parameters of the non-target aphid Sitobion avenae (Homoptera:) Tj ETQq1 1 0.784  | ·314 rgBT        | /9yerlock 1        |
| 28 | Does Cry1Ab protein affect learning performances of the honey bee Apis mellifera L. (Hymenoptera,) Tj ETQq0 0 0  | rgBT /Ove        | erlock 10 Tf<br>97 |
| 29 | Description of the Immature Stages of Eurytoma sivinskii Gates and Grissell (Hymenoptera:) Tj ETQq1 1 0.784314<br>News, 2008, 119, 354-360.  | rgBT /Ove<br>0.2 | erlock 10 Tf<br>6  |
| 30 | Foraging behavior by six fruit fly parasitoids (Hymenoptera: Braconidae) released as single- or multiple-species cohorts in field cages: Influence of fruit location and host density. Biological Control, 2007, 43, 12-22.                      | 3.0              | 69                 |
| 31 | Impact assessment of Bt-maize on a moth parasitoid, Cotesia marginiventris (Hymenoptera: Braconidae), via host exposure to purified Cry1Ab protein or Bt-plants. Crop Protection, 2007, 26, 953-962.   | 2.1              | 47                 |
| 32 | MULTISTEP BIOASSAY TO PREDICT RECOLONIZATION POTENTIAL OF EMERGING PARASITOIDS AFTER A PESTICIDE TREATMENT. Environmental Toxicology and Chemistry, 2006, 25, 2675.  | 4.3              | 86                 |
| 33 | Effects of Cry1Ab protoxin, deltamethrin and imidacloprid on the foraging activity and the learning performances of the honeybee Apis mellifera, a comparative approach. Apidologie, 2005, 36, 601-611.  | 2.0              | 132                |