

Michael S Renton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7810897/michael-s-renton-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

2,845
citations

27
h-index

48
g-index

128
ext. papers

3,377
ext. citations

4.1
avg, IF

5.45
L-index

#	Paper	IF	Citations
124	Does the need to drink influence nest site selection in a wide-ranging threatened cockatoo?. <i>Forest Ecology and Management</i> , 2022 , 505, 119928	3.9	
123	Identifying optimal solutions between competing economic and conservation land use objectives for species that require widely distributed resources. <i>Environmental Modelling and Software</i> , 2022 , 148, 105292	5.2	0
122	Patterns and drivers of structure, diversity, and composition in species-rich shrublands restored after mining. <i>Restoration Ecology</i> , 2021 , 29, e13360	3.1	1
121	The role of extreme rain events in driving tree growth across a continental-scale climatic range in Australia. <i>Ecography</i> , 2021 , 44, 1086	6.5	2
120	Arbuscular mycorrhizal fungus-mediated interspecific nutritional competition of a pasture legume and grass under drought-stress. <i>Rhizosphere</i> , 2021 , 18, 100349	3.5	3
119	Individual tree growth in jarrah (<i>Eucalyptus marginata</i>) forest is explained by size and distance of neighbouring trees in thinned and non-thinned plots. <i>Forest Ecology and Management</i> , 2021 , 494, 119364	2.9	4
118	Investigating the effect of neighbour competition on individual tree growth in thinned and unthinned eucalypt forests. <i>Forest Ecology and Management</i> , 2021 , 499, 119637	3.9	2
117	Interactions between crop sequences, weed populations and herbicide use in Western Australian broadacre farms: findings of a six-year survey. <i>Crop and Pasture Science</i> , 2020 , 71, 491	2.2	8
116	Frequent hydrodynamic disturbances decrease the morphological diversity and structural complexity of 3D simulated coral communities. <i>Coral Reefs</i> , 2020 , 39, 1147-1161	4.2	3
115	Predicting the effectiveness of community anti-poaching patrols for conserving threatened wildlife in the Lao PDR. <i>Journal of Applied Ecology</i> , 2020 , 57, 320-330	5.8	1
114	Structure-from-motion reveals coral growth is influenced by colony size and wave energy on the reef slope at Ningaloo Reef, Western Australia. <i>Journal of Experimental Marine Biology and Ecology</i> , 2020 , 530-531, 151438	2.1	2
113	Rotating and stacking genes can improve crop resistance durability while potentially selecting highly virulent pathogen strains. <i>Scientific Reports</i> , 2020 , 10, 19752	4.9	1
112	Rotations and mixtures of soil-applied herbicides delay resistance. <i>Pest Management Science</i> , 2020 , 76, 487-496	4.6	39
111	Trait-based formal definition of plant functional types and functional communities in the multi-species and multi-traits context. <i>Ecological Complexity</i> , 2019 , 40, 100787	2.6	3
110	More long-unburnt forest will benefit mammals in Australian sub-alpine forests and woodlands. <i>Austral Ecology</i> , 2019 , 44, 1150-1162	1.5	5
109	Climate change indirectly reduces breeding frequency of a mobile species through changes in food availability. <i>Ecosphere</i> , 2019 , 10, e02656	3.1	4
108	Field margins provide a refuge for pest genes beneficial to resistance management. <i>Journal of Pest Science</i> , 2019 , 92, 1017-1026	5.5	11

107	Composition and ecological drivers of the kwongan scrub and woodlands in the northern Swan Coastal Plain, Western Australia. <i>Austral Ecology</i> , 2019 , 44, 906-916	1.5	3
106	Toward more robust plant-soil feedback research: Comment. <i>Ecology</i> , 2019 , 100, e02590	4.6	14
105	Germination characteristics and the relationship between population structure, soil seed bank density and fire response in the rare endemic <i>Stachystemon vinosus</i> (Halford & R.J.F.Hend.) (Euphorbiaceae) from southern Western Australia. <i>Seed Science Research</i> , 2019 , 29, 124-134	1.3	
104	Weed Seed Wizard: A tool that demonstrates the value of integrated weed management tactics such as harvest weed seed destruction. <i>Computers and Electronics in Agriculture</i> , 2018 , 147, 27-33	6.5	5
103	Generating species assemblages for restoration and experimentation: A new method that can simultaneously converge on average trait values and maximize functional diversity. <i>Methods in Ecology and Evolution</i> , 2018 , 9, 1764-1771	7.7	19
102	Accounting for spatially heterogeneous conditions in local-scale surveillance strategies: case study of the biosecurity insect pest, grape phylloxera (<i>Daktulosphaira vitifoliae</i> (Fitch)). <i>Pest Management Science</i> , 2018 , 74, 2724-2737	4.6	1
101	Incorporating biophysical ecology into high-resolution restoration targets: insect pollinator habitat suitability models. <i>Restoration Ecology</i> , 2018 , 26, 338-347	3.1	13
100	Nestedness patterns reveal impacts of reduced rainfall on seedling establishment in restored jarrah forest. <i>Forest Ecology and Management</i> , 2018 , 427, 242-249	3.9	3
99	Do an invasive organism's dispersal characteristics affect how we should search for it?. <i>Royal Society Open Science</i> , 2018 , 5, 171784	3.3	1
98	Community patterns and environmental drivers in hyper-diverse kwongan scrub vegetation of Western Australia. <i>Applied Vegetation Science</i> , 2018 , 21, 694-722	3.3	10
97	Genetic and environmental parameters show associations with essential oil composition in West Australian sandalwood (<i>Santalum spicatum</i>). <i>Australian Journal of Botany</i> , 2018 , 66, 48	1.2	7
96	Computational botany: advancing plant science through functional structural plant modelling. <i>Annals of Botany</i> , 2018 , 121, 767-772	4.1	24
95	Modeling the Impact of Harvest Weed Seed Control on Herbicide-Resistance Evolution. <i>Weed Science</i> , 2018 , 66, 395-403	2	12
94	Plant-soil feedback and the maintenance of diversity in Mediterranean-climate shrublands. <i>Science</i> , 2017 , 355, 173-176	33.3	190
93	Why was resistance to shorter-acting pre-emergence herbicides slower to evolve?. <i>Pest Management Science</i> , 2017 , 73, 844-851	4.6	18
92	Fine root endophytes under scrutiny: a review of the literature on arbuscule-producing fungi recently suggested to belong to the Mucoromycotina. <i>Mycorrhiza</i> , 2017 , 27, 619-638	3.9	38
91	Tuned in: plant roots use sound to locate water. <i>Oecologia</i> , 2017 , 184, 151-160	2.9	42
90	Pea seed-borne mosaic virus Pathosystem Drivers under Mediterranean-Type Climatic Conditions: Deductions from 23 Epidemic Scenarios. <i>Plant Disease</i> , 2017 , 101, 929-940	1.5	3

89	Sesquiterpene Variation in West Australian Sandalwood (<i>Santalum spicatum</i>). <i>Molecules</i> , 2017 , 22,	4.8	11
88	How do spatial heterogeneity and dispersal in weed population models affect predictions of herbicide resistance evolution?. <i>Ecological Modelling</i> , 2017 , 362, 37-53	3	17
87	Modelling crop-weed competition: Why, what, how and what lies ahead?. <i>Crop Protection</i> , 2017 , 95, 101-108	30	
86	Modeling Effects of Temperature, Soil, Moisture, Nutrition and Variety As Determinants of Severity of Pythium Damping-Off and Root Disease in Subterranean Clover. <i>Frontiers in Microbiology</i> , 2017 , 8, 2223	5.7	15
85	Pea seed-borne mosaic virus: Stability and Wind-Mediated Contact Transmission in Field Pea. <i>Plant Disease</i> , 2016 , 100, 953-958	1.5	13
84	Ecologically sustainable weed management: How do we get from proof-of-concept to adoption? 2016 , 26, 1352-1369		50
83	Links between soil texture and root architecture of Eucalyptus species may limit distribution ranges under future climates. <i>Plant and Soil</i> , 2016 , 403, 217-229	4.2	12
82	Pea seed-borne mosaic virus in Field Pea: Widespread Infection, Genetic Diversity, and Resistance Gene Effectiveness. <i>Plant Disease</i> , 2016 , 100, 2475-2482	1.5	7
81	Seed dormancy and persistent sediment seed banks of ephemeral freshwater rock pools in the Australian monsoon tropics. <i>Annals of Botany</i> , 2015 , 115, 847-59	4.1	19
80	Occasional mouldboard ploughing slows evolution of resistance and reduces long-term weed populations in no-till systems. <i>Agricultural Systems</i> , 2015 , 139, 66-75	6.1	19
79	Plant adaptations to severely phosphorus-impooverished soils. <i>Current Opinion in Plant Biology</i> , 2015 , 25, 23-31	9.9	116
78	The ecophysiology of seed persistence: a mechanistic view of the journey to germination or demise. <i>Biological Reviews</i> , 2015 , 90, 31-59	13.5	237
77	Shallow environmental gradients put inland species at risk: Insights and implications from predicting future distributions of Eucalyptus species in South Western Australia. <i>Austral Ecology</i> , 2015 , 40, 923-932	1.5	7
76	Vegetation patterns and hydro-geological drivers of freshwater rock pool communities in the monsoon-tropical Kimberley region, Western Australia. <i>Journal of Vegetation Science</i> , 2015 , 26, 1184-1197 ¹		8
75	Considering long-term ecological effects on future land-use options when making tactical break-crop decisions in cropping systems. <i>Crop and Pasture Science</i> , 2015 , 66, 610	2.2	5
74	Gaining insight into the risks, returns and value of perfect knowledge for crop sequences by comparing optimal sequences with those proposed by agronomists. <i>Crop and Pasture Science</i> , 2015 , 66, 622	2.2	10
73	Conservation biology of two endemic Beyeria species (Euphorbiaceae) from southern Western Australia. <i>Australian Journal of Botany</i> , 2015 , 63, 484	1.2	2
72	Herbicide resistance modelling: past, present and future. <i>Pest Management Science</i> , 2014 , 70, 1394-404	4.6	59

71	Expanding the eco-evolutionary context of herbicide resistance research. <i>Pest Management Science</i> , 2014 , 70, 1385-93	4.6	77
70	Requirements, design and implementation of a general model of biological invasion. <i>Ecological Modelling</i> , 2014 , 272, 394-409	3	14
69	Simulation of the evolution of root water foraging strategies in dry and shallow soils. <i>Annals of Botany</i> , 2014 , 114, 763-78	4.1	11
68	Orientation and speed of wind gusts causing abscission of wind-dispersed seeds influences dispersal distance. <i>Functional Ecology</i> , 2014 , 28, 973-981	5.6	14
67	Biogenic ethylene promotes seedling emergence from the sediment seed bank in an ephemeral tropical rock pool habitat. <i>Plant and Soil</i> , 2014 , 380, 73-87	4.2	11
66	Plant Responses to Limited Moisture and Phosphorus Availability. <i>Advances in Agronomy</i> , 2014 , 124, 143-200	5.0	51
65	How will climate variability interact with long-term climate change to affect the persistence of plant species in fragmented landscapes?. <i>Environmental Conservation</i> , 2014 , 41, 110-121	3.3	13
64	Shifting focus from the population to the individual as a way forward in understanding, predicting and managing the complexities of evolution of resistance to pesticides. <i>Pest Management Science</i> , 2013 , 69, 171-5	4.6	23
63	Temporal patterns of ascospore release in <i>Leptosphaeria maculans</i> vary depending on geographic region and time of observation. <i>Microbial Ecology</i> , 2013 , 65, 584-92	4.4	17
62	Love thy neighbour: facilitation through an alternative signalling modality in plants. <i>BMC Ecology</i> , 2013 , 13, 19	2.7	22
61	Modelling mortality of a stored grain insect pest with fumigation: probit, logistic or Cauchy model?. <i>Mathematical Biosciences</i> , 2013 , 243, 137-46	3.9	5
60	Modeling disturbance-based native invasive species control and its implications for management		13
59	Herbicide-resistant weeds: from research and knowledge to future needs. <i>Evolutionary Applications</i> , 2013 , 6, 1218-21	4.8	83
58	Optimising seed broadcasting and greenstock planting for restoration in the Australian arid zone. <i>Journal of Arid Environments</i> , 2013 , 88, 226-235	2.5	22
57	Plant migration and persistence under climate change in fragmented landscapes: Does it depend on the key point of vulnerability within the lifecycle?. <i>Ecological Modelling</i> , 2013 , 249, 50-58	3	18
56	Dosage consistency is the key factor in avoiding evolution of resistance to phosphine and population increase in stored-grain pests. <i>Pest Management Science</i> , 2013 , 69, 1049-60	4.6	9
55	Aristotle and adding an evolutionary perspective to models of plant architecture in changing environments. <i>Frontiers in Plant Science</i> , 2013 , 4, 284	6.2	6
54	Interspecific hybridisation in tuart (<i>Eucalyptus gomphocephala</i> , Myrtaceae): a conservation management issue?. <i>Australian Journal of Botany</i> , 2013 , 61, 455	1.2	1

53	Assessing eradication strategies for rain-splashed and wind-dispersed crop diseases. <i>Pest Management Science</i> , 2013 , 69, 955-63	4.6	3
52	Overcoming restoration thresholds and increasing revegetation success for a range of canopy species in a degraded urban Mediterranean-type woodland ecosystem. <i>Australian Journal of Botany</i> , 2013 , 61, 139	1.2	8
51	Establishment, survival, and herbage production of novel, summer-active perennial pasture legumes in the low-rainfall cropping zone of Western Australia as affected by plant density and cutting frequency. <i>Crop and Pasture Science</i> , 2013 , 64, 71	2.2	15
50	Statistical emulators of a plant growth simulation model. <i>Climate Research</i> , 2013 , 55, 253-265	1.6	6
49	Mobile traps are better than stationary traps for surveillance of airborne fungal spores. <i>Crop Protection</i> , 2012 , 36, 23-30	2.7	16
48	The impact of seed head age and orientation on seed release thresholds. <i>Functional Ecology</i> , 2012 , 26, 837-843	5.6	11
47	Seasonal and diurnal patterns of spore release can significantly affect the proportion of spores expected to undergo long-distance dispersal. <i>Microbial Ecology</i> , 2012 , 63, 578-85	4.4	41
46	Individual-based modelling of the efficacy of fumigation tactics to control lesser grain borer (<i>Rhyzopertha dominica</i>) in stored grain. <i>Journal of Stored Products Research</i> , 2012 , 51, 23-32	2.5	14
45	Constructing a new individual-based model of phosphine resistance in lesser grain borer (<i>Rhyzopertha dominica</i>): do we need to include two loci rather than one?. <i>Journal of Pest Science</i> , 2012 , 85, 451-468	5.5	7
44	Models of long-distance transport: how is carrier-dependent auxin transport regulated in the stem?. <i>New Phytologist</i> , 2012 , 194, 704-715	9.8	45
43	Habitat restoration will help some functional plant types persist under climate change in fragmented landscapes. <i>Global Change Biology</i> , 2012 , 18, 2057-2070	11.4	32
42	Linking field and farmer surveys to determine the most important changes to weed incidence. <i>Weed Research</i> , 2012 , 52, 564-574	1.9	21
41	Simulation modelling identifies polygenic basis of herbicide resistance in a weed population and predicts rapid evolution of herbicide resistance at low herbicide rates. <i>Crop Protection</i> , 2012 , 40, 114-120	2.7	12
40	An Herbicide-Susceptible Rigid Ryegrass (<i>Lolium rigidum</i>) Population Made Even More Susceptible. <i>Weed Science</i> , 2012 , 60, 101-105	2	11
39	Growth, carboxylate exudates and nutrient dynamics in three herbaceous perennial plant species under low, moderate and high phosphorus supply. <i>Plant and Soil</i> , 2012 , 358, 105-117	4.2	35
38	Out of sight but not out of mind: alternative means of communication in plants. <i>PLoS ONE</i> , 2012 , 7, e37337	3.7	36
37	Simulation of optimal rooting strategies: What's the best way to find a wet crack? 2012 ,		1
36	Acoustic and magnetic communication in plants: Is it possible?. <i>Plant Signaling and Behavior</i> , 2012 , 7, 1346-8	2.5	23

35	Adaptive shoot and root responses collectively enhance growth at optimum temperature and limited phosphorus supply of three herbaceous legume species. <i>Annals of Botany</i> , 2012 , 110, 959-68	4.1	14
34	Comparison of novel and standard methods for analysing patterns of plant death in designed field experiments. <i>Journal of Agricultural Science</i> , 2012 , 150, 319-334	1	3
33	Phenotypic variation for productivity and drought tolerance is widespread in germplasm collections of Australian Cullen species. <i>Crop and Pasture Science</i> , 2012 , 63, 656	2.2	7
32	Rapid Evolution of Herbicide Resistance by Low Herbicide Dosages. <i>Weed Science</i> , 2011 , 59, 210-217	2	119
31	Numerical algorithms for estimation and calculation of parameters in modeling pest population dynamics and evolution of resistance. <i>Mathematical Biosciences</i> , 2011 , 233, 77-89	3.9	6
30	Biserrula and subterranean clover can co-exist during the vegetative phase but are out-competed by capeweed. <i>Crop and Pasture Science</i> , 2011 , 62, 236	2.2	5
29	Towards large-scale prediction of <i>Lolium rigidum</i> emergence. II. Correlation between dormancy and herbicide resistance levels suggests an impact of cropping systems. <i>Weed Research</i> , 2011 , 51, 133-141	1.9	43
28	Using log-log scaling slope analysis for determining the contributions to variability in biological variables such as leaf mass per area: why it works, when it works and how it can be extended. <i>New Phytologist</i> , 2011 , 190, 5-8	9.8	17
27	Can mechanistically parameterised, anisotropic dispersal kernels provide a reliable estimate of wind-assisted dispersal?. <i>Ecological Modelling</i> , 2011 , 222, 1673-1682	3	13
26	The Role of Habitus in the Maintenance of Traditional Noongar Plant Knowledge in Southwest Western Australia. <i>Human Ecology</i> , 2011 , 39, 673-682	2	6
25	Above- and below-ground interactions of grass and pasture legume species when grown together under drought and low phosphorus availability. <i>Plant and Soil</i> , 2011 , 348, 281-297	4.2	27
24	Does cutting herbicide rates threaten the sustainability of weed management in cropping systems?. <i>Journal of Theoretical Biology</i> , 2011 , 283, 14-27	2.3	44
23	Modelling seagrass growth and development to evaluate transplanting strategies for restoration. <i>Annals of Botany</i> , 2011 , 108, 1213-23	4.1	19
22	How much detail and accuracy is required in plant growth sub-models to address questions about optimal management strategies in agricultural systems?. <i>AoB PLANTS</i> , 2011 , 2011, plr006	2.9	14
21	Timing of propagule release significantly alters the deposition area of resulting aerial dispersal. <i>Diversity and Distributions</i> , 2010 , 16, 288-299	5	27
20	Multiple adaptive responses of Australian native perennial legumes with pasture potential to grow in phosphorus- and moisture-limited environments. <i>Annals of Botany</i> , 2010 , 105, 755-67	4.1	67
19	Photosynthesis at an extreme end of the leaf trait spectrum: how does it relate to high leaf dry mass per area and associated structural parameters?. <i>Journal of Experimental Botany</i> , 2010 , 61, 3015-28	7	54
18	High level of resistance to <i>Sclerotinia sclerotiorum</i> in introgression lines derived from hybridization between wild crucifers and the crop Brassica species <i>B. napus</i> and <i>B. juncea</i> . <i>Field Crops Research</i> , 2010 , 117, 51-58	5.5	66

17	From controlled environments to field simulations: Developing a growth model for the novel perennial pasture legume <i>Cullen australasicum</i> . <i>Agricultural and Forest Meteorology</i> , 2010 , 150, 1373-1382	5.8	6
16	The Land Use Sequence Optimiser (LUSO): A theoretical framework for analysing crop sequences in response to nitrogen, disease and weed populations. <i>Crop and Pasture Science</i> , 2010 , 61, 835	2.2	27
15	Effects of leaf development and phosphorus supply on the photosynthetic characteristics of perennial legume species with pasture potential: modelling photosynthesis with leaf development. <i>Functional Plant Biology</i> , 2010 , 37, 713	2.7	11
14	Influence of leaf dry mass per area, CO ₂ , and irradiance on mesophyll conductance in sclerophylls. <i>Journal of Experimental Botany</i> , 2009 , 60, 2303-14	7	129
13	Assessment of management options for <i>Salsola australis</i> in south-west Australia by transition matrix modelling. <i>Weed Research</i> , 2009 , 49, 400-408	1.9	4
12	Seed moisture content affects afterripening and smoke responsiveness in three sympatric Australian native species from fire-prone environments. <i>Austral Ecology</i> , 2009 , 34, 866-877	1.5	27
11	Light Extinction in Spring Wheat Canopies in Relation to Crop Configuration and Solar Angle 2009 ,		2
10	MApplE: simulation of apple tree development using mixed stochastic and biomechanical models. <i>Functional Plant Biology</i> , 2008 , 35, 936-950	2.7	88
9	Similarities and gradients in growth unit branching patterns during ontogeny in "Fuji" apple trees: a stochastic approach. <i>Journal of Experimental Botany</i> , 2006 , 57, 3131-43	7	54
8	Using the canonical modelling approach to simplify the simulation of function in functional-structural plant models. <i>New Phytologist</i> , 2005 , 166, 845-57	9.8	24
7	Functional-structural plant modelling using a combination of architectural analysis, L-systems and a canonical model of function. <i>Ecological Modelling</i> , 2005 , 184, 277-298	3	24
6	The inside story 2003 ,		3
5	Using Computational Plant Science Tools to Investigate Morphological Aspects of Compensatory Growth. <i>Lecture Notes in Computer Science</i> , 2003 , 708-717	0.9	8
4	Creating and Targeting Periodic Orbits 1997 , 183-196		
3	Creating periodic orbits in chaotic systems. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 1995 , 203, 107-114	2.3	8
2	Novel reference transcriptomes for the sponges <i>Carteriospongia foliascens</i> and <i>Cliona orientalis</i> and associated algal symbiont <i>Gerakladium endoclonum</i>		1
1	The influence of environmental drivers and restoration intervention methods on postmine restoration trajectories. <i>Restoration Ecology</i> , e13503	3.1	1