Yang Ye

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7811191/publications.pdf

Version: 2024-02-01

172457 214800 3,126 132 29 47 citations h-index g-index papers 141 141 141 3474 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Antidiabetic Activities of Triterpenoids Isolated from Bitter Melon Associated with Activation of the AMPK Pathway. Chemistry and Biology, 2008, 15, 263-273.	6.0	327
2	Anti-SARS-CoV-2 activities in vitro of Shuanghuanglian preparations and bioactive ingredients. Acta Pharmacologica Sinica, 2020, 41, 1167-1177.	6.1	314
3	Identification of pyrogallol as a warhead in design of covalent inhibitors for the SARS-CoV-2 3CL protease. Nature Communications, 2021, 12, 3623.	12.8	111
4	Mono- and Di-sesquiterpenoids from <i>Chloranthus spicatus</i> . Journal of Natural Products, 2007, 70, 1987-1990.	3.0	69
5	Stemoninines from the Roots of Stemonatuberosa. Journal of Natural Products, 2006, 69, 1051-1054.	3.0	63
6	Alkaloids from Stems and Leaves of <i>Stemona japonica </i> and Their Insecticidal Activities. Journal of Natural Products, 2008, 71, 112-116.	3.0	51
7	Diterpenoids from the Flowers of <i>Rhododendron molle</i> . Journal of Natural Products, 2014, 77, 1185-1192.	3.0	51
8	Alkaloids of Stemona japonica. Journal of Natural Products, 1994, 57, 665-669.	3.0	50
9	Limonoids and Triterpenoids from the Stem Bark of <i>Melia toosendan</i> . Journal of Natural Products, 2010, 73, 664-668.	3.0	50
10	Constituents of <i>Trigonostemon chinensis</i> . Journal of Natural Products, 2010, 73, 40-44.	3.0	50
11	Croomine- and tuberostemonine-type alkaloids from roots of Stemona tuberosa and their antitussive activity. Tetrahedron, 2008, 64, 10155-10161.	1.9	47
12	Bicunningines A and B, Two New Dimeric Diterpenes from Cunninghamia lanceolata. Organic Letters, 2012, 14, 460-463.	4.6	44
13	Alkaloids from Roots of <i>Stemona sessilifolia </i> and Their Antitussive Activities. Planta Medica, 2009, 75, 174-177.	1.3	43
14	Discovery of potential small molecular SARS-CoV-2 entry blockers targeting the spike protein. Acta Pharmacologica Sinica, 2022, 43, 788-796.	6.1	40
15	Alkaloids from the Roots of <i>Stemona saxorum</i> . Journal of Natural Products, 2007, 70, 1356-1359.	3.0	39
16	Diterpenoids from the pericarp of Platycladus orientalis. Phytochemistry, 2008, 69, 518-526.	2.9	38
17	Dicarabrones A and B, a Pair of New Epimers Dimerized from Sesquiterpene Lactones via a [3 + 2] Cycloaddition from <i>Carpesium abrotanoides</i>	4.6	38
18	Nitric oxide inhibitory xanthones from the pericarps of Garcinia mangostana. Phytochemistry, 2016, 131, 115-123.	2.9	38

#	Article	IF	CITATIONS
19	Reversal of multidrug resistance by Marsdenia tenacissima and its main active ingredients polyoxypregnanes. Journal of Ethnopharmacology, 2017, 203, 110-119.	4.1	38
20	Antibacterial stilbenoids from the roots of Stemona tuberosa. Phytochemistry, 2008, 69, 457-463.	2.9	37
21	Stereochemistry of atropisomeric 9,10-dihydrophenanthrene dimers from Pholidota chinensis. Tetrahedron: Asymmetry, 2008, 19, 2007-2014.	1.8	37
22	Sesquiterpenoids and Phenylpropanoids from Pericarps of <i>Illicium oligandrum</i> . Journal of Natural Products, 2009, 72, 238-242.	3.0	36
23	Limonoids from the fruits of Melia toosendan. Phytochemistry, 2012, 73, 106-113.	2.9	35
24	Isolation of chlorogenic acids and their derivatives from Stemona japonica by preparative HPLC and evaluation of their anti-AIV (H5N1) activityin vitro. Phytochemical Analysis, 2007, 18, 213-218.	2.4	34
25	Lignanamides and Sesquiterpenoids from Stems of <i>Mitrephora thorelii</i> . Helvetica Chimica Acta, 2008, 91, 1023-1030.	1.6	34
26	Bibenzyls from Stemona tuberosa. Phytochemistry, 1995, 38, 711-713.	2.9	33
27	Naturally occurring furanoditerpenoids: distribution, chemistry and their pharmacological activities. Phytochemistry Reviews, 2017, 16, 235-270.	6.5	32
28	Phochinenins A – F, Dimeric 9,10â€Dihydrophenanthrene Derivatives, from <i>Pholidota chinensis</i> Helvetica Chimica Acta, 2008, 91, 2122-2129.	1.6	30
29	Comprehensive profiling of lysine acetylome in Staphylococcus aureus. Science China Chemistry, 2014, 57, 732-738.	8.2	30
30	Cytotoxic and Pro-Apoptotic Effects of Cassane Diterpenoids from the Seeds of Caesalpinia sappan in Cancer Cells. Molecules, 2016, 21, 791.	3.8	30
31	Identification of chemotypes in bitter melon by metabolomics: a plant with potential benefit for management of diabetes in traditional Chinese medicine. Metabolomics, 2019, 15, 104.	3.0	30
32	Berberine and its structural analogs have differing effects on functional profiles of individual gut microbiomes. Gut Microbes, 2020, 11, 1348-1361.	9.8	30
33	Polyoxypregnane Steroids from the Stems of <i>Marsdenia tenacissima</i> . Journal of Natural Products, 2014, 77, 2044-2053.	3.0	29
34	Abietane Diterpenoids from the Bark of <i>Cryptomeria fortunei</i> . Journal of Natural Products, 2008, 71, 1242-1246.	3.0	28
35	A novel small molecule liver X receptor transcriptional regulator, nagilactone B, suppresses atherosclerosis in apoE-deficient mice. Cardiovascular Research, 2016, 112, 502-514.	3.8	28
36	A novel ultra-performance liquid chromatography hyphenated with quadrupole time of flight mass spectrometry method for rapid estimation of total toxic retronecine-type of pyrrolizidine alkaloids in herbs without requiring corresponding standards. Food Chemistry, 2016, 194, 1320-1328.	8.2	28

#	Article	IF	CITATIONS
37	Terpenoids from the Stems of <i>Cipadessa baccifera</i> . Journal of Natural Products, 2008, 71, 628-632.	3.0	27
38	Four New Naphthylisoquinoline Alkaloids from Ancistrocladustectorius. Journal of Natural Products, 2000, 63, 1384-1387.	3.0	26
39	Anthraquinones, sterols, triterpenoids and xanthones from Cassia obtusifolia. Biochemical Systematics and Ecology, 2010, 38, 342-345.	1.3	26
40	Differential distribution of characteristic constituents in root, stem and leaf tissues of Salvia miltiorrhiza using MALDI mass spectrometry imaging. Fìtoterapìâ, 2020, 146, 104679.	2.2	26
41	Tetramerized Sesquiterpenoid Ainsliatetramers A and B from <i>Ainsliaea fragrans</i> and Their Cytotoxic Activities. Organic Letters, 2019, 21, 8211-8214.	4.6	21
42	3-Deoxy- $2\hat{l}^2$,16-dihydroxynagilactone E, a natural compound from Podocarpus nagi, preferentially inhibits JAK2/STAT3 signaling by allosterically interacting with the regulatory domain of JAK2 and induces apoptosis of cancer cells. Acta Pharmacologica Sinica, 2019, 40, 1578-1586.	6.1	21
43	Antimicrobial and Immunomodulating Activities of Two Endemic Nepeta Species and Their Major Iridoids Isolated from Natural Sources. Pharmaceuticals, 2021, 14, 414.	3.8	21
44	Stilbenoids from Stemona japonica. Journal of Asian Natural Products Research, 2006, 8, 47-53.	1.4	20
45	Sesquiterpenoids and Diterpenoids from <i>Chloranthus anhuiensis</i> . Chemistry and Biodiversity, 2010, 7, 151-157.	2.1	20
46	Anti-inflammatory Eudesmane Sesquiterpenoids from <i>Artemisia hedinii</i> Iournal of Natural Products, 2021, 84, 1626-1637.	3.0	20
47	Polyoxypregnane steroids with an open-chain sugar moiety from Marsdenia tenacissima and their chemoresistance reversal activity. Phytochemistry, 2016, 126, 47-58.	2.9	19
48	Ainsliatriolides A and B, Two Guaianolide Trimers from <i>Ainsliaea fragrans</i> and Their Cytotoxic Activities. Journal of Organic Chemistry, 2018, 83, 14175-14180.	3.2	19
49	Flavonoids from <i>Carthamus tinctorius</i> . Chinese Journal of Chemistry, 2002, 20, 699-702.	4.9	18
50	Anti-inflammatory Inositol Derivatives from the Whole Plant of <i>Inula cappa</i> Iournal of Natural Products, 2015, 78, 2332-2338.	3.0	18
51	Taxodikaloids A and B, Two Dimeric Abietane-Type Diterpenoids from <i>Taxodium ascendens</i> Possessing an Oxazoline Ring Linkage. Organic Letters, 2017, 19, 556-559.	4.6	18
52	Two new lignan-iridoid glucoside diesters from the leaves of Vaccinium bracteatum and their relative and absolute configuration determination by DFT NMR and TDDFT-ECD calculation. Tetrahedron, 2017, 73, 3213-3219.	1.9	18
53	Targeted isolation of two disesquiterpenoid macrocephadiolides A and B from <i>Ainsliaea macrocephala</i> using a molecular networking-based dereplication strategy. Organic Chemistry Frontiers, 2020, 7, 1481-1489.	4.5	18
54	Efficient discovery of potential inhibitors for SARS-CoV-2 3C-like protease from herbal extracts using a native MS-based affinity-selection method. Journal of Pharmaceutical and Biomedical Analysis, 2022, 209, 114538.	2.8	18

#	Article	IF	CITATIONS
55	Cartorimine, a New Cycloheptenone Oxide Derivative fromCarthamustinctorius. Journal of Natural Products, 2000, 63, 1164-1165.	3.0	17
56	Cochinchistemonine, a novel skeleton alkaloid from Stemona cochinchinensis. Tetrahedron Letters, 2007, 48, 1559-1561.	1.4	17
57	Novel Diterpenoids from the Twigs of Podocarpus nagi. Molecules, 2016, 21, 1282.	3.8	17
58	Isolation and Structure Characterization of Cytotoxic Phorbol Esters from the Seeds of Croton tiglium. Planta Medica, 2017, 83, 1361-1367.	1.3	17
59	Cucurbitane Glucosides from the Crude Extract of <i>Siraitia grosvenorii</i> with Moderate Effects on PGC-1α Promoter Activity. Journal of Natural Products, 2017, 80, 1428-1435.	3.0	17
60	Pretreatment with broad-spectrum antibiotics alters the pharmacokinetics of major constituents of Shaoyao-Gancao decoction in rats after oral administration. Acta Pharmacologica Sinica, 2019, 40, 288-296.	6.1	17
61	Alkaloids from the Roots of <i>Stemona cochinchinensis</i> . Helvetica Chimica Acta, 2007, 90, 2167-2175.	1.6	16
62	Cassane Diterpenoids from the Pericarps of <i>Caesalpinia bonduc</i> . Journal of Natural Products, 2016, 79, 24-29.	3.0	16
63	Divaccinosides A–D, four rare iridoid glucosidic truxillate esters from the leaves of Vaccinium bracteatum. Tetrahedron Letters, 2017, 58, 2385-2388.	1.4	16
64	Cytotoxic Germacrane-Type Sesquiterpene Lactones from the Whole Plant of <i>Carpesium lipskyi</i> Journal of Natural Products, 2019, 82, 919-927.	3.0	16
65	Bufalin exerts antitumor effects in neuroblastoma via theÂinduction of reactive oxygen species‑mediatedÂapoptosis by targeting the electron transport chain. International Journal of Molecular Medicine, 2020, 46, 2137-2149.	4.0	16
66	Parvistemins A–D, a new type of dimeric phenylethyl benzoquinones from Stemona parviflora Wright. Tetrahedron, 2007, 63, 4688-4694.	1.9	15
67	Sesquiterpene lactones from Inula cappa. Phytochemistry Letters, 2012, 5, 639-642.	1.2	15
68	Sesquiterpene lactone dimers from Artemisia lavandulifolia inhibit interleukin- $1\hat{l}^2$ production in macrophages through activating autophagy. Bioorganic Chemistry, 2020, 105, 104451.	4.1	15
69	Nonalkaloid Constituents from Stemona japonica. Helvetica Chimica Acta, 2007, 90, 318-325.	1.6	14
70	New Biphenyl Constituents from <i>Garcinia oblongifolia</i> . Helvetica Chimica Acta, 2008, 91, 938-943.	1.6	14
71	Isocartormin, a novel quinochalcone C -glycoside from Carthamus tinctorius. Acta Pharmaceutica Sinica B, 2017, 7, 527-531.	12.0	14
72	<p>Phosphocreatine attenuates Gynura segetum-induced hepatocyte apoptosis via a SIRT3-SOD2-mitochondrial reactive oxygen species pathway</p> . Drug Design, Development and Therapy, 2019, Volume 13, 2081-2096.	4.3	14

#	Article	IF	CITATIONS
73	Tricarabrols A–C, three anti-inflammatory sesquiterpene lactone trimers featuring a methylene-tethered linkage from <i>Carpesium faberi</i> . Organic Chemistry Frontiers, 2020, 7, 1374-1382.	4.5	14
74	Polyoxypregnanes as safe, potent, and specific ABCB1-inhibitory pro-drugs to overcome multidrug resistance in cancer chemotherapy inÂvitro and inÂvivo. Acta Pharmaceutica Sinica B, 2021, 11, 1885-1902.	12.0	14
75	The absolute configuration determination of naturally occurring diacetylenic spiroacetal enol ethers from Artemisia lactiflora. Tetrahedron, 2011, 67, 3533-3539.	1.9	13
76	Triterpenoids from the Stem Bark of <i>Melia toosendan</i> and Determination of Their Absolute Configurations at C(24). Chemistry and Biodiversity, 2013, 10, 1630-1637.	2.1	13
77	Cytotoxic cassane diterpenoids from the seeds of Caesalpinia sappan. Chinese Chemical Letters, 2017, 28, 1711-1715.	9.0	13
78	Dihydro-stilbene gigantol relieves CCl4-induced hepatic oxidative stress and inflammation in mice via inhibiting C5b-9 formation in the liver. Acta Pharmacologica Sinica, 2020, 41, 1433-1445.	6.1	13
79	Polyisoprenylated benzophenone derivatives from <i>Garcinia cambogia</i> and their anti-inflammatory activities. Food and Function, 2021, 12, 6432-6441.	4.6	13
80	Three new dimeric diterpenes from Rhododendron molle. Chinese Chemical Letters, 2017, 28, 1205-1209.	9.0	12
81	Bisbenzopyrans and alkaloids from the roots of <i>Stemona cochinchinensis</i> . Natural Product Research, 2008, 22, 915-920.	1.8	11
82	Isolation of the retinal isomers from the isomerization of all-trans-retinal by flash countercurrent chromatography. Journal of Chromatography A, 2013, 1271, 67-70.	3.7	11
83	Cytotoxic sesquiterpene lactones from Artemisia anomala. Phytochemistry Letters, 2017, 20, 177-180.	1.2	11
84	New podolactones from the seeds of Podocarpus nagi and their anti-inflammatory effect. Journal of Natural Medicines, 2018, 72, 882-889.	2.3	11
85	Callistemonols A and B, Potent Antimicrobial Acylphloroglucinol Derivatives with Unusual Carbon Skeletons from <i>Callistemon viminalis</i> Journal of Natural Products, 2019, 82, 1917-1922.	3.0	11
86	Ainsliadimer C, a disesquiterpenoid isolated from Ainsliaea macrocephala, ameliorates inflammatory responses in adipose tissue via Sirtuin 1-NLRP3 inflammasome axis. Acta Pharmacologica Sinica, 2022, 43, 1780-1792.	6.1	11
87	Two new naphthylisoquinoline alkaloids from stems and leaves of Ancistrocladus tectorius. Natural Product Research, 2010, 24, 989-994.	1.8	10
88	Phenol esters and other constituents from the stem barks of <i> Stereospermum acuminatissimum < /i > . Journal of Asian Natural Products Research, 2011, 13, 1128-1134.</i>	1.4	10
89	7 α ,8 α -Epoxynagilactones and their glucosides from the twigs of Podocarpus nagi: Isolation, structures, and cytotoxic activities. Fìtoterapìâ, 2018, 125, 174-183.	2.2	10
90	Discovery of a novel protein kinase C activator from Croton tiglium for inhibition of non-small cell lung cancer. Phytomedicine, 2019, 65, 153100.	5.3	10

#	Article	IF	CITATIONS
91	Traditional Chinese medicine extraction method by ethanol delivers drug-like molecules. Chinese Journal of Natural Medicines, 2019, 17, 713-720.	1.3	9
92	Natural constituents from food sources: potential therapeutic agents against muscle wasting. Food and Function, 2019, 10, 6967-6986.	4.6	9
93	Biscaesalmins A and B from Caesalpinia minax, highly oxidized dimeric cassane diterpenoids as interleukin- $1\hat{l}^2$ inhibitors. Chinese Chemical Letters, 2021, 32, 1475-1479.	9.0	9
94	Anti-inflammatory sesquiterpenoid dimers from Artemisia atrovirens. Fìtoterapìâ, 2022, 159, 105199.	2.2	9
95	Lowered fasting chenodeoxycholic acid correlated with the decrease of fibroblast growth factor 19 in Chinese subjects with impaired fasting glucose. Scientific Reports, 2017, 7, 6042.	3.3	8
96	Birhodomolleins D and E, two new dimeric grayanane diterpenes with a 3- O -2′ linkage from the fruits of Rhododendron pumilum. Chinese Chemical Letters, 2018, 29, 123-126.	9.0	8
97	Lycodine-type alkaloids from Lycopodiastrum casuarinoides and their acetylcholinesterase inhibitory activity. FA¬toterapìâ, 2019, 139, 104378.	2.2	8
98	Cytotoxic guaianolides and seco-guaianolides from Artemisia atrovirens. Fìtoterapìâ, 2021, 151, 104900.	2.2	8
99	Guaianolides from Artemisia codonocephala suppress interleukine- $\hat{\Pi}^2$ secretion in macrophages. Phytochemistry, 2021, 192, 112955.	2.9	8
100	Natural Products Chemistry Research 2006's Progress in China. Chinese Journal of Natural Medicines, 2008, 6, 70-78.	1.3	7
101	Natural products chemistry research: progress in China in 2011. Chinese Journal of Natural Medicines, 2013, 11, 97-109.	1.3	7
102	Two New N-Oxide Alkaloids from Stemona cochinchinensis. Molecules, 2014, 19, 20257-20265.	3.8	7
103	Adduct ion-targeted qualitative and quantitative analysis of polyoxypregnanes by ultra-high pressure liquid chromatography coupled with triple quadrupole mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 127-136.	2.8	7
104	Monomeric and dimeric sesquiterpene lactones from Artemisia heptapotamica. Chinese Journal of Natural Medicines, 2019, 17, 785-791.	1.3	7
105	Neuroprotective and Anti-inflammatory Ditetrahydrofuran-Containing Diarylheptanoids from <i>Tacca chantrieri</i> . Journal of Natural Products, 2020, 83, 3681-3688.	3.0	7
106	Cytotoxic germacrane-type sesquiterpene lactones from the whole plant of Inula cappa. Chinese Chemical Letters, 2017, 28, 927-930.	9.0	6
107	Discovery and characterization of natural products as novel indoleamine 2,3-dioxygenase 1 inhibitors through high-throughput screening. Acta Pharmacologica Sinica, 2020, 41, 423-431.	6.1	6
108	Anti-proliferative cassane-type diterpenoids from the seeds of <i>Caesalpinia minax</i> Product Research, 2022, 36, 932-941.	1.8	6

#	Article	IF	Citations
109	Three new carabrane sesquiterpenoid derivatives from the whole plant of Carpesium abrotanoides L Chinese Journal of Natural Medicines, 2021, 19, 868-873.	1.3	6
110	Macrocephatriolides A and B: Two Guaianolide Trimers from <i>Ainsliaea macrocephala</i> as PTP1B Inhibitors and Insulin Sensitizers. Journal of Organic Chemistry, 2021, 86, 17782-17789.	3.2	6
111	Liquorice Extract and $18\hat{l}^2$ -Glycyrrhetinic Acid Protect Against Experimental Pyrrolizidine Alkaloid-Induced Hepatotoxicity in Rats Through Inhibiting Cytochrome P450-Mediated Metabolic Activation. Frontiers in Pharmacology, 2022, 13, 850859.	3.5	6
112	Secoiridoids and xanthones from Tylophora secamonoides Tsiang. Journal of Asian Natural Products Research, 2008, 10, 591-596.	1.4	5
113	The first phytochemical investigation of Rhododendron websterianum: triterpenoids and their cytotoxic activity. Phytochemistry Letters, 2018, 25, 43-46.	1.2	5
114	Dimeric 9,10-dihydrophenanthrene derivatives from Bletilla striata and their atropisomeric nature. FĬtoterapĬĢ, 2021, 152, 104919.	2.2	5
115	Noreudesmane sesquiterpenoids from Artemisia hedinii and their anti-inflammatory activities. Fìtoterapìâ, 2021, 153, 104961.	2.2	5
116	Natural products chemistry research 2010's progress in China. Chinese Journal of Natural Medicines, 2012, 10, 1-12.	1.3	4
117	A Pair of Enantiomeric Bis-seco-abietane Diterpenoids from Cryptomeria fortunei. Journal of Natural Products, 2018, 81, 2667-2672.	3.0	4
118	Trigonostemons G and H, dinorditerpenoid dimers with axially chiral biaryl linkage from Trigonostemon chinensis. Chirality, 2020, 32, 265-272.	2.6	4
119	3, 4-seco-Isopimarane and 3, 4-seco-pimarane diterpenoids from Callicarpa nudiflora. Chinese Journal of Natural Medicines, 2021, 19, 632-640.	1.3	4
120	Indole alkaloids from leaves and stems of Hunteria zeylanica. Chemistry of Natural Compounds, 2009, 45, 834-836.	0.8	3
121	Iridoid glucosides from Allamanda neriifolia. Chinese Chemical Letters, 2010, 21, 709-711.	9.0	3
122	First Total Synthesis of Prionoid E, A Bioactive Rearranged Secoabietane Diterpene Quinone from <i>Salvia prionitis</i> . Helvetica Chimica Acta, 2011, 94, 1326-1334.	1.6	3
123	Two New Cyclopeptides from <i>Podocarpus nagi</i> . Chinese Journal of Chemistry, 2012, 30, 1361-1364.	4.9	3
124	Mass Spectrometric Behavior of Four Typical Stemona Alkaloids. Chinese Journal of Analytical Chemistry, 2006, 34, 497-503.	1.7	2
125	Natural Products Chemistry Research 2008's Progress in China. Chinese Journal of Natural Medicines, 2010, 8, 68-80.	1.3	2
126	Natural Products Chemistry Research 2009's Progress in China. Chinese Journal of Natural Medicines, 2011, 9, 7-16.	1.3	1

#	Article	IF	CITATIONS
127	Investigation of liposoluble constituents from the root of Ligularia narynensis. International Journal of Biology and Chemistry, 2018, 11, 189-197.	0.3	1
128	Ten undescribed cadinane-type sesquiterpenoids from Eupatorium chinense. Fìtoterapìâ, 2022, 156, 105091.	2.2	1
129	Withaphysalins from Medicinal and Edible <i>Physalis minima</i> and Their Anti-inflammatory Activities. Journal of Agricultural and Food Chemistry, 2022, 70, 5595-5609.	5.2	1
130	Natural Products Chemistry Research 2008's Progress in China. Chinese Journal of Natural Medicines, 2010, 8, 68-80.	1.3	0
131	CHEMICAL CONSTITUENTS OF LIGULARIA NARYNENSIS. Series Chemistry and Technology, 2019, 3, 13-18.	0.1	O
132	Determination of chemical composition of the Ligularia narynensis root by gas chromatography-mass spectrometry. Chemical Bulletin of Kazakh National University, 2019, , 14-19.	0.1	0