

# Eun-Kyu Kim

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7811887/eun-kyu-kim-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52  
papers

521  
citations

13  
h-index

20  
g-index

56  
ext. papers

705  
ext. citations

4.3  
avg, IF

3.62  
L-index

#	Paper	IF	Citations
52	Metabolic Radiomics for Pretreatment F-FDG PET/CT to Characterize Locally Advanced Breast Cancer: Histopathologic Characteristics, Response to Neoadjuvant Chemotherapy, and Prognosis. <i>Scientific Reports</i> , <b>2017</b> , 7, 1556	4.9	65
51	Melatonin enhances arsenic trioxide-induced cell death via sustained upregulation of Redd1 expression in breast cancer cells. <i>Molecular and Cellular Endocrinology</i> , <b>2016</b> , 422, 64-73	4.4	43
50	STAT3-survivin signaling mediates a poor response to radiotherapy in HER2-positive breast cancers. <i>Oncotarget</i> , <b>2016</b> , 7, 7055-65	3.3	35
49	The Management Strategy of Benign Solitary Intraductal Papilloma on Breast Core Biopsy. <i>Clinical Breast Cancer</i> , <b>2017</b> , 17, 367-372	3	27
48	Benign Intraductal Papilloma without Atypia on Core Needle Biopsy Has a Low Rate of Upgrading to Malignancy after Excision. <i>Journal of Breast Cancer</i> , <b>2018</b> , 21, 80-86	3	26
47	Microinvasive Carcinoma versus Ductal Carcinoma : A Comparison of Clinicopathological Features and Clinical Outcomes. <i>Journal of Breast Cancer</i> , <b>2018</b> , 21, 197-205	3	24
46	Use of a prospective surveillance model to prevent breast cancer treatment-related lymphedema: a single-center experience. <i>Breast Cancer Research and Treatment</i> , <b>2016</b> , 160, 269-276	4.4	21
45	Clinicopathologic Characteristics of Pregnancy-Associated Breast Cancer: Results of Analysis of a Nationwide Breast Cancer Registry Database. <i>Journal of Breast Cancer</i> , <b>2017</b> , 20, 264-269	3	16
44	Targeting HIF-1 $\alpha$ is a prerequisite for cell sensitivity to dichloroacetate (DCA) and metformin. <i>Biochemical and Biophysical Research Communications</i> , <b>2016</b> , 469, 164-70	3.4	16
43	Failure patterns according to molecular subtype in patients with invasive breast cancer following postoperative adjuvant radiotherapy: long-term outcomes in contemporary clinical practice. <i>Breast Cancer Research and Treatment</i> , <b>2017</b> , 163, 555-563	4.4	15
42	Benign Breast Papilloma without Atypia: Outcomes of Surgical Excision versus US-guided Directional Vacuum-assisted Removal or US Follow-up. <i>Radiology</i> , <b>2019</b> , 293, 72-80	20.5	14
41	Dichloroacetate potentiates tamoxifen-induced cell death in breast cancer cells via downregulation of the epidermal growth factor receptor. <i>Oncotarget</i> , <b>2016</b> , 7, 59809-59819	3.3	14
40	Is the high proportion of young age at breast cancer onset a unique feature of Asian breast cancer?. <i>Breast Cancer Research and Treatment</i> , <b>2019</b> , 173, 189-199	4.4	14
39	Primary apocrine sweat gland carcinomas of the axilla: a report of two cases and a review of the literature. <i>World Journal of Surgical Oncology</i> , <b>2015</b> , 13, 59	3.4	13
38	Poor Prognosis of Lower Inner Quadrant in Lymph Node-negative Breast Cancer Patients Who Received No Chemotherapy: A Study Based on Nationwide Korean Breast Cancer Registry Database. <i>Clinical Breast Cancer</i> , <b>2017</b> , 17, e169-e184	3	12
37	The Effect of Immediate Breast Reconstruction on Thoracic Spine Alignment After Unilateral Mastectomy. <i>Clinical Breast Cancer</i> , <b>2018</b> , 18, 214-219	3	12
36	Comparison of the Diagnostic Performance of Synthetic Versus Acquired High b-Value (1500 s/mm <sup>2</sup> ) Diffusion-Weighted MRI in Women With Breast Cancers. <i>Journal of Magnetic Resonance Imaging</i> , <b>2019</b> , 49, 857-863	5.6	12

35	Changes in Biomarker Status in Metastatic Breast Cancer and Their Prognostic Value. <i>Journal of Breast Cancer</i> , <b>2019</b> , 22, 439-452	3	12
34	Evaluation of the Survival Benefit of Different Chemotherapy Regimens in Patients with T1-2N0 Triple-Negative Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2015</b> , 18, 271-8	3	11
33	Tamoxifen therapy improves overall survival in luminal A subtype of ductal carcinoma in situ: a study based on nationwide Korean Breast Cancer Registry database. <i>Breast Cancer Research and Treatment</i> , <b>2018</b> , 169, 311-322	4.4	10
32	Characteristics of BRCA1/2 Mutation-Positive Breast Cancers in Korea: A Comparison Study Based on Multicenter Data and the Korean Breast Cancer Registry. <i>Journal of Breast Cancer</i> , <b>2014</b> , 17, 129-35	3	10
31	Ultrasound-guided cable-free 13-gauge vacuum-assisted biopsy of non-mass breast lesions. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179182	3.7	9
30	Clinical subtypes and prognosis of pregnancy-associated breast cancer: results from the Korean Breast Cancer Society Registry database. <i>Breast Cancer Research and Treatment</i> , <b>2018</b> , 172, 113-121	4.4	9
29	Comparison of multidimensional frailty score, grip strength, and gait speed in older surgical patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2020</b> , 11, 432-440	10.3	9
28	Negative Conversion of Progesterone Receptor Status after Primary Systemic Therapy Is Associated with Poor Clinical Outcome in Patients with Breast Cancer. <i>Cancer Research and Treatment</i> , <b>2018</b> , 50, 1418-1432	5.2	8
27	A Novel Prognostic Nomogram for Predicting Risks of Distant Failure in Patients with Invasive Breast Cancer Following Postoperative Adjuvant Radiotherapy. <i>Cancer Research and Treatment</i> , <b>2018</b> , 50, 1140-1148	5.2	8
26	Objective assessment of flap volume changes and aesthetic results after adjuvant radiation therapy in patients undergoing immediate autologous breast reconstruction. <i>PLoS ONE</i> , <b>2018</b> , 13, e0197615	3.7	7
25	Contralateral Breast Cancer and Ipsilateral Breast Tumor Recurrence in Carriers and Non-Carriers at High-Risk of Hereditary Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2019</b> , 22, 587-598	3	7
24	Implementation of a resident night float system in a surgery department in Korea for 6 months: electronic medical record-based big data analysis and medical staff survey. <i>Annals of Surgical Treatment and Research</i> , <b>2019</b> , 96, 209-215	2	6
23	Clinicopathological characteristics of BRCA-associated breast cancer in Asian patients. <i>Journal of Pathology and Translational Medicine</i> , <b>2020</b> , 54, 265-275	2.9	5
22	Risk stratification of triple-negative breast cancer with core gene signatures associated with chemoresponse and prognosis. <i>Breast Cancer Research and Treatment</i> , <b>2019</b> , 178, 185-197	4.4	4
21	Clinicopathological and Imaging Features of Breast Cancer in Korean Women under 40 Years of Age. <i>Journal of the Korean Society of Radiology</i> , <b>2017</b> , 76, 375	0.2	4
20	Participation of Korean families at high risk for hereditary breast and ovarian cancer in BRCA1/2 genetic testing. <i>Japanese Journal of Clinical Oncology</i> , <b>2015</b> , 45, 527-32	2.8	3
19	Phase II randomized study of neoadjuvant metformin plus letrozole versus placebo plus letrozole for ER-positive postmenopausal breast cancer [METEOR Study].. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 576-576	2.2	3
18	Aesthetic Scar-Less Mastectomy and Breast Reconstruction. <i>Journal of Breast Cancer</i> , <b>2021</b> , 24, 22-33	3	3

17	Sentinel node biopsy after neoadjuvant chemotherapy for breast cancer with axillary node metastasis: A survey of clinical practice. <i>Asian Journal of Surgery</i> , <b>2019</b> , 42, 314-319	1.6	2
16	Genomic profiling of multiple breast cancer reveals inter-lesional heterogeneity. <i>British Journal of Cancer</i> , <b>2020</b> , 122, 697-704	8.7	2
15	Validating machine learning approaches for prediction of donor related complication in microsurgical breast reconstruction: a retrospective cohort study. <i>Scientific Reports</i> , <b>2021</b> , 11, 5615	4.9	2
14	Effect of Poloxamer-Based Thermo-Sensitive Sol-Gel Agent on Upper Limb Dysfunction after Axillary Lymph Node Dissection: A Double-Blind Randomized Clinical Trial. <i>Journal of Breast Cancer</i> , <b>2021</b> , 24, 367-376	3	2
13	Clinical implication of subcategorizing T2 category into T2a and T2b in TNM staging of breast cancer. <i>Cancer Medicine</i> , <b>2018</b> , 7, 5514-5524	4.8	2
12	External validation and modification of nomogram for predicting positive resection margins before breast conserving surgery. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 183, 373-380	4.4	1
11	Single-port laparoscopically harvested omental flap for immediate breast reconstruction. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 184, 375-384	4.4	1
10	Effect of risk-reducing salpingo-oophorectomy on the quality of life in Korean BRCA mutation carriers. <i>Asian Journal of Surgery</i> , <b>2021</b> , 44, 1056-1062	1.6	1
9	No axillary surgical treatment for lymph node-negative patients after ultra-sonography [NAUTILUS]: protocol of a prospective randomized clinical trial.. <i>BMC Cancer</i> , <b>2022</b> , 22, 189	4.8	1
8	Identifying germline APOBEC3B deletion and immune phenotype in Korean patients with operable breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 183, 697-704	4.4	0
7	Prognostic implications of regression of metastatic axillary lymph nodes after neoadjuvant chemotherapy in patients with breast cancer. <i>Scientific Reports</i> , <b>2021</b> , 11, 12128	4.9	0
6	Ultrasonography and ultrasound-guided fine-needle aspiration biopsy can predict a heavy nodal metastatic burden in early-stage breast cancer. <i>Ultrasonography</i> , <b>2021</b> , 40, 520-529	4.3	0
5	Survival analysis in patients with invasive lobular cancer and invasive ductal cancer according to hormone receptor expression status in the Korean population.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0262709	3.7	
4	The Effect of Body Mass Index on Initial Breast Cancer Stage Among Korean Women. <i>Clinical Breast Cancer</i> , <b>2021</b> , 21, e631-e637	3	
3	The Potential Predictors in Chemotherapy Sensitivity. <i>Advances in Experimental Medicine and Biology</i> , <b>2021</b> , 1187, 381-389	3.6	
2	Abstract OT1-04-02: The NAUTILUS trial (No Axillary sUrgical Treatment In clinically Lymph node negative patients after UltraSonography): A prospective multicenter randomized phase III trial (NCT04303715). <i>Cancer Research</i> , <b>2022</b> , 82, OT1-04-02-OT1-04-02	10.1	
1	Abstract P1-08-06: Development of an artificial neural network model and comparison with nomogram for prediction of pathological complete response after neoadjuvant chemotherapy in breast cancer. <i>Cancer Research</i> , <b>2022</b> , 82, P1-08-06-P1-08-06	10.1	