

Zhaoqian Xie

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7813176/zhaoqian-xie-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

4,793
citations

35
h-index

68
g-index

101
ext. papers

6,504
ext. citations

14.5
avg, IF

5.33
L-index

#	Paper	IF	Citations
87	Binodal, wireless epidermal electronic systems with in-sensor analytics for neonatal intensive care. <i>Science</i> , 2019 , 363,	33.3	316
86	Skin-integrated wireless haptic interfaces for virtual and augmented reality. <i>Nature</i> , 2019 , 575, 473-479	50.4	307
85	Battery-free, stretchable optoelectronic systems for wireless optical characterization of the skin. <i>Science Advances</i> , 2016 , 2, e1600418	14.3	266
84	Flexible Near-Field Wireless Optoelectronics as Subdermal Implants for Broad Applications in Optogenetics. <i>Neuron</i> , 2017 , 93, 509-521.e3	13.9	225
83	Epidermal electronics with advanced capabilities in near-field communication. <i>Small</i> , 2015 , 11, 906-12	11	191
82	Wireless bioresorbable electronic system enables sustained nonpharmacological neuroregenerative therapy. <i>Nature Medicine</i> , 2018 , 24, 1830-1836	50.5	190
81	Miniaturized Battery-Free Wireless Systems for Wearable Pulse Oximetry. <i>Advanced Functional Materials</i> , 2017 , 27, 1604373	15.6	182
80	Battery-free, wireless sensors for full-body pressure and temperature mapping. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	176
79	Mechanical assembly of complex, 3D mesostructures from releasable multilayers of advanced materials. <i>Science Advances</i> , 2016 , 2, e1601014	14.3	152
78	Compliant and stretchable thermoelectric coils for energy harvesting in miniature flexible devices. <i>Science Advances</i> , 2018 , 4, eaau5849	14.3	147
77	A skin-attachable, stretchable integrated system based on liquid GaInSn for wireless human motion monitoring with multi-site sensing capabilities. <i>NPG Asia Materials</i> , 2017 , 9, e443-e443	10.3	145
76	Large-area MRI-compatible epidermal electronic interfaces for prosthetic control and cognitive monitoring. <i>Nature Biomedical Engineering</i> , 2019 , 3, 194-205	19	144
75	Skin-interfaced biosensors for advanced wireless physiological monitoring in neonatal and pediatric intensive-care units. <i>Nature Medicine</i> , 2020 , 26, 418-429	50.5	134
74	Miniaturized Flexible Electronic Systems with Wireless Power and Near-Field Communication Capabilities. <i>Advanced Functional Materials</i> , 2015 , 25, 4761-4767	15.6	114
73	Mechano-acoustic sensing of physiological processes and body motions via a soft wireless device placed at the suprasternal notch. <i>Nature Biomedical Engineering</i> , 2020 , 4, 148-158	19	109
72	Relation between blood pressure and pulse wave velocity for human arteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 11144-11149	11.5	109
71	Fully implantable optoelectronic systems for battery-free, multimodal operation in neuroscience research. <i>Nature Electronics</i> , 2018 , 1, 652-660	28.4	92

70	Flexible and Stretchable Antennas for Biointegrated Electronics. <i>Advanced Materials</i> , 2020 , 32, e19027674	7.4	90
69	Fully implantable, battery-free wireless optoelectronic devices for spinal optogenetics. <i>Pain</i> , 2017 , 158, 2108-2116	8	76
68	Multimodal Sensing with a Three-Dimensional Piezoresistive Structure. <i>ACS Nano</i> , 2019 , 13, 10972-10979	16.7	75
67	Flexible and stretchable metal oxide nanofiber networks for multimodal and monolithically integrated wearable electronics. <i>Nature Communications</i> , 2020 , 11, 2405	17.4	73
66	Wireless, battery-free, fully implantable multimodal and multisite pacemakers for applications in small animal models. <i>Nature Communications</i> , 2019 , 10, 5742	17.4	72
65	Freestanding 3D Mesostructures, Functional Devices, and Shape-Programmable Systems Based on Mechanically Induced Assembly with Shape Memory Polymers. <i>Advanced Materials</i> , 2019 , 31, e1805615	24	72
64	Battery-free, lightweight, injectable microsystem for in vivo wireless pharmacology and optogenetics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 21427-21437	11.5	61
63	Dissolution of Monocrystalline Silicon Nanomembranes and Their Use as Encapsulation Layers and Electrical Interfaces in Water-Soluble Electronics. <i>ACS Nano</i> , 2017 , 11, 12562-12572	16.7	61
62	Stretchable, dynamic covalent polymers for soft, long-lived bioresorbable electronic stimulators designed to facilitate neuromuscular regeneration. <i>Nature Communications</i> , 2020 , 11, 5990	17.4	58
61	A Generic Soft Encapsulation Strategy for Stretchable Electronics. <i>Advanced Functional Materials</i> , 2019 , 29, 1806630	15.6	55
60	Wireless, Battery-Free Epidermal Electronics for Continuous, Quantitative, Multimodal Thermal Characterization of Skin. <i>Small</i> , 2018 , 14, e1803192	11	53
59	Buckling and twisting of advanced materials into morphable 3D mesostructures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 13239-13248	11.5	51
58	Wireless sensors for continuous, multimodal measurements at the skin interface with lower limb prostheses. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	39
57	Kinetics and Chemistry of Hydrolysis of Ultrathin, Thermally Grown Layers of Silicon Oxide as Biofluid Barriers in Flexible Electronic Systems. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 42633-42638	25.5	38
56	Fully implantable and bioresorbable cardiac pacemakers without leads or batteries. <i>Nature Biotechnology</i> , 2021 , 39, 1228-1238	44.5	38
55	Transferred, Ultrathin Oxide Bilayers as Biofluid Barriers for Flexible Electronic Implants. <i>Advanced Functional Materials</i> , 2018 , 28, 1702284	15.6	36
54	A Bioresorbable Magnetically Coupled System for Low-Frequency Wireless Power Transfer. <i>Advanced Functional Materials</i> , 2019 , 29, 1905451	15.6	35
53	Wirelessly controlled, bioresorbable drug delivery device with active valves that exploit electrochemically triggered crevice corrosion. <i>Science Advances</i> , 2020 , 6, eabb1093	14.3	35

52	Skin-Integrated Graphene-Embedded Lead Zirconate Titanate Rubber for Energy Harvesting and Mechanical Sensing. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900744	6.8	34
51	Thin, Skin-Integrated, Stretchable Triboelectric Nanogenerators for Tactile Sensing. <i>Advanced Electronic Materials</i> , 2020 , 6, 1901174	6.4	32
50	Epidermal electronics for respiration monitoring via thermo-sensitive measuring. <i>Materials Today Physics</i> , 2020 , 13, 100199	8	31
49	Wireless multilateral devices for optogenetic studies of individual and social behaviors. <i>Nature Neuroscience</i> , 2021 , 24, 1035-1045	25.5	31
48	Photocurable bioresorbable adhesives as functional interfaces between flexible bioelectronic devices and soft biological tissues. <i>Nature Materials</i> , 2021 , 20, 1559-1570	27	29
47	Trampoline inspired stretchable triboelectric nanogenerators as tactile sensors for epidermal electronics. <i>Nano Energy</i> , 2021 , 81, 105590	17.1	28
46	Three-dimensional electronic microfliers inspired by wind-dispersed seeds. <i>Nature</i> , 2021 , 597, 503-510	50.4	28
45	Mechanically Guided Post-Assembly of 3D Electronic Systems. <i>Advanced Functional Materials</i> , 2018 , 28, 1803149	15.6	26
44	Miniaturized electromechanical devices for the characterization of the biomechanics of deep tissue. <i>Nature Biomedical Engineering</i> , 2021 , 5, 759-771	19	25
43	Flexible bioelectrodes with enhanced wrinkle microstructures for reliable electrochemical modification and neuromodulation in vivo. <i>Biosensors and Bioelectronics</i> , 2019 , 135, 181-191	11.8	23
42	Three-Dimensional Silicon Electronic Systems Fabricated by Compressive Buckling Process. <i>ACS Nano</i> , 2018 , 12, 4164-4171	16.7	23
41	A metal-electrode-free, fully integrated, soft triboelectric sensor array for self-powered tactile sensing. <i>Microsystems and Nanoengineering</i> , 2020 , 6, 59	7.7	22
40	CRACK DEFLECTION AND FLAW TOLERANCE IN "BRICK-AND-MORTAR" STRUCTURED COMPOSITES. <i>International Journal of Applied Mechanics</i> , 2014 , 06, 1450017	2.4	21
39	Electronic Skin from High-Throughput Fabrication of Intrinsically Stretchable Lead Zirconate Titanate Elastomer. <i>Research</i> , 2020 , 2020, 1085417	7.8	21
38	A wireless, skin-interfaced biosensor for cerebral hemodynamic monitoring in pediatric care. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 31674-31684	11.5	21
37	Battery-free, wireless soft sensors for continuous multi-site measurements of pressure and temperature from patients at risk for pressure injuries. <i>Nature Communications</i> , 2021 , 12, 5008	17.4	21
36	Mechanics Design of Stretchable Near Field Communication Antenna With Serpentine Wires. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2018 , 85,	2.7	20
35	Mechanics designs-performance relationships in epidermal triboelectric nanogenerators. <i>Nano Energy</i> , 2020 , 76, 105017	17.1	18

34	Reliable, low-cost, fully integrated hydration sensors for monitoring and diagnosis of inflammatory skin diseases in any environment. <i>Science Advances</i> , 2020 , 6,	14.3	18
33	Analysis of Cosserat materials with Voronoi cell finite element method and parametric variational principle. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2008 , 197, 741-755	5.7	17
32	Electronic skin as wireless human-machine interfaces for robotic VR.. <i>Science Advances</i> , 2022 , 8, eabl67004.3	14.3	17
31	Design and Fabrication of Heterogeneous, Deformable Substrates for the Mechanically Guided 3D Assembly. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 3482-3492	9.5	17
30	Flexible and stretchable opto-electric neural interface for low-noise electrocorticogram recordings and neuromodulation in vivo. <i>Biosensors and Bioelectronics</i> , 2020 , 153, 112009	11.8	16
29	Soft Three-Dimensional Microscale Vibratory Platforms for Characterization of Nano-Thin Polymer Films. <i>ACS Nano</i> , 2019 , 13, 449-457	16.7	16
28	Wireless, implantable catheter-type oximeter designed for cardiac oxygen saturation. <i>Science Advances</i> , 2021 , 7,	14.3	15
27	3D printed microstructures for flexible electronic devices. <i>Nanotechnology</i> , 2019 , 30, 414001	3.4	13
26	Fracture mode control: a bio-inspired strategy to combat catastrophic damage. <i>Scientific Reports</i> , 2015 , 5, 8011	4.9	13
25	Advanced approaches for quantitative characterization of thermal transport properties in soft materials using thin, conformable resistive sensors. <i>Extreme Mechanics Letters</i> , 2018 , 22, 27-35	3.9	12
24	Stretchable Parylene-C electrodes enabled by serpentine structures on arbitrary elastomers by silicone rubber adhesive. <i>Journal of Materiomics</i> , 2020 , 6, 330-338	6.7	12
23	A finite element model for 2D elastic-plastic contact analysis of multiple Cosserat materials. <i>European Journal of Mechanics, A/Solids</i> , 2012 , 31, 139-151	3.7	11
22	Stretchable Sweat-Activated Battery in Skin-Integrated Electronics for Continuous Wireless Sweat Monitoring.. <i>Advanced Science</i> , 2022 , e2104635	13.6	11
21	Complex 3D microfluidic architectures formed by mechanically guided compressive buckling. <i>Science Advances</i> , 2021 , 7, eabj3686	14.3	11
20	Fracture-mode map of brittle coatings: Theoretical development and experimental verification. <i>Journal of the Mechanics and Physics of Solids</i> , 2015 , 83, 19-35	5	9
19	Stretchable Electronics: Epidermal Electronics with Advanced Capabilities in Near-Field Communication (Small 8/2015). <i>Small</i> , 2015 , 11, 905-905	11	8
18	Bioinspired Ultrathin Piecewise Controllable Soft Robots. <i>Advanced Materials Technologies</i> , 2021 , 6, 2001095	10.95	8
17	A finite element model for 3D frictional contact analysis of Cosserat materials. <i>Finite Elements in Analysis and Design</i> , 2012 , 57, 92-102	2.2	7

16	Epidermal Electronics: Wireless, Battery-Free Epidermal Electronics for Continuous, Quantitative, Multimodal Thermal Characterization of Skin (Small 47/2018). <i>Small</i> , 2018 , 14, 1870226	11	7
15	Advanced Materials in Wireless, Implantable Electrical Stimulators that Offer Rapid Rates of Bioresorption for Peripheral Axon Regeneration. <i>Advanced Functional Materials</i> , 2021 , 31, 2102724	15.6	5
14	Performance Evaluation of a Wearable Tattoo Electrode Suitable for High-Resolution Surface Electromyogram Recording. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 1389-1398	5	5
13	Skin-Integrated Devices with Soft, Holey Architectures for Wireless Physiological Monitoring, With Applications in the Neonatal Intensive Care Unit. <i>Advanced Materials</i> , 2021 , 33, e2103974	24	5
12	Triboelectric Nanogenerator Tattoos Enabled by Epidermal Electronic Technologies. <i>Advanced Functional Materials</i> , 2111269	15.6	5
11	Finite element analysis of 3D elastic-plastic frictional contact problem for Cosserat materials. <i>Computational Mechanics</i> , 2013 , 51, 911-925	4	4
10	Parametric variational principle based elastic-plastic analysis of Cosserat continuum. <i>Acta Mechanica Sinica</i> , 2007 , 20, 65-74	2	4
9	Miniaturization of mechanical actuators in skin-integrated electronics for haptic interfaces. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 85	7.7	4
8	Oximetry: Miniaturized Battery-Free Wireless Systems for Wearable Pulse Oximetry (Adv. Funct. Mater. 1/2017). <i>Advanced Functional Materials</i> , 2017 , 27,	15.6	3
7	In vitro protocol for validating interface pressure sensors for therapeutic compression garments: Importance of sphygmomanometer placement and initial cuff diameter. <i>Veins and Lymphatics</i> , 2018 , 7,	1.3	3
6	Epidermal Electronics: Miniaturized Flexible Electronic Systems with Wireless Power and Near-Field Communication Capabilities (Adv. Funct. Mater. 30/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 4919-4919	15.6	2
5	Flexible electronics with dynamic interfaces for biomedical monitoring, stimulation, and characterization. <i>International Journal of Mechanical System Dynamics</i> , 2021 , 1, 52-70		2
4	Stretchable self-powered epidermal electronics from piezoelectric rubber for tactile sensing. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2020 , 69, 178701	0.6	1
3	The Effect of Void Arrangement on the Pattern Transformation of Porous Soft Solids under Biaxial Loading. <i>Materials</i> , 2021 , 14,	3.5	1
2	A New Strong Form Technique for Thermo-Electro-Mechanical Behaviors of Piezoelectric Solids. <i>Coatings</i> , 2021 , 11, 687	2.9	1
1	Electronic Structures: Mechanically Guided Post-Assembly of 3D Electronic Systems (Adv. Funct. Mater. 48/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870344	15.6	1