

Richard J Debus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7813670/richard-j-debus-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

4,316
citations

35
h-index

65
g-index

66
ext. papers

4,609
ext. citations

5.1
avg. IF

5.89
L-index

#	Paper	IF	Citations
66	High-resolution cryo-electron microscopy structure of photosystem II from the mesophilic cyanobacterium, sp. PCC 6803.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	7
65	Alteration of the O-Producing MnCa Cluster in Photosystem II by the Mutation of a Metal Ligand.. <i>Biochemistry</i> , 2021 , 60, 3841-3855	3.2	3
64	Structure of a monomeric photosystem II core complex from a cyanobacterium acclimated to far-red light reveals the functions of chlorophylls d and f. <i>Journal of Biological Chemistry</i> , 2021 , 101424	5.4	6
63	The exchange of the fast substrate water in the S state of photosystem II is limited by diffusion of bulk water through channels - implications for the water oxidation mechanism. <i>Chemical Science</i> , 2021 , 12, 12763-12775	9.4	3
62	Pulse EPR Spectroscopic Characterization of the S State of the Oxygen-Evolving Complex of Photosystem II Isolated from. <i>Biochemistry</i> , 2020 , 59, 4864-4872	3.2	12
61	Determining the Electronic Structure of Paramagnetic Intermediates in membrane proteins: A high-resolution 2D H hyperfine sublevel correlation study of the redox-active tyrosines of photosystem II. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183422	3.8	2
60	D1-S169A substitution of photosystem II reveals a novel S-state structure. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2020 , 1861, 148301	4.6	3
59	Cryo-EM Structure of Monomeric Photosystem II from Synechocystis sp. PCC 6803 Lacking the Water-Oxidation Complex. <i>Joule</i> , 2020 , 4, 2131-2148	27.8	22
58	Roles of D1-Glu189 and D1-Glu329 in O Formation by the Water-Splitting MnCa Cluster in Photosystem II. <i>Biochemistry</i> , 2020 , 59, 3902-3917	3.2	5
57	Insights into Proton-Transfer Pathways during Water Oxidation in Photosystem II. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 8195-8202	3.4	11
56	D1-S169A Substitution of Photosystem II Perturbs Water Oxidation. <i>Biochemistry</i> , 2019 , 58, 1379-1387	3.2	15
55	Bicarbonate rescues damaged proton-transfer pathway in photosystem II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2019 , 1860, 611-617	4.6	4
54	One of the Substrate Waters for O Formation in Photosystem II Is Provided by the Water-Splitting MnCaO Cluster's Ca Ion. <i>Biochemistry</i> , 2019 , 58, 3185-3192	3.2	22
53	Substitution of the D1-Asn site in photosystem II of cyanobacteria mimics the chloride-binding characteristics of spinach photosystem II. <i>Journal of Biological Chemistry</i> , 2018 , 293, 2487-2497	5.4	20
52	Structural Effects of Ammonia Binding to the MnCaO Cluster of Photosystem II. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 1588-1599	3.4	20
51	Impact of D1-V185 on the Water Molecules That Facilitate O Formation by the Catalytic MnCaO Cluster in Photosystem II. <i>Biochemistry</i> , 2018 , 57, 4299-4311	3.2	18
50	Evidence from FTIR Difference Spectroscopy That a Substrate HO Molecule for O Formation in Photosystem II Is Provided by the Ca Ion of the Catalytic MnCaO Cluster. <i>Biochemistry</i> , 2017 , 56, 2558-2570	3.2	41

49	Ammonia Binding in the Second Coordination Sphere of the Oxygen-Evolving Complex of Photosystem II. <i>Biochemistry</i> , 2016 , 55, 4432-6	3.2	12
48	Identifying carboxylate ligand vibrational modes in photosystem II with QM/MM methods. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 12613-12615	11.5	5
47	Ammonia Binds to the Dangler Manganese of the Photosystem II Oxygen-Evolving Complex. <i>Journal of the American Chemical Society</i> , 2015 , 137, 8829-37	16.4	62
46	FTIR studies of metal ligands, networks of hydrogen bonds, and water molecules near the active site Mn ₄ CaO ₅ cluster in Photosystem II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2015 , 1847, 19-34	4.6	86
45	Probing the effect of mutations of asparagine 181 in the D1 subunit of photosystem II. <i>Biochemistry</i> , 2015 , 54, 1663-72	3.2	23
44	Evidence from FTIR difference spectroscopy that D1-Asp61 influences the water reactions of the oxygen-evolving Mn ₄ CaO ₅ cluster of photosystem II. <i>Biochemistry</i> , 2014 , 53, 2941-55	3.2	89
43	Network of hydrogen bonds near the oxygen-evolving Mn(4)CaO(5) cluster of photosystem II probed with FTIR difference spectroscopy. <i>Biochemistry</i> , 2014 , 53, 1001-17	3.2	47
42	Warwick Hillier: a tribute. <i>Photosynthesis Research</i> , 2014 , 122, 1-11	3.7	3
41	Participation of glutamate-333 of the D1 polypeptide in the ligation of the Mn ₄ CaO ₅ cluster in photosystem II. <i>Biochemistry</i> , 2013 , 52, 8452-64	3.2	20
40	Mutation of lysine 317 in the D2 subunit of photosystem II alters chloride binding and proton transport. <i>Biochemistry</i> , 2013 , 52, 4758-73	3.2	76
39	Ligation of D1-His332 and D1-Asp170 to the manganese cluster of photosystem II from <i>Synechocystis</i> assessed by multifrequency pulse EPR spectroscopy. <i>Biochemistry</i> , 2011 , 50, 7390-404	3.2	54
38	Participation of glutamate-354 of the CP43 polypeptide in the ligation of manganese and the binding of substrate water in photosystem II. <i>Biochemistry</i> , 2011 , 50, 63-81	3.2	49
37	Altered structure of the Mn ₄ Ca cluster in the oxygen-evolving complex of photosystem II by a histidine ligand mutation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 9257-67	5.4	13
36	Evidence from FTIR difference spectroscopy of an extensive network of hydrogen bonds near the oxygen-evolving Mn(4)Ca cluster of photosystem II involving D1-Glu65, D2-Glu312, and D1-Glu329. <i>Biochemistry</i> , 2010 , 49, 6655-69	3.2	89
35	¹³ C ENDOR reveals that the D1 polypeptide C-terminus is directly bound to Mn in the photosystem II oxygen evolving complex. <i>Journal of the American Chemical Society</i> , 2010 , 132, 446-7	16.4	28
34	Multifrequency electron spin-echo envelope modulation studies of nitrogen ligation to the manganese cluster of photosystem II. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008 , 363, 1157-66; discussion 1166	5.8	22
33	Glutamate-354 of the CP43 polypeptide interacts with the oxygen-evolving Mn ₄ Ca cluster of photosystem II: a preliminary characterization of the Glu354Gln mutant. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008 , 363, 1179-87; discussion 1187-8	5.8	21
32	Investigation of substrate water interactions at the high-affinity Mn site in the photosystem II oxygen-evolving complex. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008 , 363, 1229-34; discussion 1234-5	5.8	30

31	Protein Ligation of the Photosynthetic Oxygen-Evolving Center. <i>Coordination Chemistry Reviews</i> , 2008 , 252, 244-258	23.2	140
30	Photoassembly of the manganese cluster in mutants perturbed in the high affinity Mn-binding site of the H ₂ O-oxidation complex of photosystem II. <i>Biochemistry</i> , 2007 , 46, 13648-57	3.2	19
29	Mutation of arginine 357 of the CP43 protein of photosystem II severely impairs the catalytic S-state cycle of the H ₂ O oxidation complex. <i>Biochemistry</i> , 2007 , 46, 11987-97	3.2	56
28	No evidence from FTIR difference spectroscopy that aspartate-342 of the D1 polypeptide ligates a Mn ion that undergoes oxidation during the S ₀ to S ₁ , S ₁ to S ₂ , or S ₂ to S ₃ transitions in photosystem II. <i>Biochemistry</i> , 2007 , 46, 3151-60	3.2	46
27	No evidence from FTIR difference spectroscopy that glutamate-189 of the D1 polypeptide ligates a Mn ion that undergoes oxidation during the S ₀ to S ₁ , S ₁ to S ₂ , or S ₂ to S ₃ transitions in photosystem II. <i>Biochemistry</i> , 2006 , 45, 8801-11	3.2	56
26	Evidence from biosynthetically incorporated strontium and FTIR difference spectroscopy that the C-terminus of the D1 polypeptide of photosystem II does not ligate calcium. <i>Biochemistry</i> , 2005 , 44, 8571-7	3.2	98
25	No evidence from FTIR difference spectroscopy that aspartate-170 of the D1 polypeptide ligates a manganese ion that undergoes oxidation during the S ₀ to S ₁ , S ₁ to S ₂ , or S ₂ to S ₃ transitions in photosystem II. <i>Biochemistry</i> , 2005 , 44, 1367-74	3.2	118
24	The Catalytic Manganese Cluster: Protein Ligation 2005 , 261-284		9
23	Evidence that the C-terminus of the D1 polypeptide of photosystem II is ligated to the manganese ion that undergoes oxidation during the S ₁ to S ₂ transition: an isotope-edited FTIR study. <i>Biochemistry</i> , 2004 , 43, 3152-66	3.2	148
22	Time-resolved oxygen production by PSII: chasing chemical intermediates. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2004 , 1655, 184-94	4.6	64
21	Does aspartate 170 of the D1 polypeptide ligate the manganese cluster in photosystem II? An EPR and ESEEM Study. <i>Biochemistry</i> , 2003 , 42, 10600-8	3.2	41
20	Amino acid residues that modulate the properties of tyrosine Y(Z) and the manganese cluster in the water oxidizing complex of photosystem II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2001 , 1503, 164-86	4.6	154
19	Photosynthetic water oxidation in <i>Synechocystis</i> sp. PCC6803: mutations D1-E189K, R and Q are without influence on electron transfer at the donor side of photosystem II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2001 , 1506, 224-35	4.6	30
18	Does histidine 332 of the D1 polypeptide ligate the manganese cluster in photosystem II? An electron spin echo envelope modulation study. <i>Biochemistry</i> , 2001 , 40, 3690-9	3.2	81
17	D1-Asp170 is structurally coupled to the oxygen evolving complex in photosystem II as revealed by light-induced Fourier transform infrared difference spectroscopy. <i>Biochemistry</i> , 2001 , 40, 2312-6	3.2	72
16	Degradation of the Photosystem II D1 and D2 proteins in different strains of the cyanobacterium <i>Synechocystis</i> PCC 6803 varying with respect to the type and level of psbA transcript. <i>Plant Molecular Biology</i> , 2000 , 42, 635-45	4.6	43
15	Glutamate 189 of the D1 polypeptide modulates the magnetic and redox properties of the manganese cluster and tyrosine Y(Z) in photosystem II. <i>Biochemistry</i> , 2000 , 39, 6275-87	3.2	40
14	Histidine 332 of the D1 polypeptide modulates the magnetic and redox properties of the manganese cluster and tyrosine Y(Z) in photosystem II. <i>Biochemistry</i> , 2000 , 39, 470-8	3.2	44

13	Impact of mutations within the putative Ca ²⁺ -binding luminal interhelical a-b loop of the photosystem II D1 protein on the kinetics of photoactivation and H ₂ O-oxidation in <i>Synechocystis</i> sp. PCC6803. <i>Biochemistry</i> , 1999 , 38, 6070-81	3.2	44
12	Role of D1-His190 in proton-coupled electron transfer reactions in photosystem II: a chemical complementation study. <i>Biochemistry</i> , 1998 , 37, 11352-65	3.2	192
11	Oxygenic photosystem II: the mutation D1-D61N in <i>Synechocystis</i> sp. PCC 6803 retards S-state transitions without affecting electron transfer from YZ to P680+. <i>Biochemistry</i> , 1998 , 37, 14450-6	3.2	76
10	The 23 and 17 kDa extrinsic proteins of photosystem II modulate the magnetic properties of the S1-state manganese cluster. <i>Biochemistry</i> , 1998 , 37, 5039-45	3.2	85
9	Parallel Polarization EPR Detection of an S1-State Multiline EPR Signal in Photosystem II Particles from <i>Synechocystis</i> sp. PCC 6803. <i>Journal of the American Chemical Society</i> , 1998 , 120, 447-448	16.4	92
8	Progress in Characterization of the Photosystem II Oxygen Evolving Complex Using Advanced EPR Methods. <i>ACS Symposium Series</i> , 1998 , 272-285	0.4	4
7	Amino acid residues that influence the binding of manganese or calcium to photosystem II. 2. The carboxy-terminal domain of the D1 polypeptide. <i>Biochemistry</i> , 1995 , 34, 5859-82	3.2	124
6	Amino acid residues that influence the binding of manganese or calcium to photosystem II. 1. The luminal interhelical domains of the D1 polypeptide. <i>Biochemistry</i> , 1995 , 34, 5839-58	3.2	200
5	Site-directed photosystem II mutants with perturbed oxygen-evolving properties. 2. Increased binding or photooxidation of manganese in the absence of the extrinsic 33-kDa polypeptide in vivo. <i>Biochemistry</i> , 1994 , 33, 6150-7	3.2	51
4	Site-directed photosystem II mutants with perturbed oxygen-evolving properties. 1. Instability or inefficient assembly of the manganese cluster in vivo. <i>Biochemistry</i> , 1994 , 33, 6137-49	3.2	134
3	Evidence from directed mutagenesis that aspartate 170 of the D1 polypeptide influences the assembly and/or stability of the manganese cluster in the photosynthetic water-splitting complex. <i>Biochemistry</i> , 1992 , 31, 6660-72	3.2	114
2	The manganese and calcium ions of photosynthetic oxygen evolution. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1992 , 1102, 269-352	4.6	979
1	Identification of Ligands to Manganese and Calcium in Photosystem II by Site-Directed Mutagenesis 1990 , 829-832		19