

# Kenji Sakamoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7815997/publications.pdf>

Version: 2024-02-01

143  
papers

2,199  
citations

218381

26  
h-index

360668

35  
g-index

150  
all docs

150  
docs citations

150  
times ranked

2281  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pharmacological inhibition of Na <sup>+</sup> /K <sup>+</sup> -ATPase induces neurovascular degeneration and glial cell alteration in the rat retina. <i>Experimental Eye Research</i> , 2022, 220, 109107.	1.2	5
2	Pharmacological depletion of retinal neurons prevents vertical angiogenic sprouting without affecting the superficial vascular plexus. <i>Developmental Dynamics</i> , 2021, 250, 497-512.	0.8	3
3	Role of Epoxyeicosatrienoic Acids in Acetylcholine-Induced Dilation of Rat Retinal Arterioles &lt;i>in Vivo&/i>. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 82-87.	0.6	5
4	L-Citrulline ameliorates the attenuation of acetylcholine-induced vasodilation of retinal arterioles in diabetic rats. <i>Heliyon</i> , 2021, 7, e06532.	1.4	3
5	Metformin Protects against NMDA-Induced Retinal Injury through the MEK/ERK Signaling Pathway in Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4439.	1.8	15
6	Impairment of endothelium-dependent vasodilator function of retinal blood vessels in adult rats with a history of retinopathy of prematurity. <i>Journal of Pharmacological Sciences</i> , 2021, 146, 233-243.	1.1	1
7	Involvement of Gap Junctions in Acetylcholine-Induced Endothelium-Derived Hyperpolarization-Type Dilation of Retinal Arterioles in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 1860-1865.	0.6	0
8	Activation of transient receptor potential vanilloid 4 channels dilates rat retinal arterioles through nitric oxide- and BKCa channel-dependent mechanisms in vivo. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 35-41.	1.4	4
9	Changes in components of the neurovascular unit in the retina in a rat model of retinopathy of prematurity. <i>Cell and Tissue Research</i> , 2020, 379, 473-486.	1.5	4
10	The process of revascularization in the neonatal mouse retina following short-term blockade of vascular endothelial growth factor receptors. <i>Cell and Tissue Research</i> , 2020, 382, 529-549.	1.5	6
11	Involvement of Gi protein-dependent BKCa channel activation in $\hat{I}^2$ -adrenoceptor-mediated dilation of retinal arterioles in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 2043-2052.	1.4	4
12	4-Aminopyridine, a Voltage-Gated K <sup>+</sup> Channel Inhibitor, Attenuates Nitric Oxide-Mediated Vasodilation of Retinal Arterioles in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2020, 43, 1123-1127.	0.6	4
13	Abnormal Vascular Phenotypes Associated with the Timing of Interruption of Retinal Vascular Development in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2020, 43, 859-863.	0.6	0
14	Attenuation of Retinal Endothelial Vasodilator Function in a Rat Model of Retinopathy of Prematurity. <i>Current Eye Research</i> , 2019, 44, 1360-1368.	0.7	1
15	Role of Neuron-Glia Signaling in Regulation of Retinal Vascular Tone in Rats. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1952.	1.8	8
16	Involvement of matrix metalloproteinases in capillary degeneration following NMDA-induced neurotoxicity in the neonatal rat retina. <i>Experimental Eye Research</i> , 2019, 182, 101-108.	1.2	4
17	Probucol Slows the Progression of Cataracts in Streptozotocin-Induced Hyperglycemic Rats. <i>Pharmacology</i> , 2019, 103, 212-219.	0.9	4
18	Iron-chelating agents attenuate NMDA-Induced neuronal injury via reduction of oxidative stress in the rat retina. <i>Experimental Eye Research</i> , 2018, 171, 30-36.	1.2	33

#	ARTICLE	IF	CITATIONS
19	GYY4137, an Extended-Release Hydrogen Sulfide Donor, Reduces NMDA-Induced Neuronal Injury in the Murine Retina. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 657-660.	0.6	13
20	Establishment of an abnormal vascular patterning model in the mouse retina. <i>Journal of Pharmacological Sciences</i> , 2018, 136, 177-188.	1.1	10
21	Retinal neuronal cell loss prevents abnormal retinal vascular growth in a rat model of retinopathy of prematurity. <i>Experimental Eye Research</i> , 2018, 168, 115-127.	1.2	8
22	Transient phenotypic changes in endothelial cells and pericytes in neonatal mouse retina following short-term blockade of vascular endothelial growth factor receptors. <i>Developmental Dynamics</i> , 2018, 247, 699-711.	0.8	3
23	Methylglyoxal Impairs $\alpha$ -Adrenoceptor-Mediated Vasodilatory Mechanisms in Rat Retinal Arterioles. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 272-276.	0.6	4
24	Role of Glial Cells in $\mu$ -Opioid Receptor-Mediated Vasodilation in the Rat Retina. <i>Current Eye Research</i> , 2018, 43, 350-356.	0.7	4
25	Anti-angiogenic effects of valproic acid in a mouse model of oxygen-induced retinopathy. <i>Journal of Pharmacological Sciences</i> , 2018, 138, 203-208.	1.1	11
26	Anti-cataract Effect of Resveratrol in High-Glucose-Treated Streptozotocin-Induced Diabetic Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 1586-1592.	0.6	29
27	Brilliant Blue G protects against photoreceptor injury in a murine endotoxin-induced uveitis model. <i>Experimental Eye Research</i> , 2018, 177, 45-49.	1.2	5
28	A delay in vascularization induces abnormal astrocyte proliferation and migration in the mouse retina. <i>Developmental Dynamics</i> , 2017, 246, 186-200.	0.8	15
29	Anti-diabetic drug metformin dilates retinal blood vessels through activation of AMP-activated protein kinase in rats. <i>European Journal of Pharmacology</i> , 2017, 798, 66-71.	1.7	8
30	Stimulation of $\mu$ -opioid receptors dilates retinal arterioles by neuronal nitric oxide synthase-derived nitric oxide in rats. <i>European Journal of Pharmacology</i> , 2017, 803, 124-129.	1.7	10
31	MEK/ERK- and calcineurin/NFAT-mediated mechanism of cerebral hyperemia and brain injury following NMDA receptor activation. <i>Biochemical and Biophysical Research Communications</i> , 2017, 488, 329-334.	1.0	2
32	Stimulation of $\alpha$ 1- and $\alpha$ 2-adrenoceptors dilates retinal blood vessels in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 527-533.	1.4	7
33	L-Citrulline ameliorates cerebral blood flow during cortical spreading depression in rats: Involvement of nitric oxide- and prostanoids-mediated pathway. <i>Journal of Pharmacological Sciences</i> , 2017, 133, 146-155.	1.1	8
34	Opioid receptor activation is involved in neuroprotection induced by TRPV1 channel activation against excitotoxicity in the rat retina. <i>European Journal of Pharmacology</i> , 2017, 812, 57-63.	1.7	12
35	Probucol prevents the attenuation of $\alpha$ 2-adrenoceptor-mediated vasodilation of retinal arterioles in diabetic rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 1247-1253.	1.4	5
36	Activation inhibitors of nuclear factor kappa B protect neurons against the NMDA-induced damage in the rat retina. <i>Journal of Pharmacological Sciences</i> , 2017, 135, 72-80.	1.1	24

#	ARTICLE	IF	CITATIONS
37	Mammalian Target of Rapamycin (mTOR) as a Potential Therapeutic Target in Pathological Ocular Angiogenesis. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 2045-2049.	0.6	29
38	Exposure to high concentration oxygen in the neonatal period induces abnormal retinal vascular patterning in mice. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2016, 107, 216-224.	1.4	7
39	Apelin-36 is protective against N-methyl-D-aspartic-acid-induced retinal ganglion cell death in the mice. <i>European Journal of Pharmacology</i> , 2016, 791, 213-220.	1.7	21
40	Protective effects of PF4708671 against N-methyl-D-aspartic acid-induced retinal damage in rats. <i>Fundamental and Clinical Pharmacology</i> , 2016, 30, 529-536.	1.0	4
41	Short-term treatment with VEGF receptor inhibitors induces retinopathy of prematurity-like abnormal vascular growth in neonatal rats. <i>Experimental Eye Research</i> , 2016, 143, 120-131.	1.2	16
42	Effect of Long-Term Treatment of L-Ornithine on Visual Function and Retinal Histology in the Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 139-143.	0.6	6
43	Preventive Effects of Rapamycin on Inflammation and Capillary Degeneration in a Rat Model of NMDA-Induced Retinal Injury. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 321-324.	0.6	14
44	Deferiprone Protects against Photoreceptor Degeneration Induced by Tunicamycin in the Rat Retina. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 1076-1080.	0.6	11
45	Vasodilator Effects of Elcatonin, a Synthetic Eel Calcitonin, on Retinal Blood Vessels in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 1536-1541.	0.6	1
46	Protective Effects of Everolimus against N-Methyl-D-aspartic Acid-Induced Retinal Damage in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 1765-1771.	0.6	13
47	Retinal region-dependent susceptibility of capillaries to high-concentration oxygen exposure and vascular endothelial growth factor receptor inhibition in neonatal mice. <i>Journal of Pharmacological Sciences</i> , 2015, 129, 107-118.	1.1	4
48	Impaired retinal vasodilator response to acetylcholine in a rat model of NMDA-induced retinal degeneration. <i>Journal of Pharmacological Sciences</i> , 2015, 127, 211-216.	1.1	7
49	4-Hydroxy-2-nonenal attenuates $\alpha_2$ -adrenoceptor-mediated vasodilation of rat retinal arterioles. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015, 388, 575-582.	1.4	9
50	Structural and functional changes in retinal vasculature induced by retinal ischemia-reperfusion in rats. <i>Experimental Eye Research</i> , 2015, 135, 134-145.	1.2	53
51	Age-Dependent Changes in the Severity of Capillary Degeneration in Rat Retina Following N-Methyl-D-Aspartate-Induced Neurotoxicity. <i>Current Eye Research</i> , 2015, 40, 549-553.	0.7	11
52	P2X7 receptor antagonists protect against N-methyl-d-aspartic acid-induced neuronal injury in the rat retina. <i>European Journal of Pharmacology</i> , 2015, 756, 52-58.	1.7	30
53	High-mobility group Box-1 is involved in NMDA-induced retinal injury the in rat retina. <i>Experimental Eye Research</i> , 2015, 137, 63-70.	1.2	17
54	L-Citrulline dilates rat retinal arterioles via nitric oxide- and prostaglandin-dependent pathways in vivo. <i>Journal of Pharmacological Sciences</i> , 2015, 127, 419-423.	1.1	18

#	ARTICLE	IF	CITATIONS
55	Involvement of prostaglandin I2 in nitric oxide-induced vasodilation of retinal arterioles in rats. <i>European Journal of Pharmacology</i> , 2015, 764, 249-255.	1.7	16
56	Regression of retinal capillaries following N-methyl-D-aspartate-induced neurotoxicity in the neonatal rat retina. <i>Journal of Neuroscience Research</i> , 2015, 93, 380-390.	1.3	13
57	Effects of mTOR inhibition on normal retinal vascular development in the mouse. <i>Experimental Eye Research</i> , 2014, 129, 127-134.	1.2	18
58	Treatment of Mid-Pregnant Mice with KRN633, an Inhibitor of Vascular Endothelial Growth Factor Receptor Tyrosine Kinase, Induces Abnormal Retinal Vascular Patterning in Their Newborn Pups. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2014, 101, 293-299.	1.4	6
59	Activation of the TRPV1 channel attenuates N-methyl-d-aspartic acid-induced neuronal injury in the rat retina. <i>European Journal of Pharmacology</i> , 2014, 733, 13-22.	1.7	31
60	Rapamycin prevents N-methyl-D-aspartate-induced retinal damage through an ERK-dependent mechanism in rats. <i>Journal of Neuroscience Research</i> , 2014, 92, 692-702.	1.3	20
61	Effects of pre- and post-natal treatment with KRN633, an inhibitor of vascular endothelial growth factor receptor tyrosine kinase, on retinal vascular development and patterning in mice. <i>Experimental Eye Research</i> , 2014, 120, 127-137.	1.2	18
62	Hydrogen sulfide attenuates NMDA-induced neuronal injury via its anti-oxidative activity in the rat retina. <i>Experimental Eye Research</i> , 2014, 120, 90-96.	1.2	41
63	Histological Protection by Nilvadipine against Neurotoxicity Induced by NOC12, a Nitric Oxide Donor, in the Rat Retina. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 306-310.	0.6	2
64	Treatment of Newborn Mice with Inhibitors of Vascular Endothelial Growth Factor Receptor Tyrosine Kinase Induces Abnormal Retinal Vascular Patterning. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 1986-1989.	0.6	6
65	Anti-angiogenic Effects of Mammalian Target of Rapamycin Inhibitors in a Mouse Model of Oxygen-Induced Retinopathy. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 1838-1842.	0.6	42
66	Comparison of the Effects of Single Doses of Elcatonin and Pregabalin on Oxaliplatin-Induced Cold and Mechanical Allodynia in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 322-326.	0.6	22
67	ISO-1, a macrophage migration inhibitory factor antagonist, prevents N-methyl-d-aspartate-induced retinal damage. <i>European Journal of Pharmacology</i> , 2013, 718, 138-144.	1.7	14
68	Role of Vascular Endothelial Growth Factor in Maintenance of Pregnancy in Mice. <i>Endocrinology</i> , 2013, 154, 900-910.	1.4	16
69	Differential effects of LY294002 and wortmannin on neurons and vascular endothelial cells in the rat retina. <i>Pharmacological Reports</i> , 2013, 65, 854-862.	1.5	9
70	Protective effects of TGF- $\beta$ 2 inhibitors in a rat model of NMDA-induced retinal degeneration. <i>European Journal of Pharmacology</i> , 2013, 699, 188-193.	1.7	30
71	KRN633, an Inhibitor of Vascular Endothelial Growth Factor Receptor Tyrosine Kinase, Induces Intrauterine Growth Restriction in Mice. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2013, 98, 297-303.	1.4	5
72	Salmon Calcitonin Reduces Oxaliplatin-Induced Cold and Mechanical Allodynia in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 326-329.	0.6	10

#	ARTICLE	IF	CITATIONS
73	Agonist-Induced Receptor Internalization in Chinese Hamster Ovary Cells Stably Co-expressing $\hat{I}^2_{sub>1</sub>}$ - and $\hat{I}^2_{sub>2</sub>}$ -Adrenergic Receptors. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 114-119.	0.6	1
74	Neurovascular Interactions in the Retina: Physiological and Pathological Roles. <i>Journal of Pharmacological Sciences</i> , 2013, 123, 79-84.	1.1	43
75	The Relaxant Action of Nicorandil in Bovine Tracheal Smooth Muscle. <i>Pharmacology</i> , 2012, 89, 327-332.	0.9	3
76	Effect of Nafamostat on $\hat{I}^2_{sub>1</sub>}$ -Methyl-D-aspartate-Induced Retinal Neuronal and Capillary Degeneration in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 2209-2213.	0.6	15
77	Protective effects of the $\hat{I}^2_3$ -adrenoceptor agonist CL316243 against N-methyl-D-aspartate-induced retinal neurotoxicity. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2012, 385, 1077-1081.	1.4	19
78	Effect of synthetic eel calcitonin, elcatonin, on cold and mechanical allodynia induced by oxaliplatin and paclitaxel in rats. <i>European Journal of Pharmacology</i> , 2012, 696, 62-69.	1.7	13
79	Small Molecule Cyclin-Dependent Kinase Inhibitors Protect Against Neuronal Cell Death in the Ischemic-Reperfused Rat Retina. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2011, 27, 419-425.	0.6	22
80	BMS-191011, an Opener of Large-Conductance $Ca^{2+}$ -Activated Potassium Channels, Dilates Rat Retinal Arterioles in Vivo. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 150-152.	0.6	17
81	Rho-Rho Kinase Pathway Is Involved in the Protective Effect of Early Ischemic Preconditioning in the Rat Heart. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 156-159.	0.6	7
82	Involvement of Bradykinin in Trypsin-Induced Urinary Bladder Contraction in Cyclophosphamide-Treated Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2011, 34, 1122-1125.	0.6	0
83	Resveratrol prevents bradykinin-induced contraction of rat urinary bladders by decreasing prostaglandin production and calcium influx. <i>European Journal of Pharmacology</i> , 2011, 666, 189-195.	1.7	10
84	Vasodilation of retinal arterioles induced by activation of BKCa channels is attenuated in diabetic rats. <i>European Journal of Pharmacology</i> , 2011, 669, 94-99.	1.7	25
85	Noradrenaline contracts rat retinal arterioles via stimulation of $\hat{I}^1_{A-}$ and $\hat{I}^1_{D-}$ -adrenoceptors. <i>European Journal of Pharmacology</i> , 2011, 673, 65-69.	1.7	14
86	Role of calcium-activated potassium channels in acetylcholine-induced vasodilation of rat retinal arterioles in vivo. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2011, 383, 27-34.	1.4	25
87	Role of $\hat{I}^2_3$ -adrenoceptors in regulation of retinal vascular tone in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2011, 384, 603-608.	1.4	24
88	Histological Protection by Donepezil Against Neurodegeneration Induced by Ischemia-“Reperfusion in the Rat Retina. <i>Journal of Pharmacological Sciences</i> , 2010, 112, 327-335.	1.1	27
89	Hyperglycemia Impairs Acetylcholine-Induced Vasodilation of Retinal Arterioles Through Polyol Pathway-“Independent Mechanisms in Rats. <i>Journal of Pharmacological Sciences</i> , 2010, 112, 336-342.	1.1	8
90	Pharmacological evidence for the presence of functional $\hat{I}^2_3$ -adrenoceptors in rat retinal blood vessels. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010, 382, 119-126.	1.4	50

#	ARTICLE	IF	CITATIONS
91	Protective effect of all-trans retinoic acid on NMDA-induced neuronal cell death in rat retina. <i>European Journal of Pharmacology</i> , 2010, 635, 56-61.	1.7	26
92	Contribution of Cyclooxygenase-Dependent Mechanisms to Contractile Responses to Donepezil in the Rat Urinary Bladder. <i>Pharmacology</i> , 2010, 86, 281-286.	0.9	1
93	Retinal blood vessels are damaged in a rat model of NMDA-induced retinal degeneration. <i>Neuroscience Letters</i> , 2010, 485, 55-59.	1.0	42
94	Nitric oxide dilates rat retinal blood vessels by cyclooxygenase-dependent mechanisms. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 297, R968-R977.	0.9	31
95	New mouse models for recessive retinitis pigmentosa caused by mutations in the Pde6a gene. <i>Human Molecular Genetics</i> , 2009, 18, 178-192.	1.4	61
96	Role of cyclooxygenase in vasodilation of retinal blood vessels induced by bradykinin in Brown Norway rats. <i>Vascular Pharmacology</i> , 2009, 51, 119-124.	1.0	13
97	The prostanoid EP2 receptor agonist ONO-AE1-259-01 protects against glutamate-induced neurotoxicity in rat retina. <i>European Journal of Pharmacology</i> , 2009, 616, 64-67.	1.7	26
98	Histological protection by cilnidipine, a dual L/N-type Ca <sup>2+</sup> channel blocker, against neurotoxicity induced by ischemia-reperfusion in rat retina. <i>Experimental Eye Research</i> , 2009, 88, 974-982.	1.2	39
99	Vasodilator Effects of Ibudilast on Retinal Blood Vessels in Anesthetized Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1924-1927.	0.6	9
100	Vasodilator Effects of Flunarizine on Retinal Blood Vessels in Anesthetized Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 2068-2071.	0.6	3
101	Vasodilator effects of adenosine on retinal arterioles in streptozotocin-induced diabetic rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008, 376, 423-430.	1.4	23
102	Î <sub>2</sub> -Adrenoceptor-mediated vasodilation of retinal blood vessels is reduced in streptozotocin-induced diabetic rats. <i>Vascular Pharmacology</i> , 2008, 49, 77-83.	1.0	24
103	Attenuation of Cataract Progression by A-3922, a Dihydrobenzofuran Derivative, in Streptozotocin-Induced Diabetic Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1959-1963.	0.6	16
104	A Novel High Resolution In Vivo Digital Imaging System for the Evaluation of Experimental Cataract in Diabetic Rats. <i>Journal of Pharmacological Sciences</i> , 2008, 106, 144-151.	1.1	12
105	Effect of Nifedipine on Severe Experimental Cataract in Diabetic Rats. <i>Journal of Pharmacological Sciences</i> , 2008, 106, 651-658.	1.1	11
106	Intravenously Administered Vasodilatory Prostaglandins Increase Retinal and Choroidal Blood Flow in Rats. <i>Journal of Pharmacological Sciences</i> , 2007, 103, 103-112.	1.1	20
107	Vasodilation of Retinal Arteriole Mediated by Corticotropin-Releasing Factor Receptor is Impaired in Streptozotocin-Induced Diabetic Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 985-989.	0.6	5
108	Vasodilator Effects of Fasudil, a Rho-Kinase Inhibitor, on Retinal Arterioles in Stroke-Prone Spontaneously Hypertensive Rats. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2007, 23, 207-212.	0.6	28

#	ARTICLE	IF	CITATIONS
109	Stimulation of prostanoid IP and EP2 receptors dilates retinal arterioles and increases retinal and choroidal blood flow in rats. <i>European Journal of Pharmacology</i> , 2007, 570, 135-141.	1.7	60
110	Attenuation of nitric oxide- and prostaglandin-independent vasodilation of retinal arterioles induced by acetylcholine in streptozotocin-treated rats. <i>Vascular Pharmacology</i> , 2007, 46, 153-159.	1.0	52
111	Vasodilator effect of nicorandil on retinal blood vessels in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2007, 375, 323-328.	1.4	23
112	From Vivarium to Bedside: Lessons Learned from Animal Models. <i>Ophthalmic Genetics</i> , 2006, 27, 123-137.	0.5	3
113	Vasodilator Effects of Adrenomedullin on Retinal Arterioles in Streptozotocin-Induced Diabetic Rats. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2006, 22, 317-322.	0.6	27
114	Inducible nitric oxide synthase inhibitors abolished histological protection by late ischemic preconditioning in rat retina. <i>Experimental Eye Research</i> , 2006, 82, 512-518.	1.2	42
115	Disappearance of Glibenclamide-Induced Hypoglycemia in Wistar-Kyoto Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2006, 29, 574-576.	0.6	6
116	Involvement of the $\beta_3$ subunits of G proteins in the cAMP response induced by stimulation of the histamine H1 receptor. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2005, 372, 153-159.	1.4	28
117	Diphenylamine-2-carboxylic acid potentiates the cyclic nucleotides-mediated relaxation of porcine coronary artery: possible involvement of the inhibitory effect on the efflux of cyclic nucleotides. <i>Vascular Pharmacology</i> , 2004, 41, 21-25.	1.0	2
118	Characterization of mexiletine as an antagonist of $\beta_2$ -adrenoceptor in Chinese hamster ovary cells expressing cloned human $\beta_2$ -adrenoceptors. <i>Biochemical Pharmacology</i> , 2004, 67, 815-822.	2.0	3
119	Histological protection against ischemia-reperfusion injury by early ischemic preconditioning in rat retina. <i>Brain Research</i> , 2004, 1015, 154-160.	1.1	37
120	Protease-activated receptor-2-mediated contraction of urinary bladder is enhanced in cyclophosphamide-treated rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2004, 369, 212-219.	1.4	16
121	Influence of Receptor Number on the cAMP Response to Forskolin in Chinese Hamster Ovary Cells Transfected with Human $\beta_2$ -Adrenoceptor. <i>Biological and Pharmaceutical Bulletin</i> , 2004, 27, 239-241.	0.6	5
122	MaxiK channel-triggered negative feedback system is preserved in the urinary bladder smooth muscle from streptozotocin-induced diabetic rats. <i>Journal of Smooth Muscle Research</i> , 2004, 40, 97-109.	0.7	11
123	Role of the M2 muscarinic receptor pathway in lidocaine-induced potentiation of the relaxant response to atrial natriuretic peptide in bovine tracheal smooth muscle. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 367, 76-79.	1.4	6
124	Protease-activated receptor-2-mediated contraction in the rat urinary bladder: the role of urinary bladder mucosa. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 367, 211-213.	1.4	18
125	Possible involvement of $Ca^{2+}$ -independent phospholipase A2 in protease-activated receptor-2-mediated contraction of rat urinary bladder. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 367, 588-591.	1.4	17
126	The role of cholinesterases in rat urinary bladder contractility. <i>Urological Research</i> , 2003, 31, 223-226.	1.5	11



#	ARTICLE	IF	CITATIONS
127	Expression of multidrug resistance protein 4 and 5 in the porcine coronary and pulmonary arteries. <i>European Journal of Pharmacology</i> , 2003, 466, 223-224.	1.7	10
128	Augmentation of rat urinary bladder relaxation mediated by $\hat{1}^{21}$ -adrenoceptors in experimental diabetes. <i>European Journal of Pharmacology</i> , 2003, 467, 191-195.	1.7	18
129	Relaxant effect of YM976, a novel phosphodiesterase 4 inhibitor, on bovine tracheal smooth muscle. <i>European Journal of Pharmacology</i> , 2003, 470, 57-64.	1.7	7
130	Lidocaine attenuates muscarinic receptor-mediated inhibition of adenylyl cyclase in airway smooth muscle. <i>European Journal of Pharmacology</i> , 2003, 470, 65-71.	1.7	6
131	Differences in protective profiles of diltiazem isomers in ischemic and reperfused guinea pig hearts. <i>European Journal of Pharmacology</i> , 2002, 434, 125-131.	1.7	2
132	Relaxation and potentiation of cGMP-mediated response by ibudilast in bovine tracheal smooth muscle. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002, 366, 262-269.	1.4	8
133	Inhibitory mechanism of BRL37344 on muscarinic receptor-mediated contractions of the rat urinary bladder smooth muscle. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002, 366, 198-203.	1.4	21
134	Stimulation of muscarinic M 2 receptors inhibits atrial natriuretic peptide-mediated relaxation in bovine tracheal smooth muscle. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002, 366, 376-379.	1.4	3
135	Late preconditioning in rat retina: involvement of adenosine and ATP-sensitive K <sup>+</sup> channel. <i>European Journal of Pharmacology</i> , 2001, 418, 89-93.	1.7	27
136	Energy Preserving Effect of l-cis Diltiazem in Isolated Ischemic and Reperfused Guinea Pig Hearts. A 31P-NMR Study.. <i>The Japanese Journal of Pharmacology</i> , 2000, 83, 225-232.	1.2	8
137	Energy Preserving Effect of l-cis Diltiazem in Isolated Ischemic and Reperfused Guinea Pig Hearts: A 31P-NMR Study. <i>The Japanese Journal of Pharmacology</i> , 2000, 83, 225-232.	1.2	5
138	Translocation of HSP27 to Sarcomere Induced by Ischemic Preconditioning in Isolated Rat Hearts. <i>Biochemical and Biophysical Research Communications</i> , 2000, 269, 137-142.	1.0	56
139	l-cis Diltiazem attenuates intracellular Ca <sup>2+</sup> overload by metabolic inhibition in guinea pig myocytes. <i>European Journal of Pharmacology</i> , 1999, 385, 225-230.	1.7	9
140	Treatment With 1-cis Diltiazem Before Reperfusion Reduces Infarct Size in the Ischemic Rabbit Heart In Vivo. <i>The Japanese Journal of Pharmacology</i> , 1999, 80, 319-326.	1.2	3
141	Translocation of HSP27 to Cytoskeleton by Repetitive Hypoxia-Reoxygenation in the Rat Myoblast Cell Line, H9c2. <i>Biochemical and Biophysical Research Communications</i> , 1998, 251, 576-579.	1.0	27
142	5-Hydroxydecanoate selectively reduces the initial increase in extracellular K <sup>+</sup> in ischemic guinea-pig heart. <i>European Journal of Pharmacology</i> , 1998, 348, 31-35.	1.7	21
143	Diltiazem Inhibits the Late Increase in Extracellular Potassium by Maintaining Glycolytic ATP Synthesis During Myocardial Ischemia. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 30, 424-430.	0.8	11