

Lonneke I M Lenferink

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7817419/lonneke-i-m-lenferink-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58

papers

805

citations

16

h-index

26

g-index

66

ext. papers

1,128

ext. citations

4.6

avg, IF

5.4

L-index

#	Paper	IF	Citations
58	Prolonged grief disorder following the Coronavirus (COVID-19) pandemic. <i>Psychiatry Research</i> , 2020 , 288, 113031	9.9	102
57	Trajectories of grief, depression, and posttraumatic stress in disaster-bereaved people. <i>Depression and Anxiety</i> , 2020 , 37, 35-44	8.4	54
56	Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. <i>Journal of Affective Disorders</i> , 2018 , 240, 79-87	6.6	50
55	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. <i>Högre Utbildning</i> , 2017 , 8, 1298311	5	45
54	The importance of harmonising diagnostic criteria sets for pathological grief. <i>British Journal of Psychiatry</i> , 2019 , 1-4	5.4	34
53	Symptoms of prolonged grief, posttraumatic stress, and depression in recently bereaved people: symptom profiles, predictive value, and cognitive behavioural correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 765-777	4.5	26
52	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. <i>Death Studies</i> , 2019 , 43, 351-364	3.9	25
51	Complicated grief and post-traumatic stress symptom profiles in bereaved earthquake survivors: a latent class analysis. <i>Högre Utbildning</i> , 2019 , 10, 1558707	5	24
50	Comparison of six proposed diagnostic criteria sets for disturbed grief. <i>Psychiatry Research</i> , 2020 , 285, 112786	9.9	23
49	Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. <i>Psychiatry Research</i> , 2019 , 273, 206-210	9.9	23
48	Toward a Better Understanding of Psychological Symptoms in People Confronted With the Disappearance of a Loved One: A Systematic Review. <i>Trauma, Violence, and Abuse</i> , 2019 , 20, 287-302	6.6	22
47	Prolonged grief disorder in section II of DSM-5: a commentary. <i>Högre Utbildning</i> , 2020 , 11, 1771008	5	21
46	No pain, no gain: cross-lagged analyses of posttraumatic growth and anxiety, depression, posttraumatic stress and prolonged grief symptoms after loss. <i>Anxiety, Stress and Coping</i> , 2019 , 32, 231-243	3.1	20
45	Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. <i>Högre Utbildning</i> , 2017 , 8, 1378052	5	20
44	Comparison of DSM-5 criteria for persistent complex bereavement disorder and ICD-11 criteria for prolonged grief disorder in help-seeking bereaved children. <i>Journal of Affective Disorders</i> , 2019 , 250, 71-78	6.6	20
43	Identifying key domains of health-related quality of life for patients with chronic obstructive pulmonary disease: the patient perspective. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 106	3	18
42	Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. <i>Journal of Affective Disorders</i> , 2017 , 209, 1-2	6.6	16

41	Exploration of the Associations Between Responses to Affective States and Psychopathology in Two Samples of People Confronted With the Loss of a Loved One. <i>Journal of Nervous and Mental Disease</i> , 2018 , 206, 108-115	1.8	13
40	Experiential acceptance and trait-mindfulness as predictors of analogue post-traumatic stress. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 1-14	3.5	13
39	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). <i>Comprehensive Psychiatry</i> , 2021 , 112, 152281	7.3	12
38	PTSD treatment in times of COVID-19: A systematic review of the effects of online EMDR. <i>Psychiatry Research</i> , 2020 , 293, 113438	9.9	12
37	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults: A Latent Class Analysis. <i>Journal of Nervous and Mental Disease</i> , 2019 , 207, 913-920	1.8	12
36	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. <i>Clinical Psychological Science</i> , 2019 , 7, 1330-1339	6	11
35	37,650 ways to have "persistent complex bereavement disorder" yet only 48 ways to have "prolonged grief disorder". <i>Psychiatry Research</i> , 2018 , 261, 88-89	9.9	11
34	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. <i>Journal of Loss and Trauma</i> , 2021 , 26, 211-219	3.9	11
33	Latent class analysis of indicators of intolerance of uncertainty. <i>Scandinavian Journal of Psychology</i> , 2018 , 59, 243-251	2.2	9
32	Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 19	1.9	9
31	Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 93	1.9	9
30	CBT for Prolonged Grief in Children and Adolescents: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2021 , 178, 294-304	11.9	9
29	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. <i>Clinical Psychology and Psychotherapy</i> , 2021 , 28, 907-916	2.9	9
28	Response to: Prolonged grief disorder for ICD-11: the primacy of clinical utility and international applicability. <i>Høgre Utbildning</i> , 2018 , 9, 1512249	5	8
27	Wish you were here: The Dutch, German, and English Yearning in Situations of Loss Short Form. <i>Journal of Clinical Psychology</i> , 2020 , 76, 1995-2014	2.8	8
26	Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. <i>International Journal of Cognitive Therapy</i> , 2018 , 11, 311-324	1.4	8
25	Identifying key domains of health-related quality of life for patients with chronic obstructive pulmonary disease: interviews with healthcare professionals. <i>Quality of Life Research</i> , 2015 , 24, 1351-67	3.7	7
24	DSM-5-TR prolonged grief disorder and DSM-5 posttraumatic stress disorder are related, yet distinct: confirmatory factor analyses in traumatically bereaved people.. <i>Høgre Utbildning</i> , 2021 , 12, 1-14	5	7

23	The COPD-SIB: a newly developed disease-specific item bank to measure health-related quality of life in patients with chronic obstructive pulmonary disease. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 97	3	7
22	We changed, but I'm not less happy: Interview study among nonclinical relatives of long-term missing persons. <i>Death Studies</i> , 2018 , 42, 346-355	3.9	7
21	Media experiences and associations with mental health among the bereaved of the MH17-disaster: A latent profile analysis. <i>Scandinavian Journal of Psychology</i> , 2018 , 59, 281-288	2.2	6
20	Risk and protective factors, stressors, and symptoms of adjustment disorder during the COVID-19 pandemic - First results of the ESTSS COVID-19 pan-European ADJUST study.. <i>Högre Utbildning</i> , 2021 , 12, 1964197	5	6
19	Online cognitive-behavioural therapy for traumatically bereaved people: study protocol for a randomised waitlist-controlled trial. <i>BMJ Open</i> , 2020 , 10, e035050	3	6
18	Prolonged grief and depression: A latent class analysis. <i>Psychiatry Research</i> , 2021 , 299, 113864	9.9	6
17	Prolonged grief disorder in DSM-5-TR: Early predictors and longitudinal measurement invariance. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025728	2.6	6
16	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. <i>Högre Utbildning</i> , 2017 , 8, 1388710	5	5
15	Associations of depressive rumination and positive affect regulation with emotional distress after the death of a loved one. <i>Clinical Psychology and Psychotherapy</i> , 2020 , 27, 955-964	2.9	5
14	Latent classes of posttraumatic stress symptoms in two samples of bereaved people.. <i>International Journal of Stress Management</i> , 2019 , 26, 401-410	3.5	5
13	Rapid Systematic Review of Psychological Symptoms in Health Care Workers COVID-19. <i>Journal of Loss and Trauma</i> , 2021 , 26, 638-655	3.9	5
12	Course and predictors of posttraumatic stress and depression longitudinal symptom profiles in refugees: A latent transition model.. <i>Journal of Psychiatric Research</i> , 2021 , 146, 1-10	5.2	4
11	Latent classes of DSM-5 acute stress disorder symptoms in children after single-incident trauma: findings from an international data archive. <i>Högre Utbildning</i> , 2020 , 11, 1717156	5	3
10	Content overlap analyses of ICD-11 and DSM-5 prolonged grief disorder and prior criteria-sets.. <i>Högre Utbildning</i> , 2022 , 13, 2011691	5	3
9	Online treatment of persistent complex bereavement disorder, posttraumatic stress disorder, and depression symptoms in people who lost loved ones during the COVID-19 pandemic: study protocol for a randomized controlled trial and a controlled trial. <i>Högre Utbildning</i> , 2021 , 12, 1987687	5	3
8	Cognitive therapy and EMDR for reducing psychopathology in bereaved people after the MH17 plane crash: Findings from a randomized controlled trial.. <i>Traumatology</i> ,	2.3	3
7	Reliability and Validity of the Dutch Translation of the Filial Maturity Measure in Informal Caregivers. <i>Journal of Adult Development</i> , 2015 , 22, 138-147	1.5	2
6	Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. <i>Journal of Affective Disorders</i> , 2021 , 292, 234-241	6.6	1

5	Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates.. <i>PLoS ONE</i> , 2022 , 17, e0264497	3.7	1
4	Rouw na vliegcrash MH17. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2017 , 25, 413-414	0	0
3	AB0229 Fatigue in Rheumatoid Arthritis Patients with Low Disease-Activity. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 879.2-879	2.4	
2	Predicting transitions between longitudinal classes of post-traumatic stress disorder, adjustment disorder and well-being during the COVID-19 pandemic: protocol of a latent transition model in a general Dutch sample.. <i>BMJ Open</i> , 2022 , 12, e055696	3	
1	Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents.. <i>European Journal of Psychotraumatology</i> , 2022 , 13, 2068912		