

Lonneke I M Lenferink

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7817419/lonneke-i-m-lenferink-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58

papers

805

citations

16

h-index

26

g-index

66

ext. papers

1,128

ext. citations

4.6

avg, IF

5.4

L-index

#	Paper	IF	Citations
58	Predicting transitions between longitudinal classes of post-traumatic stress disorder, adjustment disorder and well-being during the COVID-19 pandemic: protocol of a latent transition model in a general Dutch sample.. <i>BMJ Open</i> , 2022 , 12, e055696	3	
57	Content overlap analyses of ICD-11 and DSM-5 prolonged grief disorder and prior criteria-sets.. <i>Høgre Utbildning</i> , 2022 , 13, 2011691	5	3
56	Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates.. <i>PLoS ONE</i> , 2022 , 17, e0264497	3.7	1
55	Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents.. <i>European Journal of Psychotraumatology</i> , 2022 , 13, 2068912		
54	Online treatment of persistent complex bereavement disorder, posttraumatic stress disorder, and depression symptoms in people who lost loved ones during the COVID-19 pandemic: study protocol for a randomized controlled trial and a controlled trial. <i>Høgre Utbildning</i> , 2021 , 12, 1987687	5	3
53	DSM-5-TR prolonged grief disorder and DSM-5 posttraumatic stress disorder are related, yet distinct: confirmatory factor analyses in traumatically bereaved people.. <i>Høgre Utbildning</i> , 2021 , 12, 1-14	5	7
52	Course and predictors of posttraumatic stress and depression longitudinal symptom profiles in refugees: A latent transition model.. <i>Journal of Psychiatric Research</i> , 2021 , 146, 1-10	5.2	4
51	Risk and protective factors, stressors, and symptoms of adjustment disorder during the COVID-19 pandemic - First results of the ESTSS COVID-19 pan-European ADJUST study.. <i>Høgre Utbildning</i> , 2021 , 12, 1964197	5	6
50	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). <i>Comprehensive Psychiatry</i> , 2021 , 112, 152281	7.3	12
49	CBT for Prolonged Grief in Children and Adolescents: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2021 , 178, 294-304	11.9	9
48	Prolonged grief and depression: A latent class analysis. <i>Psychiatry Research</i> , 2021 , 299, 113864	9.9	6
47	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. <i>Journal of Loss and Trauma</i> , 2021 , 26, 211-219	3.9	11
46	Rapid Systematic Review of Psychological Symptoms in Health Care Workers COVID-19. <i>Journal of Loss and Trauma</i> , 2021 , 26, 638-655	3.9	5
45	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. <i>Clinical Psychology and Psychotherapy</i> , 2021 , 28, 907-916	2.9	9
44	Prolonged grief disorder in DSM-5-TR: Early predictors and longitudinal measurement invariance. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025728	2.6	6
43	Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. <i>Journal of Affective Disorders</i> , 2021 , 292, 234-241	6.6	1
42	Associations of depressive rumination and positive affect regulation with emotional distress after the death of a loved one. <i>Clinical Psychology and Psychotherapy</i> , 2020 , 27, 955-964	2.9	5

41	Latent classes of DSM-5 acute stress disorder symptoms in children after single-incident trauma: findings from an international data archive. <i>Høge Utbildning</i> , 2020 , 11, 1717156	5	3
40	Prolonged grief disorder following the Coronavirus (COVID-19) pandemic. <i>Psychiatry Research</i> , 2020 , 288, 113031	9.9	102
39	Comparison of six proposed diagnostic criteria sets for disturbed grief. <i>Psychiatry Research</i> , 2020 , 285, 112786	9.9	23
38	PTSD treatment in times of COVID-19: A systematic review of the effects of online EMDR. <i>Psychiatry Research</i> , 2020 , 293, 113438	9.9	12
37	Online cognitive-behavioural therapy for traumatically bereaved people: study protocol for a randomised waitlist-controlled trial. <i>BMJ Open</i> , 2020 , 10, e035050	3	6
36	Prolonged grief disorder in section II of DSM-5: a commentary. <i>Høge Utbildning</i> , 2020 , 11, 1771008	5	21
35	Wish you were here: The Dutch, German, and English Yearning in Situations of Loss Short Form. <i>Journal of Clinical Psychology</i> , 2020 , 76, 1995-2014	2.8	8
34	Trajectories of grief, depression, and posttraumatic stress in disaster-bereaved people. <i>Depression and Anxiety</i> , 2020 , 37, 35-44	8.4	54
33	Symptoms of prolonged grief, posttraumatic stress, and depression in recently bereaved people: symptom profiles, predictive value, and cognitive behavioural correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 765-777	4.5	26
32	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. <i>Clinical Psychological Science</i> , 2019 , 7, 1330-1339	6	11
31	Complicated grief and post-traumatic stress symptom profiles in bereaved earthquake survivors: a latent class analysis. <i>Høge Utbildning</i> , 2019 , 10, 1558707	5	24
30	No pain, no gain: cross-lagged analyses of posttraumatic growth and anxiety, depression, posttraumatic stress and prolonged grief symptoms after loss. <i>Anxiety, Stress and Coping</i> , 2019 , 32, 231-243	3.1	20
29	Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 93	1.9	9
28	The importance of harmonising diagnostic criteria sets for pathological grief. <i>British Journal of Psychiatry</i> , 2019 , 1-4	5.4	34
27	Latent classes of posttraumatic stress symptoms in two samples of bereaved people.. <i>International Journal of Stress Management</i> , 2019 , 26, 401-410	3.5	5
26	Comparison of DSM-5 criteria for persistent complex bereavement disorder and ICD-11 criteria for prolonged grief disorder in help-seeking bereaved children. <i>Journal of Affective Disorders</i> , 2019 , 250, 71-78	6.6	20
25	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults: A Latent Class Analysis. <i>Journal of Nervous and Mental Disease</i> , 2019 , 207, 913-920	1.8	12
24	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. <i>Death Studies</i> , 2019 , 43, 351-364	3.9	25

23	Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. <i>Psychiatry Research</i> , 2019 , 273, 206-210	9.9	23
22	Toward a Better Understanding of Psychological Symptoms in People Confronted With the Disappearance of a Loved One: A Systematic Review. <i>Trauma, Violence, and Abuse</i> , 2019 , 20, 287-302	6.6	22
21	Response to: Prolonged grief disorder for ICD-11: the primacy of clinical utility and international applicability. <i>Hjre Utbildning</i> , 2018 , 9, 1512249	5	8
20	Latent class analysis of indicators of intolerance of uncertainty. <i>Scandinavian Journal of Psychology</i> , 2018 , 59, 243-251	2.2	9
19	Media experiences and associations with mental health among the bereaved of the MH17-disaster: A latent profile analysis. <i>Scandinavian Journal of Psychology</i> , 2018 , 59, 281-288	2.2	6
18	37,650 ways to have "persistent complex bereavement disorder" yet only 48 ways to have "prolonged grief disorder". <i>Psychiatry Research</i> , 2018 , 261, 88-89	9.9	11
17	Exploration of the Associations Between Responses to Affective States and Psychopathology in Two Samples of People Confronted With the Loss of a Loved One. <i>Journal of Nervous and Mental Disease</i> , 2018 , 206, 108-115	1.8	13
16	Experiential acceptance and trait-mindfulness as predictors of analogue post-traumatic stress. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 1-14	3.5	13
15	Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. <i>Journal of Affective Disorders</i> , 2018 , 240, 79-87	6.6	50
14	I've changed, but I'm not less happy: Interview study among nonclinical relatives of long-term missing persons. <i>Death Studies</i> , 2018 , 42, 346-355	3.9	7
13	Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. <i>International Journal of Cognitive Therapy</i> , 2018 , 11, 311-324	1.4	8
12	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. <i>Hjre Utbildning</i> , 2017 , 8, 1298311	5	45
11	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. <i>Hjre Utbildning</i> , 2017 , 8, 1388710	5	5
10	Rouw na vliegcramp MH17. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2017 , 25, 413-414	0	0
9	Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. <i>Hjre Utbildning</i> , 2017 , 8, 1378052	5	20
8	Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. <i>Journal of Affective Disorders</i> , 2017 , 209, 1-2	6.6	16
7	Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 19	1.9	9
6	The COPD-SIB: a newly developed disease-specific item bank to measure health-related quality of life in patients with chronic obstructive pulmonary disease. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 97	3	7

5	Reliability and Validity of the Dutch Translation of the Filial Maturity Measure in Informal Caregivers. <i>Journal of Adult Development</i> , 2015 , 22, 138-147	1.5	2
4	Identifying key domains of health-related quality of life for patients with chronic obstructive pulmonary disease: interviews with healthcare professionals. <i>Quality of Life Research</i> , 2015 , 24, 1351-67	3.7	7
3	Identifying key domains of health-related quality of life for patients with chronic obstructive pulmonary disease: the patient perspective. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 106	3	18
2	AB0229 Fatigue in Rheumatoid Arthritis Patients with Low Disease-Activity. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 879.2-879	2.4	
1	Cognitive therapy and EMDR for reducing psychopathology in bereaved people after the MH17 plane crash: Findings from a randomized controlled trial.. <i>Traumatology</i> ,	2.3	3