Martyn Boutelle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7818713/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Spreading and Synchronous Depressions of Cortical Activity in Acutely Injured Human Brain. Stroke, 2002, 33, 2738-2743.	1.0	389
2	Cortical spreading depression and peri-infarct depolarization in acutely injured human cerebral cortex. Brain, 2006, 129, 778-790.	3.7	374
3	The continuum of spreading depolarizations in acute cortical lesion development: Examining Leão's legacy. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 1571-1594.	2.4	297
4	Consensus statement from the 2014 International Microdialysis Forum. Intensive Care Medicine, 2015, 41, 1517-1528.	3.9	263
5	Recording, analysis, and interpretation of spreading depolarizations in neurointensive care: Review and recommendations of the COSBID research group. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 1595-1625.	2.4	255
6	Association of seizures with cortical spreading depression and peri-infarct depolarisations in the acutely injured human brain. Clinical Neurophysiology, 2008, 119, 1973-1984.	0.7	193
7	Physiological Stimulation Increases Nonoxidative Glucose Metabolism in the Brain of the Freely Moving Rat. Journal of Neurochemistry, 1993, 60, 1258-1263.	2.1	171
8	3D Printed Microfluidic Device with Integrated Biosensors for Online Analysis of Subcutaneous Human Microdialysate. Analytical Chemistry, 2015, 87, 7763-7770.	3.2	152
9	Extracellular Brain Glucose Levels Reflect Local Neuronal Activity: A Microdialysis Study in Awake, Freely Moving Rats. Journal of Neurochemistry, 1992, 59, 2141-2147.	2.1	146
10	Dynamic Changes in Brain Glucose and Lactate in Pericontusional Areas of the Human Cerebral Cortex, Monitored with Rapid Sampling On-Line Microdialysis: Relationship with Depolarisation-Like Events. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 402-413.	2.4	140
11	Transient Changes in Cortical Glucose and Lactate Levels Associated with Peri-Infarct Depolarisations, Studied with Rapid-Sampling Microdialysis. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 391-401.	2.4	131
12	Dynamic Metabolic Response to Multiple Spreading Depolarizations in Patients with Acute Brain Injury: An Online Microdialysis Study. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 1343-1355.	2.4	110
13	Evaluation of a minimally invasive glucose biosensor for continuous tissue monitoring. Analytical and Bioanalytical Chemistry, 2016, 408, 8427-8435.	1.9	104
14	An amperometric glucose-oxidase/poly(o-phenylenediamine) biosensor for monitoring brain extracellular glucose: in vivo characterisation in the striatum of freely-moving rats. Journal of Neuroscience Methods, 1998, 79, 65-74.	1.3	103
15	Ultrasensitive Detection of Dopamine Using a Carbon Nanotube Network Microfluidic Flow Electrode. Analytical Chemistry, 2013, 85, 163-169.	3.2	102
16	Glutamate receptorâ€dependent increments in lactate, glucose and oxygen metabolism evoked in rat cerebellum <i>in vivo</i> . Journal of Physiology, 2008, 586, 1337-1349.	1.3	101
17	Persisting Depletion of Brain Glucose following Cortical Spreading Depression, despite Apparent Hyperaemia: Evidence for Risk of an Adverse Effect of Leão's Spreading Depression. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 166-175.	2.4	101
18	Enzyme packed bed system for the on-line measurement of glucose, glutamate, and lactate in brain microdialyzate. Analytical Chemistry, 1992, 64, 1790-1794.	3.2	100

#	Article	IF	CITATIONS
19	Continuous Monitoring of Extracellular Glucose Concentrations in the Striatum of Freely Moving Rats with an Implanted Glucose Biosensor. Journal of Neurochemistry, 1998, 70, 391-396.	2.1	100
20	The physiologically induced release of ascorbate in rat brain is dependent on impulse traffic, calcium influx and glutamate uptake. Neuroscience, 1994, 62, 87-91.	1.1	97
21	Monitoring biomolecule concentrations in tissue using a wearable droplet microfluidic-based sensor. Nature Communications, 2019, 10, 2741.	5.8	93
22	Online Measurement of Brain Glutamate with an Enzyme/Polymer-Coated Tubular Electrode. Analytical Chemistry, 1994, 66, 2017-2021.	3.2	88
23	Evaluation of Laser Speckle Flowmetry for Imaging Cortical Perfusion in Experimental Stroke Studies: Quantitation of Perfusion and Detection of Peri-Infarct Depolarisations. Journal of Cerebral Blood Flow and Metabolism, 2006, 26, 645-653.	2.4	88
24	The role of astrocytes and noradrenaline in neuronal glucose metabolism. Acta Physiologica Scandinavica, 1999, 167, 275-284.	2.3	87
25	Rapid changes in extracellular glucose levels and blood flow in the striatum of the freely moving rat. Brain Research, 1993, 604, 225-231.	1.1	82
26	Measurement of brain tissue oxygen at a carbon paste electrode can serve as an index of increases in regional cerebral blood flow. Journal of Neuroscience Methods, 1997, 71, 177-182.	1.3	75
27	Extracellular glucose turnover in the striatum of unanaesthetized rats measured by quantitative microdialysis. Journal of Physiology, 1997, 504, 721-726.	1.3	74
28	Cooperative anion binding and electrochemical sensing by modular podands. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 5001-5006.	3.3	74
29	An amperometric enzyme electrode for monitoring brain glucose in the freely moving rat. Neuroscience Letters, 1986, 72, 283-288.	1.0	73
30	The determination of the extracellular concentration of brain glutamate using quantitative microdialysis. Brain Research, 1996, 707, 131-133.	1.1	71
31	Rapid changes in striatal ascorbate in response to tail-pinch monitored by constant potential voltammetry. Neuroscience, 1989, 30, 11-17.	1.1	70
32	Practical Methods for Noise Removal: Applications to Spikes, Nonstationary Quasi-Periodic Noise, and Baseline Drift. Analytical Chemistry, 2009, 81, 4987-4994.	3.2	70
33	The role ofN-methyl-d-aspartate receptors in the regulation of physiologically released dopamine. Neuroscience, 1995, 65, 767-774.	1.1	66
34	Continuous Online Microdialysis Using Microfluidic Sensors: Dynamic Neurometabolic Changes during Spreading Depolarization. ACS Chemical Neuroscience, 2013, 4, 799-807.	1.7	65
35	A Role for Astrocytes in Glucose Delivery to Neurons?. Developmental Neuroscience, 1996, 18, 360-370.	1.0	61
36	In vivo neurochemical effects of tail pinch. Journal of Neuroscience Methods, 1990, 34, 151-157.	1.3	59

#	Article	lF	CITATIONS
37	Simultaneous monitoring of potassium, glucose and lactate during spreading depolarization in the injured human brain – Proof of principle of a novel real-time neurochemical analysis system, continuous online microdialysis. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 1883-1895.	2.4	58
38	Effects of an anxiogenic benzodiazepine receptor ligand on motor activity and dopamine release in nucleus accumbens and striatum in the rat. Journal of Neuroscience, 1987, 7, 2917-2926.	1.7	57
39	Characterization of carbon paste electrodes in vitro for simultaneous amperometric measurement of changes in oxygen and ascorbic acid concentrations in vivo. Analyst, The, 1996, 121, 761.	1.7	53
40	ATP microelectrode biosensor for stable long-term in vitro monitoring from gastrointestinal tissue. Biosensors and Bioelectronics, 2011, 26, 2890-2896.	5.3	52
41	Resolving dynamic changes in brain metabolism using biosensors and on-line microdialysis. TrAC - Trends in Analytical Chemistry, 2003, 22, 487-497.	5.8	49
42	Use of Rapid Sampling Microdialysis for Intraoperative Monitoring of Bowel Ischemia. Diseases of the Colon and Rectum, 2008, 51, 1408-1413.	0.7	43
43	Anomalously High Concentrations of Brain Extracellular Uric Acid Detected with Chronically Implanted Probes: Implications for In Vivo Sampling Techniques. Journal of Neurochemistry, 1991, 57, 22-29.	2.1	42
44	Dynamic Changes in Glucose and Lactate in the Cortex of the Freely Moving Rat Monitored Using Microdialysis. Journal of Neurochemistry, 2002, 75, 1703-1708.	2.1	41
45	Real-Time Clinical Monitoring of Biomolecules. Annual Review of Analytical Chemistry, 2013, 6, 427-453.	2.8	40
46	Which Spreading Depolarizations Are Deleterious To Brain Tissue?. Neurocritical Care, 2020, 32, 317-322.	1.2	40
47	3D printed microfluidic device for online detection of neurochemical changes with high temporal resolution in human brain microdialysate. Lab on A Chip, 2019, 19, 2038-2048.	3.1	38
48	Fiber-Based Electrochemical Biosensors for Monitoring pH and Transient Neurometabolic Lactate. Analytical Chemistry, 2021, 93, 6646-6655.	3.2	38
49	Development and comparison of biosensors for in-vivo applications. Faraday Discussions, 2000, 116, 291-303.	1.6	36
50	What Should a Clinician Do When Spreading Depolarizations are Observed in a Patient?. Neurocritical Care, 2020, 32, 306-310.	1.2	36
51	Complementary Metal–Oxide–Semiconductor Potentiometric Field-Effect Transistor Array Platform Using Sensor Learning for Multi-ion Imaging. Analytical Chemistry, 2020, 92, 5276-5285.	3.2	34
52	Development of pancreatic machine perfusion: translational steps from porcine to human models. Journal of Surgical Research, 2018, 223, 263-274.	0.8	33
53	Application Of Rapid-Sampling, Online Microdialysis To The Monitoring Of Brain Metabolism During Aneurysm Surgery. Operative Neurosurgery, 2006, 58, ONS-313-ONS-321.	0.4	31
54	Online rapid sampling microdialysis (rsMD) using enzyme-based electroanalysis for dynamic detection of ischaemia during free flap reconstructive surgery. Analytical and Bioanalytical Chemistry, 2013, 405, 3881-3888.	1.9	31

#	Article	IF	CITATIONS
55	Organ Pretreatment With Cytotopic Endothelial Localizing Peptides to Ameliorate Microvascular Thrombosis and Perfusion Deficits in Ex Vivo Renal Hemoreperfusion Models. Transplantation, 2016, 100, e128-e139.	0.5	31
56	Chemical Monitoring in Clinical Settings: Recent Developments toward Real-Time Chemical Monitoring of Patients. Analytical Chemistry, 2018, 90, 2-18.	3.2	31
57	Measurement of Electrophysiological Signals In Vitro Using Highâ€Performance Organic Electrochemical Transistors. Advanced Functional Materials, 2021, 31, 2007086.	7.8	30
58	Treatment of Critical Care Patients with Substantial Acute Ischemic or Traumatic Brain Injury. Critical Care Medicine, 2005, 33, 2147-2149.	0.4	28
59	Detection of Spreading Depolarization with Intraparenchymal Electrodes in the Injured Human Brain. Neurocritical Care, 2014, 20, 21-31.	1.2	28
60	High-Performance Bioinstrumentation for Real-Time Neuroelectrochemical Traumatic Brain Injury Monitoring. Frontiers in Human Neuroscience, 2016, 10, 212.	1.0	28
61	Optimisation of a microfluidic analysis chamber for the placement of microelectrodes. Physical Chemistry Chemical Physics, 2011, 13, 5298.	1.3	26
62	ATP-Sensitive Potassium Channels and Local Energy Demands in the Rat Hippocampus: An In Vivo Study. Journal of Neurochemistry, 1993, 61, 949-954.	2.1	25
63	The rise and fall of fasciculations in amyotrophic lateral sclerosis. Brain Communications, 2020, 2, fcaa018.	1.5	25
64	Portable Microfluidic Biosensing System for Real-Time Analysis of Microdialysate in Transplant Kidneys. Analytical Chemistry, 2019, 91, 14631-14638.	3.2	24
65	Clinical translation of microfluidic sensor devices: focus on calibration and analytical robustness. Lab on A Chip, 2019, 19, 2537-2548.	3.1	23
66	Dopamine in the basal ganglia and benzodiazepine-induced sedation. Neuropharmacology, 1988, 27, 589-595.	2.0	22
67	Enhancing Continuous Online Microdialysis Using Dexamethasone: Measurement of Dynamic Neurometabolic Changes during Spreading Depolarization. ACS Chemical Neuroscience, 2017, 8, 1779-1788.	1.7	22
68	Effects of Changes in Rat Brain Glucose on Serotonergic and Noradrenergic Neurons. European Journal of Neuroscience, 1995, 7, 175-179.	1.2	21
69	An ion imaging ISFET array for Potassium and Sodium detection. , 2016, , .		21
70	Striatal Ascorbate and its Relationship to Dopamine Receptor Stimulation and Motor Activity. European Journal of Neuroscience, 1991, 3, 940-946.	1.2	20
71	Rapid sampling microdialysis as a novel tool for parenchyma assessment during static cold storage and hypothermic machine perfusion in a translational exÂvivo porcine kidney model. Journal of Surgical Research, 2016, 200, 332-345.	0.8	20
72	The effects of anxiolytic and anxiogenic benzodiazepine receptor ligands on motor activity and levels of ascorbic acid in the nucleus accumbens and striatum of the rat. Neuropharmacology, 1989, 28, 509-514.	2.0	12

#	Article	IF	CITATIONS
73	Quadrature Synthetic Aperture Beamforming Front-End for Miniaturized Ultrasound Imaging. IEEE Transactions on Biomedical Circuits and Systems, 2018, 12, 871-883.	2.7	12
74	Glutamate infusion coupled with hypoxia has a neuroprotective effect in the rat. Journal of Neuroscience Methods, 2002, 119, 129-133.	1.3	11
75	A Highâ€Performance Application Specific Integrated Circuit for Electrical and Neurochemical Traumatic Brain Injury Monitoring. ChemPhysChem, 2018, 19, 1215-1225.	1.0	11
76	High temporal resolution delayed analysis of clinical microdialysate streams. Analyst, The, 2018, 143, 715-724.	1.7	11
77	Extended (10-Day) Real-Time Monitoring by Dexamethasone-Enhanced Microdialysis in the Injured Rat Cortex. ACS Chemical Neuroscience, 2019, 10, 3521-3531.	1.7	11
78	Randomized blinded trial of automated REBOA during CPR in a porcine model of cardiac arrest. Resuscitation, 2021, 160, 39-48.	1.3	11
79	Use of online rapid sampling microdialysis electrochemical biosensor for bowel anastomosis monitoring in swine model. Analytical Methods, 2011, 3, 2010.	1.3	9
80	An exÂvivo comparison of adenosine and lidocaine solution and University of Wisconsin solution for hypothermic machine perfusion of porcine kidneys: potential for development. Journal of Surgical Research, 2017, 208, 219-229.	0.8	9
81	Real-time neurochemical measurement of dynamic metabolic events during cardiac arrest and resuscitation in a porcine model. Analyst, The, 2020, 145, 1894-1902.	1.7	9
82	Organic Electrochemical Transistor Common ource Amplifier for Electrophysiological Measurements. Advanced Functional Materials, 2021, 31, 2103385.	7.8	9
83	Biosensors and Invasive Monitoring in Clinical Applications. SpringerBriefs in Applied Sciences and Technology, 2013, , .	0.2	9
84	Effect of diazepam on behaviour and associated changes in ascorbate concentration in rat brain areas: striatum, n. accumbens and hippocampus. Psychopharmacology, 1990, 100, 230-236.	1.5	8
85	An improved rapid sampling microdialysis system for human and porcine organ monitoring in a hospital setting. Analytical Methods, 2018, 10, 5273-5281.	1.3	8
86	Real-time detection of carboplatin using a microfluidic system. Analyst, The, 2016, 141, 6270-6277.	1.7	7
87	Clinical value of bioelectrical properties of cancerous tissue in advanced epithelial ovarian cancer patients. Scientific Reports, 2018, 8, 14695.	1.6	7
88	Non-invasive measurement of fasciculation frequency demonstrates diagnostic accuracy in amyotrophic lateral sclerosis. Brain Communications, 2020, 2, fcaa141.	1.5	7
89	Firstâ€recruited motor units adopt a faster phenotype in amyotrophic lateral sclerosis. Journal of Physiology, 2021, 599, 4117-4130.	1.3	7
90	Development of a disposable bile acid biosensor for use in the management of cholestasis. Analytical Methods, 2015, 7, 3714-3719.	1.3	6

#	Article	IF	CITATIONS
91	Traumatic brain injury neuroelectrochemical monitoring: behind-the-ear micro-instrument and cloud application. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 114.	2.4	6
92	Fasciculation analysis reveals a novel parameter that correlates with predicted survival in amyotrophic lateral sclerosis. Muscle and Nerve, 2021, 63, 392-396.	1.0	6
93	Lactate monitoring in droplet microfluidics: a cautionary tale in assay miniaturisation. Analytical Methods, 2019, 11, 6119-6123.	1.3	4
94	Fasciculations demonstrate daytime consistency in amyotrophic lateral sclerosis. Muscle and Nerve, 2020, 61, 745-750.	1.0	4
95	Development and Evaluation of a Method for Automated Detection of Spreading Depolarizations in the Injured Human Brain. Neurocritical Care, 2021, 35, 160-175.	1.2	4
96	Novel technologies in the treatment and monitoring of advanced and relapsed epithelial ovarian cancer. Convergent Science Physical Oncology, 2017, 3, 013002.	2.6	2
97	Comparison of synthetic aperture architectures for miniaturised ultrasound imaging front-ends. BioMedical Engineering OnLine, 2018, 17, 83.	1.3	2
98	Validation of Dexamethasone-Enhanced Continuous-Online Microdialysis for Monitoring Glucose for 10 Days after Brain Injury. ACS Chemical Neuroscience, 2021, 12, 3588-3597.	1.7	2
99	A LoC Ion Imaging Platform for Spatio-Temporal Characterisation of Ion-Selective Membranes. IEEE Transactions on Biomedical Circuits and Systems, 2022, 16, 545-556.	2.7	2
100	Measurements of bowel microdialysis recovery with an online biosensor system. , 2011, , .		1
101	Live demonstration: Real-time chemical imaging of ionic solutions using an ISFET array. , 2017, , .		1
102	Analytical science in neurochemistry. Analyst, The, 2020, 145, 3774-3775.	1.7	1
103	Accurate interpretation of fasciculation frequency in amyotrophic lateral sclerosis hinges on both muscle type and stage of disease. Brain Communications, 2020, 2, fcaa189.	1.5	1
104	A novel electrolytic titrator design - Coating platinum cathodes with an electron sink using Nafion® and hexaammineruthenium (III). Electrochemistry Communications, 2016, 73, 50-54.	2.3	0
105	Live Demonstration : A Portable Multi-Ion Platform with Integrated Microfluidics. , 2019, , .		0
106	The military applications of physiological sensors. Trauma, 2019, 21, 3-5.	0.2	0
107	Response to Stevens et al. Glucose Dynamics of Cortical Spreading Depolarization in Acute Brain Injury: A Systematic Review (DOI: 10.1089/neu.2018.6175). Journal of Neurotrauma, 2020, 37, 1266-1267.	1.7	0
108	Initial evidence for peri-infarct depolarization or cortical spreading depression as a cause of neurological deterioration in patients with subarachnoid haemorrhage. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S116-S116.	2.4	0

#	Article	IF	CITATIONS
109	The application of rapid-sampling, on-line microdialysis to intraoperative brain monitoring during aneurysm surgery. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S565-S565.	2.4	0

110 REAL TIME NEUROCHEMICAL MONITORING USING MICRODIALYSIS. , 2017, , 71-94.

0