

Hirayuki Enomoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7819554/publications.pdf>

Version: 2024-02-01

119
papers

2,080
citations

279487

23
h-index

288905

40
g-index

123
all docs

123
docs citations

123
times ranked

2526
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk stratification of decompensation using liver stiffness and platelet counts in compensated advanced chronic liver disease (CHES2102). <i>Journal of Hepatology</i> , 2022, 76, 248-250.	1.8	5
2	Multiple Inflammatory Pseudotumors of the Liver Demonstrating Spontaneous Regression: A Case Report. <i>Life</i> , 2022, 12, 124.	1.1	0
3	Clinical Characteristics of ICI-Related Pancreatitis and Cholangitis Including Radiographic and Endoscopic Findings. <i>Healthcare (Switzerland)</i> , 2022, 10, 763.	1.0	8
4	Modification of the ALBI-PLT Score for the Prediction of High-risk Varices. <i>In Vivo</i> , 2022, 36, 1360-1366.	0.6	1
5	Possible Alterations in Appetite-related Molecules After the Elimination of Hepatitis C Virus. <i>In Vivo</i> , 2022, 36, 1491-1496.	0.6	0
6	ABC: a novel algorithm to stratify decompensation risk in patients with compensated advanced chronic liver disease (CHES2108): an international, multicenter cohort study. <i>Hepatology International</i> , 2022, 16, 1105-1115.	1.9	2
7	The transition in the etiologies of hepatocellular carcinoma-complicated liver cirrhosis in a nationwide survey of Japan. <i>Journal of Gastroenterology</i> , 2021, 56, 158-167.	2.3	33
8	Outcome of nucleos(t)ide analog intervention in patients with preventive or on-demand therapy for hepatitis B virus reactivation. <i>Journal of Medical Virology</i> , 2021, 93, 3679-3687.	2.5	5
9	Predictors for Grip Strength Loss in Patients With Chronic Liver Diseases. <i>In Vivo</i> , 2021, 35, 363-371.	0.6	6
10	Association of the Modified ALBI Grade With Endoscopic Findings of Gastroesophageal Varices. <i>In Vivo</i> , 2021, 35, 1163-1168.	0.6	12
11	Factors Associated With Longitudinal QOL Change in Patients With Chronic Liver Diseases. <i>In Vivo</i> , 2021, 35, 2451-2456.	0.6	0
12	Severity of liver fibrosis using shear wave elastography is influenced by hepatic necroinflammation in chronic hepatitis patients, but not in cirrhotic patients. <i>Hepatology Research</i> , 2021, 51, 436-444.	1.8	5
13	Sarcopenic Obesity in Liver Cirrhosis: Possible Mechanism and Clinical Impact. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1917.	1.8	25
14	Reply to the letter by Huo et al. regarding our manuscript "The transition in the etiologies of hepatocellular carcinoma-complicated liver cirrhosis in a nationwide survey of Japan". <i>Journal of Gastroenterology</i> , 2021, 56, 408-408.	2.3	0
15	A New Ultrasonographic "Fluttering Sign" for Hepatic Hemangioma. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 941-946.	0.7	3
16	Combined grip strength and calf circumference as a useful prognostic system in patients with liver diseases: a large cohort study. <i>Annals of Translational Medicine</i> , 2021, 9, 624-624.	0.7	6
17	Clinical impact of the finger circle test in patients with liver diseases. <i>Hepatology Research</i> , 2021, 51, 603-613.	1.8	4
18	Reduced grip strength is associated with progression of depressive status in chronic liver diseases. <i>Annals of Palliative Medicine</i> , 2021, 10, 3976-3987.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Association of liver stiffness and steatosis with hepatocellular carcinoma development in patients with hepatitis C virus infection who received direct-acting antiviral therapy and achieved sustained virological response. <i>Hepatology Research</i> , 2021, 51, 860-869.	1.8	8
20	Dynapenia Rather Than Sarcopenia Is Associated with Metabolic Syndrome in Patients with Chronic Liver Diseases. <i>Diagnostics</i> , 2021, 11, 1262.	1.3	5
21	Breast cancer diffuse liver metastasis with high liver stiffness using ultrasound elastography. <i>Acta Hepatologica Japonica</i> , 2021, 62, 647-655.	0.0	0
22	Transition in the etiology of liver cirrhosis in Japan: a nationwide survey. <i>Journal of Gastroenterology</i> , 2020, 55, 353-362.	2.3	65
23	Sarcopenia and Frailty in Chronic Liver Damage: Common and Different Points. <i>In Vivo</i> , 2020, 34, 2549-2559.	0.6	8
24	Anthropometric Measurements and Frailty in Patients with Liver Diseases. <i>Diagnostics</i> , 2020, 10, 433.	1.3	9
25	Pilot study of tenofovir disoproxil fumarate and pegylated interferon-alpha 2a add-on therapy in Japanese patients with chronic hepatitis B. <i>Journal of Gastroenterology</i> , 2020, 55, 977-989.	2.3	8
26	Frailty and Sleep Disorder in Chronic Liver Diseases. <i>Life</i> , 2020, 10, 137.	1.1	7
27	Liver Cirrhosis and Sarcopenia from the Viewpoint of Dysbiosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5254.	1.8	28
28	Hepatocellular Carcinoma-associated microRNAs Induced by Hepatoma-derived Growth Factor Stimulation. <i>In Vivo</i> , 2020, 34, 2297-2301.	0.6	2
29	Calf Circumference as a Useful Predictor of Sarcopenia in Patients With Liver Diseases. <i>In Vivo</i> , 2020, 34, 2561-2569.	0.6	14
30	Association of an Overhydrated State With the Liver Fibrosis and Prognosis of Cirrhotic Patients. <i>In Vivo</i> , 2020, 34, 1347-1353.	0.6	6
31	Arm Skeletal Muscle Mass Is Associated With the Prognosis of Patients With Cirrhosis. <i>In Vivo</i> , 2020, 34, 1165-1171.	0.6	6
32	Serum Zinc Level Is Associated with Frailty in Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2020, 9, 1570.	1.0	8
33	Health-Related Quality of Life and Frailty in Chronic Liver Diseases. <i>Life</i> , 2020, 10, 76.	1.1	6
34	The Anthropometric Assessment With the Bioimpedance Method Is Associated With the Prognosis of Cirrhotic Patients. <i>In Vivo</i> , 2020, 34, 687-693.	0.6	8
35	Serum Zinc Level Grading System: A Useful Model for Composite Hepatic Events in Hepatitis C Virus-Associated Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , 2020, 9, 643.	1.0	2
36	Close Correlation between Frailty and Depressive State in Chronic Liver Diseases. <i>Medicina (Lithuania)</i> , 2020, 56, 319.	0.8	2

#	ARTICLE	IF	CITATIONS
37	Impact of Sustained Virological Response for Gastroesophageal Varices in Hepatitis-C-Virus-Related Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , 2020, 9, 95.	1.0	12
38	Proposal of predictive model on survival in unresectable pancreatic cancer receiving systemic chemotherapy. <i>Journal of Cancer</i> , 2020, 11, 1223-1230.	1.2	2
39	Walking Speed: Japanese Data in Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2020, 9, 166.	1.0	5
40	Serum Zinc Level and non-Protein Respiratory Quotient in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2020, 9, 255.	1.0	0
41	Possible Relevance of PNPLA3 and TLL1 Gene Polymorphisms to the Efficacy of PEG-IFN Therapy for HBV-Infected Patients. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3089.	1.8	7
42	Grip Strength: A Useful Marker for Composite Hepatic Events in Patients with Chronic Liver Diseases. <i>Diagnostics</i> , 2020, 10, 238.	1.3	14
43	Usefulness of Attenuation Imaging with an Ultrasound Scanner for the Evaluation of Hepatic Steatosis. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2679-2687.	0.7	102
44	Significant Correlation Between Grip Strength and m2bpgi in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2019, 8, 1359.	1.0	5
45	Association between Albumin-Bilirubin Grade and Non-Protein Respiratory Quotient in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2019, 8, 1485.	1.0	1
46	Comparison of liver stiffness assessment by transient elastography and shear wave elastography using six ultrasound devices. <i>Hepatology Research</i> , 2019, 49, 676-686.	1.8	34
47	Combined Albumin-Bilirubin Grade and Skeletal Muscle Mass as a Predictor in Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , 2019, 8, 782.	1.0	12
48	Association between Sarcopenia and Depression in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2019, 8, 634.	1.0	13
49	Liver fibrosis markers as assessed by ultrasound elastography and serum samples: A large comparative study in hepatitis virus B and C liver diseases. <i>Hepatology Research</i> , 2019, 49, 721-730.	1.8	12
50	Serum Zinc Concentration and Sarcopenia: A Close Linkage in Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2019, 8, 336.	1.0	40
51	Serum Zinc Level Classification System: Usefulness in Patients with Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , 2019, 8, 2057.	1.0	10
52	Effect of Sarcopenia on Sleep Disturbance in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , 2019, 8, 16.	1.0	14
53	Proposed model for the prediction of intrahepatic covalently closed circular DNA level in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2019, 49, 271-283.	1.8	10
54	Sequential therapy involving an early switch from entecavir to pegylated interferon in Japanese patients with chronic hepatitis B. <i>Hepatology Research</i> , 2018, 48, 459-468.	1.8	4

#	ARTICLE	IF	CITATIONS
55	Clinical impact of physical exercise on sleep disorder as assessed by actigram in patients with chronic pancreatitis: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , 2018, 5, e000193.	1.1	4
56	Implication of exercise interventions on sleep disturbance in patients with pancreatic cancer: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , 2018, 5, e000196.	1.1	7
57	Combinational use of hepatitis B viral antigens predicts responses to nucleos(t)ide analogue/peg-interferon sequential therapy. <i>Journal of Gastroenterology</i> , 2018, 53, 247-257.	2.3	15
58	Health-Related Quality of Life in Chronic Liver Diseases: A Strong Impact of Hand Grip Strength. <i>Journal of Clinical Medicine</i> , 2018, 7, 553.	1.0	21
59	Circulating let-7 Levels in Serum Correlate With the Severity of Hepatic Fibrosis in Chronic Hepatitis C. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy268.	0.4	27
60	The Relationship between Controlling Nutritional (CONUT) Score and Clinical Markers among Adults with Hepatitis C Virus Related Liver Cirrhosis. <i>Nutrients</i> , 2018, 10, 1185.	1.7	13
61	Amplification of bacterial genomic DNA from all ascitic fluids with a highly sensitive polymerase chain reaction. <i>Molecular Medicine Reports</i> , 2018, 18, 2117-2123.	1.1	7
62	Extracellular Water to Total Body Water Ratio in Viral Liver Diseases: A Study Using Bioimpedance Analysis. <i>Nutrients</i> , 2018, 10, 1072.	1.7	42
63	1713-1717.	0.0	0
64	Clinical influence of exercise therapy on sarcopenia in patients with chronic pancreatitis: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , 2018, 5, e000190.	1.1	2
65	Effect of exercise therapy on sarcopenia in pancreatic cancer: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , 2018, 5, e000194.	1.1	5
66	Association of the Body Mass Index with the Presence of Gastroesophageal Varices in Compensated Cirrhotic Patients with Hepatitis C Viral Infection. <i>Annals of Clinical and Laboratory Science</i> , 2018, 48, 801-804.	0.2	0
67	Prediction of development of hepatocellular carcinoma using a new scoring system involving virtual touch quantification in patients with chronic liver diseases. <i>Journal of Gastroenterology</i> , 2017, 52, 104-112.	2.3	26
68	Clinical implications of serum <i>Wisteria floribunda</i> agglutinin α -positive Mac α 2-binding protein in treatment-naïve chronic hepatitis B. <i>Hepatology Research</i> , 2017, 47, 204-215.	1.8	31
69	Proposal of a predictive model for advanced fibrosis containing <i>Wisteria floribunda</i> agglutinin α -positive Mac α 2-binding protein in chronic hepatitis C. <i>Hepatology Research</i> , 2017, 47, E74-E84.	1.8	18
70	Elevated serum myostatin level is associated with worse survival in patients with liver cirrhosis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 915-925.	2.9	150
71	Clinical utility of bioimpedance analysis in liver cirrhosis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017, 24, 409-416.	1.4	28
72	Development of a simple predictive model for decreased skeletal muscle mass in patients with compensated chronic liver disease. <i>Hepatology Research</i> , 2017, 47, 1223-1234.	1.8	15

#	ARTICLE	IF	CITATIONS
73	The in vivo antitumor effects of type I-interferon against hepatocellular carcinoma: the suppression of tumor cell growth and angiogenesis. <i>Scientific Reports</i> , 2017, 7, 12189.	1.6	30
74	Effect of dexmedetomidine in the prophylactic endoscopic injection sclerotherapy for oesophageal varices: a study protocol for prospective interventional study. <i>BMJ Open Gastroenterology</i> , 2017, 4, e000149.	1.1	3
75	Prognostic significance of sarcopenia in patients with hepatocellular carcinoma undergoing sorafenib therapy. <i>Oncology Letters</i> , 2017, 14, 1637-1647.	0.8	70
76	Prognostic significance of low skeletal muscle mass compared with protein-energy malnutrition in liver cirrhosis. <i>Hepatology Research</i> , 2017, 47, 1042-1052.	1.8	14
77	Effect of pretreatment psoas muscle mass on survival for patients with unresectable pancreatic cancer undergoing systemic chemotherapy. <i>Oncology Letters</i> , 2017, 14, 6059-6065.	0.8	14
78	Efficacy of capsule endoscopy in patients with cirrhosis for the diagnosis of upper gastrointestinal lesions and small bowel abnormalities: a study protocol for prospective interventional study. <i>BMJ Open Gastroenterology</i> , 2017, 4, e000168.	1.1	0
79	Effect of nalfurafine hydrochloride in patients with chronic liver disease with refractory pruritus on sleep disorders: a study protocol for single-arm, prospective, interventional study. <i>BMJ Open Gastroenterology</i> , 2017, 4, e000177.	1.1	1
80	Impact of Virtual Touch Quantification in Acoustic Radiation Force Impulse for Skeletal Muscle Mass Loss in Chronic Liver Diseases. <i>Nutrients</i> , 2017, 9, 620.	1.7	3
81	Predictors Associated with Increase in Skeletal Muscle Mass after Sustained Virological Response in Chronic Hepatitis C Treated with Direct Acting Antivirals. <i>Nutrients</i> , 2017, 9, 1135.	1.7	11
82	Comparison of Prognostic Impact between the Child-Pugh Score and Skeletal Muscle Mass for Patients with Liver Cirrhosis. <i>Nutrients</i> , 2017, 9, 595.	1.7	14
83	Comparison of FIB-4 index and aspartate aminotransferase to platelet ratio index on carcinogenesis in chronic hepatitis B treated with entecavir. <i>Journal of Cancer</i> , 2017, 8, 152-161.	1.2	26
84	Predictive factors in patients with hepatocellular carcinoma receiving sorafenib therapy using time-dependent receiver operating characteristic analysis. <i>Journal of Cancer</i> , 2017, 8, 378-387.	1.2	6
85	Implication of Psoas Muscle Index on Survival for Hepatocellular Carcinoma Undergoing Radiofrequency Ablation Therapy. <i>Journal of Cancer</i> , 2017, 8, 1507-1516.	1.2	29
86	Effect of physical exercise on sarcopaenia in patients with overt hepatic encephalopathy: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , 2017, 4, e000185.	1.1	0
87	Impact of <i>Wisteria floribunda</i> Agglutinin-Positive Mac-2-Binding Protein in Patients with Hepatitis C Virus-Related Compensated Liver Cirrhosis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1500.	1.8	18
88	Basic and Clinical Advances in Chronic Liver Inflammation. <i>Mediators of Inflammation</i> , 2016, 2016, 1-1.	1.4	1
89	Relationship Between Hepatic Steatosis and the Elevation of Aminotransferases in HBV-Infected Patients With HBe-Antigen Negativity and a Low Viral Load. <i>Medicine (United States)</i> , 2016, 95, e3565.	0.4	16
90	Impact of serum <i>Wisteria floribunda</i> agglutinin positive Mac-2-binding protein and serum interferon- β -inducible protein-10 in primary biliary cirrhosis. <i>Hepatology Research</i> , 2016, 46, 575-583.	1.8	40

#	ARTICLE	IF	CITATIONS
91	Similarities and Differences in Autoimmune Hepatitis Epidemiology between East and West: Autoimmune Hepatitis in East Asia, Southeast Asia, and South Asia. <i>Inflammatory Intestinal Diseases</i> , 2016, 1, 150-158.	0.8	8
92	Clinical significance of serum <i>Wisteria floribunda</i> agglutinin positive Mac-2-binding protein level and high-sensitivity C-reactive protein concentration in autoimmune hepatitis. <i>Hepatology Research</i> , 2016, 46, 613-621.	1.8	74
93	Clinical implication of serum <i>Wisteria floribunda</i> agglutinin positive Mac-2-binding protein level on hepatitis B antigen loss or seroconversion in hepatitis B antigen positive patients. <i>Hepatology Research</i> , 2016, 46, 1065-1073.	1.8	11
94	Clinical significance of serum <i>Wisteria floribunda</i> agglutinin positive Mac-2-binding protein level in non-alcoholic steatohepatitis. <i>Hepatology Research</i> , 2016, 46, 1194-1202.	1.8	33
95	Comparison of sleep disorders in chronic hepatitis C patients treated with interferon-based therapy and direct acting antivirals using actigraphy. <i>Hepatology Research</i> , 2016, 46, 1358-1366.	1.8	17
96	Effects of Helicobacter pylori Eradication on the Platelet Count in Hepatitis C Virus-Infected Patients. <i>Journal of Clinical Medicine Research</i> , 2016, 8, 854-858.	0.6	3
97	Effect of L-Carnitine in Patients With Liver Cirrhosis on Energy Metabolism Using Indirect Calorimetry: A Pilot Study. <i>Journal of Clinical Medicine Research</i> , 2016, 8, 863-869.	0.6	13
98	Improvement in the Amino Acid Imbalance in Hepatitis C Virus Infected Patients After Viral Eradication by Interferon Treatment. <i>Hepatitis Monthly</i> , 2016, 16, e35824.	0.1	0
99	Liver fibrosis markers of nonalcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2015, 21, 7427.	1.4	55
100	Hepatoma-Derived Growth Factor: Its Possible Involvement in the Progression of Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2015, 16, 14086-14097.	1.8	31
101	Usefulness of liver fibrosis markers ELF in chronic hepatitis. <i>Acta Hepatologica Japonica</i> , 2015, 56, 543-545.	0.0	0
102	A New Metabolism-Related Index Correlates with the Degree of Liver Fibrosis in Hepatitis C Virus-Positive Patients. <i>Gastroenterology Research and Practice</i> , 2015, 2015, 1-6.	0.7	3
103	Ledipasvir and sofosbuvir fixed-dose combination with and without ribavirin for 12 weeks in treatment-naïve and previously treated Japanese patients with genotype 1 hepatitis C: an open-label, randomised, phase 3 trial. <i>Lancet Infectious Diseases</i> , The, 2015, 15, 645-653.	4.6	333
104	Factors associated with the response to interferon-based antiviral therapies for chronic hepatitis C. <i>World Journal of Hepatology</i> , 2015, 7, 2681.	0.8	12
105	Development of risky varices in alcoholic cirrhosis with a well-maintained nutritional status. <i>World Journal of Hepatology</i> , 2015, 7, 2358.	0.8	0
106	Down-regulation of HDGF Inhibits the Growth of Hepatocellular Carcinoma Cells In Vitro and In Vivo. <i>Anticancer Research</i> , 2015, 35, 6475-9.	0.5	14
107	Serum zinc value in patients with hepatitis virus-related chronic liver disease: association with the histological degree of liver fibrosis and with the severity of varices in compensated cirrhosis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2014, 55, 147-152.	0.6	27
108	Diagnosis of Spontaneous Bacterial Peritonitis and an <i>In Situ</i> Hybridization Approach to Detect an Unidentified Pathogen. <i>International Journal of Hepatology</i> , 2014, 2014, 1-7.	0.4	22

#	ARTICLE	IF	CITATIONS
109	Anti-interferon- λ neutralizing antibody induced telaprevir resistance under the interferon- λ plus telaprevir treatment in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2014, 454, 453-458.	1.0	2
110	An Increased Ratio of Glycated Albumin to HbA1c Is Associated with the Degree of Liver Fibrosis in Hepatitis B Virus-Positive Patients. <i>Gastroenterology Research and Practice</i> , 2014, 2014, 1-6.	0.7	11
111	Superiority of a new shear wave elastography in evaluation of liver fibrosis. <i>Acta Hepatologica Japonica</i> , 2014, 55, 771-773.	0.0	4
112	Association of amino acid imbalance with the severity of liver fibrosis and esophageal varices. <i>Annals of Hepatology</i> , 2013, 12, 471-478.	0.6	12
113	Association of amino acid imbalance with the severity of liver fibrosis and esophageal varices. <i>Annals of Hepatology</i> , 2013, 12, 471-8.	0.6	8
114	Development of a new in situ hybridization method for the detection of global bacterial DNA to provide early evidence of a bacterial infection in spontaneous bacterial peritonitis. <i>Journal of Hepatology</i> , 2012, 56, 85-94.	1.8	23
115	The glycated albumin to glycated haemoglobin ratio increases along with the fibrosis stage in non-alcoholic steatohepatitis. <i>Annals of Clinical Biochemistry</i> , 2012, 49, 387-390.	0.8	15
116	Elevation of the glycated albumin to glycated hemoglobin ratio during the progression of hepatitis C virus related liver fibrosis. <i>World Journal of Hepatology</i> , 2012, 4, 11.	0.8	16
117	Relationship between Elevation of Glycated Albumin to Glycated Hemoglobin Ratio in Patients with a High Bleeding Risk of Esophageal Varices. <i>Hepato-Gastroenterology</i> , 2012, 59, 2280-4.	0.5	6
118	Hepatoma-derived growth factor is induced in liver regeneration. <i>Hepatology Research</i> , 2009, 39, 988-997.	1.8	14
119	Partial blockage of hepatocyte maturation in hepatoma-derived growth factor transgenic mice. <i>World Journal of Hepatology</i> , 2009, 1, 98.	0.8	1