
Jiri Hasek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/782043/publications.pdf Version: 2024-02-01



LIDI HASEK

#	Article	IF	CITATIONS
1	Yeast stress granules at a glance. Yeast, 2022, 39, 247-261.	0.8	13
2	Actin Cytoskeleton Regulation by the Yeast NADPH Oxidase Yno1p Impacts Processes Controlled by MAPK Pathways. Antioxidants, 2021, 10, 322.	2.2	8
3	eIF3a Destabilization and TDP-43 Alter Dynamics of Heat-Induced Stress Granules. International Journal of Molecular Sciences, 2021, 22, 5164.	1.8	6
4	Slow Growth and Increased Spontaneous Mutation Frequency in Respiratory Deficient afo1- Yeast Suppressed by a Dominant Mutation in ATP3. G3: Genes, Genomes, Genetics, 2020, 10, 4637-4648.	0.8	7
5	Mmi1, the Yeast Ortholog of Mammalian Translationally Controlled Tumor Protein (TCTP), Negatively Affects Rapamycin-Induced Autophagy in Post-Diauxic Growth Phase. Cells, 2020, 9, 138.	1.8	3
6	An aggregation-prone mutant of elF3a forms reversible assemblies escaping spatial control in exponentially growing yeast cells. Current Genetics, 2019, 65, 919-940.	0.8	4
7	The defense and signaling role of NADPH oxidases in eukaryotic cells. Wiener Medizinische Wochenschrift, 2018, 168, 286-299.	0.5	39
8	Clearing the outer mitochondrial membrane from harmful proteins via lipid droplets. Cell Death Discovery, 2017, 3, 17016.	2.0	32
9	Yeast phospholipase C is required for stability of casein kinase I Yck2p and expression of hexose transporters. FEMS Microbiology Letters, 2017, 364, .	0.7	0
10	New integrative modules for multicolor-protein labeling and live-cell imaging in <i>Saccharomyces cerevisiae</i> . FEMS Yeast Research, 2016, 16, fow027.	1.1	22
11	Stoichiometry and Change of the mRNA Closed-Loop Factors as Translating Ribosomes Transit from Initiation to Elongation. PLoS ONE, 2016, 11, e0150616.	1.1	9
12	Formaldehyde fixation is detrimental to actin cables in glucose-depleted S. cerevisiae cells. Microbial Cell, 2016, 3, 206-214.	1.4	7
13	Evolutionarily Conserved 5'-3' Exoribonuclease Xrn1 Accumulates at Plasma Membrane-Associated Eisosomes in Post-Diauxic Yeast. PLoS ONE, 2015, 10, e0122770.	1.1	25
14	Chemical modulation of the ultra-weak photon emission fromSaccharomyces cerevisiaeand differentiated HL-60 cells. , 2015, , .		2
15	Optical spectral analysis of ultra-weak photon emission from tissue culture and yeast cells. , 2015, , .		8
16	The Stationary-Phase Cells of <i>Saccharomyces cerevisiae</i> Display Dynamic Actin Filaments Required for Processes Extending Chronological Life Span. Molecular and Cellular Biology, 2015, 35, 3892-3908.	1.1	18
17	Two-channel measurement of the ultra-weak photon emission from a yeast culture during its growth. , 2014, , .		0
18	Nuclear Import of Chromatin Remodeler Isw1 Is Mediated by Atypical Bipartite <scp>cNLS</scp> and Classical Import Pathway. Traffic, 2013, 14, 176-193.	1.3	5

Jiri Hasek

#	Article	IF	CITATIONS
19	Vps Factors Are Required for Efficient Transcription Elongation in Budding Yeast. Genetics, 2013, 193, 829-851.	1.2	19
20	Mmi1, the Yeast Homologue of Mammalian TCTP, Associates with Stress Granules in Heat-Shocked Cells and Modulates Proteasome Activity. PLoS ONE, 2013, 8, e77791.	1.1	28
21	Heat Shock-Induced Accumulation of Translation Elongation and Termination Factors Precedes Assembly of Stress Granules in S. cerevisiae. PLoS ONE, 2013, 8, e57083.	1.1	56
22	Yno1p/Aim14p, a NADPH-oxidase ortholog, controls extramitochondrial reactive oxygen species generation, apoptosis, and actin cable formation in yeast. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 8658-8663.	3.3	126
23	Deregulation of <i>DSE1</i> Gene Expression Results in Aberrant Budding within the Birth Scar and Cell Wall Integrity Pathway Activation in <i>Saccharomyces cerevisiae</i> . Eukaryotic Cell, 2009, 8, 586-594.	3.4	11
24	Robust heat shock induces eIF2α-phosphorylation-independent assembly of stress granules containing eIF3 and 40S ribosomal subunits in budding yeast, <i>Saccharomyces cerevisiae</i> . Journal of Cell Science, 2009, 122, 2078-2088.	1.2	204
25	Measurement of Electrical Oscillations and Mechanical Vibrations of Yeast Cells Membrane Around 1 kHz. Electromagnetic Biology and Medicine, 2009, 28, 223-232.	0.7	35
26	Measurement of Electrical and Mechanical Oscillations of Yeast Cells Membrane in Acoustic Frequency Range. , 2008, , .		2
27	Ultra Low Frequency Yeast Cells Electric Activity. , 2008, , .		2
28	Auxin transport inhibitors impair vesicle motility and actin cytoskeleton dynamics in diverse eukaryotes. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 4489-4494.	3.3	239
29	Disrupting Vesicular Trafficking at the Endosome Attenuates Transcriptional Activation by Gcn4. Molecular and Cellular Biology, 2008, 28, 6796-6818.	1.1	23
30	Special type of pheromone-induced invasive growth in Saccharomyces cerevisiae. Current Genetics, 2007, 52, 87-95.	0.8	5
31	Electrical Vibrations of Yeast Cell Membrane. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2007, 3, 1190-1194.	0.4	1
32	Yeast Fluorescence Microscopy. , 2006, 313, 085-096.		15
33	The WD-40 repeat protein PkwA ofThermomonospora curvatais associated with rapid growth and is localized in the tips of growing hyphae. FEMS Microbiology Letters, 2006, 258, 187-193.	0.7	4
34	The fission yeast ortholog of eIF3a subunit is not functional inSaccharomyces cerevisiae. Folia Microbiologica, 2006, 51, 555-564.	1.1	1
35	Interaction of Pik1p and Sjl proteins in membrane trafficking. FEMS Yeast Research, 2005, 5, 363-371.	1.1	12
36	Electromagnetic Field of Microtubules: Effects on Transfer of Mass Particles and Electrons. Journal of Biological Physics, 2005, 31, 501-514.	0.7	42

Jiri Hasek

#	Article	IF	CITATIONS
37	The absence of the Isw2p–Itc1p chromatin-remodelling complex induces mating type-specific and Flo11p-independent invasive growth ofSaccharomyces cerevisiae. Yeast, 2004, 21, 389-401.	0.8	9
38	Colocalization of cortical microtubules and F-actin inDipodascus magnusii using confocal laser scanning microscopy. Folia Microbiologica, 2003, 48, 177-182.	1.1	3
39	The W303 genetic background affects theisw2î" mutant phenotype inSaccharomyces cerevisiae. Folia Microbiologica, 2003, 48, 745-753.	1.1	8
40	Rpg1p/Tif32p, a Subunit of Translation Initiation Factor 3, Interacts with Actin-Associated Protein Sla2p. Biochemical and Biophysical Research Communications, 2001, 282, 1244-1250.	1.0	14
41	Saccharomyces cerevisiae geneISW2 encodes a microtubule-interacting protein required for premeiotic DNA replication. Yeast, 2000, 16, 35-47.	0.8	23
42	Phospholipase C Is Involved in Kinetochore Function in Saccharomyces cerevisiae. Molecular and Cellular Biology, 2000, 20, 3597-3607.	1.1	37
43	Phospholipase C Is Involved in Kinetochore Function in Saccharomyces cerevisiae. Molecular and Cellular Biology, 2000, 20, 3597-3607.	1.1	2
44	RPG1 : an essential gene of Saccharomyces cerevisiae encoding a 110-kDa protein required for passage through the G 1 phase. Current Genetics, 1998, 33, 100-109.	0.8	29
45	Fluorescence Microscopy Methods. , 1996, 53, 391-406.		22
46	Light Microscopy Methods. , 1996, 53, 383-390.		2
47	Immunolocalization of cyclophilin in normal and cyclosporin A-treated human lymphocytes. Immunology Letters, 1994, 41, 267-272.	1.1	2
48	The arrangement of F-actin and microtubules during germination of Mucor rouxii sporangiospores. Archives of Microbiology, 1994, 161, 363-369.	1.0	23
49	Flunarizine affects F-actin pattern in Mucor rouxii germlings. Canadian Journal of Microbiology, 1994, 40, 730-735.	0.8	3