

# Susana Puig

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7821368/susana-puig-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

520  
papers

16,376  
citations

65  
h-index

110  
g-index

561  
ext. papers

19,938  
ext. citations

4.8  
avg, IF

6.11  
L-index

#	Paper	IF	Citations
520	Adjuvant Pembrolizumab versus Placebo in Resected Stage III Melanoma. <i>New England Journal of Medicine</i> , <b>2018</b> , 378, 1789-1801	59.2	918
519	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , <b>2003</b> , 48, 679-93	4.5	882
518	A SUMOylation-defective MITF germline mutation predisposes to melanoma and renal carcinoma. <i>Nature</i> , <b>2011</b> , 480, 94-8	50.4	365
517	Genome-wide association study identifies three loci associated with melanoma risk. <i>Nature Genetics</i> , <b>2009</b> , 41, 920-5	36.3	360
516	High-risk melanoma susceptibility genes and pancreatic cancer, neural system tumors, and uveal melanoma across GenoMEL. <i>Cancer Research</i> , <b>2006</b> , 66, 9818-28	10.1	313
515	Features associated with germline CDKN2A mutations: a GenoMEL study of melanoma-prone families from three continents. <i>Journal of Medical Genetics</i> , <b>2007</b> , 44, 99-106	5.8	296
514	A DNA methylation fingerprint of 1628 human samples. <i>Genome Research</i> , <b>2012</b> , 22, 407-19	9.7	273
513	Genome-wide association study identifies three new melanoma susceptibility loci. <i>Nature Genetics</i> , <b>2011</b> , 43, 1108-13	36.3	203
512	Dermoscopic evaluation of amelanotic and hypomelanotic melanoma. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1120-7		193
511	Common sequence variants on 20q11.22 confer melanoma susceptibility. <i>Nature Genetics</i> , <b>2008</b> , 40, 838-40	36.3	188
510	Confirmation of a double-hit model for the NF1 gene in benign neurofibromas. <i>American Journal of Human Genetics</i> , <b>1997</b> , 61, 512-9	11	185
509	Dermoscopy of Bowen's disease. <i>British Journal of Dermatology</i> , <b>2004</b> , 150, 1112-6	4	178
508	Dermoscopy improves accuracy of primary care physicians to triage lesions suggestive of skin cancer. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 1877-82	2.2	171
507	TERT promoter mutation status as an independent prognostic factor in cutaneous melanoma. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	164
506	Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 5012-23	5.6	164
505	Genome-wide meta-analysis identifies five new susceptibility loci for cutaneous malignant melanoma. <i>Nature Genetics</i> , <b>2015</b> , 47, 987-995	36.3	162
504	Comparison of the accuracy of human readers versus machine-learning algorithms for pigmented skin lesion classification: an open, web-based, international, diagnostic study. <i>Lancet Oncology</i> , <b>2019</b> , 20, 938-947	21.7	160

503	A melanoma-associated germline mutation in exon 1beta inactivates p14ARF. <i>Oncogene</i> , <b>2001</b> , 20, 5543-52	3.2	157
502	In vivo reflectance confocal microscopy imaging of melanocytic skin lesions: consensus terminology glossary and illustrative images. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 57, 644-58	4.5	155
501	Association Between Immune-Related Adverse Events and Recurrence-Free Survival Among Patients With Stage III Melanoma Randomized to Receive Pembrolizumab or Placebo: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Oncology</i> , <b>2020</b> , 6, 519-527	13.4	148
500	Prevalence of psoriasis in Spain (Epiderma Project: phase I). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2001</b> , 15, 20-3	4.6	147
499	Development of a two-step method for the diagnosis of melanoma by reflectance confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 61, 216-29	4.5	143
498	Human-computer collaboration for skin cancer recognition. <i>Nature Medicine</i> , <b>2020</b> , 26, 1229-1234	50.5	140
497	Standardization of terminology in dermoscopy/dermatoscopy: Results of the third consensus conference of the International Society of Dermoscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 74, 1093-106	4.5	140
496	Entodermoscopy: a new tool for diagnosing skin infections and infestations. <i>Dermatology</i> , <b>2008</b> , 216, 14-23	4.4	138
495	In vivo confocal microscopic and histopathologic correlations of dermoscopic features in 202 melanocytic lesions. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1597-608		130
494	Genome-wide association study identifies a new melanoma susceptibility locus at 1q21.3. <i>Nature Genetics</i> , <b>2011</b> , 43, 1114-8	36.3	126
493	Clinically equivocal melanocytic skin lesions with features of regression: a dermoscopic-pathological study. <i>British Journal of Dermatology</i> , <b>2004</b> , 150, 64-71	4	124
492	Role of the CDKN2A locus in patients with multiple primary melanomas. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 3043-51	2.2	124
491	Benefits of total body photography and digital dermatoscopy ("two-step method of digital follow-up") in the early diagnosis of melanoma in patients at high risk for melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 67, e17-27	4.5	121
490	Dermoscopy of dermatofibromas: a prospective morphological study of 412 cases. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 75-83		119
489	Selection criteria for genetic assessment of patients with familial melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 61, 677.e1-14	4.5	115
488	Impact of in vivo reflectance confocal microscopy on the number needed to treat melanoma in doubtful lesions. <i>British Journal of Dermatology</i> , <b>2014</b> , 170, 802-8	4	111
487	Two intermittent vismodegib dosing regimens in patients with multiple basal-cell carcinomas (MIKIE): a randomised, regimen-controlled, double-blind, phase 2 trial. <i>Lancet Oncology</i> , <b>2017</b> , 18, 404-412	21.7	108
486	Meta-analysis of digital dermoscopy follow-up of melanocytic skin lesions: a study on behalf of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 805-14	4.6	107

485	The effect on melanoma risk of genes previously associated with telomere length. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	97
484	Comprehensive Study of the Clinical Phenotype of Germline BAP1 Variant-Carrying Families Worldwide. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110, 1328-1341	9.7	97
483	A variant in FTO shows association with melanoma risk not due to BMI. <i>Nature Genetics</i> , <b>2013</b> , 45, 428-32, 432e1	36.3	95
482	Tumour lymphangiogenesis is a possible predictor of sentinel lymph node status in cutaneous melanoma: a case-control study. <i>Journal of Clinical Pathology</i> , <b>2006</b> , 59, 166-73	3.9	95
481	Follow-up of melanocytic skin lesions with digital total-body photography and digital dermoscopy: a two-step method. <i>Clinics in Dermatology</i> , <b>2002</b> , 20, 297-304	3	95
480	Predictors of sun protection behaviors and severe sunburn in an international online study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2199-210	4	91
479	Dermoscopy of pigmented lesions of the mucosa and the mucocutaneous junction: results of a multicenter study by the International Dermoscopy Society (IDS). <i>Archives of Dermatology</i> , <b>2011</b> , 147, 1181-7		91
478	Characterization and Management of Hedgehog Pathway Inhibitor-Related Adverse Events in Patients With Advanced Basal Cell Carcinoma. <i>Oncologist</i> , <b>2016</b> , 21, 1218-1229	5.7	86
477	Ex vivo fluorescence confocal microscopy for fast evaluation of tumour margins during Mohs surgery. <i>British Journal of Dermatology</i> , <b>2014</b> , 170, 360-5	4	85
476	MAGE-A3 immunotherapeutic as adjuvant therapy for patients with resected, MAGE-A3-positive, stage III melanoma (DERMA): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , <b>2018</b> , 19, 916-929	21.7	83
475	In vivo microscopic features of nodular melanomas: dermoscopy, confocal microscopy, and histopathologic correlates. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1311-20		83
474	Whole-body imaging of lymphovascular niches identifies pre-metastatic roles of midkine. <i>Nature</i> , <b>2017</b> , 546, 676-680	50.4	81
473	Slow-growing melanoma: a dermoscopy follow-up study. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 267-73		81
472	Association of MC1R variants and host phenotypes with melanoma risk in CDKN2A mutation carriers: a GenoMEL study. <i>Journal of the National Cancer Institute</i> , <b>2010</b> , 102, 1568-83	9.7	81
471	Dermoscopy report: proposal for standardization. Results of a consensus meeting of the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 57, 84-95	4.5	80
470	Genetic testing for melanoma. <i>Lancet Oncology</i> , <b>2002</b> , 3, 653-4	21.7	80
469	Dermoscopic evaluation of nodular melanoma. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 699-709	5.1	79
468	Report from the II Melanoma Translational Meeting of the Spanish Melanoma Group (GEM). <i>Annals of Translational Medicine</i> , <b>2017</b> , 5, 390-390	3.2	78

467	Frequency of dermoscopic nevus subtypes by age and body site: a cross-sectional study. <i>Archives of Dermatology</i> , <b>2011</b> , 147, 663-70		78
466	Infomelanoma 2020: an online digital application designed to assist health professionals for melanoma treatment. <i>Annals of Translational Medicine</i> , <b>2017</b> , 5, 392-392	3.2	78
465	Longer Follow-Up Confirms Recurrence-Free Survival Benefit of Adjuvant Pembrolizumab in High-Risk Stage III Melanoma: Updated Results From the EORTC 1325-MG/KEYNOTE-054 Trial. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 3925-3936	2.2	78
464	Dendritic cells in pigmented basal cell carcinoma: a relevant finding by reflectance-mode confocal microscopy. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 883-6		77
463	Characterization of 1152 lesions excised over 10 years using total-body photography and digital dermatoscopy in the surveillance of patients at high risk for melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 67, 836-45	4.5	75
462	New insights into nevogenesis: in vivo characterization and follow-up of melanocytic nevi by reflectance confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 61, 1001-13	4.5	75
461	Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma: A Web-Based International Dermoscopy Society Study. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 798-806	5.1	75
460	The many faces of blue nevus: a clinicopathologic study. <i>Journal of Cutaneous Pathology</i> , <b>2007</b> , 34, 543-51.7		74
459	Skin Cancer Diagnosis With Reflectance Confocal Microscopy: Reproducibility of Feature Recognition and Accuracy of Diagnosis. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 1075-80	5.1	73
458	Dermoscopy of pyogenic granuloma: a morphological study. <i>British Journal of Dermatology</i> , <b>2010</b> , 163, 1229-37	4	70
457	Melanomas that failed dermoscopic detection: a combined clinicodermoscopic approach for not missing melanoma. <i>Dermatologic Surgery</i> , <b>2007</b> , 33, 1262-73	1.7	70
456	Dermoscopic findings of haemosiderotic and aneurysmal dermatofibroma: report of six patients. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 244-50	4	67
455	Dermoscopy features of melanoma incognito: indications for biopsy. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 56, 508-13	4.5	65
454	Update in genetic susceptibility in melanoma. <i>Annals of Translational Medicine</i> , <b>2015</b> , 3, 210	3.2	65
453	Dermoscopy of cutaneous leishmaniasis. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 756-61	4	64
452	Dermoscopy of solitary angiokeratomas: a morphological study. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 318-25		64
451	Update on dermoscopy of Spitz/Reed naevi and management guidelines by the International Dermoscopy Society. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 645-655	4	63
450	Somatic NF1 mutational spectrum in benign neurofibromas: mRNA splice defects are common among point mutations. <i>Human Genetics</i> , <b>2001</b> , 108, 416-29	6.3	63

449	Reflectance confocal microscopy and features of melanocytic lesions: an internet-based study of the reproducibility of terminology. <i>Archives of Dermatology</i> , <b>2009</b> , 145, 1137-43		61
448	Time required for a complete skin examination with and without dermoscopy: a prospective, randomized multicenter study. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 509-13		59
447	Historical, clinical, and dermoscopic characteristics of thin nodular melanoma. <i>Archives of Dermatology</i> , <b>2010</b> , 146, 311-8		58
446	Chromosome 9p deletions in cutaneous malignant melanoma tumors: the minimal deleted region involves markers outside the p16 (CDKN2) gene. <i>American Journal of Human Genetics</i> , <b>1995</b> , 57, 395-402 <sup>11</sup>		58
445	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , <b>2021</b> , 22, 643-654	21.7	58
444	Fast evaluation of 69 basal cell carcinomas with ex vivo fluorescence confocal microscopy: criteria description, histopathological correlation, and interobserver agreement. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 839-47	5.1	57
443	Dermoscopic patterns of benign volar melanocytic lesions in patients with atypical mole syndrome. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 538-44		57
442	A novel elastin gene mutation resulting in an autosomal dominant form of cutis laxa. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 1135-9		56
441	Management of high-risk and advanced basal cell carcinoma. <i>Clinical and Translational Oncology</i> , <b>2015</b> , 17, 497-503	3.6	52
440	Inherited susceptibility to several cancers but absence of linkage between dysplastic nevus syndrome and CDKN2A in a melanoma family with a mutation in the CDKN2A (P16INK4A) gene. <i>Human Genetics</i> , <b>1997</b> , 101, 359-64	6.3	52
439	Nevus type in dermoscopy is related to skin type in white persons. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 351-6		52
438	Clinical and dermoscopic clues to differentiate pigmented nail bands: an International Dermoscopy Society study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 732-736	4.6	50
437	Inherited variants in the MC1R gene and survival from cutaneous melanoma: a BioGenoMEL study. <i>Pigment Cell and Melanoma Research</i> , <b>2012</b> , 25, 384-94	4.5	50
436	Dermoscopy of pigmented purpuric dermatoses (lichen aureus): a useful tool for clinical diagnosis. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 1290-1		50
435	In vivo reflectance confocal microscopy to monitor the response of lentigo maligna to imiquimod. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 49-55	4.5	49
434	Real-world approach to actinic keratosis management: practical treatment algorithm for office-based dermatology. <i>Journal of Dermatological Treatment</i> , <b>2017</b> , 28, 431-442	2.8	49
433	Prevalence study of nevi in children from Barcelona. Dermoscopy, constitutional and environmental factors. <i>Dermatology</i> , <b>2009</b> , 218, 203-14	4.4	49
432	ESMO consensus conference recommendations on the management of metastatic melanoma: under the auspices of the ESMO Guidelines Committee. <i>Annals of Oncology</i> , <b>2020</b> , 31, 1435-1448	10.3	49

431	Total body skin examination for skin cancer screening in patients with focused symptoms. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 66, 212-9	4.5	47
430	Standardization of dermoscopic terminology and basic dermoscopic parameters to evaluate in general dermatology (non-neoplastic dermatoses): an expert consensus on behalf of the International Dermoscopy Society. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 454-467	4	47
429	In vivo reflectance confocal microscopy of equivocal melanocytic lesions detected by digital dermoscopy follow-up. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 1918-25	4.6	46
428	New dermoscopic pattern in actinic keratosis and related conditions. <i>Archives of Dermatology</i> , <b>2009</b> , 145, 732		46
427	Dermoscopic findings in pyogenic granuloma. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 1108-11	4	46
426	The MC1R melanoma risk variant p.R160W is associated with Parkinson disease. <i>Annals of Neurology</i> , <b>2015</b> , 77, 889-94	9.4	43
425	Genetic alterations in RAS-regulated pathway in acral lentiginous melanoma. <i>Experimental Dermatology</i> , <b>2013</b> , 22, 148-50	4	43
424	Development of a bioengineered skin-humanized mouse model for psoriasis: dissecting epidermal-lymphocyte interacting pathways. <i>American Journal of Pathology</i> , <b>2010</b> , 177, 3112-24	5.8	43
423	Prognostic and predictive value of AJCC-8 staging in the phase III EORTC1325/KEYNOTE-054 trial of pembrolizumab vs placebo in resected high-risk stage III melanoma. <i>European Journal of Cancer</i> , <b>2019</b> , 116, 148-157	7.5	42
422	Pilot study of treatment of biochemotherapy-refractory stage IV melanoma patients with autologous dendritic cells pulsed with a heterologous melanoma cell line lysate. <i>Cancer Immunology, Immunotherapy</i> , <b>2004</b> , 53, 651-8	7.4	42
421	Performance of diagnostic tests in an intensive follow-up protocol for patients with American Joint Committee on Cancer (AJCC) stage IIB, IIC, and III localized primary melanoma: A prospective cohort study. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 75, 516-524	4.5	42
420	Dermoscopic Clues for Diagnosing Melanomas That Resemble Seborrheic Keratosis. <i>JAMA Dermatology</i> , <b>2017</b> , 153, 544-551	5.1	41
419	Melanoma risk factors, perceived threat and intentional tanning: an international online survey. <i>European Journal of Cancer Prevention</i> , <b>2010</b> , 19, 216-26	2	41
418	Dermoscopy of sebaceous hyperplasia. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 808		41
417	Preoperative assessment of cutaneous melanoma thickness using 10-MHz sonography. <i>American Journal of Roentgenology</i> , <b>2009</b> , 193, 639-43	5.4	40
416	Dermoscopic pattern of intermediate stage in seborrheic keratosis regressing to lichenoid keratosis: report of 24 cases. <i>British Journal of Dermatology</i> , <b>2007</b> , 157, 266-72	4	40
415	Cemiplimab in locally advanced basal cell carcinoma after hedgehog inhibitor therapy: an open-label, multi-centre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , <b>2021</b> , 22, 848-857	21.7	40
414	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , <b>2020</b> , 52, 494-504	36.3	39

413	Negative pigment network: an additional dermoscopic feature for the diagnosis of melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2013</b> , 68, 552-559	4.5	39
412	Non-invasive management of non-melanoma skin cancer in patients with cancer predisposition genodermatosis: a role for confocal microscopy and photodynamic therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2011</b> , 25, 819-27	4.6	39
411	Cutaneous phenotype and MC1R variants as modifying factors for the development of melanoma in CDKN2A G101W mutation carriers from 4 countries. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 825-31	7.5	39
410	Dermoscopy of molluscum contagiosum. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 1644		39
409	Increased prevalence of lung, breast, and pancreatic cancers in addition to melanoma risk in families bearing the cyclin-dependent kinase inhibitor 2A mutation: implications for genetic counseling. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 888-95	4.5	38
408	Dermoscopic features of melanomas associated with MC1R variants in Spanish CDKN2A mutation carriers. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 48-53	4	38
407	Meta-analysis combining new and existing data sets confirms that the TERT-CLPTM1L locus influences melanoma risk. <i>Journal of Investigative Dermatology</i> , <b>2012</b> , 132, 485-7	4.3	38
406	Dermoscopic findings of pilomatricomas. <i>Dermatology</i> , <b>2008</b> , 217, 225-30	4.4	38
405	Is the identification of in-transit sentinel lymph nodes in malignant melanoma patients really necessary?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 945-9	8.8	38
404	Dermoscopy of molluscum contagiosum: a useful tool for clinical diagnosis in adulthood. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 20, 482-3	4.6	37
403	Genetic Abnormalities in Large to Giant Congenital Nevi: Beyond NRAS Mutations. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 900-908	4.3	37
402	Melanomas detected in a follow-up program compared with melanomas referred to a melanoma unit. <i>Archives of Dermatology</i> , <b>2011</b> , 147, 549-55		35
401	Identification of the sentinel lymph node in patients with malignant melanoma: what are the reasons for mistakes?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2003</b> , 30, 362-6	8.8	35
400	Dermoscopy is useful for the recognition of benign-malignant compound tumours. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 653-6	4	35
399	Clinical and dermoscopic features of atypical Spitz tumors: A multicenter, retrospective, case-control study. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 73, 777-84	4.5	34
398	Recurrent melanocytic nevi and melanomas in dermoscopy: results of a multicenter study of the International Dermoscopy Society. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 138-45	5.1	34
397	CDKN2A mutations in Spanish cutaneous malignant melanoma families and patients with multiple melanomas and other neoplasia. <i>Journal of Medical Genetics</i> , <b>1999</b> , 36, 490-3	5.8	34
396	Changes observed in slow-growing melanomas during long-term dermoscopic monitoring. <i>British Journal of Dermatology</i> , <b>2012</b> , 166, 1213-20	4	33



395	Pigmented spindle cell nevus: clues for differentiating it from spindle cell malignant melanoma. A comprehensive survey including clinicopathologic, immunohistochemical, and FISH studies. <i>American Journal of Surgical Pathology</i> , <b>2011</b> , 35, 1733-42	6.7	32
394	Fibroblast activation and abnormal extracellular matrix remodelling as common hallmarks in three cancer-prone genodermatoses. <i>British Journal of Dermatology</i> , <b>2019</b> , 181, 512-522	4	31
393	Prevalence and predictors of germline CDKN2A mutations for melanoma cases from Australia, Spain and the United Kingdom. <i>Hereditary Cancer in Clinical Practice</i> , <b>2014</b> , 12, 20	2.3	31
392	Clinical and dermoscopic characteristics of desmoplastic melanomas. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 413-21	5.1	31
391	Cutaneous gamma/delta T-cell lymphoma: a histopathologic mimicker of lupus erythematosus profundus (lupus panniculitis). <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 56, 643-7	4.5	31
390	Inhibition of activated receptor tyrosine kinases by Sunitinib induces growth arrest and sensitizes melanoma cells to Bortezomib by blocking Akt pathway. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 967-78 <sup>5</sup>		30
389	A clinico-dermoscopic approach for skin cancer screening: recommendations involving a survey of the International Dermoscopy Society. <i>Dermatologic Clinics</i> , <b>2013</b> , 31, 525-34, vii	4.2	30
388	Early stages of melanoma on the limbs of high-risk patients: clinical, dermoscopic, reflectance confocal microscopy and histopathological characterization for improved recognition. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 137-46	2.2	30
387	Prevalence of MITF p.E318K in Patients With Melanoma Independent of the Presence of CDKN2A Causative Mutations. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 405-12	5.1	29
386	Capturing the biological impact of CDKN2A and MC1R genes as an early predisposing event in melanoma and non melanoma skin cancer. <i>Oncotarget</i> , <b>2014</b> , 5, 1439-51	3.3	29
385	AURKA Overexpression Is Driven by FOXM1 and MAPK/ERK Activation in Melanoma Cells Harboring BRAF or NRAS Mutations: Impact on Melanoma Prognosis and Therapy. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 1297-1310	4.3	28
384	Nevus-associated melanomas: clinicopathologic features. <i>American Journal of Clinical Pathology</i> , <b>2014</b> , 142, 485-91	1.9	28
383	In vivo confocal reflectance microscopy in melanoma. <i>Dermatologic Therapy</i> , <b>2012</b> , 25, 410-22	2.2	28
382	Skin examination behavior: the role of melanoma history, skin type, psychosocial factors, and region of residence in determining clinical and self-conducted skin examination. <i>Archives of Dermatology</i> , <b>2012</b> , 148, 1142-51		28
381	Retention of the CDKN2A locus and low frequency of point mutations in primary and metastatic cutaneous malignant melanoma. <i>International Journal of Cancer</i> , <b>1998</b> , 76, 312-6	7.5	28
380	TERT gene amplification is associated with poor outcome in acral lentiginous melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 839-41	4.5	27
379	Mutational status of naevus-associated melanomas. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 671-80	4	27
378	High nevus counts confer a favorable prognosis in melanoma patients. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1691-8	7.5	27

377	Survival analysis and sentinel lymph node status in thin cutaneous melanoma: A multicenter observational study. <i>Cancer Medicine</i> , <b>2019</b> , 8, 4235-4244	4.8	26
376	MC1R gene variants and non-melanoma skin cancer: a pooled-analysis from the M-SKIP project. <i>British Journal of Cancer</i> , <b>2015</b> , 113, 354-63	8.7	26
375	Fine mapping of genetic susceptibility loci for melanoma reveals a mixture of single variant and multiple variant regions. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 1351-60	7.5	26
374	Growth-Curve Modeling of Nevi With a Peripheral Globular Pattern. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 1338-1345	5.1	26
373	Benefits of oral Polypodium Leucotomos extract in MM high-risk patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 1095-100	4.6	26
372	In vivo assessment of acute UVB responses in normal and Xeroderma Pigmentosum (XP-C) skin-humanized mouse models. <i>American Journal of Pathology</i> , <b>2010</b> , 177, 865-72	5.8	26
371	Clinical and dermoscopic characterization of pediatric and adolescent melanomas: Multicenter study of 52 cases. <i>Journal of the American Academy of Dermatology</i> , <b>2018</b> , 78, 278-288	4.5	25
370	Shiny white streaks: a sign of malignancy at dermoscopy of pigmented skin lesions. <i>Acta Dermato-Venereologica</i> , <b>2014</b> , 94, 132-7	2.2	25
369	"White" network in Spitz nevi and early melanomas lacking significant pigmentation. <i>Journal of the American Academy of Dermatology</i> , <b>2013</b> , 69, 56-60	4.5	25
368	Dermoscopic and reflectance confocal microscopic features of exogenous ochronosis. <i>Archives of Dermatology</i> , <b>2010</b> , 146, 1021-5		25
367	A comparison of CDKN2A mutation detection within the Melanoma Genetics Consortium (GenoMEL). <i>European Journal of Cancer</i> , <b>2008</b> , 44, 1269-74	7.5	25
366	Small cell melanoma and ulceration as predictors of positive sentinel lymph node in malignant melanoma patients. <i>Melanoma Research</i> , <b>2004</b> , 14, 277-82	3.3	25
365	Patterns of distribution of giant congenital melanocytic nevi (GCMN): The 6B rule. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 76, 689-694	4.5	24
364	Methods of Melanoma Detection. <i>Cancer Treatment and Research</i> , <b>2016</b> , 167, 51-105	3.5	24
363	A randomized, intraindividual, non-inferiority, Phase III study comparing daylight photodynamic therapy with BF-200 ALA gel and MAL cream for the treatment of actinic keratosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 288-297	4.6	24
362	Dermoscopy of Naevus-associated Melanomas. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 671-5	2.2	24
361	Ex vivo dermoscopy of melanocytic tumors: time for dermatopathologists to learn dermoscopy. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 1548-52		24
360	Toxicity of combined treatment of adjuvant irradiation and interferon alpha2b in high-risk melanoma patients. <i>Melanoma Research</i> , <b>2007</b> , 17, 304-9	3.3	24

359	Dermoscopy of disseminated superficial actinic porokeratosis. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 1410		24
358	Melanomas, from the cell cycle point of view (Review). <i>International Journal of Molecular Medicine</i> , <b>1998</b> , 1, 419-25	4.4	24
357	TERT and AURKA gene copy number gains enhance the detection of acral lentiginous melanomas by fluorescence in situ hybridization. <i>Journal of Molecular Diagnostics</i> , <b>2014</b> , 16, 198-206	5.1	23
356	A new total body scanning system for automatic change detection in multiple pigmented skin lesions. <i>IEEE Transactions on Medical Imaging</i> , <b>2015</b> , 34, 317-38	11.7	23
355	Dermoscopic criteria associated with BRAF and NRAS mutation status in primary cutaneous melanoma. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 754-9	4	23
354	Rapid diagnosis of two facial papules using ex vivo fluorescence confocal microscopy: toward a rapid bedside pathology. <i>Dermatologic Surgery</i> , <b>2012</b> , 38, 1548-51	1.7	23
353	Correlation among dermoscopy, confocal reflectance microscopy, and histologic features of melanoma and basal cell carcinoma collision tumor. <i>Dermatologic Surgery</i> , <b>2011</b> , 37, 275-9	1.7	23
352	Adult xanthogranuloma mimicking basal cell carcinoma: dermoscopy, reflectance confocal microscopy and pathological correlation. <i>Dermatology</i> , <b>2010</b> , 220, 66-70	4.4	23
351	Dermoscopy in skin self-examination: A useful tool for select patients. <i>Archives of Dermatology</i> , <b>2011</b> , 147, 53-8		23
350	Acral melanoma simulating warts: dermoscopic clues to prevent missing a melanoma. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 1072-8	1.7	23
349	Neutrophilic pustulosis associated with chronic myeloid leukemia: a special form of Sweet's syndrome. Report of two cases. <i>Acta Haematologica</i> , <b>1992</b> , 88, 154-7	2.7	23
348	In vivo reflectance confocal microscopy characterization of field-directed 5-fluorouracil 0.5%/salicylic acid 10% in actinic keratosis. <i>Dermatology</i> , <b>2015</b> , 230, 193-8	4.4	22
347	Inherited variation in the PARP1 gene and survival from melanoma. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1625-33	7.5	22
346	Handbook of Dermoscopy		22
345	In vivo characterization of healthy human skin with a novel, non-invasive imaging technique: line-field confocal optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2914-2921	4.6	22
344	Effect of time to sentinel-node biopsy on the prognosis of cutaneous melanoma. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 1780-93	7.5	21
343	Combining common genetic variants and non-genetic risk factors to predict risk of cutaneous melanoma. <i>Human Molecular Genetics</i> , <b>2018</b> , 27, 4145-4156	5.6	21
342	Visible and Extended Near-Infrared Multispectral Imaging for Skin Cancer Diagnosis. <i>Sensors</i> , <b>2018</b> , 18,	3.8	21

341	An inherited variant in the gene coding for vitamin D-binding protein and survival from cutaneous melanoma: a BioGenoMEL study. <i>Pigment Cell and Melanoma Research</i> , <b>2014</b> , 27, 234-43	4.5	21
340	Seborrheic keratosislike melanoma with folliculotropism. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 373-6		21
339	Dermoscopy in Gorlin-Goltz syndrome. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 847-51	1.7	21
338	Factors driving the use of dermoscopy in Europe: a pan-European survey. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 1329-1337	4	21
337	Monitoring treatment of field cancerisation with 3% diclofenac sodium 2.5% hyaluronic acid by reflectance confocal microscopy: a histologic correlation. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 45-50	2.2	20
336	Distribution of MC1R variants among melanoma subtypes: p.R163Q is associated with lentigo maligna melanoma in a Mediterranean population. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 804-11	4	20
335	Prognostic role of the histological subtype of melanoma on the hands and feet in Caucasians. <i>Melanoma Research</i> , <b>2017</b> , 27, 315-320	3.3	20
334	Dermoscopy of skin lesions in two patients with xeroderma pigmentosum. <i>British Journal of Dermatology</i> , <b>2005</b> , 152, 271-8	4	20
333	Diagnostic value of cutaneous manifestation of SARS-CoV-2 infection. <i>British Journal of Dermatology</i> , <b>2021</b> , 184, 880-887	4	20
332	Cutaneous toxicities of new treatments for melanoma. <i>Clinical and Translational Oncology</i> , <b>2018</b> , 20, 1373-1384	3.6	20
331	Serum 25-hydroxyvitamin D3 levels and vitamin D receptor variants in melanoma patients from the Mediterranean area of Barcelona. <i>BMC Medical Genetics</i> , <b>2013</b> , 14, 26	2.1	19
330	Dermoscopy Improves the Diagnostic Accuracy of Melanomas Clinically Resembling Seborrheic Keratosis: Cross-Sectional Study of the Ability to Detect Seborrheic Keratosis-Like Melanomas by a Group of Dermatologists with Varying Degrees of Experience. <i>Dermatology</i> , <b>2017</b> , 233, 471-479	4.4	19
329	ESMO consensus conference recommendations on the management of locoregional melanoma: under the auspices of the ESMO Guidelines Committee. <i>Annals of Oncology</i> , <b>2020</b> , 31, 1449-1461	10.3	19
328	Dermoscopic features and patterns of poromas: a multicentre observational case-control study conducted by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 1263-1271	4.6	19
327	Melanoma inhibiting activity protein (MIA), beta-2 microglobulin and lactate dehydrogenase (LDH) in metastatic melanoma. <i>Anticancer Research</i> , <b>2007</b> , 27, 595-9	2.3	19
326	Early outcome of a 31-gene expression profile test in 86 AJCC stage IB-II melanoma patients. A prospective multicentre cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 857-862	4.6	18
325	Melanoma incidence increases in the elderly of Catalonia but not in the younger population: effect of prevention or consequence of immigration?. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 422-6	2.2	18
324	Ex vivo confocal microscopy: revolution in fast pathology in dermatology. <i>British Journal of Dermatology</i> , <b>2020</b> , 183, 1011-1025	4	18

323	Sentinel lymph node biopsy versus observation in thick melanoma: A multicenter propensity score matching study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 641-648	7.5	18
322	Characterization of individuals at high risk of developing melanoma in Latin America: bases for genetic counseling in melanoma. <i>Genetics in Medicine</i> , <b>2016</b> , 18, 727-36	8.1	18
321	Dermoscopy: an aid to the detection of amelanotic cutaneous melanoma metastases. <i>Dermatologic Surgery</i> , <b>2012</b> , 38, 1437-44	1.7	18
320	Genetic counseling in melanoma. <i>Dermatologic Therapy</i> , <b>2012</b> , 25, 397-402	2.2	18
319	Dermoscopy of scalp tumours: a multi-centre study conducted by the international dermoscopy society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 953-63	4.6	18
318	Dermoscopic patterns of melanoma metastases: interobserver consistency and accuracy for metastasis recognition. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 91-9	4	18
317	Treatment of patients with progressive unresectable metastatic melanoma with a heterologous polyvalent melanoma whole cell vaccine. <i>International Journal of Cancer</i> , <b>2003</b> , 106, 626-631	7.5	18
316	Efficacy of novel immunotherapy regimens in patients with metastatic melanoma with germline mutations. <i>Journal of Medical Genetics</i> , <b>2020</b> , 57, 316-321	5.8	18
315	Basal cell carcinoma characterization using fusion ex vivo confocal microscopy: a promising change in conventional skin histopathology. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 468-476	4	18
314	Detection of desmoplastic melanoma with dermoscopy and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 2016-2024	4.6	17
313	Distinct Clinicopathological and Prognostic Features of Thin Nodular Primary Melanomas: An International Study from 17 Centers. <i>Journal of the National Cancer Institute</i> , <b>2019</b> , 111, 1314-1322	9.7	17
312	Dermoscopy of acral melanoma: a multicenter study on behalf of the international dermoscopy society. <i>Dermatology</i> , <b>2013</b> , 227, 373-80	4.4	17
311	Valoraci3n inicial, diagn3stico, estadificaci3n, tratamiento y seguimiento de los pacientes con melanoma maligno primario de la piel. Documento de consenso de la Xarxa de Centres de Melanoma de Catalunya i Balears. <i>Actas Dermo-sifiliogr3ficas</i> , <b>2010</b> , 101, 129-142	0.5	17
310	Dermoscopy of lichenoid regressing seborrheic keratosis. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 410		17
309	Serum protein s-100 predicts clinical outcome in patients with melanoma treated with adjuvant interferon--comparison with tyrosinase rt-PCR. <i>Oncology</i> , <b>2005</b> , 68, 341-9	3.6	17
308	Dermoscopic criteria and basal cell carcinoma. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2012</b> , 147, 135-40	0.8	17
307	Histologic features of melanoma associated with CDKN2A genotype. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 72, 496-507.e7	4.5	16
306	Pathway-based analysis of a melanoma genome-wide association study: analysis of genes related to tumour-immunosuppression. <i>PLoS ONE</i> , <b>2011</b> , 6, e29451	3.7	16

305	Expression of somatostatin receptors in human melanoma cell lines: effect of two different somatostatin analogues, octreotide and SOM230, on cell proliferation. <i>Journal of International Medical Research</i> , <b>2009</b> , 37, 1813-22	1.4	16
304	CDKN2A mutations in melanoma families from Uruguay. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 536-41		16
303	POT1 germline mutations but not TERT promoter mutations are implicated in melanoma susceptibility in a large cohort of Spanish melanoma families. <i>British Journal of Dermatology</i> , <b>2019</b> , 181, 105-113	4	16
302	Dermoscopy structures as predictors of sentinel lymph node positivity in cutaneous melanoma. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 1269-77	4	15
301	Melanocortin 1 receptor (MC1R) polymorphisms' influence on size and dermoscopic features of nevi. <i>Pigment Cell and Melanoma Research</i> , <b>2018</b> , 31, 39-50	4.5	15
300	Cost-effectiveness analysis of imaging strategy for an intensive follow-up of patients with American Joint Committee on Cancer stage IIB, IIC and III malignant melanoma. <i>British Journal of Dermatology</i> , <b>2019</b> , 180, 1190-1197	4	15
299	Dermoscopic rosettes as a clue for pigmented incipient melanoma. <i>Dermatology</i> , <b>2014</b> , 228, 31-3	4.4	15
298	Somatic BRAF and NRAS mutations in familial melanomas with known germline CDKN2A status: a GenoMEL study. <i>Journal of Investigative Dermatology</i> , <b>2014</b> , 134, 287-290	4.3	15
297	Biochemotherapy with temozolomide, cisplatin, vinblastine, subcutaneous interleukin-2 and interferon-alpha in patients with metastatic melanoma. <i>Melanoma Research</i> , <b>2006</b> , 16, 59-64	3.3	15
296	Intramedullary spinal cord metastases of melanoma. <i>Melanoma Research</i> , <b>2004</b> , 14, 431-3	3.3	15
295	Pembrolizumab versus placebo after complete resection of high-risk stage III melanoma: New recurrence-free survival results from the EORTC 1325-MG/Keynote 054 double-blinded phase III trial at three-year median follow-up.. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 10000-10000	2.2	15
294	Association of the POT1 Germline Missense Variant p.I78T With Familial Melanoma. <i>JAMA Dermatology</i> , <b>2019</b> , 155, 604-609	5.1	15
293	S-100beta and MIA in advanced melanoma in relation to prognostic factors. <i>Anticancer Research</i> , <b>2005</b> , 25, 1779-82	2.3	15
292	Reflectance confocal microscopy for the diagnosis of vulvar naevi: six cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 30-5	4.6	14
291	Ultrasound-based follow-up does not increase survival in early-stage melanoma patients: A comparative cohort study. <i>European Journal of Cancer</i> , <b>2017</b> , 85, 59-66	7.5	14
290	A randomized trial comparing simultaneous vs. sequential field treatment of actinic keratosis with ingenol mebutate on two separate areas of the head and body. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 2192-8	4.6	14
289	Role of CPI-17 in restoring skin homeostasis in cutaneous field of cancerization: effects of topical application of a film-forming medical device containing photolyase and UV filters. <i>Experimental Dermatology</i> , <b>2013</b> , 22, 494-6	4	14
288	Dermoscopy of dermatofibroma. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 122		14

287	Skin Manifestations in COVID-19: Prevalence and Relationship with Disease Severity. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	14
286	Treatment monitoring of 0.5% 5-fluorouracil and 10% salicylic acid in clinical and subclinical actinic keratoses with the combination of optical coherence tomography and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 258-65	4.6	14
285	Cross-cohort gut microbiome associations with immune checkpoint inhibitor response in advanced melanoma.. <i>Nature Medicine</i> , <b>2022</b> ,	50.5	14
284	Review of Clinical Evidence over 10 Years on Prevention and Treatment of a Film-Forming Medical Device Containing Photolyase in the Management of Field Cancerization in Actinic Keratosis. <i>Dermatology and Therapy</i> , <b>2019</b> , 9, 259-270	4	13
283	T-type calcium channels drive migration/invasion in BRAFV600E melanoma cells through Snail1. <i>Pigment Cell and Melanoma Research</i> , <b>2018</b> , 31, 484-495	4.5	13
282	Monitoring patients with multiple nevi. <i>Dermatologic Clinics</i> , <b>2013</b> , 31, 565-77, viii	4.2	13
281	Seven Non-melanoma Features to Rule Out Facial Melanoma. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 1219-1224	2.2	13
280	Studying regression of seborrheic keratosis in lichenoid keratosis with sequential dermoscopy imaging. <i>Dermatology</i> , <b>2010</b> , 220, 103-9	4.4	13
279	Dermoscopy of venous stasis dermatitis. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 1526		13
278	Prognostic implications of protein S-100beta serum levels in the clinical outcome of high-risk melanoma patients. <i>Tumor Biology</i> , <b>2007</b> , 28, 264-72	2.9	13
277	Line-field confocal optical coherence tomography of basal cell carcinoma: a descriptive study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1099-1110	4.6	13
276	Pregnancy and melanoma: a European-wide survey to assess current management and a critical literature overview. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 65-69	4.6	12
275	Multiple BRAF Wild-Type Melanomas During Dabrafenib Treatment for Metastatic BRAF-Mutant Melanoma. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 544-8	5.1	12
274	Association of Melanocortin-1 Receptor Variants with Pigmentary Traits in Humans: A Pooled Analysis from the M-Skip Project. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1914-1917	4.3	12
273	KIT mutations and CD117 overexpression are markers of better progression-free survival in vulvar melanomas. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 1376-1384	4	12
272	Multispectral imaging system based on light-emitting diodes for the detection of melanomas and basal cell carcinomas: a pilot study. <i>Journal of Biomedical Optics</i> , <b>2017</b> , 22, 65006	3.5	12
271	Association between dermoscopic and reflectance confocal microscopy features of cutaneous melanoma with BRAF mutational status. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 643-649	4.6	12
270	Dermoscopy, Digital Dermoscopy and Other Diagnostic Tools in the Early Detection of Melanoma and Follow-up of High-risk Skin Cancer Patients. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , Suppl 218, 14-21	2.2	12

269	Inverted follicular keratosis: dermoscopic and reflectance confocal microscopic features. <i>Dermatology</i> , <b>2013</b> , 227, 62-6	4.4	12
268	Reflectance confocal microscopy of blue nevus. <i>European Journal of Dermatology</i> , <b>2012</b> , 22, 552-3	0.8	12
267	Homogeneous blue pattern in an acral congenital melanocytic nevus. <i>Dermatology</i> , <b>2008</b> , 217, 315-7	4.4	12
266	Secondary orbital metastases from cutaneous melanoma. <i>Melanoma Research</i> , <b>2004</b> , 14, 437-8	3.3	12
265	Genomic analysis and clinical management of adolescent cutaneous melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2017</b> , 30, 307-316	4.5	11
264	IRF4 rs12203592 functional variant and melanoma survival. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1845-1849	7.5	11
263	Promoter Mutations are Associated with Visceral Spreading in Melanoma of the Trunk. <i>Cancers</i> , <b>2019</b> , 11,	6.6	11
262	Utilidad clínica de la microscopia confocal de reflectancia en el manejo del lentigo maligno melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2014</b> , 105, e13-e17	0.5	11
261	Duplication of CXC chemokine genes on chromosome 4q13 in a melanoma-prone family. <i>Pigment Cell and Melanoma Research</i> , <b>2012</b> , 25, 243-7	4.5	11
260	Dermoscopy of early recurrent basal cell carcinoma. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1254		11
259	Study on the Risk of Cutaneous Squamous Cell Carcinoma After Vismodegib Therapy for Basal Cell Carcinoma: Not a Case-Control Study. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 1172-1173	5.1	11
258	A fast and effective option for tissue flattening: Optimizing time and efficacy in ex vivo confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 82, e157-e158	4.5	11
257	Germline Variation at CDKN2A and Associations with Nevus Phenotypes among Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 2606-2612	4.3	10
256	Multiple primary acral melanomas in two young caucasian patients. <i>Dermatology</i> , <b>2014</b> , 228, 307-10	4.4	10
255	In vivo confocal microscopy features of cutaneous leishmaniasis. <i>Dermatology</i> , <b>2014</b> , 228, 121-4	4.4	10
254	Impact of sunscreens on preventing UVR-induced effects in nevi: in vivo study comparing protection using a physical barrier vs sunscreen. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 803-13	5.1	10
253	A flexible multiplex bead-based assay for detecting germline CDKN2A and CDK4 variants in melanoma-prone kindreds. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 480-6	4.3	10
252	Molecular characterization of a t(9;12)(p21;q13) balanced chromosome translocation in combination with integrative genomics analysis identifies C9orf14 as a candidate tumor-suppressor. <i>Genes Chromosomes and Cancer</i> , <b>2007</b> , 46, 155-62	5	10



251	Dermoscopy of pyogenic granulomas. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 824		10
250	Dermoscopy in Epidermodysplasia Verruciformis. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 103-106	1.7	10
249	Prognostic and predictive value of an immune-related adverse event among stage III melanoma patients included in the EORTC 1325/KEYNOTE-054 pembrolizumab versus placebo trial.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 2517-2517	2.2	10
248	Validation of an integrated dermoscopic scoring method in an European teledermoscopy web platform: the iDScore project for early detection of melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 640-647	4.6	10
247	Uncertainty Estimation in Deep Neural Networks for Dermoscopic Image Classification <b>2020</b> ,		10
246	The evolving field of Dermato-oncology and the role of dermatologists: Position Paper of the EADO, EADV and Task Forces, EDF, IDS, EBDV-UEMS and EORTC Cutaneous Lymphoma Task Force. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2183-2197	4.6	10
245	Inherited functional variants of the lymphocyte receptor CD5 influence melanoma survival. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 1297-302	7.5	10
244	Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 80, 1585-1593	4.5	10
243	Up-Regulation of PARP1 Expression Significantly Correlated with Poor Survival in Mucosal Melanomas. <i>Cells</i> , <b>2020</b> , 9,	7.9	9
242	Application of in vivo reflectance confocal microscopy and ex vivo fluorescence confocal microscopy in the most common subtypes of basal cell carcinoma and correlation with histopathology. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 1215-1217	4	9
241	Phenotypic and Histopathological Tumor Characteristics According to CDKN2A Mutation Status among Affected Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1066-1069	4.3	9
240	Estimating CDKN2A mutation carrier probability among global familial melanoma cases using GenoMELPREDICT. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 386-394	4.5	9
239	Dark homogeneous streak dermoscopic pattern correlating with specific KIT mutations in melanoma. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 633-9	5.1	9
238	Clinical outcome after surgical resection of lung metastases from melanoma. <i>Clinical and Translational Oncology</i> , <b>2007</b> , 9, 48-52	3.6	9
237	Dermoscopy in epidermodysplasia verruciformis. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 103-6	1.7	9
236	Dermoscopy of atypical dermatofibroma: central white network. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 126		9
235	Photoprotection according to skin phototype and dermatoses: practical recommendations from an expert panel. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1460-1469	4.6	9
234	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , <b>2021</b> , 22, 655-664	21.7	9

233	Genetic susceptibility to cutaneous melanoma in southern Switzerland: role of CDKN2A, MC1R and MITF. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 1030-1037	4	9
232	Prevalence of pathogenic/likely pathogenic variants in the 24 cancer genes of the ACMG Secondary Findings v2.0 list in a large cancer cohort and ethnicity-matched controls. <i>Genome Medicine</i> , <b>2018</b> , 10, 99	14.4	9
231	MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , <b>2019</b> , 3, 332-342	14.5	8
230	Electrochemotherapy in the treatment of melanoma skin metastases: a report on 31 cases. <i>Actas Dermo-sifiligráficas</i> , <b>2015</b> , 106, 285-91	0.5	8
229	Prognostic role of tumoral PDL1 expression and peritumoral FoxP3+ lymphocytes in vulvar melanomas. <i>Human Pathology</i> , <b>2018</b> , 73, 176-183	3.7	8
228	Tumor regrowth and development of keratinocytic neoplasms in patients under smoothed inhibition: in vivo assessment with reflectance confocal microscopy. <i>Skin Research and Technology</i> , <b>2017</b> , 23, 283-288	1.9	8
227	Development of Cutaneous Toxicities During Selective Anti-BRAF Therapies: Preventive Role of Combination with MEK Inhibitors. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 258-260	2.2	8
226	Ex vivo dermoscopy for biobank-oriented sampling of melanoma. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 1060-7	5.1	8
225	Multiple primary melanomas: do they look the same?. <i>British Journal of Dermatology</i> , <b>2013</b> , 168, 1267-724		8
224	Mutation of the tumour suppressor p33ING1b is rare in melanoma. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 94-9	4	8
223	Improvement of diagnostic confidence and management of equivocal skin lesions by integration of reflectance confocal microscopy in daily practice: Prospective study in 2 referral skin cancer centers. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 1057-1063	4.5	8
222	Dermoscopy of inverted follicular keratosis: study of 12 cases. <i>Clinical and Experimental Dermatology</i> , <b>2016</b> , 41, 468-73	1.8	8
221	A new deep learning approach integrated with clinical data for the dermoscopic differentiation of early melanomas from atypical nevi. <i>Journal of Dermatological Science</i> , <b>2021</b> , 101, 115-122	4.3	8
220	Lymphoproliferative nature of granulomatous slack skin: clonal rearrangement of the T-cell receptor beta-gene. <i>Archives of Dermatology</i> , <b>1992</b> , 128, 562-563		8
219	A review of terms used to define cutaneous squamous cell carcinoma with a poor prognosis. <i>Actas Dermo-sifiligráficas</i> , <b>2020</b> , 111, 281-290	0.5	7
218	Sex as a predictor of response to cancer immunotherapy. <i>Lancet Oncology, The</i> , <b>2018</b> , 19, e375	21.7	7
217	An Improved Skin Lesion Matching Scheme in Total Body Photography. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2019</b> , 23, 586-598	7.2	7
216	Green colour as a novel dermoscopic finding in the diagnosis of haemosiderotic dermatofibroma. <i>Australasian Journal of Dermatology</i> , <b>2014</b> , 55, 196-7	1.3	7

215	Influence of time on dermoscopic diagnosis and management. <i>Australasian Journal of Dermatology</i> , <b>2013</b> , 54, 96-104	1.3	7
214	Fast evaluation and monitoring of ingenol mebutate treatment of multiple basal cell carcinomas by in vivo hand-held reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, e284-e286	4.6	7
213	Familial Melanoma Associated with Li-Fraumeni Syndrome and Atypical Mole Syndrome: Total-body Digital Photography, Dermoscopy and Confocal Microscopy. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 720-723	7.3	7
212	Clinical and Histopathological Characteristics between Familial and Sporadic Melanoma in Barcelona, Spain. <i>Journal of Clinical &amp; Experimental Dermatology Research</i> , <b>2014</b> , 5, 231		7
211	Dermoscopic description of a patient with thrombocythemia and factor V Leiden mutation-associated Degos' disease. <i>International Journal of Dermatology</i> , <b>2011</b> , 50, 604-6	1.7	7
210	Development of a human in vivo method to study the effect of ultraviolet radiation and sunscreens in melanocytic nevi. <i>Dermatology</i> , <b>2008</b> , 217, 124-36	4.4	7
209	Genetic studies in variegate porphyria in Spain. Identification of gene mutations and family study for carrier detection. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 20, 974-9	4.6	7
208	Association Between Confocal Morphologic Classification and Clinical Phenotypes of Multiple Primary and Familial Melanomas. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 1099-1105	5.1	7
207	Factors associated with sentinel lymph node status and prognostic role of completion lymph node dissection for thick melanoma. <i>European Journal of Surgical Oncology</i> , <b>2020</b> , 46, 263-271	3.6	7
206	ESP, EORTC, and EURACAN Expert Opinion: practical recommendations for the pathological diagnosis and clinical management of intermediate melanocytic tumors and rare related melanoma variants. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 479, 3-11	5.1	7
205	Molecular characterization of human cutaneous melanoma-derived cell lines. <i>Anticancer Research</i> , <b>2012</b> , 32, 1245-51	2.3	7
204	Amelanotic melanoma in oculocutaneous albinism: a genetic, dermoscopic and reflectance confocal microscopy study. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, e333-e335	4	6
203	The usefulness of dermoscopy for the recognition of basal cell carcinoma--seborrheic keratosis compound tumours. <i>Australasian Journal of Dermatology</i> , <b>2013</b> , 54, 208-12	1.3	6
202	Dermoscopic features of melanocytic nevi in seven different anatomical locations in patients with atypical nevi syndrome. <i>Dermatologic Surgery</i> , <b>2013</b> , 39, 864-71	1.7	6
201	Palmar basal cell carcinoma in a patient with Gorlin-Goltz syndrome. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 813-4		6
200	Transcriptomic and Genetic Associations between Alzheimer's Disease, Parkinson's Disease, and Cancer. <i>Cancers</i> , <b>2021</b> , 13,	6.6	6
199	The challenging diagnosis of eccrine poromas. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 74, e113-5	4.5	6
198	Increasing incidence of lentigo maligna and lentigo maligna melanoma in Catalonia. <i>International Journal of Dermatology</i> , <b>2019</b> , 58, 577-581	1.7	6

197	In vivo characterization of solitary angiokeratoma by reflectance confocal microscopy and high definition optical coherence tomography. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 72, S43-4	4.5	5
196	Monthly changes in serum levels of S100B protein as a predictor of metastasis development in high-risk melanoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 1482-1488	4.6	5
195	MelaNostrum: a consensus questionnaire of standardized epidemiologic and clinical variables for melanoma risk assessment by the melanostrum consortium. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 2134-2141	4.6	5
194	Dermoscopic features of mammary Paget's disease: a retrospective case-control study by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 1892-1898	4.6	5
193	Diagnostic accuracy of imaging studies for initial staging of T2b to T4b melanoma patients: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 1330-1338	4.5	5
192	Contribution of Common Genetic Variants to Familial Aggregation of Disease and Implications for Sequencing Studies. <i>PLoS Genetics</i> , <b>2019</b> , 15, e1008490	6	5
191	Basal cell carcinoma with spontaneous regression: added value of reflectance confocal microscopy when the dermoscopic diagnosis is uncertain. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, e7-9	4.5	5
190	Genetic variation at KIT locus may predispose to melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2013</b> , 26, 88-96	4.5	5
189	Semiology and Pattern Analysis in Nonmelanocytic Lesions <b>2012</b> , 239-252		5
188	Evaluation of PAX3 genetic variants and nevus number. <i>Pigment Cell and Melanoma Research</i> , <b>2013</b> , 26, 666-76	4.5	5
187	Plantar basal cell carcinoma in a patient with xeroderma pigmentosum: importance of dermoscopy for early diagnosis of nonpigmented skin cancer. <i>British Journal of Dermatology</i> , <b>2011</b> , 165, 1143-5	4	5
186	Dermoscopy of lichenoid regressing solar lentigines. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 284		5
185	Whole brain irradiation and temozolomide based chemotherapy in melanoma brain metastases. <i>Clinical and Translational Oncology</i> , <b>2006</b> , 8, 266-70	3.6	5
184	Novedades en genética del melanoma. <i>Piel</i> , <b>2006</b> , 21, 272-274	0.1	5
183	Central White Network: An Additional Dermoscopic Feature for the Diagnosis of Dermatofibroma. <i>Dermatologic Surgery</i> , <b>2006</b> , 31, 960-962	1.7	5
182	Temozolomide as prophylaxis for melanoma brain metastases. <i>Melanoma Research</i> , <b>2004</b> , 14, 73-4	3.3	5
181	Large deletions of chromosome 9p in cutaneous malignant melanoma identify patients with a high risk of developing metastases. <i>Melanoma Research</i> , <b>2000</b> , 10, 231-236	3.3	5
180	Cloning of the human phospholipase A2 activating protein (hPLAP) gene on the chromosome 9p21 melanoma deleted region. <i>Gene</i> , <b>1999</b> , 239, 155-61	3.8	5

179	Morphological study of skin cancer lesions through a 3D scanner based on fringe projection and machine learning. <i>Biomedical Optics Express</i> , <b>2019</b> , 10, 3404-3409	3.5	5
178	Genomic expression differences between cutaneous cells from red hair color individuals and black hair color individuals based on bioinformatic analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 11589-11599	3.3	5
177	Crossover and rechallenge with pembrolizumab in recurrent patients from the EORTC 1325-MG/Keynote-054 phase III trial, pembrolizumab versus placebo after complete resection of high-risk stage III melanoma. <i>European Journal of Cancer</i> , <b>2021</b> , 158, 156-168	7.5	5
176	Sutton Naevi as Melanoma Simulators: Can Confocal Microscopy Help in the Diagnosis?. <i>Acta Dermato-Venereologica</i> , <b>2020</b> , 100, adv00134	2.2	5
175	Cancer immunotherapy does not increase the risk of death by COVID-19 in melanoma patients		5
174	Incidence of Melanoma in Catalonia, Spain, Is Rapidly Increasing in the Elderly Population. A Multicentric Cohort Study. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
173	Agminated cellular blue naevi of the penis: dermoscopic, confocal and histopathological correlation of two cases. <i>Clinical and Experimental Dermatology</i> , <b>2016</b> , 41, 490-4	1.8	5
172	Effects of COVID-19 Lockdown on Tumour Burden of Melanoma and Cutaneous Squamous Cell Carcinoma. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00525	2.2	5
171	Electrochemotherapy in the Treatment of Melanoma Skin Metastases: A Report on 31 Cases. <i>Actas Dermo-sifilográficas</i> , <b>2015</b> , 106, 285-291	0.5	4
170	Novel clinical and molecular findings in Spanish patients with naevoid basal cell carcinoma syndrome. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 198-206	4	4
169	Rapidly growing nodule on the cheek of a 12-year-old boy. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 70, e11-3	4.5	4
168	Genetic variations of patients with familial or multiple melanoma in Southern Brazil. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, e179-85	4.6	4
167	Atypical Clinical Presentation of Xeroderma Pigmentosum in a Patient Harboring a Novel Missense Mutation in the XPC Gene: The Importance of Clinical Suspicion. <i>Dermatology</i> , <b>2015</b> , 231, 217-21	4.4	4
166	Desmoplastic melanoma on the nose: electrochemotherapy as an alternative treatment to local advanced disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2014</b> , 28, 424-32	4.6	4
165	Depression in hospitalized patients with malignant melanoma treated with interferon-alpha-2b: primary to induced disorders. <i>European Journal of Dermatology</i> , <b>2009</b> , 19, 611-5	0.8	4
164	Criterios dermatoscópicos de las lesiones melanocíticas palmoplantares. <i>Piel</i> , <b>2006</b> , 21, 31-36	0.1	4
163	Signos guía en el diagnóstico diferencial en dermatoscopia. <i>Piel</i> , <b>2003</b> , 18, 85-91	0.1	4
162	Human surface anatomy terminology for dermatology: a Delphi consensus from the International Skin Imaging Collaboration. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2659-2663	4.6	4

161	Negative maple-leaf-like areas: a new clue for basal cell carcinoma margin recognition. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 818-20	4	4
160	Glowing in the Dark: Use of Confocal Microscopy in Dark Pigmented Lesions. <i>Dermatologic Clinics</i> , <b>2016</b> , 34, 431-442	4.2	4
159	Induced Vitiligo due to Talimogene Laherparepvec Injection for Metastatic Melanoma Associated with Long-term Complete Response. <i>Acta Dermato-Venereologica</i> , <b>2019</b> , 99, 232-233	2.2	4
158	ANCA-associated vasculitic neuropathy during treatment with ipilimumab. <i>Rheumatology</i> , <b>2020</b> , 59, 251-252	3.52	4
157	Inherited MC1R variants in patients with melanoma are associated with better survival in women. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 138-146	4	4
156	Non-invasive clinical and microscopic evaluation of the response to treatment with clobetasol cream vs. calcipotriol/betamethasone dipropionate foam in mild to moderate plaque psoriasis: an investigator-initiated, phase IV, unicentric, open, randomized clinical trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 143-149	4.6	4
155	Ex vivo confocal microscopy performs real-time assessment of renal biopsy in non-neoplastic diseases. <i>Journal of Nephrology</i> , <b>2021</b> , 34, 689-697	4.8	4
154	Differences in cutaneous melanoma survival between the 7th and 8th edition of the American Joint Committee on Cancer (AJCC). A multicentric population-based study. <i>European Journal of Cancer</i> , <b>2021</b> , 145, 29-37	7.5	4
153	Histiocytoid Sweet's syndrome during combined therapy with BRAF and MEK inhibitors for metastatic melanoma. <i>Melanoma Research</i> , <b>2018</b> , 28, 256-257	3.3	4
152	Spanish version of the Actinic Keratosis Quality of Life questionnaire. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 986-991	4.6	3
151	Use of Cytology in the Diagnosis of Basal Cell Carcinoma Subtypes. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
150	Genome-wide linkage analysis in Spanish melanoma-prone families identifies a new familial melanoma susceptibility locus at 11q. <i>European Journal of Human Genetics</i> , <b>2018</b> , 26, 1188-1193	5.3	3
149	Should immediate lymphadenectomy be discontinued in patients with metastasis of a melanoma in the sentinel lymph node? Report of the results of the Multicenter Selective Lymphadenectomy Trial-II. <i>Medicina Clínica</i> , <b>2018</b> , 150, 323-326	1	3
148	Prognostic value of tyrosinase reverse transcriptase PCR analysis in melanoma sentinel lymph nodes: long-term follow-up analysis. <i>Clinical and Experimental Dermatology</i> , <b>2009</b> , 34, 863-9	1.8	3
147	Clinical and dermoscopic image of an intermediate stage of regressing seborrheic keratosis in a lichenoid keratosis. <i>Dermatologic Surgery</i> , <b>2005</b> , 31, 102-3	1.7	3
146	Biochemotherapy with low doses of subcutaneous interleukin-2 in patients with melanoma: results of a phase II trial. <i>Clinical and Translational Oncology</i> , <b>2005</b> , 7, 250-4	3.6	3
145	Fanconi's Anemia With Cutaneous Amyloidosis. <i>Archives of Dermatology</i> , <b>1993</b> , 129, 788		3
144	Deep learning-level melanoma detection by interpretable machine learning and imaging biomarker cues. <i>Journal of Biomedical Optics</i> , <b>2020</b> , 25,	3.5	3

143	Experiences Using Clustering and Generalizations for Knowledge Discovery in Melanomas Domain. <i>Lecture Notes in Computer Science</i> , <b>2008</b> , 57-71	0.9	3
142	Dermatoscopic features of thin (≤1mm Breslow thickness) vs. thick (>2mm Breslow thickness) nodular melanoma and predictors of nodular melanoma versus nodular non-melanoma tumours: a multicentric collaborative study by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2541-2547	4.6	3
141	Deep learning automated pathology in ex vivo microscopy. <i>Biomedical Optics Express</i> , <b>2021</b> , 12, 3103-3116	3.5	3
140	COVID-19 in melanoma patients: Results of the Spanish Melanoma Group Registry, GRAVID study. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 84, 1412-1415	4.5	3
139	Reply. <i>Annals of Neurology</i> , <b>2016</b> , 79, 161-3	9.4	3
138	Detection of cell-free circulating BRAF by droplet digital polymerase chain reaction in patients with and without melanoma under dermatological surveillance. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 382-389	4	3
137	The impact of anatomical location and sun exposure on the dermoscopic recognition of atypical nevi and early melanomas: usefulness of an integrated clinical-dermoscopic method (iDScore). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 650-657	4.6	3
136	Six steps to reach optimal scanning in ex vivo confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> ,	4.5	3
135	Line-field confocal optical coherence tomography of benign dermal melanocytic proliferations: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e399-e401	4.6	3
134	Validation of artificial intelligence prediction models for skin cancer diagnosis using dermoscopy images: the 2019 International Skin Imaging Collaboration Grand Challenge.. <i>The Lancet Digital Health</i> , <b>2022</b> , 4, e330-e339	14.4	3
133	Tratamiento de las queratosis actínicas. <i>Piel</i> , <b>2015</b> , 30, 378-386	0.1	2
132	Diagnostic accuracy of pigmented labial macules by in vivo reflectance confocal microscopy and correlation among techniques. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 85, 1151-1160	4.5	2
131	Machine Learning in Melanoma Diagnosis. Limitations About to be Overcome. <i>Actas Dermo-sifiligráficas</i> , <b>2020</b> , 111, 313-316	0.5	2
130	Role of community pharmacists in skin cancer screening: A descriptive study of skin cancer risk factors prevalence and photoprotection habits in Barcelona, Catalonia, Spain. <i>Pharmacy Practice</i> , <b>2019</b> , 17, 1455	1.8	2
129	Efficacy of a Daily Protective Moisturizer with High UVB and UVA Photoprotection in Decreasing Ultraviolet Damage: Evaluation by Reflectance Confocal Microscopy. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 1196-1201	2.2	2
128	Melanocytic Nevi, Melanoma, and Pregnancy. <i>Actas Dermo-sifiligráficas</i> , <b>2011</b> , 102, 650-657	0.5	2
127	Who benefits from prophylactic surgical removal of "dysplastic" nevi?. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 279-80	1.2	2
126	Long-term complete remission of cutaneous melanoma metastases in association with a folk remedy. <i>Journal of the American Academy of Dermatology</i> , <b>2005</b> , 52, 713-5	4.5	2

125	Survivin expression in sentinel lymph nodes from melanoma patients. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 2751-2; author reply 2752	2.2	2
124	Central White Network. <i>Dermatologic Surgery</i> , <b>2005</b> , 31, 960-962	1.7	2
123	Mikie: A randomized, double-blinded, regimen-controlled, phase 2 study to assess the efficacy and safety of two different vismodegib (VISMO) regimens in patients (pts) with multiple basal cell carcinomas (BCCs).. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 9509-9509	2.2	2
122	mutation and tumoral PD-L1 expression are associated with depth of invasion in desmoplastic melanomas. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 1218	3.2	2
121	MC1R variants and cutaneous melanoma risk according to histological type, body site, and Breslow thickness: a pooled analysis from the M-SKIP project. <i>Melanoma Research</i> , <b>2020</b> , 30, 500-510	3.3	2
120	Birth cohort-specific trends of sun-related behaviors among individuals from an international consortium of melanoma-prone families. <i>BMC Public Health</i> , <b>2021</b> , 21, 692	4.1	2
119	Efficacy of BRAF and MEK Inhibition in Patients with BRAF-Mutant Advanced Melanoma and Germline CDKN2A Pathogenic Variants. <i>Cancers</i> , <b>2021</b> , 13,	6.6	2
118	Time and tumor type (primary or metastatic) do not influence the detection of BRAF/NRAS mutations in formalin fixed paraffin embedded samples from melanomas. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 54, 1733-1738	5.9	2
117	Digital ischemia triggered by coronavirus disease 2019 in a patient under cemiplimab treatment. <i>International Journal of Dermatology</i> , <b>2021</b> , 60, e30-e32	1.7	2
116	The Distinctive Genomic Landscape of Giant Congenital Melanocytic Nevi. <i>Journal of Investigative Dermatology</i> , <b>2021</b> , 141, 692-695.e2	4.3	2
115	Large deletions of chromosome 9p in cutaneous malignant melanoma identify patients with a high risk of developing metastases. Hospital Clinic Malignant Melanoma Group, University of Barcelona. <i>Melanoma Research</i> , <b>2000</b> , 10, 231-6	3.3	2
114	Clinical ABCDE rule for early melanoma detection.. <i>European Journal of Dermatology</i> , <b>2021</b> , 31, 771-778	0.8	2
113	A Common Variant in the MC1R Gene (p.V92M) is associated with Alzheimer's Disease Risk. <i>Journal of Alzheimer's Disease</i> , <b>2017</b> , 56, 1065-1074	4.3	1
112	The p. R151C Polymorphism in MC1R Gene Modifies the Age of Onset in Spanish Huntington's Disease Patients. <i>Molecular Neurobiology</i> , <b>2017</b> , 54, 3906-3910	6.2	1
111	Age as a prognostic factor in thick and ultrathick melanomas without lymph node metastasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e513-e517	4.6	1
110	Quality-of-life analysis with intermittent vismodegib regimens in patients with multiple basal cell carcinomas: patient-reported outcomes from the MIKIE study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e526-e529	4.6	1
109	Reflectance confocal microscopy evaluation of trichobacteriosis axilaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, e208-e209	4.6	1
108	Clinical usefulness of reflectance confocal microscopy in the management of facial lentigo maligna melanoma. <i>Actas Dermo-sifilograficas</i> , <b>2014</b> , 105, e13-7	0.5	1



107	Multispectral imaging system based on light-emitting diodes for the detection of melanomas and basal cell carcinomas: a pilot study (erratum). <i>Journal of Biomedical Optics</i> , <b>2017</b> , 22, 79801	3.5	1
106	Combination of Multispectral and 3D Imaging Sensors for the Detection of Skin Cancer. <i>Proceedings (mdpi)</i> , <b>2017</b> , 1, 701	0.3	1
105	Reply: To PMID 25631192. <i>Annals of Neurology</i> , <b>2015</b> , 78, 153-4	9.4	1
104	DERMA: a melanoma diagnosis platform based on collaborative multilabel analog reasoning. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 351518	2.2	1
103	Epidermis, Dermis and Epidermal Appendages <b>2012</b> , 23-31		1
102	Wem nutzt die prophylaktische Entfernung dysplastischer Nävi?. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 279-280	1.2	1
101	Clinical and Dermoscopic Features of Nevi in Children. <i>Dermatology</i> , <b>2010</b> , 220, 54-54	4.4	1
100	Síndrome del nevo basocelular (síndrome de Gorlin-Goltz). <i>Piel</i> , <b>2009</b> , 24, 529-538	0.1	1
99	A novel technique to measure position-dependent resistance changes in the vertebral arteries postmortem: new insights into the aetiology of SIDS?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2007</b> , 93, 1166-1171	3.1	1
98	Melanomas That Failed Dermoscopic Detection. <i>Dermatologic Surgery</i> , <b>2007</b> , 33, 1262-1273	1.7	1
97	Exposome and Skin: Part 1. Bibliometric Analysis and Review of the Impact of Exposome Approaches on Dermatology.. <i>Dermatology and Therapy</i> , <b>2022</b> , 12, 345	4	1
96	Exposome and Skin. Part 2. The Influential Role of the Exposome, Beyond UVR, in Actinic Keratosis, Bowen's Disease and Squamous Cell Carcinoma: A Proposal.. <i>Dermatology and Therapy</i> , <b>2022</b> , 12, 361	4	1
95	Accurate Quantification of T Cells in Copy Number Stable and Unstable DNA Samples Using Multiplex Digital PCR. <i>Journal of Molecular Diagnostics</i> , <b>2021</b> ,	5.1	1
94	Non-invasive scoring of cellular atypia in keratinocyte cancers in 3D LC-OCT images using Deep Learning.. <i>Scientific Reports</i> , <b>2022</b> , 12, 481	4.9	1
93	Clinical and Dermoscopic Evaluation of Melanocytic Lesions in Patients with Chronic Graft Versus Host Disease. <i>Acta Dermato-Venereologica</i> , <b>2019</b> , 99, 777-782	2.2	1
92	Microblotches on Dermoscopy of Melanocytic Lesions are Associated with Melanoma: A Cross-sectional Study. <i>Acta Dermato-Venereologica</i> , <b>2020</b> , 100, adv00106	2.2	1
91	Vascular lesions <b>2012</b> , 70-78		1
90	Diagnosis and treatment response monitoring of scabies with reflectance confocal microscopy: A diagnostic pearl. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , <b>2020</b> , 86, 101-103	0.8	1

89	Line-field confocal optical coherence tomography as a tool for three-dimensional in vivo quantification of healthy epidermis: A pilot study. <i>Journal of Biophotonics</i> , <b>2021</b> , e202100236	3.1	1
88	Study of skin cancer lesions through multispectral and 3D techniques <b>2019</b> ,		1
87	Identification of Relevant Knowledge for Characterizing the Melanoma Domain. <i>Advances in Soft Computing</i> , <b>2009</b> , 55-59		1
86	Spinal Opioid Tolerance Depends upon Platelet-Derived Growth Factor Receptor- Signaling, Not -Opioid Receptor Internalization. <i>Molecular Pharmacology</i> , <b>2020</b> , 98, 487-496	4.3	1
85	Machine Learning in Melanoma Diagnosis. Limitations About to be Overcome. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 313-316	0.5	1
84	Ultrasound findings of proliferative nodule arising in a congenital melanocytic nevus. <i>Melanoma Research</i> , <b>2020</b> , 30, 528-529	3.3	1
83	Dermoscopy of early melanomas: variation according to the anatomic site. <i>Archives of Dermatological Research</i> , <b>2021</b> , 1	3.3	1
82	Line-field confocal optical coherence tomography of sebaceous hyperplasia: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e509-e511	4.6	1
81	Accelerated cellular rejection with prominent interstitial hemorrhage following cemiplimab treatment: How can we approach a renal transplant recipient under anti-PD1 therapy?. <i>Journal of Onco-Nephrology</i> , <b>2021</b> , 5, 145-149	0.2	1
80	Eruptive Facial Postinflammatory Lentigo: Clinical and Dermatoscopic Features. <i>American Journal of Dermatopathology</i> , <b>2016</b> , 38, 813-819	0.9	1
79	Histologic features of melanoma associated with germline mutations of CDKN2A, CDK4, and POT1 in melanoma-prone families from the United States, Italy, and Spain. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 860-869	4.5	1
78	Dermoscopy comparative approach for early diagnosis in familial melanoma: influence of MC1R genotype. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 403-410	4.6	1
77	Lost in translation: true clinical impact of reflectance confocal microscopy overlooked in 'Biopsy outperforms reflectance confocal microscopy in diagnosing and subtyping basal cell carcinoma: results and experiences from a randomized controlled multicentre trial'. <i>British Journal of Dermatology</i> , <b>2021</b> , 184, 775-776	4	1
76	Sonidegib in the Treatment of Locally Advanced Basal Cell Carcinoma. <i>Actas Dermo-sifiliográficas</i> , <b>2021</b> , 112, 295-301	0.5	1
75	Dermoscopy of combined blue nevi: a multicentre study of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 900-905	4.6	1
74	Initial Stage of Cutaneous Primary Melanoma Plays a Key Role in the Pattern and Timing of Disease Recurrence. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00502	2.2	1
73	Clinicopathological, Genetic and Survival Advantages of Naevus-associated Melanomas: A Cohort Study. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00425	2.2	1
72	Genetic markers for characterization and prediction of prognosis of melanoma subtypes: a 2021 update. <i>Italian Journal of Dermatology and Venereology</i> , <b>2021</b> , 156, 322-330	1.2	1

71	Germline ATM variants predispose to melanoma: a joint analysis across the GenoMEL and MelaNostrum consortia. <i>Genetics in Medicine</i> , <b>2021</b> , 23, 2087-2095	8.1	1
70	Line-field confocal optical coherence tomography of actinic keratosis: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e900-e902	4.6	1
69	DNA Repair and Immune Response Pathways Are Deregulated in Melanocyte-Keratinocyte Co-cultures Derived From the Healthy Skin of Familial Melanoma Patients. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 692341	4.9	1
68	Influence of germline genetic variants on dermoscopic features of melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2021</b> , 34, 618-628	4.5	1
67	Dermoscopic criteria and melanocytic lesions. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2012</b> , 147, 149-59	0.8	1
66	Diagnostic yield of next-generation sequencing in 87 families with neurodevelopmental disorders.. <i>Orphanet Journal of Rare Diseases</i> , <b>2022</b> , 17, 60	4.2	1
65	Melanocortin-1 receptor (MC1R) genotypes do not correlate with size in two cohorts of medium-to-giant congenital melanocytic nevi. <i>Pigment Cell and Melanoma Research</i> , <b>2020</b> , 33, 685-694	4.5	0
64	Initial Evaluation of Patients with Pigmented Skin Lesions. <i>Actas Dermo-sifilograficas</i> , <b>2016</b> , 107, 616-8	0.5	0
63	Nevi in patients with Bap1 germ line mutation, red-hair polymorphism, and albinism <b>2016</b> , 61-62		0
62	Melanocortin 1 receptor: Parkinson's disease, melanoma risk, and neuroprotection <b>2020</b> , 189-203		0
61	Blue Nevus With Rosettes on Polarized Light Dermoscopy. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020017	1.5	0
60	The Usefulness of Dermoscopy for the Recognition of Malignant Collision Tumors. <i>Dermatology</i> , <b>2021</b> , 1-8	4.4	0
59	The spectrum of morphologic patterns of nodular melanoma: a study of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e762-e765	4.6	0
58	Sutton's naevi as a pitfall for reflectance confocal microscopy: marked inflamed naevi could not be suitable for teleconfocal examination. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e688-e690	4.6	0
57	Inherited duplications of PPP2R3B predispose to nevi and melanoma via a C21orf91-driven proliferative phenotype. <i>Genetics in Medicine</i> , <b>2021</b> , 23, 1636-1647	8.1	0
56	Novel MAPK/AKT-impairing germline NRAS variant identified in a melanoma-prone family. <i>Familial Cancer</i> , <b>2021</b> , 1	3	0
55	The Usefulness of Molecular Tools for the Diagnosis of a Challenging Nevoid Melanoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2020</b> , 28, e36-e37	1.9	0
54	MC1R variants in relation to naevi in melanoma cases and controls: a pooled analysis from the M-SKIP project. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e135-e138	4.6	0

53	Visual Impact of Large and Giant Congenital Naevi: Comparison of Surgical Scars with Naevi Before Surgery. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00470	2.2	0
52	Ex vivo Fusion Confocal Microscopy of Colorectal Polyps: A Fast Turnaround Time of Pathological Diagnosis. <i>Pathobiology</i> , <b>2021</b> , 88, 392-399	3.6	0
51	Line-field confocal optical coherence tomography: a case on the importance of full-lesion examination for basal cell carcinoma. <i>International Journal of Dermatology</i> , <b>2021</b> ,	1.7	0
50	Prognostic and predictive value of Eblockers in the EORTC 1325/KEYNOTE-054 phase III trial of pembrolizumab versus placebo in resected high-risk stage III melanoma.. <i>European Journal of Cancer</i> , <b>2022</b> , 165, 97-112	7.5	0
49	Diagnosis of Scabies Confirmed With Confocal Microscopy. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 263-264	0.5	
48	Image Gallery: Transition pattern in acral melanoma. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, e225	4	
47	Initial Evaluation of Patients with Pigmented Skin Lesions. <i>Actas Dermo-sifiliográficas</i> , <b>2016</b> , 107, 616-618	0.5	
46	Reply. <i>Annals of Neurology</i> , <b>2016</b> , 79, 868	9.4	
45	Usefulness of (18)F-FDG PET/CT in recurrent basal cell carcinoma: Report of a case. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , <b>2016</b> , 35, 124-6	0.4	
44	Methods of Melanoma Detection <b>2018</b> , 39-85		
43	Skin Cancer and the Dermatologist: Reflections on the Position Taken by the Spanish Society of Medical Oncology (SEOM). <i>Actas Dermo-sifiliográficas</i> , <b>2017</b> , 108, 704-707	0.5	
42	Authors' reply to: High naevus counts confer a favourable prognosis in patients with melanoma. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 3008-9	7.5	
41	Skin cancers detected as casual findings with reflectance confocal microscopy in the assessment of melasma treatment. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 1553-5	4	
40	Vitiliginous alopecia masquerading as frontal fibrosing alopecia. <i>International Journal of Trichology</i> , <b>2015</b> , 7, 41-2	1.1	
39	Microscopia confocal de fluorescencia. <i>Piel</i> , <b>2015</b> , 30, 45-51	0.1	
38	Dermoscopy <b>2014</b> , 221-239		
37	Initial Evaluation, Diagnosis, Staging, Treatment, and Follow-up of Patients with Primary Cutaneous Malignant Melanoma. Consensus Statement of the Network of Catalan and Balearic Melanoma Centers. <i>Actas Dermo-sifiliográficas</i> , <b>2010</b> , 101, 129-142	0.5	
36	Dermoscopic and Histopathologic Correlations <b>2012</b> , 253-258		

35	Dermoscopy in Gorlin-Goltz Syndrome. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 847-851	1.7
34	Acral Melanoma Simulating Warts. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 1072-1078	1.7
33	Results of RT-PCR for tyrosinase mRNA in sentinel lymph nodes from patients with localized melanoma <b>2003</b> , 5, 199-206	
32	Dermoscopy of Congenital Langerhans Cell Histiocytosis. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020063	1.5
31	Pseudonits or Hair Casts. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020072	1.5
30	Pseudonits or Hair Casts. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020072	1.5
29	Prognostic value of tyrosinase RT-PCR analysis in histologically negative sentinel lymph nodes from melanoma patients. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 7562-7562	2.2
28	Protein S-100 $\beta$ serum levels predicts clinical outcome of high-risk melanoma patients treated with high-dose adjuvant interferon alfa2b. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 8543-8543	2.2
27	When Seborrheic Keratosis Is Wearing a Mask. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020038.5	
26	AMBLor: A prognostic and stratifying biomarker for adjuvant immunotherapy of AJCC stage II melanomas.. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, e22094-e22094	2.2
25	Spitz Nevi <b>2015</b> , 911-920	
24	Dermatoscopy: A nodule on a woman's leg. <i>Dermatology Practical and Conceptual</i> , <b>2015</b> , 5, 25-6	1.5
23	Nodular Melanoma <b>2012</b> , 197-212	
22	Building a Lazy Domain Theory for Characterizing Malignant Melanoma. <i>Advances in Medical Technologies and Clinical Practice Book Series</i> , <b>2012</b> , 290-308	0.3
21	Blue nevi and variants <b>2012</b> , 181-188	
20	Special locations Palms and soles <b>2012</b> , 254-267	
19	Step 2: Methods to differentiate between melanoma and benign melanocytic nevi Analytic features of melanomas vs benign nevi on nonglabrous skin: Colors and structures <b>2012</b> , 89-97	
18	Acrolentiginous Melanoma <b>2012</b> , 210-219	

17	Equivocal lesions, false positive, and false negative <b>2012</b> , 235-246	
16	Dermatofibromas <b>2012</b> , 79-88	
15	Differences in Ultrasound Scanners' Detection of Metastasis in Melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 874	0.5
14	Reply to E. Hindi <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 944-946	2.2
13	Mitotic rate as a prognostic factor in melanoma and implications in patient management. <i>Actas Dermo-sifiliográficas</i> , <b>2021</b> , 112, 941-941	0.5
12	Incidence of Melanoma in the Basque Province of Euzkadi, Spain, From 2015 to 2018: A Descriptive Study.. <i>Actas Dermo-sifiliográficas</i> , <b>2022</b> , 113, 178-182	0.5
11	Discrepant mutational status between naevi and melanomas in naevus-associated melanomas: about mutation-specific immunohistochemistry: reply from the authors. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 435	4
10	Gestión práctica del paciente en tratamiento con vismodegib. <i>Piel</i> , <b>2019</b> , 34, 45-51	0.1
9	Dermoscopic, confocal and histopathologic characteristics of small-diameter melanomas (minimelanoma): a cross sectional study. <i>Australasian Journal of Dermatology</i> , <b>2021</b> , 62, e256-e261	1.3
8	Response to 'Phase IV head-to-head randomized controlled trial comparing ingenol mebutate 0.015% gel with diclofenac sodium 3% gel for the treatment of actinic keratosis on the face or scalp'. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 812-813	4
7	Author's reply to: Prognosis of sentinel lymph node biopsy in patients with thick melanoma by a propensity score matching prospective study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1504	7.5
6	Dermoscopy revealing an amelanotic subungual melanoma masked as contact dermatitis. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , <b>2021</b> , 1-3	0.8
5	Dermoscopic criteria and basal cell carcinoma. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2016</b> , 151, 642-648	0.8
4	[Translated article] Incidence of Melanoma in the Basque Province of Euzkadi, Spain, From 2015 to 2018: A Descriptive Study.. <i>Actas Dermo-sifiliográficas</i> , <b>2022</b> , 113, T178-T182	0.5
3	Comorbidity Identification and Referral in Atopic Dermatitis: a Consensus Document.. <i>Journal of Dermatological Treatment</i> , <b>2022</b> , 1-25	2.8
2	Prognostic value of tyrosinase RT-PCR analysis in histologically negative sentinel lymph nodes from melanoma patients. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 7562-7562	2.2
1	Advances in Technology, Staining Protocol, and Flattening Devices in Ex Vivo Confocal Microscopy <b>2022</b> , 159-168	