

# Susana Puig

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7821368/susana-puig-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

520  
papers

16,376  
citations

65  
h-index

110  
g-index

561  
ext. papers

19,938  
ext. citations

4.8  
avg, IF

6.11  
L-index

#	Paper	IF	Citations
520	Exposome and Skin: Part 1. Bibliometric Analysis and Review of the Impact of Exposome Approaches on Dermatology.. <i>Dermatology and Therapy</i> , <b>2022</b> , 12, 345	4	1
519	Exposome and Skin. Part 2. The Influential Role of the Exposome, Beyond UVR, in Actinic Keratosis, Bowen's Disease and Squamous Cell Carcinoma: A Proposal.. <i>Dermatology and Therapy</i> , <b>2022</b> , 12, 361	4	1
518	Non-invasive scoring of cellular atypia in keratinocyte cancers in 3D LC-OCT images using Deep Learning.. <i>Scientific Reports</i> , <b>2022</b> , 12, 481	4.9	1
517	Incidence of Melanoma in the Basque Province of Leizaola, Spain, From 2015 to 2018: A Descriptive Study.. <i>Actas Dermo-sifilograficas</i> , <b>2022</b> , 113, 178-182	0.5	
516	[Translated article] Incidence of Melanoma in the Basque Province of Leizaola, Spain, From 2015 to 2018: A Descriptive Study.. <i>Actas Dermo-sifilograficas</i> , <b>2022</b> , 113, T178-T182	0.5	
515	Diagnostic yield of next-generation sequencing in 87 families with neurodevelopmental disorders.. <i>Orphanet Journal of Rare Diseases</i> , <b>2022</b> , 17, 60	4.2	1
514	Cross-cohort gut microbiome associations with immune checkpoint inhibitor response in advanced melanoma.. <i>Nature Medicine</i> , <b>2022</b> ,	50.5	14
513	Prognostic and predictive value of T-blockers in the EORTC 1325/KEYNOTE-054 phase III trial of pembrolizumab versus placebo in resected high-risk stage III melanoma.. <i>European Journal of Cancer</i> , <b>2022</b> , 165, 97-112	7.5	0
512	Comorbidity Identification and Referral in Atopic Dermatitis: a Consensus Document.. <i>Journal of Dermatological Treatment</i> , <b>2022</b> , 1-25	2.8	
511	Validation of artificial intelligence prediction models for skin cancer diagnosis using dermoscopy images: the 2019 International Skin Imaging Collaboration Grand Challenge.. <i>The Lancet Digital Health</i> , <b>2022</b> , 4, e330-e339	14.4	3
510	Advances in Technology, Staining Protocol, and Flattening Devices in Ex Vivo Confocal Microscopy <b>2022</b> , 159-168		
509	Diagnostic accuracy of pigmented labial macules by in vivo reflectance confocal microscopy and correlation among techniques. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 85, 1151-1160	4.5	2
508	Crossover and rechallenge with pembrolizumab in recurrent patients from the EORTC 1325-MG/Keynote-054 phase III trial, pembrolizumab versus placebo after complete resection of high-risk stage III melanoma. <i>European Journal of Cancer</i> , <b>2021</b> , 158, 156-168	7.5	5
507	Accurate Quantification of T Cells in Copy Number Stable and Unstable DNA Samples Using Multiplex Digital PCR. <i>Journal of Molecular Diagnostics</i> , <b>2021</b> ,	5.1	1
506	Line-field confocal optical coherence tomography as a tool for three-dimensional in vivo quantification of healthy epidermis: A pilot study. <i>Journal of Biophotonics</i> , <b>2021</b> , e202100236	3.1	1
505	The Usefulness of Dermoscopy for the Recognition of Malignant Collision Tumors. <i>Dermatology</i> , <b>2021</b> , 1-8	4.4	0
504	Dermoscopy of early melanomas: variation according to the anatomic site. <i>Archives of Dermatological Research</i> , <b>2021</b> , 1	3.3	1

503	Diagnostic value of cutaneous manifestation of SARS-CoV-2 infection. <i>British Journal of Dermatology</i> , <b>2021</b> , 184, 880-887	4	20
502	Reply to E. Hindi. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 944-946	2.2	
501	Birth cohort-specific trends of sun-related behaviors among individuals from an international consortium of melanoma-prone families. <i>BMC Public Health</i> , <b>2021</b> , 21, 692	4.1	2
500	Line-field confocal optical coherence tomography of sebaceous hyperplasia: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e509-e511	4.6	1
499	Photoprotection according to skin phototype and dermatoses: practical recommendations from an expert panel. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1460-1469	4.6	9
498	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , <b>2021</b> , 22, 655-664	21.7	9
497	Efficacy of BRAF and MEK Inhibition in Patients with BRAF-Mutant Advanced Melanoma and Germline CDKN2A Pathogenic Variants. <i>Cancers</i> , <b>2021</b> , 13,	6.6	2
496	Deep learning automated pathology in ex vivo microscopy. <i>Biomedical Optics Express</i> , <b>2021</b> , 12, 3103-3115	3.5	3
495	COVID-19 in melanoma patients: Results of the Spanish Melanoma Group Registry, GRAVID study. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 84, 1412-1415	4.5	3
494	Mitotic rate as a prognostic factor in melanoma and implications in patient management. <i>Actas Dermo-sifilograficas</i> , <b>2021</b> , 112, 941-941	0.5	
493	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , <b>2021</b> , 22, 643-654	21.7	58
492	The spectrum of morphologic patterns of nodular melanoma: a study of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e762-e765	4.6	0
491	Sutton's naevi as a pitfall for reflectance confocal microscopy: marked inflamed naevi could not be suitable for teleconfocal examination. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e688-e690	4.6	0
490	Transcriptomic and Genetic Associations between Alzheimer's Disease, Parkinson's Disease, and Cancer. <i>Cancers</i> , <b>2021</b> , 13,	6.6	6
489	Accelerated cellular rejection with prominent interstitial hemorrhage following cemiplimab treatment: How can we approach a renal transplant recipient under anti-PD1 therapy?. <i>Journal of Onco-Nephrology</i> , <b>2021</b> , 5, 145-149	0.2	1
488	Inherited duplications of PPP2R3B predispose to nevi and melanoma via a C21orf91-driven proliferative phenotype. <i>Genetics in Medicine</i> , <b>2021</b> , 23, 1636-1647	8.1	0
487	Cemiplimab in locally advanced basal cell carcinoma after hedgehog inhibitor therapy: an open-label, multi-centre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , <b>2021</b> , 22, 848-857	21.7	40
486	Novel MAPK/AKT-impairing germline NRAS variant identified in a melanoma-prone family. <i>Familial Cancer</i> , <b>2021</b> , 1	3	0

485	Non-invasive clinical and microscopic evaluation of the response to treatment with clobetasol cream vs. calcipotriol/betamethasone dipropionate foam in mild to moderate plaque psoriasis: an investigator-initiated, phase IV, unicentric, open, randomized clinical trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 143-149	4.6	4
484	Dermoscopy comparative approach for early diagnosis in familial melanoma: influence of MC1R genotype. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 403-410	4.6	1
483	MC1R variants in relation to naevi in melanoma cases and controls: a pooled analysis from the M-SKIP project. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e135-e138	4.6	0
482	The impact of anatomical location and sun exposure on the dermoscopic recognition of atypical nevi and early melanomas: usefulness of an integrated clinical-dermoscopic method (iDScore). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 650-657	4.6	3
481	Lost in translation: true clinical impact of reflectance confocal microscopy overlooked in 'Biopsy outperforms reflectance confocal microscopy in diagnosing and subtyping basal cell carcinoma: results and experiences from a randomized controlled multicentre trial'. <i>British Journal of Dermatology</i> , <b>2021</b> , 184, 775-776	4	1
480	Digital ischemia triggered by coronavirus disease 2019 in a patient under cemiplimab treatment. <i>International Journal of Dermatology</i> , <b>2021</b> , 60, e30-e32	1.7	2
479	Sonidegib in the Treatment of Locally Advanced Basal Cell Carcinoma. <i>Actas Dermo-sifilograficas</i> , <b>2021</b> , 112, 295-301	0.5	1
478	Dermoscopy of combined blue nevi: a multicentre study of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 900-905	4.6	1
477	Line-field confocal optical coherence tomography of basal cell carcinoma: a descriptive study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1099-1110	4.6	13
476	The Distinctive Genomic Landscape of Giant Congenital Melanocytic Nevi. <i>Journal of Investigative Dermatology</i> , <b>2021</b> , 141, 692-695.e2	4.3	2
475	Ex vivo confocal microscopy performs real-time assessment of renal biopsy in non-neoplastic diseases. <i>Journal of Nephrology</i> , <b>2021</b> , 34, 689-697	4.8	4
474	Initial Stage of Cutaneous Primary Melanoma Plays a Key Role in the Pattern and Timing of Disease Recurrence. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00502	2.2	1
473	Six steps to reach optimal scanning in ex vivo confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> ,	4.5	3
472	Clinicopathological, Genetic and Survival Advantages of Naevus-associated Melanomas: A Cohort Study. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00425	2.2	1
471	ESP, EORTC, and EURACAN Expert Opinion: practical recommendations for the pathological diagnosis and clinical management of intermediate melanocytic tumors and rare related melanoma variants. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 479, 3-11	5.1	7
470	Visual Impact of Large and Giant Congenital Naevi: Comparison of Surgical Scars with Naevi Before Surgery. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00470	2.2	0
469	Line-field confocal optical coherence tomography of benign dermal melanocytic proliferations: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e399-e401	4.6	3
468	A new deep learning approach integrated with clinical data for the dermoscopic differentiation of early melanomas from atypical nevi. <i>Journal of Dermatological Science</i> , <b>2021</b> , 101, 115-122	4.3	8

467	Dermoscopic, confocal and histopathologic characteristics of small-diameter melanomas (minimelanoma): a cross sectional study. <i>Australasian Journal of Dermatology</i> , <b>2021</b> , 62, e256-e261	1.3	
466	Differences in cutaneous melanoma survival between the 7th and 8th edition of the American Joint Committee on Cancer (AJCC). A multicentric population-based study. <i>European Journal of Cancer</i> , <b>2021</b> , 145, 29-37	7.5	4
465	Genetic markers for characterization and prediction of prognosis of melanoma subtypes: a 2021 update. <i>Italian Journal of Dermatology and Venereology</i> , <b>2021</b> , 156, 322-330	1.2	1
464	Germline ATM variants predispose to melanoma: a joint analysis across the GenoMEL and MelaNostrum consortia. <i>Genetics in Medicine</i> , <b>2021</b> , 23, 2087-2095	8.1	1
463	Line-field confocal optical coherence tomography of actinic keratosis: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e900-e902	4.6	1
462	Ex vivo Fusion Confocal Microscopy of Colorectal Polyps: A Fast Turnaround Time of Pathological Diagnosis. <i>Pathobiology</i> , <b>2021</b> , 88, 392-399	3.6	0
461	Dermoscopy revealing an amelanotic subungual melanoma masked as contact dermatitis. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , <b>2021</b> , 1-3	0.8	
460	Line-field confocal optical coherence tomography: a case on the importance of full-lesion examination for basal cell carcinoma. <i>International Journal of Dermatology</i> , <b>2021</b> ,	1.7	0
459	DNA Repair and Immune Response Pathways Are Deregulated in Melanocyte-Keratinocyte Co-cultures Derived From the Healthy Skin of Familial Melanoma Patients. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 692341	4.9	1
458	Influence of germline genetic variants on dermoscopic features of melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2021</b> , 34, 618-628	4.5	1
457	Effects of COVID-19 Lockdown on Tumour Burden of Melanoma and Cutaneous Squamous Cell Carcinoma. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00525	2.2	5
456	Clinical ABCDE rule for early melanoma detection.. <i>European Journal of Dermatology</i> , <b>2021</b> , 31, 771-778	0.8	2
455	Melanocortin-1 receptor (MC1R) genotypes do not correlate with size in two cohorts of medium-to-giant congenital melanocytic nevi. <i>Pigment Cell and Melanoma Research</i> , <b>2020</b> , 33, 685-694	4.5	0
454	A review of terms used to define cutaneous squamous cell carcinoma with a poor prognosis. <i>Actas Dermo-sifiliograficas</i> , <b>2020</b> , 111, 281-290	0.5	7
453	Up-Regulation of PARP1 Expression Significantly Correlated with Poor Survival in Mucosal Melanomas. <i>Cells</i> , <b>2020</b> , 9,	7.9	9
452	Human-computer collaboration for skin cancer recognition. <i>Nature Medicine</i> , <b>2020</b> , 26, 1229-1234	50.5	140
451	Ex vivo confocal microscopy: revolution in fast pathology in dermatology. <i>British Journal of Dermatology</i> , <b>2020</b> , 183, 1011-1025	4	18
450	Use of Cytology in the Diagnosis of Basal Cell Carcinoma Subtypes. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3

449	Monthly changes in serum levels of S100B protein as a predictor of metastasis development in high-risk melanoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 1482-1488	4.6	5
448	Diagnosis of Scabies Confirmed With Confocal Microscopy. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 263-264	0.5	0.5
447	Machine Learning in Melanoma Diagnosis. Limitations About to be Overcome. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 313-316	0.5	2
446	Age as a prognostic factor in thick and ultrathick melanomas without lymph node metastasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e513-e517	4.6	1
445	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , <b>2020</b> , 52, 494-504	36.3	39
444	Quality-of-life analysis with intermittent vismodegib regimens in patients with multiple basal cell carcinomas: patient-reported outcomes from the MIKIE study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e526-e529	4.6	1
443	Pembrolizumab versus placebo after complete resection of high-risk stage III melanoma: New recurrence-free survival results from the EORTC 1325-MG/Keynote 054 double-blinded phase III trial at three-year median follow-up.. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 10000-10000	2.2	15
442	Melanocortin 1 receptor: Parkinson's disease, melanoma risk, and neuroprotection <b>2020</b> , 189-203		0
441	Deep learning-level melanoma detection by interpretable machine learning and imaging biomarker cues. <i>Journal of Biomedical Optics</i> , <b>2020</b> , 25,	3.5	3
440	Dermoscopy of Congenital Langerhans Cell Histiocytosis. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020063	1.5	
439	Pseudonits or Hair Casts. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020072	1.5	
438	Pseudonits or Hair Casts. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020072	1.5	
437	Microblotches on Dermoscopy of Melanocytic Lesions are Associated with Melanoma: A Cross-sectional Study. <i>Acta Dermato-Venereologica</i> , <b>2020</b> , 100, adv00106	2.2	1
436	Sutton Naevi as Melanoma Simulators: Can Confocal Microscopy Help in the Diagnosis?. <i>Acta Dermato-Venereologica</i> , <b>2020</b> , 100, adv00134	2.2	5
435	Diagnosis and treatment response monitoring of scabies with reflectance confocal microscopy: A diagnostic pearl. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , <b>2020</b> , 86, 101-103	0.8	1
434	Blue Nevus With Rosettes on Polarized Light Dermoscopy. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020017	1.5	0
433	When Seborrheic Keratosis Is Wearing a Mask. <i>Dermatology Practical and Conceptual</i> , <b>2020</b> , 10, e2020038	0.5	
432	AMBLor: A prognostic and stratifying biomarker for adjuvant immunotherapy of AJCC stage II melanomas.. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, e22094-e22094	2.2	



431	Improvement of diagnostic confidence and management of equivocal skin lesions by integration of reflectance confocal microscopy in daily practice: Prospective study in 2 referral skin cancer centers. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 1057-1063	4.5	8
430	Validation of an integrated dermoscopic scoring method in an European teledermoscopy web platform: the iDScore project for early detection of melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 640-647	4.6	10
429	Association Between Immune-Related Adverse Events and Recurrence-Free Survival Among Patients With Stage III Melanoma Randomized to Receive Pembrolizumab or Placebo: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Oncology</i> , <b>2020</b> , 6, 519-527	13.4	148
428	Skin Manifestations in COVID-19: Prevalence and Relationship with Disease Severity. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	14
427	ESMO consensus conference recommendations on the management of metastatic melanoma: under the auspices of the ESMO Guidelines Committee. <i>Annals of Oncology</i> , <b>2020</b> , 31, 1435-1448	10.3	49
426	Spinal Opioid Tolerance Depends upon Platelet-Derived Growth Factor Receptor- Signaling, Not -Opioid Receptor Internalization. <i>Molecular Pharmacology</i> , <b>2020</b> , 98, 487-496	4.3	1
425	Machine Learning in Melanoma Diagnosis. Limitations About to be Overcome. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 313-316	0.5	1
424	Dermoscopic features of thin (≤1 mm Breslow thickness) vs. thick (>2 mm Breslow thickness) nodular melanoma and predictors of nodular melanoma versus nodular non-melanoma tumours: a multicentric collaborative study by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2541-2547	4.6	3
423	mutation and tumoral PD-L1 expression are associated with depth of invasion in desmoplastic melanomas. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 1218	3.2	2
422	Differences in Ultrasound Scanners' Detection of Metastasis in Melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2020</b> , 111, 874	0.5	
421	Uncertainty Estimation in Deep Neural Networks for Dermoscopic Image Classification <b>2020</b> ,		10
420	Human surface anatomy terminology for dermatology: a Delphi consensus from the International Skin Imaging Collaboration. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2659-2663	4.6	4
419	In vivo characterization of healthy human skin with a novel, non-invasive imaging technique: line-field confocal optical coherence tomography. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2914-2921	4.6	22
418	Incidence of Melanoma in Catalonia, Spain, Is Rapidly Increasing in the Elderly Population. A Multicentric Cohort Study. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
417	ESMO consensus conference recommendations on the management of locoregional melanoma: under the auspices of the ESMO Guidelines Committee. <i>Annals of Oncology</i> , <b>2020</b> , 31, 1449-1461	10.3	19
416	The evolving field of Dermato-oncology and the role of dermatologists: Position Paper of the EADO, EADV and Task Forces, EDF, IDS, EBDV-UEMS and EORTC Cutaneous Lymphoma Task Force. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2183-2197	4.6	10
415	Longer Follow-Up Confirms Recurrence-Free Survival Benefit of Adjuvant Pembrolizumab in High-Risk Stage III Melanoma: Updated Results From the EORTC 1325-MG/KEYNOTE-054 Trial. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 3925-3936	2.2	78
414	Ultrasound findings of proliferative nodule arising in a congenital melanocytic nevus. <i>Melanoma Research</i> , <b>2020</b> , 30, 528-529	3.3	1

413	MC1R variants and cutaneous melanoma risk according to histological type, body site, and Breslow thickness: a pooled analysis from the M-SKIP project. <i>Melanoma Research</i> , <b>2020</b> , 30, 500-510	3.3	2
412	Efficacy of novel immunotherapy regimens in patients with metastatic melanoma with germline mutations. <i>Journal of Medical Genetics</i> , <b>2020</b> , 57, 316-321	5.8	18
411	Detection of cell-free circulating BRAF by droplet digital polymerase chain reaction in patients with and without melanoma under dermatological surveillance. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 382-389	4	3
410	Standardization of dermoscopic terminology and basic dermoscopic parameters to evaluate in general dermatology (non-neoplastic dermatoses): an expert consensus on behalf of the International Dermoscopy Society. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 454-467	4	47
409	ANCA-associated vasculitic neuropathy during treatment with ipilimumab. <i>Rheumatology</i> , <b>2020</b> , 59, 251-252	3.9	4
408	Basal cell carcinoma characterization using fusion ex vivo confocal microscopy: a promising change in conventional skin histopathology. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 468-476	4	18
407	Inherited MC1R variants in patients with melanoma are associated with better survival in women. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 138-146	4	4
406	The Usefulness of Molecular Tools for the Diagnosis of a Challenging Nevoid Melanoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2020</b> , 28, e36-e37	1.9	0
405	A fast and effective option for tissue flattening: Optimizing time and efficacy in ex vivo confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 82, e157-e158	4.5	11
404	Factors associated with sentinel lymph node status and prognostic role of completion lymph node dissection for thick melanoma. <i>European Journal of Surgical Oncology</i> , <b>2020</b> , 46, 263-271	3.6	7
403	Histologic features of melanoma associated with germline mutations of CDKN2A, CDK4, and POT1 in melanoma-prone families from the United States, Italy, and Spain. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 860-869	4.5	1
402	Fibroblast activation and abnormal extracellular matrix remodelling as common hallmarks in three cancer-prone genodermatoses. <i>British Journal of Dermatology</i> , <b>2019</b> , 181, 512-522	4	31
401	Early outcome of a 31-gene expression profile test in 86 AJCC stage IB-II melanoma patients. A prospective multicentre cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 857-862	4.6	18
400	Survival analysis and sentinel lymph node status in thin cutaneous melanoma: A multicenter observational study. <i>Cancer Medicine</i> , <b>2019</b> , 8, 4235-4244	4.8	26
399	Comparison of the accuracy of human readers versus machine-learning algorithms for pigmented skin lesion classification: an open, web-based, international, diagnostic study. <i>Lancet Oncology</i> , <b>2019</b> , 20, 938-947	21.7	160
398	Prognostic and predictive value of AJCC-8 staging in the phase III EORTC1325/KEYNOTE-054 trial of pembrolizumab vs placebo in resected high-risk stage III melanoma. <i>European Journal of Cancer</i> , <b>2019</b> , 116, 148-157	7.5	42
397	Distinct Clinicopathological and Prognostic Features of Thin Nodular Primary Melanomas: An International Study from 17 Centers. <i>Journal of the National Cancer Institute</i> , <b>2019</b> , 111, 1314-1322	9.7	17
396	MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , <b>2019</b> , 3, 332-342	14.5	8



395	Review of Clinical Evidence over 10 Years on Prevention and Treatment of a Film-Forming Medical Device Containing Photolyase in the Management of Field Cancerization in Actinic Keratosis. <i>Dermatology and Therapy</i> , <b>2019</b> , 9, 259-270	4	13
394	Promoter Mutations are Associated with Visceral Spreading in Melanoma of the Trunk. <i>Cancers</i> , <b>2019</b> , 11,	6.6	11
393	Cost-effectiveness analysis of imaging strategy for an intensive follow-up of patients with American Joint Committee on Cancer stage IIB, IIC and III malignant melanoma. <i>British Journal of Dermatology</i> , <b>2019</b> , 180, 1190-1197	4	15
392	An Improved Skin Lesion Matching Scheme in Total Body Photography. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2019</b> , 23, 586-598	7.2	7
391	A randomized, intraindividual, non-inferiority, Phase III study comparing daylight photodynamic therapy with BF-200 ALA gel and MAL cream for the treatment of actinic keratosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 288-297	4.6	24
390	Estimating CDKN2A mutation carrier probability among global familial melanoma cases using GenoMELPREDICT. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 386-394	4.5	9
389	Dermoscopic features of mammary Paget's disease: a retrospective case-control study by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 1892-1898	4.6	5
388	Diagnostic accuracy of imaging studies for initial staging of T2b to T4b melanoma patients: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 1330-1338	4.5	5
387	Role of community pharmacists in skin cancer screening: A descriptive study of skin cancer risk factors prevalence and photoprotection habits in Barcelona, Catalonia, Spain. <i>Pharmacy Practice</i> , <b>2019</b> , 17, 1455	1.8	2
386	Contribution of Common Genetic Variants to Familial Aggregation of Disease and Implications for Sequencing Studies. <i>PLoS Genetics</i> , <b>2019</b> , 15, e1008490	6	5
385	Prognostic and predictive value of an immune-related adverse event among stage III melanoma patients included in the EORTC 1325/KEYNOTE-054 pembrolizumab versus placebo trial.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 2517-2517	2.2	10
384	Morphological study of skin cancer lesions through a 3D scanner based on fringe projection and machine learning. <i>Biomedical Optics Express</i> , <b>2019</b> , 10, 3404-3409	3.5	5
383	Clinical and Dermoscopic Evaluation of Melanocytic Lesions in Patients with Chronic Graft Versus Host Disease. <i>Acta Dermato-Venereologica</i> , <b>2019</b> , 99, 777-782	2.2	1
382	Study of skin cancer lesions through multispectral and 3D techniques <b>2019</b> ,		1
381	Genetic Abnormalities in Large to Giant Congenital Nevi: Beyond NRAS Mutations. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 900-908	4.3	37
380	Association of the POT1 Germline Missense Variant p.I78T With Familial Melanoma. <i>JAMA Dermatology</i> , <b>2019</b> , 155, 604-609	5.1	15
379	Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 80, 1585-1593	4.5	10
378	Induced Vitiligo due to Talimogene Laherparepvec Injection for Metastatic Melanoma Associated with Long-term Complete Response. <i>Acta Dermato-Venereologica</i> , <b>2019</b> , 99, 232-233	2.2	4

377	POT1 germline mutations but not TERT promoter mutations are implicated in melanoma susceptibility in a large cohort of Spanish melanoma families. <i>British Journal of Dermatology</i> , <b>2019</b> , 181, 105-113	4	16
376	Gesti3n pr3ctica del paciente en tratamiento con vismodegib. <i>Piel</i> , <b>2019</b> , 34, 45-51	0.1	
375	Increasing incidence of lentigo maligna and lentigo maligna melanoma in Catalonia. <i>International Journal of Dermatology</i> , <b>2019</b> , 58, 577-581	1.7	6
374	Adjuvant Pembrolizumab versus Placebo in Resected Stage III Melanoma. <i>New England Journal of Medicine</i> , <b>2018</b> , 378, 1789-1801	59.2	918
373	Image Gallery: Transition pattern in acral melanoma. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, e225	4	
372	Application of in vivo reflectance confocal microscopy and ex vivo fluorescence confocal microscopy in the most common subtypes of basal cell carcinoma and correlation with histopathology. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 1215-1217	4	9
371	T-type calcium channels drive migration/invasion in BRAFV600E melanoma cells through Snail1. <i>Pigment Cell and Melanoma Research</i> , <b>2018</b> , 31, 484-495	4.5	13
370	Prognostic role of tumoral PDL1 expression and peritumoral FoxP3+ lymphocytes in vulvar melanomas. <i>Human Pathology</i> , <b>2018</b> , 73, 176-183	3.7	8
369	Reflectance confocal microscopy evaluation of trichobacteriosis axillaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, e208-e209	4.6	1
368	Genome-wide linkage analysis in Spanish melanoma-prone families identifies a new familial melanoma susceptibility locus at 11q. <i>European Journal of Human Genetics</i> , <b>2018</b> , 26, 1188-1193	5.3	3
367	Novel clinical and molecular findings in Spanish patients with naevoid basal cell carcinoma syndrome. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 198-206	4	4
366	Clinical and dermoscopic characterization of pediatric and adolescent melanomas: Multicenter study of 52 cases. <i>Journal of the American Academy of Dermatology</i> , <b>2018</b> , 78, 278-288	4.5	25
365	Sentinel lymph node biopsy versus observation in thick melanoma: A multicenter propensity score matching study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 641-648	7.5	18
364	Melanocortin 1 receptor (MC1R) polymorphisms' influence on size and dermoscopic features of nevi. <i>Pigment Cell and Melanoma Research</i> , <b>2018</b> , 31, 39-50	4.5	15
363	Should immediate lymphadenectomy be discontinued in patients with metastasis of a melanoma in the sentinel lymph node? Report of the results of the Multicenter Selective Lymphadenectomy Trial-II. <i>Medicina Cl3nica</i> , <b>2018</b> , 150, 323-326	1	3
362	Combining common genetic variants and non-genetic risk factors to predict risk of cutaneous melanoma. <i>Human Molecular Genetics</i> , <b>2018</b> , 27, 4145-4156	5.6	21
361	Sex as a predictor of response to cancer immunotherapy. <i>Lancet Oncology</i> , <b>2018</b> , 19, e375	21.7	7
360	Visible and Extended Near-Infrared Multispectral Imaging for Skin Cancer Diagnosis. <i>Sensors</i> , <b>2018</b> , 18,	3.8	21

359	MelaNostrum: a consensus questionnaire of standardized epidemiologic and clinical variables for melanoma risk assessment by the melanostrum consortium. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 2134-2141	4.6	5
358	Methods of Melanoma Detection <b>2018</b> , 39-85		
357	MAGE-A3 immunotherapeutic as adjuvant therapy for patients with resected, MAGE-A3-positive, stage III melanoma (DERMA): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2018</b> , 19, 916-929	21.7	83
356	Dermoscopic features and patterns of poromas: a multicentre observational case-control study conducted by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 1263-1271	4.6	19
355	Response to 'Phase IV head-to-head randomized controlled trial comparing ingenol mebutate 0.015% gel with diclofenac sodium 3% gel for the treatment of actinic keratosis on the face or scalp'. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 812-813	4	
354	Author's reply to: Prognosis of sentinel lymph node biopsy in patients with thick melanoma by a propensity score matching prospective study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1504	7.5	
353	Prevalence of pathogenic/likely pathogenic variants in the 24 cancer genes of the ACMG Secondary Findings v2.0 list in a large cancer cohort and ethnicity-matched controls. <i>Genome Medicine</i> , <b>2018</b> , 10, 99	14.4	9
352	Comprehensive Study of the Clinical Phenotype of Germline BAP1 Variant-Carrying Families Worldwide. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110, 1328-1341	9.7	97
351	Histiocytoid Sweet's syndrome during combined therapy with BRAF and MEK inhibitors for metastatic melanoma. <i>Melanoma Research</i> , <b>2018</b> , 28, 256-257	3.3	4
350	Cutaneous toxicities of new treatments for melanoma. <i>Clinical and Translational Oncology</i> , <b>2018</b> , 20, 1373-1384	3.6	20
349	Pregnancy and melanoma: a European-wide survey to assess current management and a critical literature overview. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 65-69	4.6	12
348	Genomic analysis and clinical management of adolescent cutaneous melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2017</b> , 30, 307-316	4.5	11
347	IRF4 rs12203592 functional variant and melanoma survival. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1845-1849	7.5	11
346	A Common Variant in the MC1R Gene (p.V92M) is associated with Alzheimer's Disease Risk. <i>Journal of Alzheimer's Disease</i> , <b>2017</b> , 56, 1065-1074	4.3	1
345	Update on dermoscopy of Spitz/Reed naevi and management guidelines by the International Dermoscopy Society. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 645-655	4	63
344	Spanish version of the Actinic Keratosis Quality of Life questionnaire. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 986-991	4.6	3
343	Two intermittent vismodegib dosing regimens in patients with multiple basal-cell carcinomas (MIKIE): a randomised, regimen-controlled, double-blind, phase 2 trial. <i>Lancet Oncology, The</i> , <b>2017</b> , 18, 404-412	21.7	108
342	AURKA Overexpression Is Driven by FOXM1 and MAPK/ERK Activation in Melanoma Cells Harboring BRAF or NRAS Mutations: Impact on Melanoma Prognosis and Therapy. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 1297-1310	4.3	28

341	Detection of desmoplastic melanoma with dermoscopy and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 2016-2024	4.6	17
340	Dermoscopic Clues for Diagnosing Melanomas That Resemble Seborrheic Keratosis. <i>JAMA Dermatology</i> , <b>2017</b> , 153, 544-551	5.1	41
339	Patterns of distribution of giant congenital melanocytic nevi (GCMN): The 6B rule. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 76, 689-694	4.5	24
338	The p. R151C Polymorphism in MC1R Gene Modifies the Age of Onset in Spanish Huntington's Disease Patients. <i>Molecular Neurobiology</i> , <b>2017</b> , 54, 3906-3910	6.2	1
337	Ultrasound-based follow-up does not increase survival in early-stage melanoma patients: A comparative cohort study. <i>European Journal of Cancer</i> , <b>2017</b> , 85, 59-66	7.5	14
336	Germline Variation at CDKN2A and Associations with Nevus Phenotypes among Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 2606-2612	4.3	10
335	KIT mutations and CD117 overexpression are markers of better progression-free survival in vulvar melanomas. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 1376-1384	4	12
334	Prognostic role of the histological subtype of melanoma on the hands and feet in Caucasians. <i>Melanoma Research</i> , <b>2017</b> , 27, 315-320	3.3	20
333	Skin Cancer and the Dermatologist: Reflections on the Position Taken by the Spanish Society of Medical Oncology (SEOM). <i>Actas Dermo-sifilograficas</i> , <b>2017</b> , 108, 704-707	0.5	
332	Multispectral imaging system based on light-emitting diodes for the detection of melanomas and basal cell carcinomas: a pilot study (erratum). <i>Journal of Biomedical Optics</i> , <b>2017</b> , 22, 79801	3.5	1
331	Whole-body imaging of lymphovascular niches identifies pre-metastatic roles of midkine. <i>Nature</i> , <b>2017</b> , 546, 676-680	50.4	81
330	Multispectral imaging system based on light-emitting diodes for the detection of melanomas and basal cell carcinomas: a pilot study. <i>Journal of Biomedical Optics</i> , <b>2017</b> , 22, 65006	3.5	12
329	Tumor regrowth and development of keratinocytic neoplasms in patients under smoothed inhibition: in vivo assessment with reflectance confocal microscopy. <i>Skin Research and Technology</i> , <b>2017</b> , 23, 283-288	1.9	8
328	Real-world approach to actinic keratosis management: practical treatment algorithm for office-based dermatology. <i>Journal of Dermatological Treatment</i> , <b>2017</b> , 28, 431-442	2.8	49
327	Association between dermoscopic and reflectance confocal microscopy features of cutaneous melanoma with BRAF mutational status. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 643-649	4.6	12
326	Fast evaluation and monitoring of ingenol mebutate treatment of multiple basal cell carcinomas by in vivo hand-held reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, e284-e286	4.6	7
325	Clinical and dermoscopic clues to differentiate pigmented nail bands: an International Dermoscopy Society study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 732-736	4.6	50
324	Amelanotic melanoma in oculocutaneous albinism: a genetic, dermoscopic and reflectance confocal microscopy study. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, e333-e335	4	6

323	Dermoscopy Improves the Diagnostic Accuracy of Melanomas Clinically Resembling Seborrheic Keratosis: Cross-Sectional Study of the Ability to Detect Seborrheic Keratosis-Like Melanomas by a Group of Dermatologists with Varying Degrees of Experience. <i>Dermatology</i> , <b>2017</b> , 233, 471-479	4.4	19
322	Familial Melanoma Associated with Li-Fraumeni Syndrome and Atypical Mole Syndrome: Total-body Digital Photography, Dermoscopy and Confocal Microscopy. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 720-723	2.2	7
321	Dermoscopy, Digital Dermoscopy and Other Diagnostic Tools in the Early Detection of Melanoma and Follow-up of High-risk Skin Cancer Patients. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , Suppl 218, 14-21	2.2	12
320	Efficacy of a Daily Protective Moisturizer with High UVB and UVA Photoprotection in Decreasing Ultraviolet Damage: Evaluation by Reflectance Confocal Microscopy. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 1196-1201	2.2	2
319	Report from the II Melanoma Translational Meeting of the Spanish Melanoma Group (GEM). <i>Annals of Translational Medicine</i> , <b>2017</b> , 5, 390-390	3.2	78
318	Development of Cutaneous Toxicities During Selective Anti-BRAF Therapies: Preventive Role of Combination with MEK Inhibitors. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 258-260	2.2	8
317	Combination of Multispectral and 3D Imaging Sensors for the Detection of Skin Cancer. <i>Proceedings (mdpi)</i> , <b>2017</b> , 1, 701	0.3	1
316	Seven Non-melanoma Features to Rule Out Facial Melanoma. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 1219-1224	2.2	13
315	Genomic expression differences between cutaneous cells from red hair color individuals and black hair color individuals based on bioinformatic analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 11589-11599	3.3	5
314	Infomelanoma 2020: an online digital application designed to assist health professionals for melanoma treatment. <i>Annals of Translational Medicine</i> , <b>2017</b> , 5, 392-392	3.2	78
313	Characterization and Management of Hedgehog Pathway Inhibitor-Related Adverse Events in Patients With Advanced Basal Cell Carcinoma. <i>Oncologist</i> , <b>2016</b> , 21, 1218-1229	5.7	86
312	Initial Evaluation of Patients with Pigmented Skin Lesions. <i>Actas Dermo-sifiliográficas</i> , <b>2016</b> , 107, 616-618	0.5	0
311	Reply. <i>Annals of Neurology</i> , <b>2016</b> , 79, 868	9.4	
310	Association of Melanocortin-1 Receptor Variants with Pigmentary Traits in Humans: A Pooled Analysis from the M-Skip Project. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1914-1917	4.3	12
309	Reflectance confocal microscopy for the diagnosis of vulvar naevi: six cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 30-5	4.6	14
308	Prevalence of MITF p.E318K in Patients With Melanoma Independent of the Presence of CDKN2A Causative Mutations. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 405-12	5.1	29
307	Initial Evaluation of Patients with Pigmented Skin Lesions. <i>Actas Dermo-sifiliográficas</i> , <b>2016</b> , 107, 616-8	0.5	0
306	Standardization of terminology in dermoscopy/dermatoscopy: Results of the third consensus conference of the International Society of Dermoscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 74, 1093-106	4.5	140



305	Usefulness of (18)F-FDG PET/CT in recurrent basal cell carcinoma: Report of a case. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , <b>2016</b> , 35, 124-6	0.4	
304	Phenotypic and Histopathological Tumor Characteristics According to CDKN2A Mutation Status among Affected Members of Melanoma Families. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1066-1069	4.3	9
303	Characterization of individuals at high risk of developing melanoma in Latin America: bases for genetic counseling in melanoma. <i>Genetics in Medicine</i> , <b>2016</b> , 18, 727-36	8.1	18
302	Methods of Melanoma Detection. <i>Cancer Treatment and Research</i> , <b>2016</b> , 167, 51-105	3.5	24
301	Mikie: A randomized, double-blinded, regimen-controlled, phase 2 study to assess the efficacy and safety of two different vismodegib (VISMO) regimens in patients (pts) with multiple basal cell carcinomas (BCCs).. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 9509-9509	2.2	2
300	Nevi in patients with Bap1 germ line mutation, red-hair polymorphism, and albinism <b>2016</b> , 61-62		0
299	Discrepant mutational status between naevi and melanomas in naevus-associated melanomas: about mutation-specific immunohistochemistry: reply from the authors. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 435	4	
298	Inherited functional variants of the lymphocyte receptor CD5 influence melanoma survival. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 1297-302	7.5	10
297	Treatment monitoring of 0.5% 5-fluorouracil and 10% salicylic acid in clinical and subclinical actinic keratoses with the combination of optical coherence tomography and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 258-65	4.6	14
296	Negative maple-leaf-like areas: a new clue for basal cell carcinoma margin recognition. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 818-20	4	4
295	Agminated cellular blue naevi of the penis: dermoscopic, confocal and histopathological correlation of two cases. <i>Clinical and Experimental Dermatology</i> , <b>2016</b> , 41, 490-4	1.8	5
294	Dermoscopy of inverted follicular keratosis: study of 12 cases. <i>Clinical and Experimental Dermatology</i> , <b>2016</b> , 41, 468-73	1.8	8
293	Eruptive Facial Postinflammatory Lentigo: Clinical and Dermatoscopic Features. <i>American Journal of Dermatopathology</i> , <b>2016</b> , 38, 813-819	0.9	1
292	Performance of diagnostic tests in an intensive follow-up protocol for patients with American Joint Committee on Cancer (AJCC) stage IIB, IIC, and III localized primary melanoma: A prospective cohort study. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 75, 516-524	4.5	42
291	Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma: A Web-Based International Dermoscopy Society Study. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 798-806	5.1	75
290	Time and tumor type (primary or metastatic) do not influence the detection of BRAF/NRAS mutations in formalin fixed paraffin embedded samples from melanomas. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 54, 1733-1738	5.9	2
289	The challenging diagnosis of eccrine poromas. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 74, e113-5	4.5	6
288	Association Between Confocal Morphologic Classification and Clinical Phenotypes of Multiple Primary and Familial Melanomas. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 1099-1105	5.1	7



287	Genetic susceptibility to cutaneous melanoma in southern Switzerland: role of CDKN2A, MC1R and MITF. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 1030-1037	4	9
286	Study on the Risk of Cutaneous Squamous Cell Carcinoma After Vismodegib Therapy for Basal Cell Carcinoma: Not a Case-Control Study. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 1172-1173	5.1	11
285	Glowing in the Dark: Use of Confocal Microscopy in Dark Pigmented Lesions. <i>Dermatologic Clinics</i> , <b>2016</b> , 34, 431-442	4.2	4
284	Factors driving the use of dermoscopy in Europe: a pan-European survey. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 1329-1337	4	21
283	Reply. <i>Annals of Neurology</i> , <b>2016</b> , 79, 161-3	9.4	3
282	Dermoscopic criteria and basal cell carcinoma. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2016</b> , 151, 642-648	0.8	
281	Management of high-risk and advanced basal cell carcinoma. <i>Clinical and Translational Oncology</i> , <b>2015</b> , 17, 497-503	3.6	52
280	Electrochemotherapy in the Treatment of Melanoma Skin Metastases: A Report on 31 Cases. <i>Actas Dermo-sifiliograficas</i> , <b>2015</b> , 106, 285-291	0.5	4
279	Genome-wide meta-analysis identifies five new susceptibility loci for cutaneous malignant melanoma. <i>Nature Genetics</i> , <b>2015</b> , 47, 987-995	36.3	162
278	MC1R gene variants and non-melanoma skin cancer: a pooled-analysis from the M-SKIP project. <i>British Journal of Cancer</i> , <b>2015</b> , 113, 354-63	8.7	26
277	Effect of time to sentinel-node biopsy on the prognosis of cutaneous melanoma. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 1780-93	7.5	21
276	Monitoring treatment of field cancerisation with 3% diclofenac sodium 2.5% hyaluronic acid by reflectance confocal microscopy: a histologic correlation. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 45-50	2.2	20
275	Melanoma incidence increases in the elderly of Catalonia but not in the younger population: effect of prevention or consequence of immigration?. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 422-6	2.2	18
274	Electrochemotherapy in the treatment of melanoma skin metastases: a report on 31 cases. <i>Actas Dermo-sifiliograficas</i> , <b>2015</b> , 106, 285-91	0.5	8
273	Tratamiento de las queratosis actínicas. <i>Piel</i> , <b>2015</b> , 30, 378-386	0.1	2
272	Multiple BRAF Wild-Type Melanomas During Dabrafenib Treatment for Metastatic BRAF-Mutant Melanoma. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 544-8	5.1	12
271	Fine mapping of genetic susceptibility loci for melanoma reveals a mixture of single variant and multiple variant regions. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 1351-60	7.5	26
270	Clinical and dermoscopic features of atypical Spitz tumors: A multicenter, retrospective, case-control study. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 73, 777-84	4.5	34

269	Growth-Curve Modeling of Nevi With a Peripheral Globular Pattern. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 1338-1345	5	26
268	In vivo reflectance confocal microscopy characterization of field-directed 5-fluorouracil 0.5%/salicylic acid 10% in actinic keratosis. <i>Dermatology</i> , <b>2015</b> , 230, 193-8	4.4	22
267	In vivo characterization of solitary angiokeratoma by reflectance confocal microscopy and high definition optical coherence tomography. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 72, S43-4	4.5	5
266	Dermoscopy structures as predictors of sentinel lymph node positivity in cutaneous melanoma. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 1269-77	4	15
265	A randomized trial comparing simultaneous vs. sequential field treatment of actinic keratosis with ingenol mebutate on two separate areas of the head and body. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 2192-8	4.6	14
264	Authors' reply to: High naevus counts confer a favourable prognosis in patients with melanoma. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 3008-9	7.5	
263	In vivo reflectance confocal microscopy of equivocal melanocytic lesions detected by digital dermoscopy follow-up. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 1918-25	4.6	46
262	Mutational status of naevus-associated melanomas. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 671-80	4	27
261	Reply: To PMID 25631192. <i>Annals of Neurology</i> , <b>2015</b> , 78, 153-4	9.4	1
260	Skin cancers detected as casual findings with reflectance confocal microscopy in the assessment of melasma treatment. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 1553-5	4	
259	Dermoscopy of Naevus-associated Melanomas. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 671-5	2.2	24
258	Skin Cancer Diagnosis With Reflectance Confocal Microscopy: Reproducibility of Feature Recognition and Accuracy of Diagnosis. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 1075-80	5.1	73
257	Vitiliginous alopecia masquerading as frontal fibrosing alopecia. <i>International Journal of Trichology</i> , <b>2015</b> , 7, 41-2	1.1	
256	High nevus counts confer a favorable prognosis in melanoma patients. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1691-8	7.5	27
255	Atypical Clinical Presentation of Xeroderma Pigmentosum in a Patient Harboring a Novel Missense Mutation in the XPC Gene: The Importance of Clinical Suspicion. <i>Dermatology</i> , <b>2015</b> , 231, 217-21	4.4	4
254	Histologic features of melanoma associated with CDKN2A genotype. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 72, 496-507.e7	4.5	16
253	The MC1R melanoma risk variant p.R160W is associated with Parkinson disease. <i>Annals of Neurology</i> , <b>2015</b> , 77, 889-94	9.4	43
252	Microscopia confocal de fluorescencia. <i>Piel</i> , <b>2015</b> , 30, 45-51	0.1	

251	A new total body scanning system for automatic change detection in multiple pigmented skin lesions. <i>IEEE Transactions on Medical Imaging</i> , <b>2015</b> , 34, 317-38	11.7	23
250	Update in genetic susceptibility in melanoma. <i>Annals of Translational Medicine</i> , <b>2015</b> , 3, 210	3.2	65
249	Spitz Nevi <b>2015</b> , 911-920		
248	Dermatoscopy: A nodule on a woman's leg. <i>Dermatology Practical and Conceptual</i> , <b>2015</b> , 5, 25-6	1.5	
247	Rapidly growing nodule on the cheek of a 12-year-old boy. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 70, e11-3	4.5	4
246	Dermoscopic rosettes as a clue for pigmented incipient melanoma. <i>Dermatology</i> , <b>2014</b> , 228, 31-3	4.4	15
245	Basal cell carcinoma with spontaneous regression: added value of reflectance confocal microscopy when the dermoscopic diagnosis is uncertain. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, e7-9	4.5	5
244	Green colour as a novel dermoscopic finding in the diagnosis of hemosiderotic dermatofibroma. <i>Australasian Journal of Dermatology</i> , <b>2014</b> , 55, 196-7	1.3	7
243	Increased prevalence of lung, breast, and pancreatic cancers in addition to melanoma risk in families bearing the cyclin-dependent kinase inhibitor 2A mutation: implications for genetic counseling. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 888-95	4.5	38
242	TERT gene amplification is associated with poor outcome in acral lentiginous melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 839-41	4.5	27
241	Ex vivo fluorescence confocal microscopy for fast evaluation of tumour margins during Mohs surgery. <i>British Journal of Dermatology</i> , <b>2014</b> , 170, 360-5	4	85
240	TERT and AURKA gene copy number gains enhance the detection of acral lentiginous melanomas by fluorescence in situ hybridization. <i>Journal of Molecular Diagnostics</i> , <b>2014</b> , 16, 198-206	5.1	23
239	TERT promoter mutation status as an independent prognostic factor in cutaneous melanoma. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	164
238	Utilidad clínica de la microscopia confocal de reflectancia en el manejo del lentigo maligno melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2014</b> , 105, e13-e17	0.5	11
237	Clinical usefulness of reflectance confocal microscopy in the management of facial lentigo maligna melanoma. <i>Actas Dermo-sifiliográficas</i> , <b>2014</b> , 105, e13-7	0.5	1
236	In vivo reflectance confocal microscopy to monitor the response of lentigo maligna to imiquimod. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 49-55	4.5	49
235	DERMA: a melanoma diagnosis platform based on collaborative multilabel analog reasoning. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 351518	2.2	1
234	Capturing the biological impact of CDKN2A and MC1R genes as an early predisposing event in melanoma and non melanoma skin cancer. <i>Oncotarget</i> , <b>2014</b> , 5, 1439-51	3.3	29

233	Clinical and Histopathological Characteristics between Familial and Sporadic Melanoma in Barcelona, Spain. <i>Journal of Clinical &amp; Experimental Dermatology Research</i> , <b>2014</b> , 5, 231		7
232	Somatic BRAF and NRAS mutations in familial melanomas with known germline CDKN2A status: a GenoMEL study. <i>Journal of Investigative Dermatology</i> , <b>2014</b> , 134, 287-290	4.3	15
231	Shiny white streaks: a sign of malignancy at dermoscopy of pigmented skin lesions. <i>Acta Dermato-Venereologica</i> , <b>2014</b> , 94, 132-7	2.2	25
230	Multiple primary acral melanomas in two young caucasian patients. <i>Dermatology</i> , <b>2014</b> , 228, 307-10	4.4	10
229	Desmoplastic melanoma on the nose: electrochemotherapy as an alternative treatment to local advanced disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2014</b> , 28, 424-32	4.6	4
228	Impact of in vivo reflectance confocal microscopy on the number needed to treat melanoma in doubtful lesions. <i>British Journal of Dermatology</i> , <b>2014</b> , 170, 802-8	4	111
227	Inherited variation in the PARP1 gene and survival from melanoma. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1625-33	7.5	22
226	An inherited variant in the gene coding for vitamin D-binding protein and survival from cutaneous melanoma: a BioGenoMEL study. <i>Pigment Cell and Melanoma Research</i> , <b>2014</b> , 27, 234-43	4.5	21
225	Dermoscopic criteria associated with BRAF and NRAS mutation status in primary cutaneous melanoma. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 754-9	4	23
224	Dark homogeneous streak dermoscopic pattern correlating with specific KIT mutations in melanoma. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 633-9	5.1	9
223	Prevalence and predictors of germline CDKN2A mutations for melanoma cases from Australia, Spain and the United Kingdom. <i>Hereditary Cancer in Clinical Practice</i> , <b>2014</b> , 12, 20	2.3	31
222	Dermoscopy <b>2014</b> , 221-239		
221	Recurrent melanocytic nevi and melanomas in dermoscopy: results of a multicenter study of the International Dermoscopy Society. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 138-45	5.1	34
220	In vivo confocal microscopy features of cutaneous leishmaniasis. <i>Dermatology</i> , <b>2014</b> , 228, 121-4	4.4	10
219	The effect on melanoma risk of genes previously associated with telomere length. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	97
218	Nevus-associated melanomas: clinicopathologic features. <i>American Journal of Clinical Pathology</i> , <b>2014</b> , 142, 485-91	1.9	28
217	Genetic variations of patients with familial or multiple melanoma in Southern Brazil. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, e179-85	4.6	4
216	Distribution of MC1R variants among melanoma subtypes: p.R163Q is associated with lentigo maligna melanoma in a Mediterranean population. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 804-11	4	20

215	Influence of time on dermoscopic diagnosis and management. <i>Australasian Journal of Dermatology</i> , <b>2013</b> , 54, 96-104	1.3	7
214	Dermoscopy of acral melanoma: a multicenter study on behalf of the international dermoscopy society. <i>Dermatology</i> , <b>2013</b> , 227, 373-80	4.4	17
213	Meta-analysis of digital dermoscopy follow-up of melanocytic skin lesions: a study on behalf of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 805-14	4.6	107
212	Benefits of oral Polypodium Leucotomos extract in MM high-risk patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 1095-100	4.6	26
211	Serum 25-hydroxyvitamin D3 levels and vitamin D receptor variants in melanoma patients from the Mediterranean area of Barcelona. <i>BMC Medical Genetics</i> , <b>2013</b> , 14, 26	2.1	19
210	A clinico-dermoscopic approach for skin cancer screening: recommendations involving a survey of the International Dermoscopy Society. <i>Dermatologic Clinics</i> , <b>2013</b> , 31, 525-34, vii	4.2	30
209	Monitoring patients with multiple nevi. <i>Dermatologic Clinics</i> , <b>2013</b> , 31, 565-77, viii	4.2	13
208	Negative pigment network: an additional dermoscopic feature for the diagnosis of melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2013</b> , 68, 552-559	4.5	39
207	Genetic variation at KIT locus may predispose to melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2013</b> , 26, 88-96	4.5	5
206	A variant in FTO shows association with melanoma risk not due to BMI. <i>Nature Genetics</i> , <b>2013</b> , 45, 428-32, 432e1	36.3	95
205	"White" network in Spitz nevi and early melanomas lacking significant pigmentation. <i>Journal of the American Academy of Dermatology</i> , <b>2013</b> , 69, 56-60	4.5	25
204	Dermoscopic patterns of melanoma metastases: interobserver consistency and accuracy for metastasis recognition. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 91-9	4	18
203	Inverted follicular keratosis: dermoscopic and reflectance confocal microscopic features. <i>Dermatology</i> , <b>2013</b> , 227, 62-6	4.4	12
202	The usefulness of dermoscopy for the recognition of basal cell carcinoma--seborrheic keratosis compound tumours. <i>Australasian Journal of Dermatology</i> , <b>2013</b> , 54, 208-12	1.3	6
201	Ex vivo dermoscopy for biobank-oriented sampling of melanoma. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 1060-7	5.1	8
200	Impact of sunscreens on preventing UVR-induced effects in nevi: in vivo study comparing protection using a physical barrier vs sunscreen. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 803-13	5.1	10
199	Fast evaluation of 69 basal cell carcinomas with ex vivo fluorescence confocal microscopy: criteria description, histopathological correlation, and interobserver agreement. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 839-47	5.1	57
198	Dermoscopic evaluation of nodular melanoma. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 699-709	5.1	79

197	Clinical and dermoscopic characteristics of desmoplastic melanomas. <i>JAMA Dermatology</i> , <b>2013</b> , 149, 413-21	5.1	31
196	Genetic alterations in RAS-regulated pathway in acral lentiginous melanoma. <i>Experimental Dermatology</i> , <b>2013</b> , 22, 148-50	4	43
195	Dermoscopic features of melanocytic nevi in seven different anatomical locations in patients with atypical nevi syndrome. <i>Dermatologic Surgery</i> , <b>2013</b> , 39, 864-71	1.7	6
194	Evaluation of PAX3 genetic variants and nevus number. <i>Pigment Cell and Melanoma Research</i> , <b>2013</b> , 26, 666-76	4.5	5
193	Role of CPI-17 in restoring skin homeostasis in cutaneous field of cancerization: effects of topical application of a film-forming medical device containing photolyase and UV filters. <i>Experimental Dermatology</i> , <b>2013</b> , 22, 494-6	4	14
192	Multiple primary melanomas: do they look the same?. <i>British Journal of Dermatology</i> , <b>2013</b> , 168, 1267-724		8
191	Changes observed in slow-growing melanomas during long-term dermoscopic monitoring. <i>British Journal of Dermatology</i> , <b>2012</b> , 166, 1213-20	4	33
190	Inhibition of activated receptor tyrosine kinases by Sunitinib induces growth arrest and sensitizes melanoma cells to Bortezomib by blocking Akt pathway. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 967-78 <sup>5</sup>		30
189	Duplication of CXC chemokine genes on chromosome 4q13 in a melanoma-prone family. <i>Pigment Cell and Melanoma Research</i> , <b>2012</b> , 25, 243-7	4.5	11
188	Inherited variants in the MC1R gene and survival from cutaneous melanoma: a BioGenoMEL study. <i>Pigment Cell and Melanoma Research</i> , <b>2012</b> , 25, 384-94	4.5	50
187	Dermoscopy: an aid to the detection of amelanotic cutaneous melanoma metastases. <i>Dermatologic Surgery</i> , <b>2012</b> , 38, 1437-44	1.7	18
186	Rapid diagnosis of two facial papules using ex vivo fluorescence confocal microscopy: toward a rapid bedside pathology. <i>Dermatologic Surgery</i> , <b>2012</b> , 38, 1548-51	1.7	23
185	Total body skin examination for skin cancer screening in patients with focused symptoms. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 66, 212-9	4.5	47
184	Benefits of total body photography and digital dermatoscopy ("two-step method of digital follow-up") in the early diagnosis of melanoma in patients at high risk for melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 67, e17-27	4.5	121
183	In vivo confocal reflectance microscopy in melanoma. <i>Dermatologic Therapy</i> , <b>2012</b> , 25, 410-22	2.2	28
182	Genetic counseling in melanoma. <i>Dermatologic Therapy</i> , <b>2012</b> , 25, 397-402	2.2	18
181	Characterization of 1152 lesions excised over 10 years using total-body photography and digital dermatoscopy in the surveillance of patients at high risk for melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 67, 836-45	4.5	75
180	Epidermis, Dermis and Epidermal Appendages <b>2012</b> , 23-31		1



179	Semiology and Pattern Analysis in Nonmelanocytic Lesions <b>2012</b> , 239-252		5
178	Dermoscopy of scalp tumours: a multi-centre study conducted by the international dermoscopy society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 953-63	4.6	18
177	Meta-analysis combining new and existing data sets confirms that the TERT-CLPTM1L locus influences melanoma risk. <i>Journal of Investigative Dermatology</i> , <b>2012</b> , 132, 485-7	4.3	38
176	Skin examination behavior: the role of melanoma history, skin type, psychosocial factors, and region of residence in determining clinical and self-conducted skin examination. <i>Archives of Dermatology</i> , <b>2012</b> , 148, 1142-51		28
175	Dermoscopic and Histopathologic Correlations <b>2012</b> , 253-258		
174	A DNA methylation fingerprint of 1628 human samples. <i>Genome Research</i> , <b>2012</b> , 22, 407-19	9.7	273
173	Reflectance confocal microscopy of blue nevus. <i>European Journal of Dermatology</i> , <b>2012</b> , 22, 552-3	0.8	12
172	Vascular lesions <b>2012</b> , 70-78		1
171	Nodular Melanoma <b>2012</b> , 197-212		
170	Building a Lazy Domain Theory for Characterizing Malignant Melanoma. <i>Advances in Medical Technologies and Clinical Practice Book Series</i> , <b>2012</b> , 290-308	0.3	
169	Blue nevi and variants <b>2012</b> , 181-188		
168	Special locations Palms and soles <b>2012</b> , 254-267		
167	Step 2: Methods to differentiate between melanoma and benign melanocytic nevi Analytic features of melanomas/benign nevi on nonglabrous skin: Colors and structures <b>2012</b> , 89-97		
166	Acrolentiginous Melanoma <b>2012</b> , 210-219		
165	Equivocal lesions, false positive, and false negative <b>2012</b> , 235-246		
164	Dermatofibromas <b>2012</b> , 79-88		
163	Dermoscopic criteria and basal cell carcinoma. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2012</b> , 147, 135-40	0.8	17
162	Dermoscopic criteria and melanocytic lesions. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , <b>2012</b> , 147, 149-59	0.8	1

161	Molecular characterization of human cutaneous melanoma-derived cell lines. <i>Anticancer Research</i> , <b>2012</b> , 32, 1245-51	2.3	7
160	Melanocytic Nevi, Melanoma, and Pregnancy. <i>Actas Dermo-sifilograficas</i> , <b>2011</b> , 102, 650-657	0.5	2
159	Genome-wide association study identifies three new melanoma susceptibility loci. <i>Nature Genetics</i> , <b>2011</b> , 43, 1108-13	36.3	203
158	A SUMOylation-defective MITF germline mutation predisposes to melanoma and renal carcinoma. <i>Nature</i> , <b>2011</b> , 480, 94-8	50.4	365
157	Pathway-based analysis of a melanoma genome-wide association study: analysis of genes related to tumour-immunosuppression. <i>PLoS ONE</i> , <b>2011</b> , 6, e29451	3.7	16
156	Pigmented spindle cell nevus: clues for differentiating it from spindle cell malignant melanoma. A comprehensive survey including clinicopathologic, immunohistochemical, and FISH studies. <i>American Journal of Surgical Pathology</i> , <b>2011</b> , 35, 1733-42	6.7	32
155	Dermoscopic description of a patient with thrombocythemia and factor V Leiden mutation-associated Degos' disease. <i>International Journal of Dermatology</i> , <b>2011</b> , 50, 604-6	1.7	7
154	Plantar basal cell carcinoma in a patient with xeroderma pigmentosum: importance of dermoscopy for early diagnosis of nonpigmented skin cancer. <i>British Journal of Dermatology</i> , <b>2011</b> , 165, 1143-5	4	5
153	Correlation among dermoscopy, confocal reflectance microscopy, and histologic features of melanoma and basal cell carcinoma collision tumor. <i>Dermatologic Surgery</i> , <b>2011</b> , 37, 275-9	1.7	23
152	Non-invasive management of non-melanoma skin cancer in patients with cancer predisposition genodermatosis: a role for confocal microscopy and photodynamic therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2011</b> , 25, 819-27	4.6	39
151	Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 5012-23	5.6	164
150	Dermoscopy in skin self-examination: A useful tool for select patients. <i>Archives of Dermatology</i> , <b>2011</b> , 147, 53-8		23
149	Melanomas detected in a follow-up program compared with melanomas referred to a melanoma unit. <i>Archives of Dermatology</i> , <b>2011</b> , 147, 549-55		35
148	A flexible multiplex bead-based assay for detecting germline CDKN2A and CDK4 variants in melanoma-prone kindreds. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 480-6	4.3	10
147	Dermoscopy of pigmented lesions of the mucosa and the mucocutaneous junction: results of a multicenter study by the International Dermoscopy Society (IDS). <i>Archives of Dermatology</i> , <b>2011</b> , 147, 1181-7		91
146	Frequency of dermoscopic nevus subtypes by age and body site: a cross-sectional study. <i>Archives of Dermatology</i> , <b>2011</b> , 147, 663-70		78
145	Genome-wide association study identifies a new melanoma susceptibility locus at 1q21.3. <i>Nature Genetics</i> , <b>2011</b> , 43, 1114-8	36.3	126
144	Early stages of melanoma on the limbs of high-risk patients: clinical, dermoscopic, reflectance confocal microscopy and histopathological characterization for improved recognition. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 137-46	2.2	30

143	Who benefits from prophylactic surgical removal of "dysplastic" nevi?. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 279-80	1.2	2
142	Wem nutzt die prophylaktische Entfernung dysplastischer Nevi?. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 279-280	1.2	1
141	Slow-growing melanoma: a dermoscopy follow-up study. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 267-73		81
140	Dermoscopy of pyogenic granuloma: a morphological study. <i>British Journal of Dermatology</i> , <b>2010</b> , 163, 1229-37	4	70
139	Clinical and Dermoscopic Features of Nevi in Children. <i>Dermatology</i> , <b>2010</b> , 220, 54-54	4.4	1
138	Predictors of sun protection behaviors and severe sunburn in an international online study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2199-210	4	91
137	Adult xanthogranuloma mimicking basal cell carcinoma: dermoscopy, reflectance confocal microscopy and pathological correlation. <i>Dermatology</i> , <b>2010</b> , 220, 66-70	4.4	23
136	Association of MC1R variants and host phenotypes with melanoma risk in CDKN2A mutation carriers: a GenoMEL study. <i>Journal of the National Cancer Institute</i> , <b>2010</b> , 102, 1568-83	9.7	81
135	Studying regression of seborrheic keratosis in lichenoid keratosis with sequential dermoscopy imaging. <i>Dermatology</i> , <b>2010</b> , 220, 103-9	4.4	13
134	Dermoscopic and reflectance confocal microscopic features of exogenous ochronosis. <i>Archives of Dermatology</i> , <b>2010</b> , 146, 1021-5		25
133	Initial Evaluation, Diagnosis, Staging, Treatment, and Follow-up of Patients with Primary Cutaneous Malignant Melanoma. Consensus Statement of the Network of Catalan and Balearic Melanoma Centers. <i>Actas Dermo-sifilograficas</i> , <b>2010</b> , 101, 129-142	0.5	
132	Valoraci3n inicial, diagn3stico, estadificaci3n, tratamiento y seguimiento de los pacientes con melanoma maligno primario de la piel. Documento de consenso de la Xarxa de Centres de Melanoma de Catalunya i Balears. <i>Actas Dermo-sifilograficas</i> , <b>2010</b> , 101, 129-142	0.5	17
131	In vivo assessment of acute UVB responses in normal and Xeroderma Pigmentosum (XP-C) skin-humanized mouse models. <i>American Journal of Pathology</i> , <b>2010</b> , 177, 865-72	5.8	26
130	Development of a bioengineered skin-humanized mouse model for psoriasis: dissecting epidermal-lymphocyte interacting pathways. <i>American Journal of Pathology</i> , <b>2010</b> , 177, 3112-24	5.8	43
129	Historical, clinical, and dermoscopic characteristics of thin nodular melanoma. <i>Archives of Dermatology</i> , <b>2010</b> , 146, 311-8		58
128	Melanoma risk factors, perceived threat and intentional tanning: an international online survey. <i>European Journal of Cancer Prevention</i> , <b>2010</b> , 19, 216-26	2	41
127	Depression in hospitalized patients with malignant melanoma treated with interferon-alpha-2b: primary to induced disorders. <i>European Journal of Dermatology</i> , <b>2009</b> , 19, 611-5	0.8	4
126	New dermoscopic pattern in actinic keratosis and related conditions. <i>Archives of Dermatology</i> , <b>2009</b> , 145, 732		46

125	Expression of somatostatin receptors in human melanoma cell lines: effect of two different somatostatin analogues, octreotide and SOM230, on cell proliferation. <i>Journal of International Medical Research</i> , <b>2009</b> , 37, 1813-22	1.4	16
124	Preoperative assessment of cutaneous melanoma thickness using 10-MHz sonography. <i>American Journal of Roentgenology</i> , <b>2009</b> , 193, 639-43	5.4	40
123	Síndrome del nevo basocelular (síndrome de Gorlin-Goltz). <i>Piel</i> , <b>2009</b> , 24, 529-538	0.1	1
122	Dermoscopic features of melanomas associated with MC1R variants in Spanish CDKN2A mutation carriers. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 48-53	4	38
121	Dermoscopy of cutaneous leishmaniasis. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 756-61	4	64
120	CDKN2A mutations in melanoma families from Uruguay. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 536-41	4	16
119	Prognostic value of tyrosinase reverse transcriptase PCR analysis in melanoma sentinel lymph nodes: long-term follow-up analysis. <i>Clinical and Experimental Dermatology</i> , <b>2009</b> , 34, 863-9	1.8	3
118	Genome-wide association study identifies three loci associated with melanoma risk. <i>Nature Genetics</i> , <b>2009</b> , 41, 920-5	36.3	360
117	Development of a two-step method for the diagnosis of melanoma by reflectance confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 61, 216-29	4.5	143
116	Selection criteria for genetic assessment of patients with familial melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 61, 677.e1-14	4.5	115
115	New insights into nevogenesis: in vivo characterization and follow-up of melanocytic nevi by reflectance confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 61, 1001-13	4.5	75
114	Prevalence study of nevi in children from Barcelona. Dermoscopy, constitutional and environmental factors. <i>Dermatology</i> , <b>2009</b> , 218, 203-14	4.4	49
113	Reflectance confocal microscopy and features of melanocytic lesions: an internet-based study of the reproducibility of terminology. <i>Archives of Dermatology</i> , <b>2009</b> , 145, 1137-43		61
112	Identification of Relevant Knowledge for Characterizing the Melanoma Domain. <i>Advances in Soft Computing</i> , <b>2009</b> , 55-59		1
111	Common sequence variants on 20q11.22 confer melanoma susceptibility. <i>Nature Genetics</i> , <b>2008</b> , 40, 838-43	4.3	188
110	Entodermoscopy: a new tool for diagnosing skin infections and infestations. <i>Dermatology</i> , <b>2008</b> , 216, 14-23	4.4	138
109	A comparison of CDKN2A mutation detection within the Melanoma Genetics Consortium (GenoMEL). <i>European Journal of Cancer</i> , <b>2008</b> , 44, 1269-74	7.5	25
108	In vivo microscopic features of nodular melanomas: dermoscopy, confocal microscopy, and histopathologic correlates. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1311-20		83

107	Dermoscopic evaluation of amelanotic and hypomelanotic melanoma. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1120-7		193
106	Dermoscopy of early recurrent basal cell carcinoma. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1254		11
105	In vivo confocal microscopic and histopathologic correlations of dermoscopic features in 202 melanocytic lesions. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1597-608		130
104	Development of a human in vivo method to study the effect of ultraviolet radiation and sunscreens in melanocytic nevi. <i>Dermatology</i> , <b>2008</b> , 217, 124-36	4.4	7
103	Dermoscopy of dermatofibromas: a prospective morphological study of 412 cases. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 75-83		119
102	Dermoscopy of lichenoid regressing solar lentigines. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 284		5
101	Time required for a complete skin examination with and without dermoscopy: a prospective, randomized multicenter study. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 509-13		59
100	Dermoscopic findings of pilomatricomas. <i>Dermatology</i> , <b>2008</b> , 217, 225-30	4.4	38
99	Homogeneous blue pattern in an acral congenital melanocytic nevus. <i>Dermatology</i> , <b>2008</b> , 217, 315-7	4.4	12
98	Experiences Using Clustering and Generalizations for Knowledge Discovery in Melanomas Domain. <i>Lecture Notes in Computer Science</i> , <b>2008</b> , 57-71	0.9	3
97	Cutaneous phenotype and MC1R variants as modifying factors for the development of melanoma in CDKN2A G101W mutation carriers from 4 countries. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 825-31	7.5	39
96	Molecular characterization of a t(9;12)(p21;q13) balanced chromosome translocation in combination with integrative genomics analysis identifies C9orf14 as a candidate tumor-suppressor. <i>Genes Chromosomes and Cancer</i> , <b>2007</b> , 46, 155-62	5	10
95	Dermoscopic pattern of intermediate stage in seborrheic keratosis regressing to lichenoid keratosis: report of 24 cases. <i>British Journal of Dermatology</i> , <b>2007</b> , 157, 266-72	4	40
94	Melanomas that failed dermoscopic detection: a combined clinicodermoscopic approach for not missing melanoma. <i>Dermatologic Surgery</i> , <b>2007</b> , 33, 1262-73	1.7	70
93	The many faces of blue nevus: a clinicopathologic study. <i>Journal of Cutaneous Pathology</i> , <b>2007</b> , 34, 543-51	7	74
92	A novel technique to measure position-dependent resistance changes in the vertebral arteries postmortem: new insights into the aetiology of SIDS?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2007</b> , 93, 1166-1171	3.1	1
91	Clinical outcome after surgical resection of lung metastases from melanoma. <i>Clinical and Translational Oncology</i> , <b>2007</b> , 9, 48-52	3.6	9
90	Features associated with germline CDKN2A mutations: a GenoMEL study of melanoma-prone families from three continents. <i>Journal of Medical Genetics</i> , <b>2007</b> , 44, 99-106	5.8	296

89	Ex vivo dermoscopy of melanocytic tumors: time for dermatopathologists to learn dermoscopy. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 1548-52		24
88	Prognostic implications of protein S-100beta serum levels in the clinical outcome of high-risk melanoma patients. <i>Tumor Biology</i> , <b>2007</b> , 28, 264-72	2.9	13
87	Dermoscopy of solitary angiokeratomas: a morphological study. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 318-25		64
86	Palmar basal cell carcinoma in a patient with Gorlin-Goltz syndrome. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 813-4		6
85	Nevus type in dermoscopy is related to skin type in white persons. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 351-6		52
84	Dendritic cells in pigmented basal cell carcinoma: a relevant finding by reflectance-mode confocal microscopy. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 883-6		77
83	Seborrheic keratosislike melanoma with folliculotropism. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 373-6		21
82	Toxicity of combined treatment of adjuvant irradiation and interferon alpha2b in high-risk melanoma patients. <i>Melanoma Research</i> , <b>2007</b> , 17, 304-9	3.3	24
81	Melanomas That Failed Dermoscopic Detection. <i>Dermatologic Surgery</i> , <b>2007</b> , 33, 1262-1273	1.7	1
80	Dermoscopy report: proposal for standardization. Results of a consensus meeting of the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 57, 84-95	4.5	80
79	Cutaneous gamma/delta T-cell lymphoma: a histopathologic mimicker of lupus erythematosus profundus (lupus panniculitis). <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 56, 643-7	4.5	31
78	Dermoscopy features of melanoma incognito: indications for biopsy. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 56, 508-13	4.5	65
77	In vivo reflectance confocal microscopy imaging of melanocytic skin lesions: consensus terminology glossary and illustrative images. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 57, 644-58	4.5	155
76	Dermoscopy of pyogenic granulomas. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 824		10
75	Protein S-100beta serum levels predicts clinical outcome of high-risk melanoma patients treated with high-dose adjuvant interferon alfa2b. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 8543-8543	2.2	
74	Melanoma inhibiting activity protein (MIA), beta-2 microglobulin and lactate dehydrogenase (LDH) in metastatic melanoma. <i>Anticancer Research</i> , <b>2007</b> , 27, 595-9	2.3	19
73	Dermoscopy in epidermodysplasia verruciformis. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 103-6	1.7	9
72	Whole brain irradiation and temozolomide based chemotherapy in melanoma brain metastases. <i>Clinical and Translational Oncology</i> , <b>2006</b> , 8, 266-70	3.6	5



71	Dermoscopy improves accuracy of primary care physicians to triage lesions suggestive of skin cancer. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 1877-82	2.2	171
70	Tumour lymphangiogenesis is a possible predictor of sentinel lymph node status in cutaneous melanoma: a case-control study. <i>Journal of Clinical Pathology</i> , <b>2006</b> , 59, 166-73	3.9	95
69	Dermoscopy of atypical dermatofibroma: central white network. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 126		9
68	Dermoscopy of lichenoid regressing seborrheic keratosis. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 410		17
67	Dermoscopy of venous stasis dermatitis. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 1526		13
66	High-risk melanoma susceptibility genes and pancreatic cancer, neural system tumors, and uveal melanoma across GenoMEL. <i>Cancer Research</i> , <b>2006</b> , 66, 9818-28	10.1	313
65	Criterios dermatoscópicos de las lesiones melanocíticas palmoplantares. <i>Piel</i> , <b>2006</b> , 21, 31-36	0.1	4
64	Novedades en genética del melanoma. <i>Piel</i> , <b>2006</b> , 21, 272-274	0.1	5
63	Dermoscopy in Gorlin-Goltz Syndrome. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 847-851	1.7	
62	Dermoscopy in Epidermodysplasia Verruciformis. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 103-106	1.7	10
61	Acral Melanoma Simulating Warts. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 1072-1078	1.7	
60	Biochemotherapy with temozolomide, cisplatin, vinblastine, subcutaneous interleukin-2 and interferon-alpha in patients with metastatic melanoma. <i>Melanoma Research</i> , <b>2006</b> , 16, 59-64	3.3	15
59	Central White Network: An Additional Dermoscopic Feature for the Diagnosis of Dermatofibroma. <i>Dermatologic Surgery</i> , <b>2006</b> , 31, 960-962	1.7	5
58	Dermoscopy in Gorlin-Goltz syndrome. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 847-51	1.7	21
57	Acral melanoma simulating warts: dermoscopic clues to prevent missing a melanoma. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 1072-8	1.7	23
56	Dermoscopy of molluscum contagiosum: a useful tool for clinical diagnosis in adulthood. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 20, 482-3	4.6	37
55	Genetic studies in variegate porphyria in Spain. Identification of gene mutations and family study for carrier detection. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 20, 974-9	4.6	7
54	Dermoscopic findings of haemosiderotic and aneurysmal dermatofibroma: report of six patients. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 244-50	4	67

53	Dermoscopic findings in pyogenic granuloma. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 1108-11	4	46
52	Mutation of the tumour suppressor p33ING1b is rare in melanoma. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 94-9	4	8
51	Serum protein s-100 predicts clinical outcome in patients with melanoma treated with adjuvant interferon--comparison with tyrosinase rt-PCR. <i>Oncology</i> , <b>2005</b> , 68, 341-9	3.6	17
50	Long-term complete remission of cutaneous melanoma metastases in association with a folk remedy. <i>Journal of the American Academy of Dermatology</i> , <b>2005</b> , 52, 713-5	4.5	2
49	Clinical and dermoscopic image of an intermediate stage of regressing seborrheic keratosis in a lichenoid keratosis. <i>Dermatologic Surgery</i> , <b>2005</b> , 31, 102-3	1.7	3
48	Central White Network. <i>Dermatologic Surgery</i> , <b>2005</b> , 31, 960-962	1.7	2
47	Dermoscopy of skin lesions in two patients with xeroderma pigmentosum. <i>British Journal of Dermatology</i> , <b>2005</b> , 152, 271-8	4	20
46	Dermoscopy is useful for the recognition of benign-malignant compound tumours. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 653-6	4	35
45	Biochemotherapy with low doses of subcutaneous interleukin-2 in patients with melanoma: results of a phase II trial. <i>Clinical and Translational Oncology</i> , <b>2005</b> , 7, 250-4	3.6	3
44	Dermoscopy of molluscum contagiosum. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 1644		39
43	Role of the CDKN2A locus in patients with multiple primary melanomas. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 3043-51	2.2	124
42	Dermoscopy of dermatofibroma. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 122		14
41	Dermoscopy of sebaceous hyperplasia. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 808		41
40	S-100beta and MIA in advanced melanoma in relation to prognostic factors. <i>Anticancer Research</i> , <b>2005</b> , 25, 1779-82	2.3	15
39	Survivin expression in sentinel lymph nodes from melanoma patients. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 2751-2; author reply 2752	2.2	2
38	A novel elastin gene mutation resulting in an autosomal dominant form of cutis laxa. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 1135-9		56
37	Dermoscopy of pigmented purpuric dermatoses (lichen aureus): a useful tool for clinical diagnosis. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 1290-1		50
36	Dermoscopy of disseminated superficial actinic prokeratosis. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 1410		24

35	Dermoscopic patterns of benign volar melanocytic lesions in patients with atypical mole syndrome. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 538-44		57
34	Dermoscopy of Bowen's disease. <i>British Journal of Dermatology</i> , <b>2004</b> , 150, 1112-6	4	178
33	Is the identification of in-transit sentinel lymph nodes in malignant melanoma patients really necessary?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 945-9	8.8	38
32	Pilot study of treatment of biochemotherapy-refractory stage IV melanoma patients with autologous dendritic cells pulsed with a heterologous melanoma cell line lysate. <i>Cancer Immunology, Immunotherapy</i> , <b>2004</b> , 53, 651-8	7.4	42
31	Clinically equivocal melanocytic skin lesions with features of regression: a dermoscopic-pathological study. <i>British Journal of Dermatology</i> , <b>2004</b> , 150, 64-71	4	124
30	Small cell melanoma and ulceration as predictors of positive sentinel lymph node in malignant melanoma patients. <i>Melanoma Research</i> , <b>2004</b> , 14, 277-82	3.3	25
29	Secondary orbital metastases from cutaneous melanoma. <i>Melanoma Research</i> , <b>2004</b> , 14, 437-8	3.3	12
28	Intramedullary spinal cord metastases of melanoma. <i>Melanoma Research</i> , <b>2004</b> , 14, 431-3	3.3	15
27	Temozolomide as prophylaxis for melanoma brain metastases. <i>Melanoma Research</i> , <b>2004</b> , 14, 73-4	3.3	5
26	Prognostic value of tyrosinase RT-PCR analysis in histologically negative sentinel lymph nodes from melanoma patients. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 7562-7562	2.2	
25	Prognostic value of tyrosinase RT-PCR analysis in histologically negative sentinel lymph nodes from melanoma patients. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 7562-7562	2.2	
24	Identification of the sentinel lymph node in patients with malignant melanoma: what are the reasons for mistakes?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2003</b> , 30, 362-6	8.8	35
23	Treatment of patients with progressive unresectable metastatic melanoma with a heterologous polyvalent melanoma whole cell vaccine. <i>International Journal of Cancer</i> , <b>2003</b> , 106, 626-631	7.5	18
22	Signos guñ en el diagnñtico diferencial en dermatoscopia. <i>Piel</i> , <b>2003</b> , 18, 85-91	0.1	4
21	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , <b>2003</b> , 48, 679-93	4.5	882
20	Results of RT-PCR for tyrosinase mRNA in sentinel lymph nodes from patients with localized melanoma <b>2003</b> , 5, 199-206		
19	Follow-up of melanocytic skin lesions with digital total-body photography and digital dermoscopy: a two-step method. <i>Clinics in Dermatology</i> , <b>2002</b> , 20, 297-304	3	95
18	Genetic testing for melanoma. <i>Lancet Oncology, The</i> , <b>2002</b> , 3, 653-4	21.7	80

17	Prevalence of psoriasis in Spain (Epiderma Project: phase I). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2001</b> , 15, 20-3	4.6	147
16	Somatic NF1 mutational spectrum in benign neurofibromas: mRNA splice defects are common among point mutations. <i>Human Genetics</i> , <b>2001</b> , 108, 416-29	6.3	63
15	A melanoma-associated germline mutation in exon 1beta inactivates p14ARF. <i>Oncogene</i> , <b>2001</b> , 20, 5543-7	7.2	157
14	Large deletions of chromosome 9p in cutaneous malignant melanoma identify patients with a high risk of developing metastases. <i>Melanoma Research</i> , <b>2000</b> , 10, 231-236	3.3	5
13	Large deletions of chromosome 9p in cutaneous malignant melanoma identify patients with a high risk of developing metastases. Hospital Clinic Malignant Melanoma Group, University of Barcelona. <i>Melanoma Research</i> , <b>2000</b> , 10, 231-6	3.3	2
12	Cloning of the human phospholipase A2 activating protein (hPLAP) gene on the chromosome 9p21 melanoma deleted region. <i>Gene</i> , <b>1999</b> , 239, 155-61	3.8	5
11	CDKN2A mutations in Spanish cutaneous malignant melanoma families and patients with multiple melanomas and other neoplasia. <i>Journal of Medical Genetics</i> , <b>1999</b> , 36, 490-3	5.8	34
10	Retention of the CDKN2A locus and low frequency of point mutations in primary and metastatic cutaneous malignant melanoma. <i>International Journal of Cancer</i> , <b>1998</b> , 76, 312-6	7.5	28
9	Melanomas, from the cell cycle point of view (Review). <i>International Journal of Molecular Medicine</i> , <b>1998</b> , 1, 419-25	4.4	24
8	Confirmation of a double-hit model for the NF1 gene in benign neurofibromas. <i>American Journal of Human Genetics</i> , <b>1997</b> , 61, 512-9	11	185
7	Inherited susceptibility to several cancers but absence of linkage between dysplastic nevus syndrome and CDKN2A in a melanoma family with a mutation in the CDKN2A (P16INK4A) gene. <i>Human Genetics</i> , <b>1997</b> , 101, 359-64	6.3	52
6	Chromosome 9p deletions in cutaneous malignant melanoma tumors: the minimal deleted region involves markers outside the p16 (CDKN2) gene. <i>American Journal of Human Genetics</i> , <b>1995</b> , 57, 395-402 <sup>11</sup>		58
5	Fanconi's Anemia With Cutaneous Amyloidosis. <i>Archives of Dermatology</i> , <b>1993</b> , 129, 788		3
4	Neutrophilic pustulosis associated with chronic myeloid leukemia: a special form of Sweet's syndrome. Report of two cases. <i>Acta Haematologica</i> , <b>1992</b> , 88, 154-7	2.7	23
3	Lymphoproliferative nature of granulomatous slack skin: clonal rearrangement of the T-cell receptor beta-gene. <i>Archives of Dermatology</i> , <b>1992</b> , 128, 562-563		8
2	Handbook of Dermoscopy		22
1	Cancer immunotherapy does not increase the risk of death by COVID-19 in melanoma patients		5