

Stephen A Adefegha

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7822065/stephen-a-adezegha-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

1,790
citations

23
h-index

38
g-index

103
ext. papers

2,115
ext. citations

3
avg, IF

5.51
L-index

#	Paper	IF	Citations
101	Food bioactives: the food image behind the curtain of health promotion and prevention against several degenerative diseases. <i>Studies in Natural Products Chemistry</i> , 2022 , 391-421	1.5	1
100	Effect of oral berberine administration on the renal profiles of adenosine deaminase, arginase, and nitric oxide in streptozotocin-induced diabetic nephropathy of rats. <i>Comparative Clinical Pathology</i> , 2022 , 31, 255-263	0.9	0
99	Effect of aqueous extract from root and leaf of <i>Sphenocentrum jollyanum pierre</i> on wounds of diabetic rats: Influence on wound tissue cytokines, vascular endothelial growth factor and microbes.. <i>Journal of Ethnopharmacology</i> , 2022 , 115266	5	0
98	Distinct kinetics for nucleotide hydrolysis in lymphocytes isolated from blood, spleen and cervical lymph nodes: Characterization of ectonucleotidase activity. <i>Cell Biochemistry and Function</i> , 2021 , 39, 511-520	4.2	
97	Effects of berberine on cholinesterases and monoamine oxidase activities, and antioxidant status in the brain of streptozotocin (STZ)-induced diabetic rats. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2021 ,	1.6	3
96	Berberine modulates crucial erectogenic biomolecules and alters histological architecture in penile tissues of diabetic rats. <i>Andrologia</i> , 2021 , 53, e14074	2.4	2
95	Evaluation of different almond () extracts against oxidative stress induced by cyclosporine in brain and liver of rats. <i>Journal of Complementary and Integrative Medicine</i> , 2021 ,	1.5	2
94	Effects of processing on starch composition, glycemic indices, phenolic profile, and possible antidiabetic properties of cassava (<i>Manihot esculenta</i>) flours. <i>Journal of Food Processing and Preservation</i> , 2021 , 45, e15586	2.1	0
93	Antioxidant properties of eugenol, butylated hydroxyanisole, and butylated hydroxyl toluene with key biomolecules relevant to Alzheimer's diseases-In vitro. <i>Journal of Food Biochemistry</i> , 2021 , 45, e13278 ³	2.3	3
92	Extracts from Almond (<i>Terminalia catappa</i>) leaf and stem bark mitigate the activities of crucial enzymes and oxidative stress associated with hypertension in cyclosporine A-stressed rats. <i>Journal of Food Biochemistry</i> , 2021 , 45, e13435	3.3	4
91	Ecaryophyllene improves sexual performance via modulation of crucial enzymes relevant to erectile dysfunction in rats. <i>Toxicological Research</i> , 2021 , 37, 249-260	3.7	3
90	Effects of <i>Nauclea latifolia</i> and <i>Uvaria afzelii</i> stem bark extracts on nitric oxide and biomolecules in platelets of complete Freund adjuvant-induced arthritic female rats. <i>Comparative Clinical Pathology</i> , 2021 , 30, 255-266	0.9	0
89	Comparative effects of berberine and piperine on the neuroprotective potential of neostigmine. <i>Journal of Complementary and Integrative Medicine</i> , 2021 , 18, 491-497	1.5	1
88	<i>Moringa oleifera</i> modulates cholinergic and purinergic enzymes activity in BV-2 microglial cells. <i>Metabolic Brain Disease</i> , 2021 , 36, 627-638	3.9	2
87	Modulatory effect of pigeon pea-wheat biscuits on lipid profile, lipid peroxidation level, α -glucosidase, and butyrylcholinesterase activities in type-2 diabetic patients. <i>Journal of Food Biochemistry</i> , 2021 , 45, e13658	3.3	1
86	Berberine mitigates diabetes-induced erectile dysfunction in rats through modulation of antioxidant status and critical enzyme activity. <i>Comparative Clinical Pathology</i> , 2021 , 30, 181-189	0.9	1
85	Hesperidin mitigates inflammation and modulates ectoenzymes activity and some cellular processes in complete Freund's adjuvant-induced arthritic rats. <i>Journal of Pharmacy and Pharmacology</i> , 2021 , 73, 1547-1561	4.8	1

84	White Butterfly (<i>Clerodendrum volubile</i>) leaves and antioxidant potential in toxicity 2021 , 337-346		
83	Requirements of Bioactive Compounds for Health Claims 2021 , 337-367		
82	<i>Uncaria tomentosa</i> improves cognition, memory and learning in middle-aged rats. <i>Experimental Gerontology</i> , 2020 , 138, 111016	4.5	1
81	Role of Oxidative Stress in the Pathophysiology of Type 2 Diabetes and Cardiovascular Diseases 2020 , 277-297		4
80	Purple onion in combination with garlic exerts better ameliorative effects on selected biomarkers in high-sucrose diet-fed fruit fly (<i>Drosophila melanogaster</i>). <i>Comparative Clinical Pathology</i> , 2020 , 29, 713-720	0.9	3
79	Sensory attributes, nutritional qualities, and glycemic indices of bread blends produced from cocoa powder flavored yellow-fleshed cassava-wheat composite flours. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14673	2.1	3
78	Interferon gamma/interleukin-4 modulation, anti-inflammatory and antioxidant effects of hesperidin in complete Freund's adjuvant (CFA)-induced arthritis model of rats. <i>Immunopharmacology and Immunotoxicology</i> , 2020 , 42, 509-520	3.2	5
77	Thyme () leaf extract modulates purinergic and cholinergic enzyme activities in the brain homogenate of 5-fluorouracil administered rats. <i>Drug and Chemical Toxicology</i> , 2020 , 43, 43-50	2.3	9
76	Comparative effects of horseradish (<i>Moringa oleifera</i>) leaves and seeds on blood pressure and crucial enzymes relevant to hypertension in rat. <i>PharmaNutrition</i> , 2019 , 9, 100152	2.9	6
75	Effect of p-coumaric acid on the erectogenic enzyme activities and non-protein thiol level in the penile tissue of normal and doxorubicin-induced oxidative stress male rat. <i>Andrologia</i> , 2019 , 51, e13281	2.4	11
74	Protective mechanisms of protocatechuic acid against doxorubicin-induced nephrotoxicity in rat model. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2019 , 30,	1.6	15
73	Glycemic Response in Diabetic Subjects to Biscuits Produced from Blends of Pigeon Pea and Wheat Flour. <i>Plant Foods for Human Nutrition</i> , 2019 , 74, 553-559	3.9	5
72	Effect of quercetin on E-NTPDase/E-ADA activities and cytokine secretion of complete Freund adjuvant-induced arthritic rats. <i>Cell Biochemistry and Function</i> , 2019 , 37, 474-485	4.2	5
71	Polyphenol contents and antioxidants activities of biscuits produced from ginger-enriched pigeon pea-wheat composite flour blends. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12526	3.3	8
70	Aqueous extracts of two tropical ethnobotanicals (<i>Tetrapleura tetraptera</i> and <i>Quassia undulata</i>) improved spatial and non-spatial working memories in scopolamine-induced amnesic rats: Influence of neuronal cholinergic and antioxidant systems. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 99, 198-204	7.5	13
69	Nutritional properties, sensory qualities and glycemic response of biscuits produced from pigeon pea-wheat composite flour. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12505	3.3	14
68	Impact of pasting on starch composition, estimated glycemic index, phenolic constituents, antioxidant activities and antidiabetic properties of flour produced from cocoyam (<i>Colocasia esculenta</i>) corm. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12514	3.3	6
67	Quercetin, rutin, and their combinations modulate penile phosphodiesterase-5?, arginase, acetylcholinesterase, and angiotensin-I-converting enzyme activities: a comparative study. <i>Comparative Clinical Pathology</i> , 2018 , 27, 773-780	0.9	12

66	Functional Foods and Nutraceuticals as Dietary Intervention in Chronic Diseases; Novel Perspectives for Health Promotion and Disease Prevention. <i>Journal of Dietary Supplements</i> , 2018 , 15, 977-1009	2.3	76
65	Sildenafil, a phosphodiesterase-5 inhibitor, offers protection against carbon tetrachloride-induced hepatotoxicity in rat. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2018 , 29, 29-35	1.6	4
64	Changes in inflammatory/cardiac markers of HIV positive patients. <i>Microbial Pathogenesis</i> , 2018 , 114, 264-268	3.8	8
63	Anticholinesterase activity and phenolic profile of two medicinal plants (<i>Quassia undulata</i> and <i>Senecio abyssinicus</i>) used in managing cognitive dysfunction in Nigeria. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12497	3.3	9
62	NTPDase, 5'-nucleotidase and adenosine deaminase activities and purine levels in serum of sickle cell anemia patients. <i>Journal of Applied Biomedicine</i> , 2018 , 16, 208-213	0.6	5
61	Modulatory effect of eugenol on arginase, nucleotidase, and adenosine deaminase activities of platelets in a carrageenan-induced arthritis rat model: A possible anti-arthritic mechanism of eugenol. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 106, 1616-1623	7.5	5
60	Comparative study on the interaction of eugenol, Butylated hydroxyanisole, and Butylated hydroxyl toluene with some crucial enzymes linked to erectile dysfunction. <i>Comparative Clinical Pathology</i> , 2018 , 27, 1699-1706	0.9	3
59	Protocatechuic acid mitigates adriamycin-induced reproductive toxicities and hepatocellular damage in rats. <i>Comparative Clinical Pathology</i> , 2018 , 27, 1681-1689	0.9	11
58	Influence of eugenol on oxidative stress biomarkers in the liver of carrageenan-induced arthritis rats. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2018 , 30, 185-193	1.6	1
57	Dietary supplementation with Ethiopian pepper (<i>Xylopiya aethiopica</i>) modulates angiotensin-I converting enzyme activity, antioxidant status and extenuates hypercholesterolemia in high cholesterol fed Wistar rats. <i>PharmaNutrition</i> , 2018 , 6, 9-16	2.9	5
56	Pasting alters glycemic index, antioxidant activities, and starch-hydrolyzing enzyme inhibitory properties of whole wheat flour. <i>Food Science and Nutrition</i> , 2018 , 6, 1591-1600	3.2	5
55	Modulatory effect of quercetin and its glycosylated form on key enzymes and antioxidant status in rats penile tissue of paroxetine-induced erectile dysfunction. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 107, 1473-1479	7.5	23
54	Streptozotocin-induced diabetes in rats: effects of White Butterfly (<i>Clerodendrum volubile</i>) leaves on blood glucose levels, lipid profile and antioxidant status. <i>Toxicology Mechanisms and Methods</i> , 2018 , 28, 573-586	3.6	14
53	Effects of combined crude alkaloid-rich extracts from alligator pepper (<i>Aframomum melegueta</i>) and bastered melegueta (<i>Aframomum danielli</i>) on the enzymes crucial to erectile dysfunction in vitro. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12550	3.3	10
52	African crocus (<i>Curculigo pilosa</i>) and wonderful kola (<i>Buchholzia coriacea</i>) seeds modulate critical enzymes relevant to erectile dysfunction and oxidative stress. <i>Journal of Complementary and Integrative Medicine</i> , 2018 , 15,	1.5	13
51	Cognitive Enhancing and Antioxidative Potentials of Velvet Beans (<i>Mucuna pruriens</i>) and Horseradish (<i>Moringa oleifera</i>) Seeds Extracts: A Comparative Study. <i>Journal of Food Biochemistry</i> , 2017 , 41, e12292	3.3	24
50	Characterization of E-NTPDase (EC 3.6.1.5) activity in hepatic lymphocytes: A different activity profile from peripheral lymphocytes. <i>Cell Biochemistry and Function</i> , 2017 , 35, 105-112	4.2	5
49	Increased oxidative stress alters nucleosides metabolite levels in sickle cell anemia. <i>Redox Report</i> , 2017 , 22, 451-459	5.9	4

48	Phenolic constituents and modulatory effects of <i>Raffia</i> palm leaf () extract on carbohydrate hydrolyzing enzymes linked to type-2 diabetes. <i>Journal of Traditional and Complementary Medicine</i> , 2017 , 7, 494-500	4.6	24
47	Comparative Effects of Alkaloid Extracts from <i>Aframomum melegueta</i> (Alligator Pepper) and <i>Aframomum danielli</i> (Bastered Melegueta) on Enzymes Relevant to Erectile Dysfunction. <i>Journal of Dietary Supplements</i> , 2017 , 14, 542-552	2.3	21
46	Neuroprotective effects of pretreatment with quercetin as assessed by acetylcholinesterase assay and behavioral testing in poloxamer-407 induced hyperlipidemic rats. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 88, 1054-1063	7.5	13
45	Peripheral blood mononuclear cells from rat model of pleurisy: The effects of hesperidin on ectoenzymes activity, apoptosis, cell cycle and reactive oxygen species production. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 91, 278-286	7.5	9
44	Effect of dietary supplementation of tiger nut (<i>Cyperus esculentus</i> L.) and walnut (<i>Tetracarpidium conophorum</i> Mill. Arg.) on sexual behavior, hormonal level, and antioxidant status in male rats. <i>Journal of Food Biochemistry</i> , 2017 , 41, e12351	3.3	13
43	Modulation of reactive oxygen species production, apoptosis and cell cycle in pleural exudate cells of carrageenan-induced acute inflammation in rats by rutin. <i>Food and Function</i> , 2017 , 8, 4459-4468	6.1	9
42	Safety evaluation of suprathreshold dose of <i>Maytenus ilicifolia</i> Mart. ex Reissek extracts on fertility and neurobehavioral status of male and pregnant rats. <i>Regulatory Toxicology and Pharmacology</i> , 2017 , 90, 160-169	3.4	2
41	Sepsis induced by cecal ligation and perforation (CLP) alters nucleotidase activities in platelets of rats. <i>Microbial Pathogenesis</i> , 2017 , 111, 345-351	3.8	7
40	Hesperidin attenuates inflammation and oxidative damage in pleural exudates and liver of rat model of pleurisy. <i>Redox Report</i> , 2017 , 22, 563-571	5.9	17
39	Erectogenic, Antihypertensive, Antidiabetic, Anti-Oxidative Properties and Phenolic Compositions of Almond Fruit (<i>Terminalia catappa</i> L.) Parts (Hull and Drupe) In vitro. <i>Journal of Food Biochemistry</i> , 2017 , 41, e12309	3.3	23
38	Ashanti pepper (<i>Piper guineense</i> Schumacher et Thonn) attenuates carbohydrate hydrolyzing, blood pressure regulating and cholinergic enzymes in experimental type 2 diabetes rat model. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2017 , 28, 19-30	1.6	9
37	Guarana (<i>Paullinia cupana</i>) ameliorates memory impairment and modulates acetylcholinesterase activity in Poloxamer-407-induced hyperlipidemia in rat brain. <i>Physiology and Behavior</i> , 2017 , 168, 11-19	3.5	26
36	Essential Oil Composition, Antioxidant, Antidiabetic and Antihypertensive Properties of Two <i>Aframomum</i> Species. <i>Journal of Oleo Science</i> , 2017 , 66, 51-63	1.6	25
35	Chemoprotective effect of <i>Vernonia amygdalina</i> Del. (Asteraceae) against 2-acetylaminofluorene-induced hepatotoxicity in rats. <i>Toxicology and Industrial Health</i> , 2016 , 32, 47-58	1.8	12
34	Berberine protects against memory impairment and anxiogenic-like behavior in rats submitted to sporadic Alzheimer's-like dementia: Involvement of acetylcholinesterase and cell death. <i>NeuroToxicology</i> , 2016 , 57, 241-250	4.4	43
33	Alligator pepper/Grain of Paradise (<i>Aframomum melegueta</i>) modulates Angiotensin-I converting enzyme activity, lipid profile and oxidative imbalances in a rat model of hypercholesterolemia. <i>Pathophysiology</i> , 2016 , 23, 191-202	1.8	12
32	Effects of chlorogenic acid on adenine nucleotides hydrolyzing enzyme activities and expression in platelets of rats experimentally demyelinated with ethidium bromide. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 81, 363-370	7.5	13
31	Modulatory Effects of Ferulic Acid on Cadmium-Induced Brain Damage. <i>Journal of Evidence-Based Complementary & Alternative Medicine</i> , 2016 , 21, NP56-61		20

30	Phenolic Composition and Evaluation of Methanol and Aqueous Extracts of Bitter Gourd (<i>Momordica charantia</i> L) Leaves on Angiotensin-I-Converting Enzyme and Some Pro-oxidant-Induced Lipid Peroxidation In Vitro. <i>Journal of Evidence-Based Complementary & Alternative Medicine</i> , 2016 , 21, NP67-NP76		23
29	Alteration of starch hydrolyzing enzyme inhibitory properties, antioxidant activities, and phenolic profile of clove buds (<i>Syzygium aromaticum</i> L.) by cooking duration. <i>Food Science and Nutrition</i> , 2016 , 4, 250-60	3.2	14
28	Chromatographic Fingerprint Analysis, Acetylcholinesterase Inhibitory Properties and Antioxidant Activities of Redflower Ragleaf (<i>Crassocephalum Crepidioides</i>) Extract. <i>Journal of Food Biochemistry</i> , 2016 , 40, 109-119	3.3	17
27	Altered E-NTPDase/E-ADA activities and CD39 expression in platelets of sickle cell anemia patients. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 79, 241-6	7.5	6
26	Antioxidant and inhibitory properties of <i>Clerodendrum volubile</i> leaf extracts on key enzymes relevant to non-insulin dependent diabetes mellitus and hypertensionPeer review under responsibility of Taibah UniversityView all notes. <i>Journal of Taibah University for Science</i> , 2016 , 10, 521-533	3	32
25	Platelet aggregation and serum adenosine deaminase (ADA) activity in pregnancy associated with diabetes, hypertension and HIV. <i>Cell Biochemistry and Function</i> , 2016 , 34, 343-50	4.2	8
24	Influence of gallic acid on α -amylase and α -glucosidase inhibitory properties of acarbose. <i>Journal of Food and Drug Analysis</i> , 2016 , 24, 627-634	7	109
23	In vitro antioxidant activities of African birch (<i>Anogeissus leiocarpus</i>) leaf and its effect on the α -amylase and α -glucosidase inhibitory properties of acarbose. <i>Journal of Taibah University Medical Sciences</i> , 2016 , 11, 236-242	1.7	13
22	Alkaloid extracts from shea butter and breadfruit as potential inhibitors of monoamine oxidase, cholinesterases, and lipid peroxidation in rats brain homogenates: a comparative study. <i>Comparative Clinical Pathology</i> , 2016 , 25, 1213-1219	0.9	12
21	Alterations of Na/K-ATPase, cholinergic and antioxidant enzymes activity by protocatechuic acid in cadmium-induced neurotoxicity and oxidative stress in Wistar rats. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 83, 559-568	7.5	30
20	Antioxidant and antidiabetic effects of gallic and protocatechuic acids: a structure-function perspective. <i>Comparative Clinical Pathology</i> , 2015 , 24, 1579-1585	0.9	61
19	Modulatory effect of protocatechuic acid on cadmium induced nephrotoxicity and hepatotoxicity in rats in vivo. <i>SpringerPlus</i> , 2015 , 4, 619		33
18	Distribution of Phenolic Contents, Antidiabetic Potentials, Antihypertensive Properties, and Antioxidative Effects of Soursop (<i>Annona muricata</i> L.) Fruit Parts In Vitro. <i>Biochemistry Research International</i> , 2015 , 2015, 347673	2.4	37
17	Caffeic and chlorogenic acids inhibit key enzymes linked to type 2 diabetes (in vitro): a comparative study. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2015 , 26, 165-70	1.6	154
16	Comparative Study on the Phenolic Content, Antioxidant Properties and HPLC Fingerprinting of Three Varieties of Celosia Species. <i>Journal of Food Biochemistry</i> , 2014 , 38, 575-583	3.3	15
15	Antihyperglycemic, hypolipidemic, hepatoprotective and antioxidative effects of dietary clove (<i>Syzygium aromaticum</i>) bud powder in a high-fat diet/streptozotocin-induced diabetes rat model. <i>Journal of the Science of Food and Agriculture</i> , 2014 , 94, 2726-37	4.3	76
14	Comparative study on the inhibitory effect of caffeic and chlorogenic acids on key enzymes linked to Alzheimer's disease and some pro-oxidant induced oxidative stress in rats' brain-in vitro. <i>Neurochemical Research</i> , 2013 , 38, 413-9	4.6	178
13	Modulatory effect of methanolic extract of <i>Vernonia amygdalina</i> (MEVA) on tert-butyl hydroperoxide-induced erythrocyte haemolysis. <i>Cell Biochemistry and Function</i> , 2013 , 31, 545-50	4.2	5

12	Sensory Qualities, Antioxidant Activities, and in vitro Inhibition of Enzymes Relevant to Type-2 Diabetes by Biscuits Produced from 5 Wheat-Bambara Groundnut Flour Blends. <i>International Journal of Food Engineering</i> , 2013 , 9, 17-28	1.9	10
11	Phytochemistry and mode of action of some tropical spices in the management of type-2 diabetes and hypertension. <i>African Journal of Pharmacy and Pharmacology</i> , 2013 , 7, 332-346	0.5	26
10	Effect of diets supplemented with Ethiopian pepper [<i>Xylopi aethiopica</i> (Dun.) A. Rich (Annonaceae)] and Ashanti pepper [<i>Piper guineense</i> Schumach. et Thonn (Piperaceae)] on some biochemical parameters in normal rats. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2012 , 2, S558-S566	1.4	10
9	In vitro inhibition activity of polyphenol-rich extracts from <i>Syzygium aromaticum</i> (L.) Merr. & Perry (Clove) buds against carbohydrate hydrolyzing enzymes linked to type 2 diabetes and Fe(2+)-induced lipid peroxidation in rat pancreas. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2012 , 2, 774-81	1.4	58
8	Attenuation of cyclophosphamide-induced neurotoxicity in rat by yellow dye extract from root of Brimstone tree (<i>Morinda lucida</i>). <i>Experimental and Toxicologic Pathology</i> , 2012 , 64, 591-6		16
7	Inhibition of key enzymes linked to type 2 diabetes and sodium nitroprusside-induced lipid peroxidation in rat pancreas by water extractable phytochemicals from some tropical spices. <i>Pharmaceutical Biology</i> , 2012 , 50, 857-65	3.8	61
6	Acetylcholinesterase (AChE) inhibitory activity, antioxidant properties and phenolic composition of two <i>Aframomum</i> species. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2012 , 23, 153-61	1.6	22
5	ENHANCEMENT OF TOTAL PHENOLICS AND ANTIOXIDANT PROPERTIES OF SOME TROPICAL GREEN LEAFY VEGETABLES BY STEAM COOKING. <i>Journal of Food Processing and Preservation</i> , 2011 , 35, 615-622	2.1	35
4	Inhibition of cyclophosphamide-induced oxidative stress in rat brain by polar and non-polar extracts of Annatto (<i>Bixa orellana</i>) seeds. <i>Experimental and Toxicologic Pathology</i> , 2011 , 63, 257-62		33
3	Antilipemic and hypocholesteremic activities of <i>Globimetula braunii</i> in rats. <i>Experimental and Toxicologic Pathology</i> , 2011 , 63, 657-61		9
2	Water Extractable Phytochemicals from Some Nigerian Spices Inhibit Fe2+- Induced Lipid Peroxidation in Rat Brain In Vitro. <i>Journal of Food Processing & Technology</i> , 2011 , 02,	2	17
1	<i>Sphenocentrum jollyanum</i> root and leaf extracts enhanced wound closure by improving the glycemic state of diabetic rats induced by high-fat diet/streptozotocin. <i>Comparative Clinical Pathology</i> , 1	0.9	1