Maria C Costa

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7822585/maria-c-costa-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 59 | 1,196 | 22 | 32 |
|-------------|----------------------|---------|-----------|
| papers | citations | h-index | g-index |
| 62 | 1,349 ext. citations | 5.1 | 4·45 |
| ext. papers | | avg, IF | L-index |

| # | Paper | IF | Citations |
|----|---|-----------------|-----------------|
| 59 | Isolation and characterization of bacteria from activated sludge capable of degrading 17\text{\text{\text{E}}}thinylestradiol, a contaminant of high environmental concern. <i>Microbiology (United Kingdom)</i> , 2021 , 167, | 2.9 | 3 |
| 58 | Anaerobic biodegradation of fluoxetine using a high-performance bacterial community. <i>Anaerobe</i> , 2021 , 68, 102356 | 2.8 | 4 |
| 57 | A review of plant metabolites with metal interaction capacity: a green approach for industrial applications. <i>BioMetals</i> , 2021 , 34, 761-793 | 3.4 | 6 |
| 56 | Biodegradation of Paracetamol by Some Gram-Positive Bacterial Isolates. <i>Current Microbiology</i> , 2021 , 78, 2774-2786 | 2.4 | 2 |
| 55 | An autochthonous aerobic bacterial community and its cultivable isolates capable of degrading fluoxetine. <i>Journal of Chemical Technology and Biotechnology</i> , 2021 , 96, 2813-2826 | 3.5 | 1 |
| 54 | Photodegradation of chloramphenicol and paracetamol using PbS/TiO2 nanocomposites produced by green synthesis. <i>Journal of the Iranian Chemical Society</i> , 2020 , 17, 2013-2031 | 2 | 19 |
| 53 | Feasibility of Co-Treating Olive Mill Wastewater and Acid Mine Drainage. <i>Mine Water and the Environment</i> , 2020 , 39, 859-880 | 2.4 | 3 |
| 52 | Prokaryotic diversity in stream sediments affected by acid mine drainage. Extremophiles, 2020, 24, 809- | -8¶9 | 6 |
| 51 | Leaching efficiency and kinetics of the recovery of palladium and rhodium from a spent auto-catalyst in HCl/CuCl media. <i>Environmental Technology (United Kingdom)</i> , 2020 , 41, 2293-2304 | 2.6 | 8 |
| 50 | Potential of industrial by-products and wastes from the Iberian Peninsula as carbon sources for sulphate-reducing bacteria. <i>International Journal of Environmental Science and Technology</i> , 2019 , 16, 47 | 1 3 -47: | 38 ³ |
| 49 | Zantaz honey fhonofloralityIIChemometric applied to the routinely assessed parameters. <i>LWT</i> - Food Science and Technology, 2019 , 106, 29-36 | 5.4 | 7 |
| 48 | A meta-taxonomic investigation of the prokaryotic diversity of water bodies impacted by acid mine drainage from the SD Domingos mine in southern Portugal. <i>Extremophiles</i> , 2019 , 23, 821-834 | 3 | 5 |
| 47 | Separation and recovery of Pd and Fe as nanosized metal sulphides by combining solvent extraction with biological strategies based on the use of sulphate-reducing bacteria. <i>Separation and Purification Technology</i> , 2019 , 212, 747-756 | 8.3 | 10 |
| 46 | N,N?-dimethyl-N,N?-dicyclohexylsuccinamide: A novel molecule for the separation and recovery of Pd(II) by liquid-liquid extraction. <i>Separation and Purification Technology</i> , 2018 , 201, 96-105 | 8.3 | 14 |
| 45 | Putative Role of Flavobacterium, Dokdonella and Methylophilus Strains in Paracetamol Biodegradation. <i>Water, Air, and Soil Pollution</i> , 2018 , 229, 1 | 2.6 | 26 |
| 44 | Growth, photosynthetic pigments, phenolic content and biological activities of Foeniculum vulgare Mill., Anethum graveolens L. and Pimpinella anisum L. (Apiaceae) in response to zinc. <i>Industrial Crops and Products</i> , 2017 , 109, 627-636 | 5.9 | 16 |
| 43 | Profiling of antioxidant potential and phytoconstituents of Plantago coronopus. <i>Brazilian Journal of Biology</i> , 2017 , 77, 632-641 | 1.5 | 15 |

(2013-2017)

| 42 | Design of remediation pilot plants for the treatment of industrial metal-bearing effluents (BIOMETAL DEMO project): Lab tests. <i>Hydrometallurgy</i> , 2017 , 168, 103-115 | 4 | 7 |
|----|--|------|----|
| 41 | Biological synthesis of nanosized sulfide semiconductors: current status and future prospects. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 8283-302 | 5.7 | 15 |
| 40 | Performance and Bacterial Community Shifts During Phosphogypsum Biotransformation. <i>Water, Air, and Soil Pollution</i> , 2016 , 227, 1 | 2.6 | 5 |
| 39 | Application of urea-agarose gel electrophoresis to select non-redundant 16S rRNAs for taxonomic studies: palladium(II) removal bacteria. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 2721-35 | 5.7 | |
| 38 | N , N ?-tetrasubstituted succinamides as new molecules for liquid autraction of Pt(IV) from chloride media. <i>Separation and Purification Technology</i> , 2016 , 158, 409-416 | 8.3 | 16 |
| 37 | Insights into Ionizing-Radiation-Resistant Bacteria S-Layer Proteins and Nanobiotechnology for Bioremediation of Hazardous and Radioactive Waste 2016 , | | 2 |
| 36 | Recovery of gold(0) nanoparticles from aqueous solutions using effluents from a bioremediation process. <i>RSC Advances</i> , 2016 , 6, 112784-112794 | 3.7 | 7 |
| 35 | A bridge between liquid IIquid extraction and the use of bacterial communities for palladium and platinum recovery as nanosized metal sulphides. <i>Hydrometallurgy</i> , 2016 , 163, 40-48 | 4 | 9 |
| 34 | Biotechnologically obtained nanocomposites: A practical application for photodegradation of Safranin-T under UV-Vis and solar light. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2015 , 50, 996-1010 | 2.3 | 5 |
| 33 | Biometal Demonstration Plant for the Biological Rehabilitation of Metal Bearing-Wastewaters (Biometal Demo). <i>Advanced Materials Research</i> , 2015 , 1130, 535-538 | 0.5 | |
| 32 | Start-up, adjustment and long-term performance of a two-stage bioremediation process, treating real acid mine drainage, coupled with biosynthesis of ZnS nanoparticles and ZnS/TiO2 nanocomposites. <i>Minerals Engineering</i> , 2015 , 75, 85-93 | 4.9 | 26 |
| 31 | Clostridia initiate heavy metal bioremoval in mixed sulfidogenic cultures. <i>Environmental Science</i> & amp; Technology, 2014 , 48, 3378-85 | 10.3 | 25 |
| 30 | Oxidative leaching process with cupric ion in hydrochloric acid media for recovery of Pd and Rh from spent catalytic converters. <i>Journal of Hazardous Materials</i> , 2014 , 278, 82-90 | 12.8 | 61 |
| 29 | The Solvent Extraction Performance of N,NDimethyl-N,NDibutylmalonamide Towards Platinum and Palladium in Chloride Media. <i>Separation Science and Technology</i> , 2014 , 49, 966-973 | 2.5 | 23 |
| 28 | Recovery of Platinum and Palladium from Chloride Solutions by a Thiodiglycolamide Derivative. <i>Solvent Extraction and Ion Exchange</i> , 2014 , 32, 78-94 | 2.5 | 38 |
| 27 | Palladium recovery as nanoparticles by an anaerobic bacterial community. <i>Journal of Chemical Technology and Biotechnology</i> , 2013 , 88, n/a-n/a | 3.5 | 6 |
| 26 | Green synthesis of covellite nanocrystals using biologically generated sulfide: potential for bioremediation systems. <i>Journal of Environmental Management</i> , 2013 , 128, 226-32 | 7.9 | 17 |
| 25 | Liquid-Liquid Extraction of Platinum from Chloride Media by N,N?-Dimethyl-N,N?-Dicyclohexyltetradecylmalonamide. <i>Solvent Extraction and Ion Exchange</i> , 2013 , 31, 12-23 | 2.5 | 24 |

| 24 | Biologically-induced precipitation of sphalerite-wurtzite nanoparticles by sulfate-reducing bacteria: implications for acid mine drainage treatment. <i>Science of the Total Environment</i> , 2012 , 423, 176-84 | 10.2 | 49 |
|----|--|------|-----|
| 23 | Aluminum and sulphate removal by a highly Al-resistant dissimilatory sulphate-reducing bacteria community. <i>Biodegradation</i> , 2012 , 23, 693-703 | 4.1 | 9 |
| 22 | Synthesis of nanocrystalline ZnS using biologically generated sulfide. <i>Hydrometallurgy</i> , 2012 , 117-118, 57-63 | 4 | 26 |
| 21 | Bromate removal by anaerobic bacterial community: mechanism and phylogenetic characterization. <i>Journal of Hazardous Materials</i> , 2011 , 197, 237-43 | 12.8 | 26 |
| 20 | Performance and bacterial community shifts during bioremediation of acid mine drainage from two Portuguese mines. <i>International Biodeterioration and Biodegradation</i> , 2011 , 65, 972-981 | 4.8 | 30 |
| 19 | A bacterial consortium isolated from an Icelandic fumarole displays exceptionally high levels of sulfate reduction and metals resistance. <i>Journal of Hazardous Materials</i> , 2011 , 187, 362-70 | 12.8 | 21 |
| 18 | Dynamics of bacterial community in up-flow anaerobic packed bed system for acid mine drainage treatment using wine wastes as carbon source. <i>International Biodeterioration and Biodegradation</i> , 2011 , 65, 78-84 | 4.8 | 17 |
| 17 | Production of irrigation water from bioremediation of acid mine drainage: comparing the performance of two representative systems. <i>Journal of Cleaner Production</i> , 2010 , 18, 248-253 | 10.3 | 23 |
| 16 | Anaerobic bio-removal of uranium (VI) and chromium (VI): comparison of microbial community structure. <i>Journal of Hazardous Materials</i> , 2010 , 176, 1065-72 | 12.8 | 36 |
| 15 | Effect of uranium (VI) on two sulphate-reducing bacteria cultures from a uranium mine site. <i>Science of the Total Environment</i> , 2010 , 408, 2621-8 | 10.2 | 21 |
| 14 | Mechanism of uranium (VI) removal by two anaerobic bacterial communities. <i>Journal of Hazardous Materials</i> , 2010 , 184, 89-96 | 12.8 | 39 |
| 13 | Biological sulphate reduction using food industry wastes as carbon sources. <i>Biodegradation</i> , 2009 , 20, 559-67 | 4.1 | 29 |
| 12 | Characterization and activity studies of highly heavy metal resistant sulphate-reducing bacteria to be used in acid mine drainage decontamination. <i>Journal of Hazardous Materials</i> , 2009 , 166, 706-13 | 12.8 | 114 |
| 11 | Marble stone processing powder residue as chemical adjuvant for the biologic treatment of acid mine drainage. <i>Process Biochemistry</i> , 2009 , 44, 477-480 | 4.8 | 20 |
| 10 | Wine wastes as carbon source for biological treatment of acid mine drainage. <i>Chemosphere</i> , 2009 , 75, 831-6 | 8.4 | 59 |
| 9 | Treatment of Acid Mine Drainage by Sulphate-reducing Bacteria Using Low Cost Matrices. <i>Water, Air, and Soil Pollution</i> , 2008 , 189, 149-162 | 2.6 | 50 |
| 8 | The Solvent Extraction of Iron(III) from Chloride Solutions by N,N?-Tetrasubstituted Malonamides: Structure-Activity Relationships. <i>Solvent Extraction and Ion Exchange</i> , 2007 , 25, 463-484 | 2.5 | 17 |
| 7 | Application of N,N?-tetrasubstituted malonamides to the recovery of iron(III) from chloride solutions. <i>Hydrometallurgy</i> , 2005 , 77, 103-108 | 4 | 17 |

LIST OF PUBLICATIONS

| 6 | Bioremediation of Acid Mine Drainage Using Acidic Soil and Organic Wastes for Promoting Sulphate-Reducing Bacteria Activity on a Column Reactor. <i>Water, Air, and Soil Pollution</i> , 2005 , 165, 325- | 345 | 50 |
|---|--|-----|----|
| 5 | Solvent Extraction of Iron(III) from Acidic Chloride Media Using N,N?-Dimethyl-N,N?-dibutylmalonamide. <i>Separation Science and Technology</i> , 2005 , 39, 3573-3599 | 2.5 | 22 |
| 4 | Solvent Extraction of Iron(III) from Hydrochloric Acid Solutions Using N,N?-Dimethyl-N,N?-diphenylmalonamide and N,N?-Dimethyl-N,N?-diphenyltetradecylmalonamide. <i>Solvent Extraction and Ion Exchange</i> , 2003 , 21, 653-686 | 2.5 | 34 |
| 3 | Characterization of a natural and an electro-oxidized arsenopyrite: a study on electrochemical and X-ray photoelectron spectroscopy. <i>International Journal of Mineral Processing</i> , 2002 , 65, 83-108 | | 39 |
| 2 | Electro-oxidation as a pre-treatment for gold recovery. <i>Hydrometallurgy</i> , 1996 , 40, 99-110 | 4 | 14 |
| 1 | A New Application of Solvent Extraction to Separate Copper from Extreme Acid Mine Drainage Producing Solutions for Electrochemical and Biological Recovery Processes. <i>Mine Water and the Environment</i> ,1 | 2.4 | O |