Rong Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7823046/publications.pdf Version: 2024-02-01



RONG WANG

#	Article	lF	CITATIONS
1	The optimal anti-phospholipase A2 receptor cutoff for the diagnosis of idiopathic membranous nephropathy: a single-center retrospective study. Korean Journal of Internal Medicine, 2022, 37, 154-166.	1.7	10
2	Anti-PLA2R antibody measured by ELISA predicts the risk of vein thrombosis in patients with primary membranous nephropathy. Renal Failure, 2022, 44, 594-600.	2.1	5
3	Inhibition of the IncRNA MIAT prevents podocyte injury and mitotic catastrophe in diabetic nephropathy. Molecular Therapy - Nucleic Acids, 2022, 28, 136-153.	5.1	13
4	How Do University Students' Perceptions of the Instructor's Role Influence Their Learning Outcomes and Satisfaction in Cloud-Based Virtual Classrooms During the COVID-19 Pandemic?. Frontiers in Psychology, 2021, 12, 627443.	2.1	24
5	Faster lipid βâ€oxidation rate by acetylâ€CoA carboxylase 2 inhibition alleviates highâ€glucoseâ€induced insulin resistance via SIRT1/PGCâ€1α in human podocytes. Journal of Biochemical and Molecular Toxicology, 2021, 35, e22797.	3.0	9
6	Coexisting nutcracker phenomenon and superior mesenteric artery syndrome in a patient with IgA nephropathy. Medicine (United States), 2021, 100, e26611.	1.0	7
7	Chinese University Students' Perceptions of Facilitation Strategies, Learning Motivation, and Satisfaction in Cloud-Based Virtual Classrooms. Frontiers in Psychology, 2021, 12, 801191.	2.1	8
8	Podocyte-derived extracellular vesicles mediate renal proximal tubule cells dedifferentiation via microRNA-221 in diabetic nephropathy. Molecular and Cellular Endocrinology, 2020, 518, 111034.	3.2	38
9	Executive summary for China Kidney Disease Network (CK-NET) 2016 Annual Data Report. Kidney International, 2020, 98, 1419-1423.	5.2	56
10	Leptin promotes endothelial dysfunction in chronic kidney disease by modulating the MTA1-mediated WNT/β-catenin pathway. Molecular and Cellular Biochemistry, 2020, 473, 155-166.	3.1	13
11	Thymol alleviates AGEs-induced podocyte injury by a pleiotropic effect via NF-κB-mediated by RhoA/ROCK signalling pathway. Cell Adhesion and Migration, 2020, 14, 42-56.	2.7	8
12	GSK343, an inhibitor of EZH2, mitigates fibrosis and inflammation mediated by HIF-1α in human peritoneal mesothelial cells treated with high glucose. European Journal of Pharmacology, 2020, 880, 173076.	3.5	27
13	Retrospective study: clinicopathological features and prognosis of idiopathic membranous nephropathy with seronegative anti-phospholipase A2 receptor antibody. PeerJ, 2020, 8, e8650.	2.0	9
14	Nephroprotective effects of eriocitrin via alleviation of oxidative stress and DNA damage against cisplatin-induced renal toxicity. Turkish Journal of Biochemistry, 2020, 45, 381-388.	0.5	4
15	The relation of dental students' learning styles to their satisfaction with traditional and inverted classroom models. BMC Medical Education, 2019, 19, 315.	2.4	17
16	Flavonoids in a crude extract of <i>Catha edulis</i> inhibit rat intestinal contraction via blocking Ca ²⁺ channels. Neurogastroenterology and Motility, 2019, 31, e13602.	3.0	8
17	Clinical and pathological features of idiopathic membranous nephropathy with focal segmental sclerosis. BMC Nephrology, 2019, 20, 467.	1.8	11
18	Podocyte-specific Rac1 deficiency ameliorates podocyte damage and proteinuria in STZ-induced diabetic nephropathy in mice. Cell Death and Disease, 2018, 9, 342.	6.3	29

Rong Wang

#	Article	IF	CITATIONS
19	STF-083010, an inhibitor of XBP1 splicing, attenuates acute renal failure in rats by suppressing endoplasmic reticulum stress-induced apoptosis and inflammation. Experimental Animals, 2018, 67, 373-382.	1.1	21
20	Nonâ€diabetic renal disease in patients with type 2 diabetes: a single centre study. Internal Medicine Journal, 2018, 48, 451-456.	0.8	8
21	β-Arrestin-1 deficiency ameliorates renal interstitial fibrosis by blocking Wnt1/β-catenin signaling in mice. Journal of Molecular Medicine, 2018, 96, 97-109.	3.9	21
22	Evaluation of a virtual neurophysiology laboratory as a new pedagogical tool for medical undergraduate students in China. American Journal of Physiology - Advances in Physiology Education, 2018, 42, 704-710.	1.6	11
23	Correlation between Soluble <i>$\hat{1}$±</i> -Klotho and Renal Function in Patients with Chronic Kidney Disease: A Review and Meta-Analysis. BioMed Research International, 2018, 2018, 1-12.	1.9	41
24	RhoA/Rho-kinase triggers epithelial-mesenchymal transition in mesothelial cells and contributes to the pathogenesis of dialysis-related peritoneal fibrosis. Oncotarget, 2018, 9, 14397-14412.	1.8	26
25	Thymol alleviates lipopolysaccharide-stimulated inflammatory response via downregulation of RhoA-mediated NF-I®B signalling pathway in human peritoneal mesothelial cells. European Journal of Pharmacology, 2018, 833, 210-220.	3.5	27
26	CD80 and CTLA-4 as diagnostic and prognostic markers in adult-onset minimal change disease: a retrospective study. PeerJ, 2018, 6, e5400.	2.0	10
27	Lnc <scp>RNA MALAT</scp> 1 is dysregulated in diabetic nephropathy and involved in high glucoseâ€induced podocyte injury <i>via</i> its interplay with βâ€catenin. Journal of Cellular and Molecular Medicine, 2017, 21, 2732-2747.	3.6	160
28	Tacrolimus Monotherapy after Intravenous Methylprednisolone in Adults with Minimal Change Nephrotic Syndrome. Journal of the American Society of Nephrology: JASN, 2017, 28, 1286-1295.	6.1	28
29	<scp>FAK</scp> contributes to proteinuria in hypercholesterolaemic rats and modulates podocyte Fâ€actin reâ€organization <i>via</i> activating p38 in response to oxâ€ <scp>LDL</scp> . Journal of Cellular and Molecular Medicine, 2017, 21, 552-567.	3.6	18
30	Fyn Mediates High Glucose-Induced Actin Cytoskeleton Reorganization of Podocytes via Promoting ROCK Activation <i> In Vitro</i> . Journal of Diabetes Research, 2016, 2016, 1-13.	2.3	33
31	Involvement of the NF-κB signaling pathway in the renoprotective effects of isorhamnetin in a type 2 diabetic rat model. Biomedical Reports, 2016, 4, 628-634.	2.0	33
32	Expression of peptide fragments from <scp>proADM</scp> and involvement of mitogenâ€activated protein kinase signaling pathways in pulmonary remodeling induced by high pulmonary blood flow. Congenital Anomalies (discontinued), 2016, 56, 28-34.	0.6	5
33	Leptin promotes endothelial dysfunction in chronic kidney disease through AKT/GSK3Î ² and Î ² -catenin signals. Biochemical and Biophysical Research Communications, 2016, 480, 544-551.	2.1	18
34	Blockade of vascular endothelial growth factor-A/receptor 2 exhibits a protective effect on angiotensin-II stimulated podocytes. Molecular Medicine Reports, 2015, 12, 4340-4345.	2.4	14
35	Longâ€Term Outcomes of Total Parathyroidectomy With or Without Autoimplantation for Hyperparathyroidism in Chronic Kidney Disease: A Metaâ€Analysis. Therapeutic Apheresis and Dialysis, 2015, 19, 477-485.	0.9	19
36	Nitrooleic Acid Protects against Cisplatin Nephropathy: Role of COX-2/mPGES-1/PGE2Cascade. Mediators of Inflammation, 2015, 2015, 1-9.	3.0	19

#	Article	IF	CITATIONS
37	Nitrooleic Acid Attenuates Lipid Metabolic Disorders and Liver Steatosis in DOCA-Salt Hypertensive Mice. PPAR Research, 2015, 2015, 1-9.	2.4	7

38	Human antigen <scp>R</scp> mediated postâ€transcriptional regulation of epithelialâ€mesenchymal transition related genes in diabetic nephropathy ä≌抗原Rè°fèŠ,ç³—å°¿ç—…è,¾ç—…à,ä,Šçš®ç»†èfžé—´è´+2¬åŒ–ç>,å³	21. aYºå›çš"è¹
----	--	-------------------

39	The liver X receptor agonist TO901317 protects mice against cisplatin-induced kidney injury. Experimental Biology and Medicine, 2015, 240, 1717-1727.	2.4	10
40	Dynamic changes of early-stage aortic lipid deposition in chronic renal failure rats and effects of decorin gene therapy. Experimental and Therapeutic Medicine, 2015, 9, 591-597.	1.8	3
41	Unique MicroRNA signatures associated with early coronary atherosclerotic plaques. Biochemical and Biophysical Research Communications, 2015, 464, 574-579.	2.1	29
42	Acute kidney injury in China: a cross-sectional survey. Lancet, The, 2015, 386, 1465-1471.	13.7	319
43	Identification of NOD2 as a novel target of RNA-binding protein HuR: evidence from NADPH oxidase-mediated HuR signaling in diabetic nephropathy. Free Radical Biology and Medicine, 2015, 79, 217-227.	2.9	40
44	Continuous hemodiafiltration therapy reduces damage of multi-organs by ameliorating of HMGB1/TLR4/NFήB in a dog sepsis model. International Journal of Clinical and Experimental Pathology, 2015, 8, 1555-64.	0.5	16
45	Association of ACE polymorphism and diabetic nephropathy susceptibility. International Journal of Clinical and Experimental Medicine, 2015, 8, 2962-5.	1.3	2
46	Expression of HMGB1/RAGE protein in renal carcinoma and its clinical significance. International Journal of Clinical and Experimental Pathology, 2015, 8, 6262-8.	0.5	5
47	Diffuse mesangial and endocapillary cell proliferative glomerulonephritis with persistent hypocomplementemia in a child. International Journal of Clinical and Experimental Medicine, 2015, 8, 16834-7.	1.3	0
48	Experimental immunology Use of laser microdissection in the analysis of of renal infiltrating T cells in murine lupus. Central-European Journal of Immunology, 2014, 3, 285-293.	1.2	7
49	Kimura disease associated with IgA nephropathy. Kaohsiung Journal of Medical Sciences, 2014, 30, 213-214.	1.9	3
50	Integrated Analysis of Microarray Data of Atherosclerotic Plaques: Modulation of the Ubiquitin-Proteasome System. PLoS ONE, 2014, 9, e110288.	2.5	11
51	The Effect of Low Calcium Dialysate on Calciumâ€Phosphate Metabolism and Its Correlation With Other Coefficient Factors in CAPD. Dialysis and Transplantation, 2009, 38, 320-323.	0.2	2
52	Emodin suppresses interleukin-1β induced mesangial cells proliferation and extracellular matrix production via inhibiting P38 MAPK. Life Sciences, 2007, 80, 2481-2488.	4.3	44