

Yong-Jin Won

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7824196/publications.pdf>

Version: 2024-02-01

33
papers

1,344
citations

623574

14
h-index

434063

31
g-index

33
all docs

33
docs citations

33
times ranked

1815
citing authors

#	ARTICLE	IF	CITATIONS
1	Divergent paths in the evolutionary history of maternally transmitted clam symbionts. Proceedings of the Royal Society B: Biological Sciences, 2022, 289, 20212137.	1.2	9
2	Locomotor responses to salt stress in native and invasive mud-tidal gastropod populations (<i>Batillaria</i>). Ecology and Evolution, 2021, 11, 458-470.	0.8	4
3	Experimental data supporting adaptive locomotor responses to salt stress in the mud-tidal gastropod populations (<i>Batillaria</i>). Data in Brief, 2021, 36, 107113.	0.5	0
4	Genetic patterns reveal northward range expansion and cryptic diversity in <i>Nalbant</i> 's spined loach, <i>Cobitis nalbanti sensu lato</i> (Teleostei: Cypriniformes: Cobitidae). Systematics and Biodiversity, 2020, 18, 1-11.	0.5	3
5	Impacts of Salt Stress on Locomotor and Transcriptomic Responses in the Intertidal Gastropod <i>Batillaria attramentaria</i> . Biological Bulletin, 2019, 236, 224-241.	0.7	10
6	Bidirectional mitochondrial introgression between Korean cobitid fish mediated by hybridogenetic hybrids. Ecology and Evolution, 2019, 9, 1244-1254.	0.8	18
7	Multi-locus phylogenetic analyses support the monophyly and the Miocene diversification of <i>Iksookimia</i> (Teleostei: Cypriniformes: Cobitidae). Systematics and Biodiversity, 2018, 16, 81-88.	0.5	12
8	Exploring the Ecology of Deep-Sea Hydrothermal Vents in a Metacommunity Framework. Frontiers in Marine Science, 2018, 5, .	1.2	79
9	A new yeti crab phylogeny: Vent origins with indications of regional extinction in the East Pacific. PLoS ONE, 2018, 13, e0194696.	1.1	18
10	Fish Distribution Characteristics of Mudeungsan National Park. Han'gug Hwan'gyeong Saengtae Haghoeji = Korean Journal of Environment and Ecology, 2018, 32, 154-164.	0.1	1
11	Impact of human activities on changes of ichthyofauna in Dongjin River of Korea in the past 30 years. Animal Cells and Systems, 2017, 21, 207-216.	0.8	7
12	Geographical structure of endosymbiotic bacteria hosted by <i>Bathymodiolus</i> mussels at eastern Pacific hydrothermal vents. BMC Evolutionary Biology, 2017, 17, 121.	3.2	34
13	Small fishes crossed a large mountain range: Quaternary stream capture events and freshwater fishes on both sides of the Taebaek Mountains. Integrative Zoology, 2017, 12, 292-302.	1.3	6
14	<i>Cobitis nalbanti</i> , a new species of spined loach from South Korea, and redescription of <i>Cobitis lutheri</i> (Teleostei: Cobitidae). Zootaxa, 2016, 4208, 577.	0.2	12
15	Complete mitochondrial genome of the headwater livebearer, <i>Poeciliopsis monacha</i> : the mother of clones. Mitochondrial DNA Part B: Resources, 2016, 1, 793-794.	0.2	2
16	Population subdivision of hydrothermal vent polychaete <i>Alvinella pompejana</i> across equatorial and Easter Microplate boundaries. BMC Evolutionary Biology, 2016, 16, 235.	3.2	17
17	Complete mitochondrial genome of the hydrothermal vent tubeworm, <i>Ridgeia piscesae</i> (Polychaeta, Tj ETQq1 1 0.784314 rgBT /Overl	0.6	3
18	Postglacial range shift and demographic expansion of the marine intertidal snail <i>Batillaria attramentaria</i> . Ecology and Evolution, 2015, 5, 419-435.	0.8	18

#	ARTICLE	IF	CITATIONS
19	Genomic replacement of native <i>Cobitis lutheri</i> with introduced <i>C. tetralineata</i> through a hybrid swarm following the artificial connection of river systems. <i>Ecology and Evolution</i> , 2014, 4, 1451-1465.	0.8	15
20	A hybrid zone between <i>Bathymodiolus</i> mussel lineages from eastern Pacific hydrothermal vents. <i>BMC Evolutionary Biology</i> , 2013, 13, 21.	3.2	35
21	High genetic diversity within the morphologically conservative dwarf loach, <i>Kichulchoia brevifasciata</i> (Teleostei: Cobitidae), an endangered freshwater fish from South Korea. <i>Conservation Genetics</i> , 2013, 14, 757-769.	0.8	9
22	Identification of Cichlid Fishes from Lake Malawi Using Computer Vision. <i>PLoS ONE</i> , 2013, 8, e77686.	1.1	14
23	Estimation of divergence times in cnidarian evolution based on mitochondrial protein-coding genes and the fossil record. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 329-345.	1.2	204
24	Population Genetic Structure and Evidence of Demographic Expansion of the Ayu (<i>Plecoglossus</i>) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 5	0.2	13
25	The complete mitochondrial genome of <i>Calicogorgia granulosa</i> (Anthozoa: Octocorallia): Potential gene novelty in unidentified ORFs formed by repeat expansion and segmental duplication. <i>Gene</i> , 2011, 486, 81-87.	1.0	18
26	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 December 2010â€“31 January 2011. <i>Molecular Ecology Resources</i> , 2011, 11, 586-589.	2.2	38
27	The Complete Mitochondrial Genome of <i>Dendronephthya gigantea</i> (Anthozoa: Octocorallia:) Tj ETQq1 1 0.784314 rgBT / Overlock 10	0.2	3
28	Absence of Cospeciation Between Deep-Sea Mytilids and Their Thiotrophic Endosymbionts. <i>Journal of Shellfish Research</i> , 2008, 27, 129-138.	0.3	59
29	Nuclear Gene Variation and Molecular Dating of the Cichlid Species Flock of Lake Malawi. <i>Molecular Biology and Evolution</i> , 2006, 23, 828-837.	3.5	30
30	On the origin of Lake Malawi cichlid species: A population genetic analysis of divergence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6581-6586.	3.3	116
31	Characterization of Symbiont Populations in Life-History Stages of Mussels From Chemosynthetic Environments. <i>Biological Bulletin</i> , 2005, 208, 145-155.	0.7	66
32	Divergence Population Genetics of Chimpanzees. <i>Molecular Biology and Evolution</i> , 2004, 22, 297-307.	3.5	322
33	Environmental Acquisition of Thiotrophic Endosymbionts by Deep-Sea Mussels of the Genus <i>Bathymodiolus</i> . <i>Applied and Environmental Microbiology</i> , 2003, 69, 6785-6792.	1.4	149