Lisa M Sanders

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7825771/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Whole grain intake, compared to refined grain, improves postprandial glycemia and insulinemia: a systematic review and meta-analysis of randomized controlled trials. Critical Reviews in Food Science and Nutrition, 2023, 63, 5339-5357.	5.4	12
2	Effects of potato resistant starch intake on insulin sensitivity, related metabolic markers and appetite ratings in men and women at risk for type 2 diabetes: a pilot crossâ€over randomised controlled trial. Journal of Human Nutrition and Dietetics, 2021, 34, 94-105.	1.3	10
3	Effects of Whole Grain Intake, Compared with Refined Grain, on Appetite and Energy Intake: A Systematic Review and Meta-Analysis. Advances in Nutrition, 2021, 12, 1177-1195.	2.9	24
4	The Potential Role of Appetite in Mediating the Relationship of Whole Grains and Body Weight. Nutrition Today, 2021, 56, 239-245.	0.6	0
5	Implementing the 2020–2025 Dietary Guidelines for Americans: Recommendations for a Path Forward. Current Developments in Nutrition, 2021, 5, nzab136.	0.1	3
6	Implementing the 2020–2025 Dietary Guidelines for Americans: Recommendations for a path forward. Journal of Food Science, 2021, 86, 5087-5099.	1.5	7
7	Effects of Whole Grain, Compared to Refined Grain, Intake on Subjective Measures of Appetite: A Systematic Review and Meta-Analysis. Current Developments in Nutrition, 2020, 4, nzaa049_050.	0.1	0
8	Absorption of Folic Acid from Different Delivery Forms: A Randomized, Crossover Study. Current Developments in Nutrition, 2020, 4, nzaa054_042.	0.1	0
9	Cost savings of reduced constipation rates attributed to increased dietary fiber intakes: a decision-analytic model. BMC Public Health, 2014, 14, 374.	1.2	37
10	Addedâ€sugar labeling: implications for consumers (630.11). FASEB Journal, 2014, 28, 630.11.	0.2	0
11	Docosahexaenoic acid in plasma phosphatidylcholine may be a potential marker for in vivo phosphatidylethanolamine N-methyltransferase activity in humans. American Journal of Clinical Nutrition, 2011, 93, 968-974.	2.2	53
12	The use of a wireless motility device (SmartPill [®]) for the measurement of gastrointestinal transit time after a dietary fibre intervention. British Journal of Nutrition, 2011, 105, 1337-1342.	1.2	46
13	Soluble Fibers and Resistant Starch Ameliorate Disease Activity in Interleukin-10–Deficient Mice with Inflammatory Bowel Disease. Journal of Nutrition, 2011, 141, 1318-1325.	1.3	73
14	Dietary Docosahexaenoic Acid Supplementation Modulates Hippocampal Development in the Pemtâ^'/â^' Mouse. Journal of Biological Chemistry, 2010, 285, 1008-1015.	1.6	39
15	Novel Fibers Increase Bone Calcium Content and Strength beyond Efficiency of Large Intestine Fermentation. Journal of Agricultural and Food Chemistry, 2010, 58, 8952-8957.	2.4	94
16	The Effect of the Undigested Fraction of Maize Products on the Activity and Composition of the Microbiota Determined in a Dynamic <i>in Vitro</i> Model of the Human Proximal Large Intestine. Journal of the American College of Nutrition, 2009, 28, 657-666.	1.1	102
17	Beneficial effects of resistant starch on laxation in healthy adults. International Journal of Food Sciences and Nutrition, 2009, 60, 296-305.	1.3	29
18	Effect of Novel Maize-based Dietary Fibers on Postprandial Glycemia and Insulinemia. Journal of the American College of Nutrition, 2008, 27, 711-718.	1.1	52

LISA M SANDERS

#	Article	IF	CITATIONS
19	Upregulation of p21Waf1/Cip1 expression in vivo by butyrate administration can be chemoprotective or chemopromotive depending on the lipid component of the diet. Carcinogenesis, 2008, 29, 1415-1420.	1.3	60
20	Choline. Nutrition Today, 2007, 42, 181-186.	0.6	83
21	Phosphatidylcholine containing docosahexaenoic acid (DHA) as a marker for in vivo phospatidylethanolamine methyltransferase: implications for brain development. FASEB Journal, 2007, 21, A1120.	0.2	0
22	An Increase in Reactive Oxygen Species by Dietary Fish Oil Coupled with the Attenuation of Antioxidant Defenses by Dietary Pectin Enhances Rat Colonocyte Apoptosis. Journal of Nutrition, 2004, 134, 3233-3238.	1.3	80
23	Pro-oxidant environment of the colon compared to the small intestine may contribute to greater cancer susceptibility. Cancer Letters, 2004, 208, 155-161.	3.2	61
24	Fish oil increases mitochondrial phospholipid unsaturation, upregulating reactive oxygen species and apoptosis in rat colonocytes. Carcinogenesis, 2002, 23, 1919-1926.	1.3	129
25	Dietary nâ°'3 PUFA alter colonocyte mitochondrial membrane composition and function. Lipids, 2002, 37, 193-199.	0.7	86