

Anders Bergh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/78266/publications.pdf>

Version: 2024-02-01

93
papers

4,044
citations

147801

31
h-index

138484

58
g-index

95
all docs

95
docs citations

95
times ranked

5247
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical and biological relevance of the transcriptomicâ€based prostate cancer metastasis subtypes MetAâ€C. <i>Molecular Oncology</i> , 2022, 16, 846-859.	4.6	8
2	Rat prostate tumors induce DNA synthesis in remote organs. <i>Scientific Reports</i> , 2022, 12, 7908.	3.3	0
3	Highâ€grade tumours promote growth of other lessâ€malignant tumours in the same prostate. <i>Journal of Pathology</i> , 2021, 253, 396-403.	4.5	1
4	A tactile resonance sensor for prostate cancer detection â€ evaluation on human prostate tissue. <i>Biomedical Physics and Engineering Express</i> , 2021, 7, 025017.	1.2	1
5	Registration of histopathology to magnetic resonance imaging of prostate cancer. <i>Physics and Imaging in Radiation Oncology</i> , 2021, 18, 19-25.	2.9	9
6	High Monocyte Count and Expression of S100A9 and S100A12 in Peripheral Blood Mononuclear Cells Are Associated with Poor Outcome in Patients with Metastatic Prostate Cancer. <i>Cancers</i> , 2021, 13, 2424.	3.7	6
7	A novel DNA methylation signature is associated with androgen receptor activity and patient prognosis in bone metastatic prostate cancer. <i>Clinical Epigenetics</i> , 2021, 13, 133.	4.1	15
8	Marked response to cabazitaxel in prostate cancer xenografts expressing androgen receptor variant 7 and reversion of acquired resistance by antiâ€androgens. <i>Prostate</i> , 2020, 80, 214-224.	2.3	10
9	Comprehensive metabolomics analysis of prostate cancer tissue in relation to tumor aggressiveness and TMPRSS2-ERG fusion status. <i>BMC Cancer</i> , 2020, 20, 437.	2.6	44
10	Blood transfusions during neoadjuvant chemotherapy for muscle-invasive urinary bladder cancer may have a negative impact on overall survival. <i>Scandinavian Journal of Urology</i> , 2020, 54, 46-51.	1.0	3
11	Smad7 Enhances TGF-Î²-Induced Transcription of c-Jun and HDAC6 Promoting Invasion of Prostate Cancer Cells. <i>IScience</i> , 2020, 23, 101470.	4.1	22
12	TRAF6 function as a novel co-regulator of Wnt3a target genes in prostate cancer. <i>EBioMedicine</i> , 2019, 45, 192-207.	6.1	25
13	Gene expression profiles define molecular subtypes of prostate cancer bone metastases with different outcomes and morphology traceable back to the primary tumor. <i>Molecular Oncology</i> , 2019, 13, 1763-1777.	4.6	16
14	Immunoreactivity for prostate specific antigen and Ki67 differentiates subgroups of prostate cancer related to outcome. <i>Modern Pathology</i> , 2019, 32, 1310-1319.	5.5	37
15	PKCÎ¶ facilitates lymphatic metastatic spread of prostate cancer cells in a mice xenograft model. <i>Oncogene</i> , 2019, 38, 4215-4231.	5.9	12
16	Prostate cancer induces C/EBPÎ² expression in surrounding epithelial cells which relates to tumor aggressiveness and patient outcome. <i>Prostate</i> , 2019, 79, 435-445.	2.3	6
17	Prostate tumors downregulate microseminoproteinâ€beta (MSMB) in the surrounding benign prostate epithelium and this response is associated with tumor aggressiveness. <i>Prostate</i> , 2018, 78, 257-265.	2.3	17
18	U-CAN: a prospective longitudinal collection of biomaterials and clinical information from adult cancer patients in Sweden. <i>Acta OncolÃ³gica</i> , 2018, 57, 187-194.	1.8	52

#	ARTICLE	IF	CITATIONS
19	Association Between Lead Time and Prostate Cancer Grade: Evidence of Grade Progression from Long-term Follow-up of Large Population-based Cohorts Not Subject to Prostate-specific Antigen Screening. <i>European Urology</i> , 2018, 73, 961-967.	1.9	14
20	The Proteome of Prostate Cancer Bone Metastasis Reveals Heterogeneity with Prognostic Implications. <i>Clinical Cancer Research</i> , 2018, 24, 5433-5444.	7.0	68
21	Bone Cell Activity in Clinical Prostate Cancer Bone Metastasis and Its Inverse Relation to Tumor Cell Androgen Receptor Activity. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1223.	4.1	24
22	High levels of the AR-V7 Splice Variant and Co-Amplification of the Golgi Protein Coding <i>YIPF6</i> in <i>AR</i> -Amplified Prostate Cancer Bone Metastases. <i>Prostate</i> , 2017, 77, 625-638.	2.3	27
23	Metastatic spinal cord compression as the first sign of malignancy. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 457-462.	3.3	11
24	Inhibition of the insulin-like growth factor-1 receptor potentiates acute effects of castration in a rat model for prostate cancer growth in bone. <i>Clinical and Experimental Metastasis</i> , 2017, 34, 261-271.	3.3	10
25	TGF- β^2 promotes PI3K-AKT signaling and prostate cancer cell migration through the TRAF6-mediated ubiquitylation of p85 β . <i>Science Signaling</i> , 2017, 10, .	3.6	157
26	Reduced number of CD169 ⁺ macrophages in pre-metastatic regional lymph nodes is associated with subsequent metastatic disease in an animal model and with poor outcome in prostate cancer patients. <i>Prostate</i> , 2017, 77, 1468-1477.	2.3	42
27	Reply to Isabel Heidegger, Renate Pichler, and Andreas Pircher's Letter to the Editor re: Erik Bovinder Ylitalo, Elin Thysell, Emma Jernberg, et al. Subgroups of Castration-resistant Prostate Cancer Bone Metastases Defined Through an Inverse Relationship Between Androgen Receptor Activity and Immune Response. <i>Eur Urol</i> 2017;71:776-87. <i>European Urology</i> , 2017, 72, e104-e105.	1.9	1
28	A Systems Approach to Prostate Cancer Classification—Letter. <i>Cancer Research</i> , 2017, 77, 7131-7132.	0.9	6
29	Subgroups of Castration-resistant Prostate Cancer Bone Metastases Defined Through an Inverse Relationship Between Androgen Receptor Activity and Immune Response. <i>European Urology</i> , 2017, 71, 776-787.	1.9	81
30	Prostate Cancer Detection with a Tactile Resonance Sensor—Measurement Considerations and Clinical Setup. <i>Sensors</i> , 2017, 17, 2453.	3.8	14
31	Aggressive rat prostate tumors reprogram the benign parts of the prostate and regional lymph nodes prior to metastasis. <i>PLoS ONE</i> , 2017, 12, e0176679.	2.5	13
32	Highly aggressive rat prostate tumors rapidly precondition regional lymph nodes for subsequent metastatic growth. <i>PLoS ONE</i> , 2017, 12, e0187086.	2.5	3
33	Pro-invasive properties of Snail1 are regulated by sumoylation in response to TGF β^2 stimulation in cancer. <i>Oncotarget</i> , 2017, 8, 97703-97726.	1.8	18
34	Extratumor Heme Oxygenase-1 (HO-1) Expressing Macrophages Likely Promote Primary and Metastatic Prostate Tumor Growth. <i>PLoS ONE</i> , 2016, 11, e0157280.	2.5	19
35	High Caveolin-1 Expression in Tumor Stroma Is Associated with a Favourable Outcome in Prostate Cancer Patients Managed by Watchful Waiting. <i>PLoS ONE</i> , 2016, 11, e0164016.	2.5	20
36	Extracellular Vesicles from Metastatic Rat Prostate Tumors Prime the Normal Prostate Tissue to Facilitate Tumor Growth. <i>Scientific Reports</i> , 2016, 6, 31805.	3.3	16

#	ARTICLE	IF	CITATIONS
37	Inhibition of Lysyl Oxidase and Lysyl Oxidase-Like Enzymes Has Tumour-Promoting and Tumour-Suppressing Roles in Experimental Prostate Cancer. <i>Scientific Reports</i> , 2016, 6, 19608.	3.3	52
38	The Proteome of Primary Prostate Cancer. <i>European Urology</i> , 2016, 69, 942-952.	1.9	122
39	Rat Prostate Tumor Cells Progress in the Bone Microenvironment to a Highly Aggressive Phenotype. <i>Neoplasia</i> , 2016, 18, 152-161.	5.3	9
40	APPL proteins promote TGF β ² -induced nuclear transport of the TGF β ² type I receptor intracellular domain. <i>Oncotarget</i> , 2016, 7, 279-292.	1.8	28
41	Secreted Factors from Colorectal and Prostate Cancer Cells Skew the Immune Response in Opposite Directions. <i>Scientific Reports</i> , 2015, 5, 15651.	3.3	76
42	Characterization of a Gene Expression Signature in Normal Rat Prostate Tissue Induced by the Presence of a Tumor Elsewhere in the Organ. <i>PLoS ONE</i> , 2015, 10, e0130076.	2.5	11
43	CIN85 modulates TGF β ² signaling by promoting the presentation of TGF β ² receptors on the cell surface. <i>Journal of Cell Biology</i> , 2015, 210, 319-332.	5.2	25
44	High Lysyl Oxidase (LOX) in the Non-Malignant Prostate Epithelium Predicts a Poor Outcome in Prostate Cancer Patient Managed by Watchful Waiting. <i>PLoS ONE</i> , 2015, 10, e0140985.	2.5	16
45	Adaptive (TINT) Changes in the Tumor Bearing Organ Are Related to Prostate Tumor Size and Aggressiveness. <i>PLoS ONE</i> , 2015, 10, e0141601.	2.5	13
46	TMPRSS2-ERG Expression Predicts Prostate Cancer Survival and Associates with Stromal Biomarkers. <i>PLoS ONE</i> , 2014, 9, e86824.	2.5	99
47	TGF β ² -induced invasion of prostate cancer cells is promoted by c-Jun-dependent transcriptional activation of Snail1. <i>Cell Cycle</i> , 2014, 13, 2400-2414.	2.6	59
48	Local and Systemic Protumorigenic Effects of Cancer-Associated Fibroblast-Derived GDF15. <i>Cancer Research</i> , 2014, 74, 3408-3417.	0.9	101
49	High density of S100A9 positive inflammatory cells in prostate cancer stroma is associated with poor outcome. <i>European Journal of Cancer</i> , 2014, 50, 1829-1835.	2.8	37
50	S100A9 Interaction with TLR4 Promotes Tumor Growth. <i>PLoS ONE</i> , 2012, 7, e34207.	2.5	133
51	Characterization and functional role of the stroma compartment in prostate tumors. <i>Future Oncology</i> , 2009, 5, 1231-1235.	2.4	3
52	Extratumoral Macrophages Promote Tumor and Vascular Growth in an Orthotopic Rat Prostate Tumor Model. <i>Neoplasia</i> , 2009, 11, 177-186.	5.3	86
53	Studies of cryptorchidism in experimental animal models. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 617-621.	1.5	42
54	Bone Marrow Fibrosis Evaluation in Childhood Acute Lymphoblastic Leukaemia: Correlation to Biological Factors and Treatment Response.. <i>Blood</i> , 2006, 108, 2280-2280.	1.4	13

#	ARTICLE	IF	CITATIONS
55	Radioimmunosintigraphy using an anti-prostate monoclonal antibody (E4): a dosimetric evaluation. <i>Urological Research</i> , 2001, 29, 216-220.	1.5	1
56	Vascular endothelial growth factor-A and -C protein up-regulation and early angiogenesis in a rat photothrombotic ring stroke model with spontaneous reperfusion. <i>Acta Neuropathologica</i> , 2001, 102, 216-226.	7.7	45
57	Gonadotropin-releasing hormone receptor expression in the human prostate. <i>Prostate</i> , 2001, 47, 276-284.	2.3	56
58	Role of transforming growth factor- β 1 in prostate cancer. <i>Microscopy Research and Technique</i> , 2001, 52, 411-419.	2.2	78
59	Plasma prolactin and prostate cancer risk: A prospective study. <i>International Journal of Cancer</i> , 2001, 92, 463-465.	5.1	58
60	BRCA2 mutation in a family with hereditary prostate cancer. <i>Genes Chromosomes and Cancer</i> , 2001, 30, 299-301.	2.8	30
61	Testicular Damage by Microcirculatory Disruption and Colonization of an Immune-Privileged Site during <i>Borrelia crociduræ</i> Infection. <i>Journal of Experimental Medicine</i> , 2001, 193, 995-1004.	8.5	21
62	Gonadotropin-releasing hormone receptor expression in the human prostate. <i>Prostate</i> , 2001, 47, 276-284.	2.3	1
63	Rye bran and soy protein delay growth and increase apoptosis of human LNCaP prostate adenocarcinoma in nude mice. , 2000, 42, 304-314.		127
64	Vascular endothelial growth factor content in metastasizing and nonmetastasizing dunning prostatic adenocarcinoma. <i>Prostate</i> , 2000, 45, 42-50.	2.3	41
65	Cancer risk in families with hereditary prostate carcinoma. <i>Cancer</i> , 2000, 89, 1315-1321.	4.1	38
66	Low frequency of allelic imbalance at the prostate cancer susceptibility loci HPC1 and 1p36 in Swedish men with hereditary prostate cancer. <i>Genes Chromosomes and Cancer</i> , 2000, 29, 292-296.	2.8	16
67	Evaluation of Prognostic Factors in Prostate Cancer with Partial Least Squares Analysis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000, 34, 252-256.	1.4	1
68	Apoptosis and p53 gene expression in male reproductive tissues of cadmium exposed rats. <i>BioMetals</i> , 1999, 12, 131-139.	4.1	56
69	Alterations of transforming growth factor β 1 (TGF- β 1) and TGF- β 2 receptor expressions with progression in Dunning rat prostatic adenocarcinoma sublines. <i>Urological Research</i> , 1999, 27, 185-193.	1.5	22
70	After radiotherapy testosterone stimulation is unable to increase growth in the Dunning R3327-PAP prostate tumour. <i>Urological Research</i> , 1999, 27, 357-361.	1.5	16
71	Early castration-induced upregulation of transforming growth factor β 1 and its receptors is associated with tumor cell apoptosis and a major decline in serum prostate-specific antigen in prostate cancer patients. , 1999, 38, 268-277.		46
72	Fractionated radiotherapy of rat prostatic adenocarcinoma (Dunning R3327-PAP) in nonanesthetized animals. , 1999, 39, 16-22.		1

#	ARTICLE	IF	CITATIONS
73	Expression of gonadotropin-releasing hormone receptor mRNA in the rat ventral prostate and Dunning R3327 PAP adenocarcinoma before and after castration. , 1999, 39, 101-107.		11
74	Expression of gonadotropin-releasing hormone receptor mRNA in the rat ventral prostate and Dunning R3327 PAP adenocarcinoma before and after castration. Prostate, 1999, 39, 101-107.	2.3	2
75	Evidence for a prostate cancer susceptibility locus on the X chromosome.. Nature Genetics, 1998, 20, 175-179.	21.4	641
76	Expression of vascular endothelial growth factor and its receptors in the rat ventral prostate and Dunning R3327 PAP adenocarcinoma before and after castration. , 1998, 36, 71-79.		46
77	Inhibitory effects of soy and rye diets on the development of Dunning R3327 prostate adenocarcinoma in rats. , 1998, 36, 151-161.		109
78	Transforming growth factor β 1 is associated with angiogenesis, metastasis, and poor clinical outcome in prostate cancer. Prostate, 1998, 37, 19-29.	2.3	269
79	Transforming growth factor β 1 is associated with angiogenesis, metastasis, and poor clinical outcome in prostate cancer. , 1998, 37, 19.		2
80	Is Nitric Oxide Involved in the Regulation of the Rat Testicular Vasculature?1. Biology of Reproduction, 1997, 56, 1221-1227.	2.7	57
81	Vascular density is a predictor of cancer-specific survival in prostatic carcinoma. , 1997, 33, 38-45.		114
82	Estrogen induces apoptosis in a rat prostatic adenocarcinoma: Association with an increased expression of TGF- β 1 and its type-I and type-II receptors. International Journal of Cancer, 1996, 67, 573-579.	5.1	37
83	Effects of estrogens and progestogens on the membrane permeability and growth of human prostatic carcinoma cells (PC-3) in vitro. Prostate, 1995, 26, 5-11.	2.3	11
84	Differentiation-stage specific expression of oncoprotein 18 in human and rat prostatic adenocarcinoma. Prostate, 1995, 27, 102-109.	2.3	87
85	Estramustine potentiates the effects of irradiation on the dunning (R3327) rat prostatic adenocarcinoma. Prostate, 1994, 24, 79-83.	2.3	15
86	Prostate Cancer in Northern Sweden: Incidence, survival and mortality in relation to tumour grade. Acta Oncologica, 1994, 33, 359-363.	1.8	19
87	Castration rapidly results in a major reduction in epithelial cell numbers in the rat prostate, but not in the highly differentiated dunning R3327 prostatic adenocarcinoma. Prostate, 1993, 22, 65-74.	2.3	42
88	Morphologic Changes Induced by Short-term Ischemia in the Rat Testis Are Not Affected by Treatment with Superoxide Dismutase and Catalase. Journal of Andrology, 1988, 9, 15-20.	2.0	28
89	Testicular Blood Flow and Microcirculation in Rats After Treatment with Ethane Dimethyl Sulfonate1. Biology of Reproduction, 1987, 37, 1291-1296.	2.7	31
90	Testicular vascular resistance in the rat after intratesticular injection of an LRH-agonist. Journal of Developmental and Physical Disabilities, 1986, 9, 416-423.	3.6	7

#	ARTICLE	IF	CITATIONS
91	Development of stage-specific paracrine regulation of Leydig cells by the seminiferous tubules. Journal of Developmental and Physical Disabilities, 1985, 8, 80-85.	3.6	21
92	Effect of cryptorchidism on the morphology of testicular macrophages: Evidence for a Leydig cell-macrophage interaction in the rat testis. Journal of Developmental and Physical Disabilities, 1985, 8, 86-96.	3.6	61
93	Local regulation of Leydig cells by the seminiferous tubules. Effect of short-term cryptorchidism. Journal of Developmental and Physical Disabilities, 1984, 7, 409-418.	3.6	26