

# Viviana Cavalca

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7827041/viviana-cavalca-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48  
papers

1,207  
citations

20  
h-index

34  
g-index

51  
ext. papers

1,399  
ext. citations

5.2  
avg, IF

3.78  
L-index

#	Paper	IF	Citations
48	Cardiac arrhythmia catheter ablation procedures guided by x-ray imaging: N-acetylcysteine protection against radiation-induced cellular damage (CARAPACE study): study design. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2021</b> , 61, 577-582	2.4	2
47	Persistent long-term platelet activation and endothelial perturbation in women with Takotsubo syndrome. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 136, 111259	7.5	2
46	A randomized double-blind trial of 3 aspirin regimens to optimize antiplatelet therapy in essential thrombocythemia. <i>Blood</i> , <b>2020</b> , 136, 171-182	2.2	33
45	Endothelial function improvement in patients with familial hypercholesterolemia receiving PCSK-9 inhibitors on top of maximally tolerated lipid lowering therapy. <i>Thrombosis Research</i> , <b>2020</b> , 194, 229-236	8.2	13
44	Relationship Between Plasma Osteopontin and Arginine Pathway Metabolites in Patients With Overt Coronary Artery Disease. <i>Frontiers in Physiology</i> , <b>2020</b> , 11, 982	4.6	0
43	Endothelial Dysfunction in Patients with Severe Mitral Regurgitation. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	2
42	Activation of Nrf2/HO-1 Pathway and Human Atherosclerotic Plaque Vulnerability:an In Vitro and In Vivo Study. <i>Cells</i> , <b>2019</b> , 8,	7.9	13
41	Impact of Oxidative Stress and Protein S-Glutathionylation in Aortic Valve Sclerosis Patients with Overt Atherosclerosis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	11
40	12(S)-Hydroxyeicosatetraenoic acid downregulates monocyte-derived macrophage efferocytosis: New insights in atherosclerosis. <i>Pharmacological Research</i> , <b>2019</b> , 144, 336-342	10.2	11
39	Obesity is associated with impaired responsiveness to once-daily low-dose aspirin and in vivo platelet activation. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 885-895	15.4	23
38	Characterization of aspirin esterase activity in health and disease: In vitro and ex vivo studies. <i>Biochemical Pharmacology</i> , <b>2019</b> , 163, 119-127	6	3
37	Untargeted Metabolomics to Go beyond the Canonical Effect of Acetylsalicylic Acid. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 9,	5.1	3
36	Does Fluoroscopy Induce DNA Oxidative Damage in Patients Undergoing Catheter Ablation?. <i>Antioxidants and Redox Signaling</i> , <b>2018</b> , 28, 1137-1143	8.4	2
35	The Aspirin Regimens in Essential Thrombocythemia (ARES) phase II randomized trial design: Implementation of the serum thromboxane B assay as an evaluation tool of different aspirin dosing regimens in the clinical setting. <i>Blood Cancer Journal</i> , <b>2018</b> , 8, 49	7	21
34	8-Hydroxy-2-deoxyguanosine levels and heart failure: A systematic review and meta-analysis of the literature. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2017</b> , 27, 201-208	4.5	26
33	Assessing Free-Radical-Mediated DNA Damage during Cardiac Surgery: 8-Oxo-7,8-dihydro-2-Deoxyguanosine as a Putative Biomarker. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2017</b> , 2017, 9715898	6.7	3
32	8-Hydroxy-2-Deoxyguanosine Levels and Cardiovascular Disease: A Systematic Review and Meta-Analysis of the Literature. <i>Antioxidants and Redox Signaling</i> , <b>2016</b> , 24, 548-55	8.4	84

31	In Vivo Platelet Activation and Aspirin Responsiveness in Type 1 Diabetes. <i>Diabetes</i> , <b>2016</b> , 65, 503-9	0.9	33
30	Patient-independent variables affecting the assessment of aspirin responsiveness by serum thromboxane measurement. <i>Thrombosis and Haemostasis</i> , <b>2016</b> , 116, 891-896	7	11
29	Role of thromboxane-dependent platelet activation in venous thrombosis: Aspirin effects in mouse model. <i>Pharmacological Research</i> , <b>2016</b> , 107, 415-425	10.2	29
28	Liquid chromatography-tandem mass spectrometry for simultaneous measurement of thromboxane B2 and 12(S)-hydroxyeicosatetraenoic acid in serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 96, 256-62	3.5	19
27	Analysis, physiological and clinical significance of 12-HETE: a neglected platelet-derived 12-lipoxygenase product. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2014</b> , 964, 26-40	3.2	59
26	In vivo prostacyclin biosynthesis and effects of different aspirin regimens in patients with essential thrombocythaemia. <i>Thrombosis and Haemostasis</i> , <b>2014</b> , 112, 118-27	7	15
25	Nitric oxide synthetic pathway in patients with microvascular angina and its relations with oxidative stress. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2014</b> , 2014, 726539	6.7	13
24	The red blood cell: a new key player in cardiovascular homeostasis? Focus on the nitric oxide pathway. <i>Biochemical Society Transactions</i> , <b>2014</b> , 42, 996-1000	5.1	10
23	Effects of smoking regular or light cigarettes on brachial artery flow-mediated dilation. <i>Atherosclerosis</i> , <b>2013</b> , 228, 153-60	3.1	27
22	Oxidative stress and nitric oxide pathway in adult patients who are candidates for cardiac surgery: patterns and differences. <i>Interactive Cardiovascular and Thoracic Surgery</i> , <b>2013</b> , 17, 923-30	1.8	18
21	Nitric oxide synthetic pathway in red blood cells is impaired in coronary artery disease. <i>PLoS ONE</i> , <b>2013</b> , 8, e66945	3.7	31
20	Direct glutathione quantification in human blood by LC-MS/MS: comparison with HPLC with electrochemical detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 71, 111-8	3.5	66
19	Urinary excretion of iPF(2)III predicts the risk of future thrombotic events. A 10-year follow-up. <i>Thrombosis Research</i> , <b>2012</b> , 129, 208-11	8.2	6
18	Cytoskeletal architecture regulates cyclooxygenase-2 in human endothelial cells: autocrine modulation by prostacyclin. <i>Journal of Cellular Physiology</i> , <b>2012</b> , 227, 3847-56	7	5
17	Circulating levels of dimethylarginines, chronic kidney disease and long-term clinical outcome in non-ST-elevation myocardial infarction. <i>PLoS ONE</i> , <b>2012</b> , 7, e48499	3.7	19
16	Genotype-independent in vivo oxidative stress following a methionine loading test: maximal platelet activation in subjects with early-onset thrombosis. <i>Thrombosis Research</i> , <b>2011</b> , 128, e43-8	8.2	13
15	Quantification of arginine and its metabolites in human erythrocytes using liquid chromatography-tandem mass spectrometry. <i>Analytical Biochemistry</i> , <b>2011</b> , 412, 108-10	3.1	12
14	OXY-SCORE: a global index to improve evaluation of oxidative stress by combining pro- and antioxidant markers. <i>Methods in Molecular Biology</i> , <b>2010</b> , 594, 197-213	1.4	14

13	Simultaneous quantification of 8-iso-prostaglandin-F(2alpha) and 11-dehydro thromboxane B(2) in human urine by liquid chromatography-tandem mass spectrometry. <i>Analytical Biochemistry</i> , <b>2010</b> , 397, 168-74	3.1	32
12	Glutathione, vitamin E and oxidative stress in coronary artery disease: relevance of age and gender. <i>European Journal of Clinical Investigation</i> , <b>2009</b> , 39, 267-72	4.6	32
11	Assessment of oxidative stress in coronary artery bypass surgery: comparison between the global index OXY-SCORE and individual biomarkers. <i>Biomarkers</i> , <b>2009</b> , 14, 465-72	2.6	14
10	Anesthetic propofol enhances plasma gamma-tocopherol levels in patients undergoing cardiac surgery. <i>Anesthesiology</i> , <b>2008</b> , 108, 988-97	4.3	23
9	A new compound-specific pleiotropic effect of statins: modification of plasma gamma-tocopherol levels. <i>Atherosclerosis</i> , <b>2007</b> , 193, 229-33	3.1	12
8	Age- and gender-related oxidative status determined in healthy subjects by means of OXY-SCORE, a potential new comprehensive index. <i>Biomarkers</i> , <b>2006</b> , 11, 562-73	2.6	48
7	Isoprostanes and oxidative stress in off-pump and on-pump coronary bypass surgery. <i>Annals of Thoracic Surgery</i> , <b>2006</b> , 81, 562-7	2.7	50
6	Neurohormonal activation is associated with increased levels of plasma matrix metalloproteinase-2 in human heart failure. <i>European Heart Journal</i> , <b>2005</b> , 26, 481-8	9.5	47
5	Surface-activated chemical ionization in the analysis of arginine in plasma samples. <i>Rapid Communications in Mass Spectrometry</i> , <b>2005</b> , 19, 1231-6	2.2	5
4	Diversity and similarity in signaling events leading to rapid Cox-2 induction by tumor necrosis factor-alpha and phorbol ester in human endothelial cells. <i>Cardiovascular Research</i> , <b>2005</b> , 65, 683-93	9.9	44
3	Apocynin prevents cyclooxygenase 2 expression in human monocytes through NADPH oxidase and glutathione redox-dependent mechanisms. <i>Free Radical Biology and Medicine</i> , <b>2004</b> , 37, 156-65	7.8	127
2	The aminotetraline derivative (+/-)-(R,S)-5,6-dihydroxy-2-methylamino-1,2,3,4-tetrahydro-naphthalene hydrochloride (CHF-1024) displays cardioprotection in postischemic ventricular dysfunction of the rat heart. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2003</b> , 307, 422-9	4.7	6
1	Oxidative Stress and Homocysteine in Coronary Artery Disease. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 887-892	5.5	115