

Mario González-de la Parra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7827068/publications.pdf>

Version: 2024-02-01

24
papers

171
citations

1162367

8
h-index

1281420

11
g-index

25
all docs

25
docs citations

25
times ranked

212
citing authors

#	ARTICLE	IF	CITATIONS
1	Bioavailability of two sublingual formulations of ketorolac tromethamine 30 mg: A randomized, open-label, single-dose, two-period crossover comparison in healthy mexican adult volunteers. <i>Clinical Therapeutics</i> , 2008, 30, 1667-1674.	1.1	15
2	Application of the Multivariate T2Control Chart and the Masonâ€“Tracyâ€“Young Decomposition Procedure to the Study of the Consistency of Impurity Profiles of Drug Substances. <i>Quality Engineering</i> , 2003, 16, 127-142.	0.7	14
3	Bioavailability of two oral formulations of azithromycin 500 mg: A randomized, open-label, two-period crossover comparison in healthy Mexican adult subjects. <i>Clinical Therapeutics</i> , 2005, 27, 1607-1611.	1.1	13
4	Bioavailability of two oral formulations of a single dose of levofloxacin 500 mg: An open-label, randomized, two-period crossover comparison in healthy mexican volunteers. <i>Clinical Therapeutics</i> , 2009, 31, 1796-1803.	1.1	12
5	Relative bioavailability of two oral formulations of piroxicam 20 mg: A single-dose, randomized-sequence, open-label, two-period crossover comparison in healthy Mexican adult volunteers. <i>Clinical Therapeutics</i> , 2010, 32, 357-364.	1.1	12
6	Acaricidal potential of piquerols A and B against <i>Boophilus microplus</i> . <i>Pest Management Science</i> , 1991, 33, 73-80.	0.7	10
7	Bioavailability of Two Single-Dose Oral Formulations of Omeprazole 20 mg: An Open-Label, Randomized Sequence, Two-Period Crossover Comparison in Healthy Mexican Adult Volunteers. <i>Clinical Therapeutics</i> , 2008, 30, 693-699.	1.1	9
8	Quantification of 4-aminopyridine in plasma by capillary electrophoresis with electrokinetic injection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 290-294.	1.2	9
9	Macrolide biosynthesis: Stereochemistry of the hydroxylation of brefelding C.. <i>Journal of Antibiotics</i> , 1987, 40, 1170-1174.	1.0	8
10	Bioavailability of two oral suspension and two oral tablet formulations of acyclovir 400 mg: Two single-dose, open-label, randomized, two-period crossover comparisons in healthy Mexican adult subjects. <i>Clinical Therapeutics</i> , 2007, 29, 1146-1152.	1.1	8
11	Application of Analysis of Means (ANOM) to Nested Designs for Improving the Visualization and Understanding of the Sources of Variation of Chemical and Pharmaceutical Processes. <i>Quality Engineering</i> , 2003, 15, 663-670.	0.7	7
12	Development and Validation of a High-Performance Thin-Layer Chromatographic Method, with Densitometry, for Quantitative Analysis of Ketorolac Tromethamine in Human Plasma. <i>Journal of AOAC INTERNATIONAL</i> , 2008, 91, 1191-1195.	0.7	7
13	Bioavailability of two oral formulations of loratadine 20 mg with concomitant ketoconazole: An open-label, randomized, two-period crossover comparison in healthy Mexican adult volunteers. <i>Clinical Therapeutics</i> , 2006, 28, 110-115.	1.1	6
14	Using Structural Equation Modeling (SEM) for the Study of Impurity Profiles of Drug Substances. <i>Quality Engineering</i> , 2006, 18, 225-235.	0.7	6
15	Bioequivalence of Two Commercial Preparations of trimethoprim/sulfamethoxazole: A randomized, single-dose, single-blind, crossover trial. <i>Clinical Therapeutics</i> , 2007, 29, 326-333.	1.1	6
16	Development and validation of a densitometric HPTLC method for quantitative analysis of levofloxacin in human plasma. <i>Journal of Planar Chromatography - Modern TLC</i> , 2008, 21, 209-212.	0.6	6
17	Bioavailability of two oral-tablet and two oral-suspension formulations of naproxen sodium/paracetamol (acetaminophen): Single-dose, randomized, open-label, two-period crossover comparisons in healthy Mexican adult subjects. <i>Clinical Therapeutics</i> , 2009, 31, 399-410.	1.1	5
18	Studying Unidentified Impurities in Drug Substances by the Application of Multivariate (Principal) Tj ETQq0 0 0 rgBT./Overlock 10 Tf 50	0.7	4

#	ARTICLE	IF	CITATIONS
19	Development and validation of a high-performance thin-layer chromatographic method, with densitometry, for quantitative analysis of tizoxanide (a Metabolite of Nitazoxanide) in human plasma. <i>Journal of Planar Chromatography - Modern TLC</i> , 2007, 20, 331-334.	0.6	4
20	Application of Sequential Design of Experiments to Develop Ibuprofen (400 mg) Tablets by Direct Compression. <i>Asian Journal of Chemistry and Pharmaceutical Sciences</i> , 2017, 2, 10.	0.0	2
21	The Use of a Germination Bioassay as a Toxicological Screening System to Study the Potential Drug-Drug Interactions of (S)-Naproxen and (S)-Ibuprofen and their corresponding Oxidation State Analogues, (S)-Naproxol and (S)-Ibuprofen Alcohol. <i>ATLA Alternatives To Laboratory Animals</i> , 1999, 27, 461-469.	0.7	0
22	Preliminary study on the synthesis and high-resolution NMR analysis of Naproxen and Ibuprofen esters. <i>Spectroscopy</i> , 2004, 18, 485-500.	0.8	0
23	Reference Datasets for Studies in a Replicate Design Intended for Average Bioequivalence with Expanding Limits. <i>AAPS Journal</i> , 2020, 22, 44.	2.2	0
24	Application of Design of Experiments (DOE) to the Development and Validation of a Swab Sampling Method for Cleaning Validation. <i>Asian Journal of Chemistry and Pharmaceutical Sciences</i> , 2017, 2, 16.	0.0	0