

# Mariano Pracella

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7827804/mariano-pracella-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 papers	3,396 citations	32 h-index	56 g-index
85 ext. papers	3,589 ext. citations	3.8 avg, IF	5 L-index

#	Paper	IF	Citations
84	Polyhydroxyalkanoate Nanocomposites with Cellulose Nanocrystals as Biodegradable Coating and Packaging Materials. <i>ACS Applied Nano Materials</i> , <b>2021</b> , 4, 260-270	5.6	4
83	Inhibited crystallization of polyhydroxybutyrate by blending with aliphatic-aromatic copolyester. <i>European Polymer Journal</i> , <b>2018</b> , 103, 133-144	5.2	5
82	Polyolefins with POSS. <i>Springer Series on Polymer and Composite Materials</i> , <b>2018</b> , 129-166	0.9	2
81	Effect of reactive functionalization on properties and degradability of poly(lactic acid)/poly(vinyl acetate) nanocomposites with cellulose nanocrystals. <i>Reactive and Functional Polymers</i> , <b>2017</b> , 110, 1-9	4.6	32
80	Blends and Alloys <b>2017</b> , 155-184		4
79	Structure and properties of hybrid PLA nanocomposites with inorganic nanofillers and cellulose fibers. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2016</b> , 82, 34-41	8.4	64
78	Property tuning of poly(lactic acid)/cellulose bio-composites through blending with modified ethylene-vinyl acetate copolymer. <i>Carbohydrate Polymers</i> , <b>2016</b> , 137, 515-524	10.3	32
77	Preparation and characterization of polybutylene-succinate/poly(ethylene-glycol)/cellulose nanocrystals ternary composites. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	24
76	Morphology and properties tuning of PLA/cellulose nanocrystals bio-nanocomposites by means of reactive functionalization and blending with PVAc. <i>Polymer</i> , <b>2014</b> , 55, 3720-3728	3.9	143
75	Fracture behaviour of biodegradable polymer/polyolefin-natural fibers ternary composites systems. <i>Fibers and Polymers</i> , <b>2014</b> , 15, 2625-2632	2	5
74	Effect of ethylene-co-vinyl acetate-glycidylmethacrylate and cellulose microfibrils on the thermal, rheological and biodegradation properties of poly(lactic acid) based systems. <i>Polymer Degradation and Stability</i> , <b>2013</b> , 98, 2742-2751	4.7	36
73	Crystallization of Polymer Blends <b>2013</b> , 287-326		10
72	Morphology and mechanical properties of polypropylene-POSS hybrid nanocomposites obtained by reactive blending. <i>Polymer Composites</i> , <b>2013</b> , 34, 929-941	3	14
71	Functionalization and Compatibilization of Poly(E-caprolactone) Composites with Cellulose Microfibrils: Morphology, Thermal and Mechanical Properties. <i>Macromolecular Materials and Engineering</i> , <b>2012</b> , 297, 985-993	3.9	21
70	Mechanical and thermal properties of PLA composites with cellulose nanofibers and standard size fibers. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2011</b> , 42, 1509-1514	8.4	163
69	Processing, compatibilization and properties of ternary composites of Mater-Bi with polyolefins and hemp fibres. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2011</b> , 42, 2060-2069	8.4	18
68	Thermal and microstructural characterization of compatibilized polystyrene/natural fillers composites. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2011</b> , 103, 95-101	4.1	11

67	Reactive compatibilization of composites of ethylene-vinyl acetate copolymers with cellulose fibres. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2010</b> , 41, 1545-1550	8.4	29
66	Functionalization, Compatibilization and Properties of Polyolefin Composites with Natural Fibers. <i>Polymers</i> , <b>2010</b> , 2, 554-574	4.5	109
65	Compatibilization and Properties of EVA Copolymers Containing Surface-Functionalized Cellulose Microfibers. <i>Macromolecular Materials and Engineering</i> , <b>2010</b> , 295, 949-957	3.9	16
64	Morphology, microhardness, and flammability of compatibilized polyethylene/clay nanocomposites. <i>Polymer Engineering and Science</i> , <b>2010</b> , 50, 1306-1314	2.3	8
63	Thermal properties and microhardness of HDPE/clay nanocomposites compatibilized by different functionalized polyethylenes. <i>Polymer Testing</i> , <b>2009</b> , 28, 528-533	4.5	47
62	Mechanical and thermal properties of green polylactide composites with natural fillers. <i>Macromolecular Bioscience</i> , <b>2008</b> , 8, 1190-200	5.5	61
61	Composites of poly(L-lactide) with hemp fibers: Morphology and thermal and mechanical properties. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 105, 255-268	2.9	172
60	FTIR Microanalysis and Phase Behaviour of Ethylene/1-Hexene Random Copolymers. <i>Macromolecular Chemistry and Physics</i> , <b>2007</b> , 208, 1560-1571	2.6	7
59	Linear low-density polyethylenes by co-polymerization of ethylene with 1-hexene in the presence of titanium precursors and organoaluminium co-catalysts. <i>Polymer</i> , <b>2007</b> , 48, 1185-1192	3.9	17
58	Polypropylene-POSS Nanocomposites: Morphology and Crystallization Behaviour. <i>Macromolecular Symposia</i> , <b>2006</b> , 234, 59-67	0.8	76
57	Blends of propylene-ran-ethylene and propylene-ran-(1-butene) copolymers: Crystal superstructure and mechanical properties. <i>European Polymer Journal</i> , <b>2006</b> , 42, 1819-1829	5.2	9
56	Functionalization, compatibilization and properties of polypropylene composites with Hemp fibres. <i>Composites Science and Technology</i> , <b>2006</b> , 66, 2218-2230	8.6	244
55	Blends of poly-(epsilon-caprolactone) and polysaccharides in tissue engineering applications. <i>Biomacromolecules</i> , <b>2005</b> , 6, 1961-76	6.9	275
54	Reactive mixing of PET and PET/PP blends with glycidyl methacrylate-modified styrene-b-(ethylene-co-olefin) block copolymers. <i>Journal of Applied Polymer Science</i> , <b>2005</b> , 98, 2201-2211	2.9	41
53	Reactive Compatibilization of PA6/LDPE Blends with Glycidyl Methacrylate Functionalized Polyolefins. <i>Macromolecular Chemistry and Physics</i> , <b>2005</b> , 206, 777-786	2.6	39
52	Filler toughening of plastics. Part I: The effect of surface interactions on physico-mechanical properties and rheological behaviour of ultrafine CaCO <sub>3</sub> /HDPE nanocomposites. <i>Polymer</i> , <b>2005</b> , 46, 827-844	3.9	159
51	Recycling of PET and Polyolefin Based Packaging Materials by Reactive Blending. <i>Polymer-Plastics Technology and Engineering</i> , <b>2004</b> , 43, 1711-1722		30
50	Blends of propylene-ethylene and propylene-1-butene random copolymers: I. Morphology and structure. <i>Polymer</i> , <b>2004</b> , 45, 7549-7561	3.9	17

49	Reactive compatibilization of blends of PET and PP modified by GMA grafting. <i>Macromolecular Symposia</i> , <b>2003</b> , 198, 161-172	0.8	39
48	Functionalization of LDPE by Melt Grafting with Glycidyl Methacrylate and Reactive Blending with Polyamide-6. <i>Macromolecular Chemistry and Physics</i> , <b>2003</b> , 204, 1123-1133	2.6	79
47	Compatibilization and properties of poly(ethylene terephthalate)/polyethylene blends based on recycled materials. <i>Macromolecular Chemistry and Physics</i> , <b>2002</b> , 203, 1473-1485	2.6	86
46	Recycling of postconsumer poly(ethylene terephthalate) and high-density polyethylene by compatibilized blending. <i>Journal of Applied Polymer Science</i> , <b>2002</b> , 86, 1473-1485	2.9	57
45	Oriented films from recycled poly(ethylene terephthalate)/recycled high-density polyethylene compatibilized blends. <i>Journal of Applied Polymer Science</i> , <b>2002</b> , 86, 1486-1496	2.9	15
44	Reactive compatibilization and properties of recycled poly(ethylene terephthalate)/polyethylene blends. <i>Polymer Bulletin</i> , <b>2002</b> , 48, 67-74	2.4	33
43	Functionalization of Styrene-Olefin Block Copolymers by Melt Radical Grafting of Glycidyl Methacrylate and Reactive Blending with PET. <i>Macromolecular Symposia</i> , <b>2001</b> , 169, 173-182	0.8	2
42	Phase structure and viscoelastic properties of compatibilized blends of PET and HDPE recyclates. <i>Journal of Applied Polymer Science</i> , <b>2001</b> , 82, 1423-1436	2.9	47
41	Compatibility Studies in Binary Blends of PA6 and ULDPE-graft-DEM. <i>Macromolecular Chemistry and Physics</i> , <b>2001</b> , 202, 2461-2478	2.6	22
40	Reactive compatibilization of polyolefin/PET blends by melt grafting with glycidyl methacrylate. <i>Macromolecular Symposia</i> , <b>2000</b> , 149, 225-230	0.8	32
39	Characterization of scrap poly(ethylene terephthalate). <i>European Polymer Journal</i> , <b>2000</b> , 36, 1875-1884	5.2	65
38	Crystal phase and crystallinity of polyamide 6/functionalized polyolefin blends. <i>Polymer</i> , <b>2000</b> , 41, 4923-4932	3.9	59
37	Plastic deformation of polyamide 6/polypropylene-g-acrylic acid blends. <i>Macromolecular Symposia</i> , <b>2000</b> , 149, 185-190	0.8	3
36	Reactive compatibilization and fracture behavior in nylon 6/VLDPE blends. <i>Journal of Applied Polymer Science</i> , <b>1999</b> , 74, 3455-3468	2.9	15
35	Thermal stability of blends of nylon 6 with polyolefins that contain acrylic acid. <i>European Polymer Journal</i> , <b>1998</b> , 34, 1865-1870	5.2	16
34	FTIR microspectroscopy and DSC analysis of blends of poly(vinylidene fluoride) with isotactic and syndiotactic poly(methyl methacrylate). <i>Polymer International</i> , <b>1998</b> , 45, 373-382	3.3	14
33	Study of blends of nylon 6 with EVOH and carboxyl-modified EVOH and a preliminary approach to films for packaging applications. <i>Journal of Applied Polymer Science</i> , <b>1998</b> , 68, 637-648	2.9	32
32	Synthesis of PP-CP graft copolymers and their compatibilizing activity for PP/LCP blends. <i>Journal of Applied Polymer Science</i> , <b>1998</b> , 69, 391-403	2.9	14

31	FTIR-microspectroscopy and DSC studies of poly(vinylidene fluoride). <i>Polymer International</i> , <b>1996</b> , 41, 35-41	3.3	25
30	Molecular interactions at the interface in blends of ester groups-functionalized polyolefins. <i>Macromolecular Symposia</i> , <b>1995</b> , 98, 1101-1122	0.8	2
29	DSC analysis of ethylene/1-butene copolymers obtained with different ziegler-natta catalysts. <i>Polymer International</i> , <b>1994</b> , 33, 279-284	3.3	6
28	Spherulite nucleation in blends of isotactic polypropylene with isotactic poly(butene-1). <i>Journal of Applied Polymer Science</i> , <b>1994</b> , 54, 1513-1524	2.9	15
27	Phase behaviour and morphology of polymer/liquid crystal blends. <i>Liquid Crystals</i> , <b>1993</b> , 14, 881-888	2.3	11
26	Crystallization behavior of polyphenylene sulfide in blends with a liquid crystalline polymer. <i>Polymer Engineering and Science</i> , <b>1992</b> , 32, 57-64	2.3	44
25	Polycarbonate-linear low density polyethylene blends: Thermal and dynamic-mechanical properties. <i>Journal of Materials Science</i> , <b>1990</b> , 25, 3693-3700	4.3	6
24	A study of crystallisation behaviour and compatibility of high-density polyethylene/linear low-density polyethylene blends. <i>Thermochimica Acta</i> , <b>1990</b> , 162, 163-177	2.9	11
23	Microscopic FT-IR analysis of blends from functionalized polyolefins and poly(vinyl chloride) or polystyrene. <i>Makromolekulare Chemie Macromolecular Symposia</i> , <b>1989</b> , 23, 265-275		10
22	Thermal and FT-IR analysis of polymer blends based on functionalized polyolefins. <i>Thermochimica Acta</i> , <b>1988</b> , 137, 95-103	2.9	6
21	Spherulite nucleation in blends of isotactic polypropylene with high-density polyethylene. <i>Polymer</i> , <b>1986</b> , 27, 537-543	3.9	92
20	Morphological study of low molecular weight poly(ethylene oxide) single crystals grown from solution. <i>European Polymer Journal</i> , <b>1985</b> , 21, 551-554	5.2	5
19	Thermal Characterization of Liquid Crystal Polyesters Based on Mesogenic Aromatic Triad Units. <i>Molecular Crystals and Liquid Crystals</i> , <b>1984</b> , 113, 201-212		19
18	Influence of composition and molecular mass on the morphology, crystallization and melting behaviour of poly(ethylene oxide)/poly(methyl methacrylate) blends. <i>Polymer</i> , <b>1984</b> , 25, 1097-1106	3.9	155
17	Spherulite nucleation in polypropylene blends with low density polyethylene. <i>Polymer</i> , <b>1984</b> , 25, 1323-1326	3.9	72
16	Morphology, crystallization, and thermal behaviour of isotactic polypropylene/low density polyethylene blends. <i>Die Makromolekulare Chemie</i> , <b>1984</b> , 185, 1041-1061		50
15	Polypropylene spherulite morphology and growth rate changes in blends with low-density polyethylene. <i>Journal of Polymer Science, Polymer Physics Edition</i> , <b>1984</b> , 22, 739-747		33
14	Crystallization behaviour of fractions of isotactic polypropylene with different degrees of stereoregularity. <i>Polymer</i> , <b>1983</b> , 24, 693-699	3.9	66

13	Low and high-yield isotactic polypropylene. <i>Journal of Thermal Analysis</i> , <b>1983</b> , 28, 237-248		11
12	Action of ozone on isotropic and oriented blends of polypropylene and polyethylene. On the influence of deformation on the rate of oxidation. <i>Polymer Science USSR</i> , <b>1982</b> , 24, 2754-2760		3
11	Properties of solution-grown crystals of fractions of isotactic polypropylene with different degrees of stereoregularity. <i>Journal of Polymer Science, Polymer Physics Edition</i> , <b>1980</b> , 18, 619-636		22
10	Properties of polyethylene-polypropylene blends: Crystallization behavior. <i>Die Makromolekulare Chemie</i> , <b>1980</b> , 181, 957-967		36
9	Influence of composition on the melt crystallization of isotactic random propylene/1-butene copolymers. <i>Die Makromolekulare Chemie</i> , <b>1980</b> , 181, 1747-1755		34
8	Solid state polymorphism of a mesophasic polymer. Poly[oxydodecanedioxy-1,4-phenylene-(2-methylvinylene)1,4-phenylene]. <i>European Polymer Journal</i> , <b>1980</b> , 16, 261-267	5.2	5
7	Synthesis and characterization of aliphatic unsaturated polyesters from trans-4-octene-1,8-dioic and trans-3-hexene-1,6-dioic acids. <i>European Polymer Journal</i> , <b>1979</b> , 15, 695-699	5.2	9
6	Properties of solution grown crystals of aliphatic polyesters with variable amount of double bonds along the chain. <i>Die Makromolekulare Chemie</i> , <b>1979</b> , 180, 1023-1035		1
5	Annealing of solution-grown single crystals of ethylene-butadiene copolymers. <i>Polymer</i> , <b>1977</b> , 18, 887-890		1
4	Effect of thermal treatment on solution grown crystals of isotactic propylene/butene-1 copolymers. <i>Polymer</i> , <b>1977</b> , 18, 891-896	3.9	13
3	Properties of solution grown crystals of isotactic propylene/butene-1 copolymers. <i>Polymer</i> , <b>1977</b> , 18, 42-48	3.9	22
2	Influence of intrachain double bonds on the properties of solution grown single crystals of polyethylene. <i>Polymer</i> , <b>1976</b> , 17, 541-547	3.9	4
1	Effects of chain defects on the thermal behaviour of polyethylene. <i>Polymer</i> , <b>1974</b> , 15, 306-314	3.9	29