

Josep A Jacas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7828613/publications.pdf>

Version: 2024-02-01

252
papers

4,162
citations

117571

34
h-index

168321

53
g-index

257
all docs

257
docs citations

257
times ranked

3342
citing authors

#	ARTICLE	IF	CITATIONS
1	Host plant scent mediates patterns of attraction/repellence among predatory mites. <i>Entomologia Generalis</i> , 2022, 42, 217-229.	1.1	4
2	Can pollen provision mitigate competition interactions between three phytoseiid predators of <i>Tetranychus urticae</i> under future climate change conditions?. <i>Biological Control</i> , 2022, 165, 104789.	1.4	3
3	Induction of plant defenses: the added value of zoophytophagous predators. <i>Journal of Pest Science</i> , 2022, 95, 1501-1517.	1.9	17
4	DNA Barcoding and Phylogeny of Acari Species Based on ITS and COI Markers. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2022, 2022, 1-13.	0.6	3
5	Effect of pollen provision on life-history parameters of phytoseiid predators under hot and dry environmental conditions. <i>Journal of Applied Entomology</i> , 2021, 145, 191-205.	0.8	5
6	Opposing roles of plant laticifer cells in the resistance to insect herbivores and fungal pathogens. <i>Plant Communications</i> , 2021, 2, 100112.	3.6	10
7	Commodity risk assessment of <i>Ficus carica</i> plants from Israel. <i>EFSA Journal</i> , 2021, 19, e06353.	0.9	7
8	Practices to Conserve Pollinators and Natural Enemies in Agro-Ecosystems. <i>Insects</i> , 2021, 12, 31.	1.0	6
9	Pest categorisation of <i>Diaphorina citri</i> . <i>EFSA Journal</i> , 2021, 19, e06357.	0.9	8
10	Plant-feeding may explain why the generalist predator <i>Euseius stipulatus</i> does better on less defended citrus plants but <i>Tetranychus</i> -specialists <i>Neoseiulus californicus</i> and <i>Phytoseiulus persimilis</i> do not. <i>Experimental and Applied Acarology</i> , 2021, 83, 167-182.	0.7	8
11	Commodity risk assessment of <i>Momordica charantia</i> fruits from Mexico. <i>EFSA Journal</i> , 2021, 19, e06398.	0.9	1
12	Commodity risk assessment of <i>Momordica charantia</i> fruits from Suriname. <i>EFSA Journal</i> , 2021, 19, e06396.	0.9	1
13	Commodity risk assessment of <i>Persea americana</i> from Israel. <i>EFSA Journal</i> , 2021, 19, e06354.	0.9	9
14	Commodity risk assessment of <i>Momordica charantia</i> fruits from Honduras. <i>EFSA Journal</i> , 2021, 19, e06395.	0.9	1
15	The response of citrus plants to the broad mite <i>Polyphagotarsonemus latus</i> (Banks) (Acari: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5	0.7	3
16	Biological control of the citrus leafminer 25 years after its introduction in the Valencia citrus growing area (Spain): A new player in the game. <i>Biological Control</i> , 2021, 155, 104529.	1.4	6
17	Plant defense responses triggered by phytoseiid predatory mites (Mesostigmata: Phytoseiidae) are species-specific, depend on plant genotype and may not be related to direct plant feeding. <i>BioControl</i> , 2021, 66, 381-394.	0.9	8
18	Tracking mite trophic interactions by multiplex PCR. <i>Pest Management Science</i> , 2020, 76, 597-608.	1.7	6

#	ARTICLE	IF	CITATIONS
19	List of non-EU Scolytinae of coniferous hosts. EFSA Journal, 2020, 18, e05933.	0.9	2
20	Pest categorisation of tomato leaf curl New Delhi virus. EFSA Journal, 2020, 18, e06179.	0.9	4
21	Pest categorisation of <i>Diabrotica undecimpunctata undecimpunctata</i> . EFSA Journal, 2020, 18, e06291.	0.9	4
22	Pest categorisation of <i>Ripersiella hibisci</i> . EFSA Journal, 2020, 18, e06178.	0.9	1
23	Pest categorisation of the Andean Potato Weevil (APW) complex (Coleoptera: Curculionidae). EFSA Journal, 2020, 18, e06176.	0.9	1
24	Pest categorisation of <i>Haplaxius crudus</i> . EFSA Journal, 2020, 18, e06224.	0.9	1
25	Commodity risk assessment of <i>Jasminum polyanthum</i> plants from Israel. EFSA Journal, 2020, 18, e06225.	0.9	4
26	Commodity risk assessment of <i>Malus domestica</i> plants from Serbia. EFSA Journal, 2020, 18, e06109.	0.9	0
27	Pest categorisation of <i>Spodoptera eridania</i> . EFSA Journal, 2020, 18, e05932.	0.9	5
28	Molecular characterization of <i>Cardinium</i> , <i>Rickettsia</i> , <i>Spiroplasma</i> and <i>Wolbachia</i> in mite species from citrus orchards. <i>Experimental and Applied Acarology</i> , 2020, 81, 335-355.	0.7	5
29	Commodity risk assessment of <i>Acer</i> spp. plants from New Zealand. EFSA Journal, 2020, 18, e06105.	0.9	2
30	Pest categorisation of <i>Nemorimyza maculosa</i> . EFSA Journal, 2020, 18, e06036.	0.9	0
31	Commodity risk assessment of <i>Robinia pseudoacacia</i> plants from Israel. EFSA Journal, 2020, 18, e06039.	0.9	0
32	Commodity risk assessment of <i>Albizia julibrissin</i> plants from Israel. EFSA Journal, 2020, 18, e05941.	0.9	2
33	Pest categorisation of non-EU Scolytinae of coniferous hosts. EFSA Journal, 2020, 18, e05934.	0.9	2
34	Pest categorisation of <i>Saperda tridentata</i> . EFSA Journal, 2020, 18, e05940.	0.9	0
35	Pest categorisation of <i>Helicoverpa zea</i> . EFSA Journal, 2020, 18, e06177.	0.9	2
36	List of non-EU viruses and viroids infecting potato (<i>Solanum tuberosum</i>) and other tuber-forming <i>Solanum</i> species. EFSA Journal, 2020, 18, e05852.	0.9	3

#	ARTICLE	IF	CITATIONS
37	Pest categorisation of non-EU viruses and viroids of potato. EFSA Journal, 2020, 18, e05853.	0.9	12
38	Pest categorisation of potato leafroll virus (non-EU isolates). EFSA Journal, 2020, 18, e05939.	0.9	0
39	Pest categorisation of non-EU viruses of Rubus L.. EFSA Journal, 2020, 18, e05928.	0.9	6
40	Pest categorisation of non-EU Tephritidae. EFSA Journal, 2020, 18, e05931.	0.9	10
41	List of non-EU phytoplasmas of Cydonia Mill., Fragaria L., Malus Mill., Prunus L., Pyrus L., Ribes L., Rubus L. and Vitis L.. EFSA Journal, 2020, 18, e05930.	0.9	1
42	Pest categorisation of the non-EU phytoplasmas of Cydonia Mill., Fragaria L., Malus Mill., Prunus L., Pyrus L., Ribes L., Rubus L. and Vitis L.. EFSA Journal, 2020, 18, e05929.	0.9	7
43	Pest categorisation of Liriomyza sativae. EFSA Journal, 2020, 18, e06037.	0.9	2
44	Pest categorisation of Liriomyza bryoniae. EFSA Journal, 2020, 18, e06038.	0.9	2
45	Behavior of Diaphorina citri: an investigation of the potential risk to the most commonly used citrus rootstock in Europe. Entomologia Generalis, 2020, 40, 79-86.	1.1	7
46	Pest categorisation of Diabrotica undecimpunctata howardi. EFSA Journal, 2020, 18, e06358.	0.9	1
47	Pest categorisation of Leptinotarsa decemlineata. EFSA Journal, 2020, 18, e06359.	0.9	2
48	Commodity risk assessment of oak logs with bark from the US for the oak wilt pathogen Bretziella fagacearum under an integrated systems approach. EFSA Journal, 2020, 18, e06352.	0.9	4
49	List of non-EU phytoplasmas of tuber-forming Solanum spp.. EFSA Journal, 2020, 18, e06355.	0.9	1
50	Pest categorisation of the non-EU phytoplasmas of tuber-forming Solanum spp.. EFSA Journal, 2020, 18, e06356.	0.9	1
51	Pest categorisation of beet necrotic yellow vein virus. EFSA Journal, 2020, 18, e06360.	0.9	3
52	Invertebrados continentales de las Islas Columbretes. Nuevas especies. Graellsia, 2020, 76, 102.	0.1	1
53	Pest categorisation of Spodoptera litura. EFSA Journal, 2019, 17, e05765.	0.9	17
54	Pest categorisation of non-EU Cicadomorpha vectors of Xylella spp.. EFSA Journal, 2019, 17, e05736.	0.9	9

#	ARTICLE	IF	CITATIONS
55	Pest categorisation of non-EU viruses of <i>Fragaria</i> L. EFSA Journal, 2019, 17, e05766.	0.9	3
56	Pest categorisation of non-EU viruses and viroids of <i>Cydonia</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L. EFSA Journal, 2019, 17, e05590.	0.9	7
57	Risk assessment of the entry of <i>Pantoea stewartii</i> subsp. <i>stewartii</i> on maize seed imported by the EU from the USA. EFSA Journal, 2019, 17, e05851.	0.9	4
58	List of non-EU viruses and viroids of <i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L. and <i>Vitis</i> L. EFSA Journal, 2019, 17, e05501.	0.9	15
59	Pest categorisation of <i>Phymatotrichopsis omnivora</i> . EFSA Journal, 2019, 17, e05619.	0.9	0
60	Commodity risk assessment of black pine (<i>Pinus thunbergii</i> Parl.) bonsai from Japan. EFSA Journal, 2019, 17, e05667.	0.9	26
61	Update of the Scientific Opinion on the risks to plant health posed by <i>Xylella fastidiosa</i> in the EU territory. EFSA Journal, 2019, 17, e05665.	0.9	79
62	Effectiveness of in planta control measures for <i>Xylella fastidiosa</i> . EFSA Journal, 2019, 17, e05666.	0.9	25
63	Guidance on commodity risk assessment for the evaluation of high risk plants dossiers. EFSA Journal, 2019, 17, e05668.	0.9	49
64	Pest categorisation of non-EU <i>Choristoneura</i> spp.. EFSA Journal, 2019, 17, e05671.	0.9	0
65	Pest categorisation of non-EU <i>Margarodidae</i> . EFSA Journal, 2019, 17, e05672.	0.9	0
66	Can interactions among predators alter the natural regulation of an herbivore in a climate change scenario? The case of <i>Tetranychus urticae</i> and its predators in citrus. Journal of Pest Science, 2019, 92, 1149-1164.	1.9	18
67	Pest categorisation of <i>Clavibacter sepedonicus</i> . EFSA Journal, 2019, 17, e05670.	0.9	4
68	Pest categorisation of <i>Thrips palmi</i> . EFSA Journal, 2019, 17, e05620.	0.9	2
69	Pest categorisation of <i>Arrhenodes minutus</i> . EFSA Journal, 2019, 17, e05617.	0.9	1
70	The olfactive responses of <i>Tetranychus urticae</i> natural enemies in citrus depend on plant genotype, prey presence, and their diet specialization. Journal of Pest Science, 2019, 92, 1165-1177.	1.9	14
71	Which came first: The disease or the pest? Is there a host mediated spread of <i>Beauveria bassiana</i> (Ascomycota: Hypocreales) by invasive palm pests?. Journal of Invertebrate Pathology, 2019, 162, 26-42.	1.5	9
72	Pest categorisation of <i>Diabrotica virgifera zeae</i> . EFSA Journal, 2019, 17, e05858.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Pest categorisation of non-EU <i>Acleris</i> spp.. EFSA Journal, 2019, 17, e05856.	0.9	0
74	Pest categorisation of <i>Diabrotica barberi</i> . EFSA Journal, 2019, 17, e05857.	0.9	2
75	Zoophytophagous mites can trigger plant genotype specific defensive responses affecting potential prey beyond predation: the case of <i>Euseius stipulatus</i> and <i>Tetranychus urticae</i> in citrus. Pest Management Science, 2019, 75, 1962-1970.	1.7	21
76	Pest categorisation of <i>Scirtothrips aurantii</i> . EFSA Journal, 2018, 16, e05188.	0.9	1
77	Pest categorisation of <i>Tecia solanivora</i> . EFSA Journal, 2018, 16, e05102.	0.9	6
78	Pest categorisation of the <i>Goniapterus scutellatus</i> species complex. EFSA Journal, 2018, 16, e05107.	0.9	4
79	Development of an attract-and-infect system to control <i>Rhynchophorus ferrugineus</i> with the entomopathogenic fungus <i>Beauveria bassiana</i> . Pest Management Science, 2018, 74, 1861-1869.	1.7	13
80	Pest categorisation of <i>Sphaerulina musiva</i> . EFSA Journal, 2018, 16, e05247.	0.9	0
81	Pest categorisation of <i>Listronotus bonariensis</i> . EFSA Journal, 2018, 16, e05101.	0.9	0
82	Zoophytophagous mirids provide pest control by inducing direct defences, antixenosis and attraction to parasitoids in sweet pepper plants. Pest Management Science, 2018, 74, 1286-1296.	1.7	48
83	Pest categorisation of <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> . EFSA Journal, 2018, 16, e05183.	0.9	6
84	Ecobiology of <i>Anaphothrips obscurus</i> , a new dweller of citrus orchards brought in by more sustainable pest management practices. Agricultural and Forest Entomology, 2018, 20, 93-103.	0.7	3
85	When the ground cover brings guests: is <i>Anaphothrips obscurus</i> a friend or a foe for the biological control of <i>Tetranychus urticae</i> in clementines?. Journal of Pest Science, 2018, 91, 613-623.	1.9	7
86	When do predatory mites (Phytoseiidae) attack? Understanding their diel and seasonal predation patterns. Insect Science, 2018, 25, 1056-1064.	1.5	7
87	Pest categorisation of <i>Sternochetus mangiferae</i> . EFSA Journal, 2018, 16, e05439.	0.9	1
88	Pest categorisation of <i>Acrobasis pirivorella</i> . EFSA Journal, 2018, 16, e05440.	0.9	0
89	Pest categorisation of <i>Stagonosporopsis andigena</i> . EFSA Journal, 2018, 16, e05441.	0.9	0
90	Pest categorisation of <i>Melampsora farlowii</i> . EFSA Journal, 2018, 16, e05442.	0.9	0

#	ARTICLE	IF	CITATIONS
91	Pest categorisation of <i>Cronartium harknessii</i> , <i>Cronartium kurilense</i> and <i>Cronartium sahoanum</i> . EFSA Journal, 2018, 16, e05443.	0.9	0
92	Pest categorisation of <i>Phyllosticta solitaria</i> . EFSA Journal, 2018, 16, e05510.	0.9	0
93	Pest categorisation of <i>Gymnosporangium</i> spp. (non-EU). EFSA Journal, 2018, 16, e05512.	0.9	1
94	Pest categorisation of <i>Grapholita prunivora</i> . EFSA Journal, 2018, 16, e05517.	0.9	0
95	Evaluation of a paper by Guarnaccia et al. (2017) on the first report of <i>Phyllosticta citricarpa</i> in Europe. EFSA Journal, 2018, 16, e05114.	0.9	4
96	Pest categorisation of <i>Guignardia arvicina</i> . EFSA Journal, 2018, 16, e05303.	0.9	0
97	Pest categorisation of <i>Nacobbus aberrans</i> . EFSA Journal, 2018, 16, e05249.	0.9	6
98	Pest categorisation of <i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> . EFSA Journal, 2018, 16, e05299.	0.9	4
99	Pest categorisation of <i>Conotrachelus anenuphar</i> . EFSA Journal, 2018, 16, e05437.	0.9	1
100	Pest categorisation of <i>Grapholita inopinata</i> . EFSA Journal, 2018, 16, e05515.	0.9	0
101	Pest categorisation of <i>Coniferiporia sulphurascens</i> and <i>Coniferiporia weirii</i> . EFSA Journal, 2018, 16, e05302.	0.9	0
102	Pest categorisation of non-EU <i>Monochamus</i> spp.. EFSA Journal, 2018, 16, e05435.	0.9	3
103	Pest categorisation of <i>Cronartium</i> spp. (non-EU). EFSA Journal, 2018, 16, e05511.	0.9	0
104	Updated pest categorisation of <i>Xylella fastidiosa</i> . EFSA Journal, 2018, 16, e05357.	0.9	45
105	Pest categorisation of <i>Aleurocanthus</i> spp.. EFSA Journal, 2018, 16, e05436.	0.9	5
106	Pest risk assessment of <i>Spodoptera frugiperda</i> for the European Union. EFSA Journal, 2018, 16, e05351.	0.9	17
107	Pest categorisation of <i>Xanthomonas oryzae</i> pathovars <i>oryzae</i> and <i>oryzicola</i> . EFSA Journal, 2018, 16, e05109.	0.9	1
108	Pest categorisation of <i>Lopholeucaspis japonica</i> . EFSA Journal, 2018, 16, e05353.	0.9	1

#	ARTICLE	IF	CITATIONS
109	Pest categorisation of <i>MycodiellaÂlaricis</i> Âleptolepidis. EFSA Journal, 2018, 16, e05246.	0.9	0
110	Pest categorisation of <i>Anisogramma anomala</i> . EFSA Journal, 2018, 16, e05184.	0.9	1
111	Pest categorisation of <i>Aschistonyx eppoi</i> . EFSA Journal, 2018, 16, e05186.	0.9	0
112	Pest categorisation of <i>ApiosporinaÂmorbosa</i> . EFSA Journal, 2018, 16, e05244.	0.9	0
113	Pest categorisation of <i>Anthonomus quadrigibbus</i> . EFSA Journal, 2018, 16, e05245.	0.9	1
114	Pest categorisation of â€Blight and blightâ€™ diseases of citrus. EFSA Journal, 2018, 16, e05248.	0.9	0
115	Pest categorisation of <i>Melampsora medusae</i> . EFSA Journal, 2018, 16, e05354.	0.9	1
116	Pest categorisation of <i>Synchytrium endobioticum</i> . EFSA Journal, 2018, 16, e05352.	0.9	4
117	Pest categorisation of <i>PopilliaÂjaponica</i> . EFSA Journal, 2018, 16, e05438.	0.9	8
118	Pest categorisation of <i>SeptoriaÂmalagutii</i> . EFSA Journal, 2018, 16, e05509.	0.9	0
119	Pest categorisation of <i>Carposina sasakii</i> . EFSA Journal, 2018, 16, e05516.	0.9	0
120	Pest categorisation of <i>Bretziella fagacearum</i> . EFSA Journal, 2018, 16, e05185.	0.9	2
121	Pest categorisation of <i>Arceuthobium</i> spp. (nonâ€™EU). EFSA Journal, 2018, 16, e05384.	0.9	1
122	Pest categorisation of <i>ThecaphoraÂsolani</i> . EFSA Journal, 2018, 16, e05445.	0.9	2
123	Pest categorisation of <i>DendrolimusÂsibiricus</i> . EFSA Journal, 2018, 16, e05301.	0.9	7
124	Can Plant Defence Mechanisms Provide New Approaches for the Sustainable Control of the Two-Spotted Spider Mite <i>Tetranychus urticae</i> ?. International Journal of Molecular Sciences, 2018, 19, 614.	1.8	63
125	Pest categorisation of <i>XiphinemaÂamericanum sensu lato</i> . EFSA Journal, 2018, 16, e05298.	0.9	8
126	Pest categorisation of nonâ€™EU <i>Pissodes</i> spp.. EFSA Journal, 2018, 16, e05300.	0.9	1

#	ARTICLE	IF	CITATIONS
127	Pest categorisation of <i>Grapholita packardii</i> . EFSA Journal, 2018, 16, e05304.	0.9	0
128	Pest categorisation of <i>Chrysomyxa arctostaphyli</i> . EFSA Journal, 2018, 16, e05355.	0.9	0
129	Pest categorisation of <i>Pantoea stewartii</i> subsp. <i>stewartii</i> . EFSA Journal, 2018, 16, e05356.	0.9	12
130	Pest categorisation of <i>Unaspis citri</i> . EFSA Journal, 2018, 16, e05187.	0.9	0
131	Pest categorisation of <i>Colletotrichum gossypii</i> . EFSA Journal, 2018, 16, e05305.	0.9	1
132	Pest categorisation of <i>Toxoptera citricida</i> . EFSA Journal, 2018, 16, e05103.	0.9	3
133	Pest categorisation of Little cherry pathogen (non-EU isolates). EFSA Journal, 2017, 15, e04926.	0.9	3
134	Mite diversity (Acari: Tetranychidae, Tydeidae, Iolinidae, Phytoseiidae) and within-tree distribution in citrus orchards in southern Spain, with special reference to <i>Eutetranychus orientalis</i> . Experimental and Applied Acarology, 2017, 73, 191-207.	0.7	15
135	Pest categorisation of <i>Spodoptera frugiperda</i> . EFSA Journal, 2017, 15, e04927.	0.9	27
136	Pest categorisation of Cadang-Cadang viroid. EFSA Journal, 2017, 15, e04928.	0.9	3
137	Pest categorisation of <i>Ips amitinus</i> . EFSA Journal, 2017, 15, e05038.	0.9	0
138	Pest categorisation of <i>Ips duplicatus</i> . EFSA Journal, 2017, 15, e05040.	0.9	1
139	Pest categorisation of naturally spreading psorosis. EFSA Journal, 2017, 15, e05076.	0.9	0
140	Pest categorisation of <i>Dendroctonus micans</i> . EFSA Journal, 2017, 15, e04880.	0.9	1
141	Pest categorisation of Witches' broom disease of lime (<i>Citrus aurantifolia</i>) phytoplasma. EFSA Journal, 2017, 15, e05027.	0.9	3
142	Pest categorisation of Palm lethal yellowing phytoplasmas. EFSA Journal, 2017, 15, e05028.	0.9	1
143	Pest categorisation of <i>Ips typographus</i> . EFSA Journal, 2017, 15, e04881.	0.9	4
144	Pest categorisation of Citrus leprosis viruses. EFSA Journal, 2017, 15, e05110.	0.9	6

#	ARTICLE	IF	CITATIONS
145	Pest categorisation of <i>Hishimonus phycitis</i> . EFSA Journal, 2017, 15, e05037.	0.9	2
146	Pest risk assessment of <i>Diaporthe vaccinii</i> for the EU territory. EFSA Journal, 2017, 15, e04924.	0.9	7
147	Pest categorisation of <i>Entoleuca</i> sp. EFSA Journal, 2017, 15, e04925.	0.9	0
148	Pest categorisation of <i>Gilpinia hercyniae</i> . EFSA Journal, 2017, 15, e05108.	0.9	0
149	Pest categorisation of <i>Anthonomus signatus</i> . EFSA Journal, 2017, 15, e04882.	0.9	4
150	Pest categorisation of <i>Longidorus diadecturus</i> . EFSA Journal, 2017, 15, e05112.	0.9	0
151	Pest categorisation of Beet curly top virus (non-EU isolates). EFSA Journal, 2017, 15, e04998.	0.9	2
152	Pest categorisation of Citrus tristeza virus (non-European isolates). EFSA Journal, 2017, 15, e05031.	0.9	4
153	Pest categorisation of Satsuma dwarf virus. EFSA Journal, 2017, 15, e05032.	0.9	1
154	Pest categorisation of Tatter leaf virus. EFSA Journal, 2017, 15, e05033.	0.9	1
155	Pest risk assessment of <i>Atropellis</i> spp. for the EU territory. EFSA Journal, 2017, 15, e04877.	0.9	7
156	Pest risk assessment of <i>Eotetranychus lewisi</i> for the EU territory. EFSA Journal, 2017, 15, e04878.	0.9	7
157	Stage-Related Defense Response Induction in Tomato Plants by <i>Nesidiocoris tenuis</i> . International Journal of Molecular Sciences, 2016, 17, 1210.	1.8	51
158	Risk to plant health of <i>Ditylenchus destructor</i> for the EU territory. EFSA Journal, 2016, 14, e04602.	0.9	10
159	Systemic resistance in citrus to <i>Tetranychus urticae</i> induced by conspecifics is transmitted by grafting and mediated by mobile amino acids. Journal of Experimental Botany, 2016, 67, 5711-5723.	2.4	43
160	The effects of postharvest carbon dioxide and a cold storage treatment on <i>Tuta absoluta</i> mortality and tomato fruit quality. Postharvest Biology and Technology, 2016, 120, 213-221.	2.9	7
161	Risk to plant health of <i>Flavescence dorée</i> for the EU territory. EFSA Journal, 2016, 14, e04603.	0.9	29
162	Temperature-specific competition in predatory mites: Implications for biological pest control in a changing climate. Agriculture, Ecosystems and Environment, 2016, 216, 89-97.	2.5	35

#	ARTICLE	IF	CITATIONS
163	Patterns of ambulatory dispersal in <i>Tetranychus urticae</i> can be associated with host plant specialization. <i>Experimental and Applied Acarology</i> , 2016, 68, 1-20.	0.7	12
164	Early arrival of predators controls <i>Aphis spiraeicola</i> colonies in citrus clementines. <i>Journal of Pest Science</i> , 2016, 89, 69-79.	1.9	31
165	Biology and Management of Red Palm Weevil. , 2015, , 13-36.		32
166	ASSESSING THE EFFECTIVENESS OF STERILE MALES RELEASES IN MEDITERRANEAN FRUIT FLY POPULATION REDUCTION BY MOLECULAR TECHNIQUES. <i>Acta Horticulturae</i> , 2015, , 1003-1008.	0.1	0
167	IPM IN SPANISH CITRUS: CURRENT STATUS OF BIOLOGICAL CONTROL. <i>Acta Horticulturae</i> , 2015, , 1075-1082.	0.1	3
168	GROUND COVER MANAGEMENT IN CITRUS AFFECTS THE BIOLOGICAL CONTROL OF APHIDS. <i>Acta Horticulturae</i> , 2015, , 1125-1128.	0.1	0
169	HOST ADAPTATION OF <i>TETRANYCHUS URTICAE</i> POPULATIONS IN CLEMENTINE ORCHARDS WITH A <i>FESTUCA ARUNDINACEA</i> COVER MAY CONTRIBUTE TO ITS NATURAL CONTROL. <i>Acta Horticulturae</i> , 2015, , 1129-1132.	0.1	0
170	POLLEN QUALITY AFFECTS BIOLOGICAL CONTROL OF <i>TETRANYCHUS URTICAE</i> IN CLEMENTINE MANDARINES. <i>Acta Horticulturae</i> , 2015, , 1133-1136.	0.1	2
171	<i>Tetranychus urticae</i> triggered responses promote genotype-dependent conspecific repellence or attractiveness in citrus. <i>New Phytologist</i> , 2015, 207, 790-804.	3.5	52
172	Disentangling mite predator-prey relationships by multiplex PCR. <i>Molecular Ecology Resources</i> , 2015, 15, 1330-1345.	2.2	30
173	<i>Pezothrips kellyanus</i> (Thysanoptera: Thripidae) Nymphs on Orange Fruit: Importance of the Second Generation for Its Management. <i>Florida Entomologist</i> , 2015, 98, 848-855.	0.2	8
174	Defensive plant responses induced by <i>Nesidiocoris tenuis</i> (Hemiptera: Miridae) on tomato plants. <i>Journal of Pest Science</i> , 2015, 88, 543-554.	1.9	92
175	Tomato plant responses to feeding behavior of three zoophytophagous predators (Hemiptera: Tj ETQq1 1 0.784314.rgBT /Overlock 1.4 75		
176	Food Web Engineering to Enhance Biological Control of <i>Tetranychus urticae</i> by Phytoseiid Mites (Tetranychidae: Phytoseiidae) in Citrus. , 2015, , 251-269.		10
177	Untangling the aphid-parasitoid food web in citrus: Can hyperparasitoids disrupt biological control?. <i>Biological Control</i> , 2015, 81, 111-121.	1.4	48
178	Mobility and efficacy of abamectin and imidacloprid against <i>Rhynchohorus ferrugineus</i> in <i>Phoenix canariensis</i> by different application methods. <i>Pest Management Science</i> , 2015, 71, 1091-1098.	1.7	27
179	Short communication: Short and long-term efficacy and phytotoxicity of phosphine against <i>Rhynchohorus ferrugineus</i> in live <i>Phoenix canariensis</i> palms. <i>Spanish Journal of Agricultural Research</i> , 2015, 13, e10SC01.	0.3	1
180	Different metabolic and genetic responses in citrus may explain relative susceptibility to <i>Tetranychus urticae</i> . <i>Pest Management Science</i> , 2014, 70, 1728-1741.	1.7	57

#	ARTICLE	IF	CITATIONS
181	Estimating SIT-driven population reduction in the Mediterranean fruit fly, <i>Ceratitis capitata</i> , from sterile mating. <i>Bulletin of Entomological Research</i> , 2014, 104, 233-242.	0.5	19
182	Comparative toxicity of pesticides in three phytoseiid mites with different life-style occurring in citrus: <i>Euseius stipulatus</i> , <i>Neoseiulus californicus</i> and <i>Phytoseiulus persimilis</i> . <i>Experimental and Applied Acarology</i> , 2014, 62, 33-46.	0.7	23
183	Genetic structure of a phytophagous mite species affected by crop practices: the case of <i>Tetranychus urticae</i> in clementine mandarins. <i>Experimental and Applied Acarology</i> , 2014, 62, 477-498.	0.7	18
184	Can we forecast the effects of climate change on entomophagous biological control agents?. <i>Pest Management Science</i> , 2014, 70, 853-859.	1.7	29
185	Economic threshold for <i>Tetranychus urticae</i> (Acari: Tetranychidae) in clementine mandarins <i>Citrus clementina</i> . <i>Experimental and Applied Acarology</i> , 2014, 62, 337-362.	0.7	30
186	Effects of Pesticides Used on Citrus Grown in Spain on the Mortality of <i>Ceratitis capitata</i> (Diptera: Tephritidae) Vienna-8 Strain Sterile Males. <i>Journal of Economic Entomology</i> , 2013, 106, 1226-1233.	0.8	5
187	Molecular tools for sterile sperm detection to monitor <i>Ceratitis capitata</i> populations under <i>SIT</i> programmes. <i>Pest Management Science</i> , 2013, 69, 857-864.	1.7	13
188	Comparative suitability of <i>Diaprepes abbreviatus</i> and <i>Pachnaeus litus</i> eggs (Coleoptera: Curculionidae) as hosts for <i>Brachyufens osborni</i> (Hymenoptera: Trichogrammatidae): Implications for their biological control. <i>Biological Control</i> , 2013, 66, 125-131.	1.4	1
189	Could sterile males be used to vector a microbiological control agent? The case of <i>Rhynchophorus ferrugineus</i> and <i>Beauveria bassiana</i> . <i>Bulletin of Entomological Research</i> , 2013, 103, 241-250.	0.5	36
190	Compatibility of <i>Phytoseiulus persimilis</i> and <i>Neoseiulus californicus</i> (Acari: Phytoseiidae) with imidacloprid to manage clementine nursery pests. <i>Crop Protection</i> , 2013, 43, 175-182.	1.0	17
191	Effect of ground cover management on Thysanoptera (thrips) in clementine mandarin orchards. <i>Journal of Pest Science</i> , 2013, 86, 469-481.	1.9	28
192	Lethal and sublethal effects of spirotetramat on the mealybug destroyer, <i>Cryptolaemus montrouzieri</i> . <i>Journal of Pest Science</i> , 2013, 86, 321-327.	1.9	82
193	Lower temperature thresholds for oviposition and egg hatching of the Red Palm Weevil, <i>Rhynchophorus ferrugineus</i> (Coleoptera: Curculionidae), in a Mediterranean climate. <i>Bulletin of Entomological Research</i> , 2012, 102, 97-102.	0.5	26
194	Evaluation of an oil dispersion formulation of imidacloprid as a drench against <i>Rhynchophorus ferrugineus</i> (Coleoptera, Curculionidae) in young palm trees. <i>Pest Management Science</i> , 2012, 68, 878-882.	1.7	25
195	Isolation and characterization of polymorphic microsatellite markers in <i>Tetranychus urticae</i> and cross amplification in other Tetranychidae and Phytoseiidae species of economic importance. <i>Experimental and Applied Acarology</i> , 2012, 57, 37-51.	0.7	15
196	Effect of pollen quality on the efficacy of two different life-style predatory mites against <i>Tetranychus urticae</i> in citrus. <i>Biological Control</i> , 2012, 61, 176-183.	1.4	38
197	Does host adaptation of <i>Tetranychus urticae</i> populations in clementine orchards with a <i>Festuca arundinacea</i> cover contribute to a better natural regulation of this pest mite?. <i>Entomologia Experimentalis Et Applicata</i> , 2012, 144, 181-190.	0.7	21
198	Efficacy and economics of ground cover management as a conservation biological control strategy against <i>Tetranychus urticae</i> in clementine mandarin orchards. <i>Crop Protection</i> , 2011, 30, 1328-1333.	1.0	46

#	ARTICLE	IF	CITATIONS
199	Pest status of leafminers in cider-apples: The case of orchards in Asturias (NW Spain). <i>Crop Protection</i> , 2011, 30, 1485-1491.	1.0	5
200	Effect of ground-cover management on spider mites and their phytoseiid natural enemies in clementine mandarin orchards (II): Top-down regulation mechanisms. <i>Biological Control</i> , 2011, 59, 171-179.	1.4	66
201	Effect of ground-cover management on spider mites and their phytoseiid natural enemies in clementine mandarin orchards (I): Bottom-up regulation mechanisms. <i>Biological Control</i> , 2011, 59, 158-170.	1.4	69
202	Basic bio-ecological parameters of the invasive Red Palm Weevil, <i>Rhynchophorus ferrugineus</i> (Coleoptera: Curculionidae), in <i>Phoenix canariensis</i> under Mediterranean climate. <i>Bulletin of Entomological Research</i> , 2011, 101, 153-163.	0.5	67
203	Replacement of CTV-susceptible sour orange rootstock by CTV-tolerant ones may have triggered outbreaks of <i>Tetranychus urticae</i> in Spanish citrus. <i>Agriculture, Ecosystems and Environment</i> , 2010, 137, 93-98.	2.5	29
204	Changes in predation and parasitism of the citrus leafminer <i>Phyllocnistis citrella</i> Stainton (Lepidoptera: Gracillariidae) populations in Spain following establishment of <i>Citrostichus phyllocnistoides</i> (Hymenoptera: Eulophidae). <i>Biological Control</i> , 2010, 52, 37-45.	1.4	13
205	The role of <i>Brachyufens osborni</i> (Hymenoptera: Trichogrammatidae) in the classical biological control program against <i>Diaprepes abbreviatus</i> (Coleoptera: Curculionidae) in Florida. <i>Biological Control</i> , 2010, 54, 213-220.	1.4	2
206	Field efficacy of imidacloprid and <i>Steinernema carpocapsae</i> in a chitosan formulation against the red palm weevil <i>Rhynchophorus ferrugineus</i> (Coleoptera: Curculionidae) in <i>Phoenix canariensis</i> . <i>Pest Management Science</i> , 2010, 66, 365-370.	1.7	82
207	Spray Deposition and Efficacy of Four Petroleum-Derived Oils Used Against <i>Tetranychus urticae</i> (Acari: Tetranychidae). <i>Journal of Economic Entomology</i> , 2010, 103, 386-393.	0.8	17
208	Evaluation of the Efficacy of an Insecticidal Paint Based on Chlorpyrifos and Pyriproxyfen in a Microencapsulated Formulation Against <i>Rhynchophorus ferrugineus</i> (Coleoptera: Curculionidae) in <i>Phoenix canariensis</i> . <i>Journal of Economic Entomology</i> , 2010, 103, 394-398.	0.8	17
209	Potential of an indigenous strain of the entomopathogenic fungus <i>Beauveria bassiana</i> as a biological control agent against the Red Palm Weevil, <i>Rhynchophorus ferrugineus</i> . <i>Journal of Invertebrate Pathology</i> , 2010, 104, 214-221.	1.5	104
210	Evaluation of the efficacy of <i>Steinernema carpocapsae</i> in a chitosan formulation against the red palm weevil, <i>Rhynchophorus ferrugineus</i> , in <i>Phoenix canariensis</i> . <i>BioControl</i> , 2009, 54, 559-565.	0.9	73
211	Are the palms <i>Washingtonia filifera</i> and <i>Chamaerops humilis</i> suitable hosts for the red palm weevil, <i>Rhynchophorus ferrugineus</i> (Col. Curculionidae)? <i>Journal of Applied Entomology</i> , 2009, 133, 565-567.	0.8	69
212	Biological Control with Egg Parasitoids other than <i>Trichogramma</i> – the Citrus and Grape Cases. <i>Biological Control</i> , 2009, 54, 341-371.		4
213	Morphology and Development of the Immature Stages of <i>Brachyufens Osborni</i> (Hymenoptera: Trichogrammatidae). <i>Annals of the Entomological Society of America</i> , 2009, 102, 112-118.	1.3	7
214	Thermal requirements of <i>Fidiobia dominica</i> (Hymenoptera: Platygasteridae) and <i>Haeckelia sperata</i> (Hymenoptera: Trichogrammatidae), two exotic egg parasitoids of <i>Diaprepes abbreviatus</i> (Coleoptera: Curculionidae). <i>Journal of Economic Entomology</i> , 2009, 102, 119-123.	0.9	10
215	Efficacy of five selected acaricides against <i>Tetranychus urticae</i> (Acari: Tetranychidae) and their side effects on relevant natural enemies occurring in citrus orchards. <i>Pest Management Science</i> , 2008, 64, 834-842.	1.7	66
216	Sequence analysis of the ribosomal internal transcribed spacers region in spider mites (Prostigmata: Tetranychidae). <i>Journal of Applied Biology</i> , 2008, 153, 080527111818499-???	1.3	24

#	ARTICLE	IF	CITATIONS
217	Can summer and fall vegetative growth regulate the incidence of <i>Tetranychus urticae</i> Koch on clementine fruit?. <i>Crop Protection</i> , 2008, 27, 459-464.	1.0	22
218	Physico-chemical and sensory quality of "Clemenules"™ mandarins and survival of the Mediterranean fruit fly as affected by complementary cold and carbon dioxide quarantine treatments. <i>Postharvest Biology and Technology</i> , 2008, 48, 443-450.	2.9	25
219	Morphology and Development of Immature Stages of <i>Fidiobia dominica</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 12	1.3	7
220	Effect of X-ray irradiation on fruit quality of clementine mandarin cv. "Clemenules"™. <i>Radiation Physics and Chemistry</i> , 2007, 76, 1631-1635.	1.4	31
221	Effects of X-ray irradiation and sodium carbonate treatments on postharvest <i>Penicillium</i> decay and quality attributes of clementine mandarins. <i>Postharvest Biology and Technology</i> , 2007, 46, 252-261.	2.9	45
222	Estimating the intrinsic rate of increase of <i>Tetranychus urticae</i> : which is the minimum number of immature individuals to consider?. <i>Experimental and Applied Acarology</i> , 2007, 41, 55-59.	0.7	12
223	Approaches for Sampling the Twospotted Spider Mite (Acari: Tetranychidae) on Clementines in Spain. <i>Journal of Economic Entomology</i> , 2006, 99, 1490-1499.	0.8	38
224	Effect of temperature on life history of <i>Quadrastichus haitiensis</i> (Hymenoptera: Eulophidae), an endoparasitoid of <i>Diaprepes abbreviatus</i> (Coleoptera: Curculionidae). <i>Biological Control</i> , 2006, 36, 189-196.	1.4	31
225	Effect of temperature on life history of <i>Aprostocetus vaquitarum</i> (Hymenoptera: Eulophidae), an egg parasitoid of <i>Diaprepes abbreviatus</i> (Coleoptera: Curculionidae). <i>Biological Control</i> , 2006, 39, 19-25.	1.4	18
226	History and Future of Introduction of Exotic Arthropod Biological Control Agents in Spain: A Dilemma?. <i>BioControl</i> , 2006, 51, 1-30.	0.9	33
227	Temperature Requirements may Explain why the Introduced Parasitoid <i>Quadrastichus citrella</i> Failed to Control <i>Phyllocnistis citrella</i> in Spain. <i>BioControl</i> , 2006, 51, 439-452.	0.9	11
228	Carbon dioxide diminishes cold tolerance of third instar larvae of <i>Ceratitis capitata</i> Wiedemann (Diptera: Tephritidae) in "Fortune"™ mandarins: implications for citrus quarantine treatments. <i>Postharvest Biology and Technology</i> , 2005, 36, 103-111.	2.9	23
229	Genetic analysis of citrus leafminer susceptibility. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1393-1400.	1.8	26
230	Hydrogel substrate amendment alleviates drought effects on young citrus plants. <i>Plant and Soil</i> , 2005, 270, 73-82.	1.8	134
231	Morphology and Development of Immature Stages of <i>Galeopsomyia fausta</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 12	1.3	12
232	Successful oviposition and reproductive biology of <i>Aprostocetus vaquitarum</i> (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147	1.4	20
233	Effects of NaCl-stressed citrus plants on life-history parameters of <i>Tetranychus urticae</i> (Acari: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.7	41
234	Enzymatic and Non-enzymatic Antioxidant Responses of Carrizo citrange, a Salt-Sensitive Citrus Rootstock, to Different Levels of Salinity. <i>Plant and Cell Physiology</i> , 2003, 44, 388-394.	1.5	148

#	ARTICLE	IF	CITATIONS
235	Effect of Temperature on Development and Survival of <i>Citrostichus phyllocnistoides</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock Technology, 2003, 13, 127-130.	0.5	9
236	Interspecific competition between two ectoparasitoids of <i>Phyllocnistis citrella</i> (Lepidoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T Biological Control, 2003, 28, 243-250.	1.4	11
237	CALLING BEHAVIOR OF TWO DIFFERENT FIELD POPULATIONS OF PHYLLOCNISTIS CITRELLA (LEPIDOPTERA: Tj ETQq1 1 0.784314 rgBT /Overlock 0.2 11	0.2	11
238	Effect of Temperature on Life History of <i>Cirrospilus vittatus</i> (Hymenoptera: Eulophidae), an Ectoparasitoid of <i>Phyllocnistis citrella</i> (Lepidoptera: Gracillariidae). Journal of Economic Entomology, 2002, 95, 250-255.	0.8	21
239	Abscisic Acid Reduces Leaf Abscission and Increases Salt Tolerance in Citrus Plants. Journal of Plant Growth Regulation, 2002, 21, 234-240.	2.8	115
240	Effect of Temperature on the Life History of <i>Cirrospilus</i> sp. near <i>lyncus</i> (Hymenoptera: Eulophidae), a Parasitoid of <i>Phyllocnistis citrella</i> (Lepidoptera: Gracillariidae). Biological Control, 2001, 21, 293-299.	1.4	19
241	Effect of Variable Photoperiod on Development and Survival of <i>Cirrospilus</i> sp. nr. <i>Lyncus</i> (Hymenoptera: Eulophidae), an Ectoparasitoid of <i>Phyllocnistis citrella</i> (Lepidoptera: Gracillariidae). Florida Entomologist, 2001, 84, 305.	0.2	8
242	Indigenous Natural Enemies Associated with <i>Phyllocnistis citrella</i> (Lepidoptera: Gracillariidae) in Eastern Spain. Biological Control, 2000, 18, 199-207.	1.4	59
243	Title is missing!. BioControl, 1999, 44, 99-117.	0.9	237
244	Screening of different citrus rootstocks and citrus-related species for resistance to <i>Phyllocnistis citrella</i> (Lepidoptera: Gracillariidae). Crop Protection, 1997, 16, 701-705.	1.0	25
245	Virus-like particules in the poison gland of the parasitic wasp <i>Opius concolor</i> . Annals of Applied Biology, 1997, 130, 587-592.	1.3	21
246	Metapopulation dynamics of a persisting predator-prey system in the laboratory: time series analysis. Experimental and Applied Acarology, 1997, 21, 415-430.	0.7	48
247	Differences in the Morphology of Male and Female Pupae of <i>Phyllocnistis citrella</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 0.2 24	0.2	24
248	Pesticides and Phytoseiid Mites: Strategies for Risk Assessment. Ecotoxicology and Environmental Safety, 1995, 32, 58-67.	2.9	20
249	Analysis of a laboratory method to test the effects of pesticides on adult females of <i>Opius concolor</i> (Hym., Braconidae), a parasitoid of the olive fruit fly, <i>Bactrocera oleae</i> (Dip., Tephritidae). Biocontrol Science and Technology, 1994, 4, 147-154.	0.5	28
250	Laboratory evaluation of five new JHA derivatives from 2-(4-hydroxybenzyl)-1-cyclohexanone against <i>Tribolium castaneum</i> (Herbst). Journal of Stored Products Research, 1994, 30, 149-155.	1.2	3
251	Differential larval age susceptibility of the medfly, <i>Ceratitis capitata</i> Wied. (Dipt., Tephritidae) to cyromazine. Journal of Applied Entomology, 1993, 115, 355-362.	0.8	6
252	Mycorrhizal Symbiosis Triggers Local Resistance in Citrus Plants Against Spider Mites. Frontiers in Plant Science, 0, 13, .	1.7	6