Paul L Carmichael

List of Publications by Citations

Source: https://exaly.com/author-pdf/7828965/paul-l-carmichael-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 papers

3,458 citations

33 h-index 56 g-index

105 ext. papers

3,871 ext. citations

4.7 avg, IF

4.84 L-index

#	Paper	IF	Citations
94	Different levels of polybrominated diphenyl ethers (PBDEs) and chlorinated compounds in breast milk from two U.K. Regions. <i>Environmental Health Perspectives</i> , 2004 , 112, 1085-91	8.4	180
93	Extracting biological information with computational analysis of Fourier-transform infrared (FTIR) biospectroscopy datasets: current practices to future perspectives. <i>Analyst, The</i> , 2012 , 137, 3202-15	5	167
92	Reduction of misleading ("false") positive results in mammalian cell genotoxicity assays. I. Choice of cell type. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2012 , 742, 11-25	3	154
91	Toxicity testing in the 21 century: defining new risk assessment approaches based on perturbation of intracellular toxicity pathways. <i>PLoS ONE</i> , 2011 , 6, e20887	3.7	148
90	Generation of putative intrastrand cross-links and strand breaks in DNA by transition metal ion-mediated oxygen radical attack. <i>Chemical Research in Toxicology</i> , 1997 , 10, 393-400	4	145
89	Biospectroscopy to metabolically profile biomolecular structure: a multistage approach linking computational analysis with biomarkers. <i>Journal of Proteome Research</i> , 2011 , 10, 1437-48	5.6	140
88	Comparison of the formation of 8-hydroxy-2Sdeoxyguanosine and single- and double-strand breaks in DNA mediated by fenton reactions. <i>Chemical Research in Toxicology</i> , 1998 , 11, 420-7	4	123
87	Analysis of tamoxifen and its metabolites by on-line capillary electrophoresis-electrospray ionization mass spectrometry employing nonaqueous media containing surfactants. <i>Analytical Chemistry</i> , 1996 , 68, 668-74	7.8	122
86	IRootLab: a free and open-source MATLAB toolbox for vibrational biospectroscopy data analysis. <i>Bioinformatics</i> , 2013 , 29, 1095-7	7.2	112
85	Implementing Toxicity Testing in the 21st Century (TT21C): Making safety decisions using toxicity pathways, and progress in a prototype risk assessment. <i>Toxicology</i> , 2015 , 332, 102-11	4.4	100
84	Activation of tamoxifen and its metabolite alpha-hydroxytamoxifen to DNA-binding products: comparisons between human, rat and mouse hepatocytes. <i>Carcinogenesis</i> , 1996 , 17, 89-94	4.6	86
83	Evaluation of an automated in vitro micronucleus assay in CHO-K1 cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2007 , 630, 1-13	3	80
82	Anergic T cells effect linked suppression. <i>European Journal of Immunology</i> , 1997 , 27, 3191-7	6.1	76
81	Detection and characterization by 32P-postlabelling of DNA adducts induced by a Fenton-type oxygen radical-generating system. <i>Carcinogenesis</i> , 1992 , 13, 1127-35	4.6	71
80	Induction of activating mutations in the human c-Ha-ras-1 proto-oncogene by oxygen free radicals. Molecular Carcinogenesis, 1994 , 11, 170-5	5	68
79	Doxorubicin-induced mitophagy and mitochondrial damage is associated with dysregulation of the PINK1/parkin pathway. <i>Toxicology in Vitro</i> , 2018 , 51, 1-10	3.6	64
78	Reduction of misleading ("false") positive results in mammalian cell genotoxicity assays. II. Importance of accurate toxicity measurement. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2012 , 747, 104-117	3	62

77	Cell transformation assays for prediction of carcinogenic potential: state of the science and future research needs. <i>Mutagenesis</i> , 2012 , 27, 93-101	2.8	62
76	Pathways of Toxicity. ALTEX: Alternatives To Animal Experimentation, 2014, 31, 53-61	4.3	59
75	Analysis of the polycyclic aromatic hydrocarbon content of petrol and diesel engine lubricating oils and determination of DNA adducts in topically treated mice by 32P-postlabelling. <i>Carcinogenesis</i> , 1990 , 11, 2025-32	4.6	54
74	Detection of bulky DNA lesions in the liver of patients with Wilson's disease and primary haemochromatosis. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1995 , 326, 235-43	3.3	51
73	Erythropoietin activates SIRT1 to protect human cardiomyocytes against doxorubicin-induced mitochondrial dysfunction and toxicity. <i>Toxicology Letters</i> , 2017 , 275, 28-38	4.4	50
72	A tiered approach to the use of alternatives to animal testing for the safety assessment of cosmetics: genotoxicity. A COLIPA analysis. <i>Regulatory Toxicology and Pharmacology</i> , 2010 , 57, 315-24	3.4	50
71	The carcinoGENOMICS project: critical selection of model compounds for the development of omics-based in vitro carcinogenicity screening assays. <i>Mutation Research - Reviews in Mutation Research</i> , 2008 , 659, 202-10	7	50
70	Adaptive Posttranslational Control in Cellular Stress Response Pathways and Its Relationship to Toxicity Testing and Safety Assessment. <i>Toxicological Sciences</i> , 2015 , 147, 302-16	4.4	46
69	Syrian hamster embryo (SHE) assay (pH 6.7) coupled with infrared spectroscopy and chemometrics towards toxicological assessment. <i>Analyst, The</i> , 2010 , 135, 3266-72	5	44
68	Reduction of misleading ("false") positive results in mammalian cell genotoxicity assays. III: sensitivity of human cell types to known genotoxic agents. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2014 , 767, 28-36	3	41
67	Metabolic activation and DNA binding of food mutagens and other environmental carcinogens in human mammary epithelial cells. <i>Carcinogenesis</i> , 1996 , 17, 1769-72	4.6	40
66	Profiling dose-dependent activation of p53-mediated signaling pathways by chemicals with distinct mechanisms of DNA damage. <i>Toxicological Sciences</i> , 2014 , 142, 56-73	4.4	38
65	A Next-Generation Risk Assessment Case Study for Coumarin in Cosmetic Products. <i>Toxicological Sciences</i> , 2020 , 176, 236-252	4.4	36
64	Electrospray ionization-tandem mass spectrometry and 32P-postlabeling analyses of tamoxifen-DNA adducts in humans. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1099-104	9.7	35
63	Can case study approaches speed implementation of the NRC report: "toxicity testing in the 21st century: a vision and a strategy?". <i>ALTEX: Alternatives To Animal Experimentation</i> , 2011 , 28, 175-82	4.3	34
62	Microspectroscopy of spectral biomarkers associated with human corneal stem cells. <i>Molecular Vision</i> , 2010 , 16, 359-68	2.3	30
61	A PGC-1EMediated Transcriptional Network Maintains Mitochondrial Redox and Bioenergetic Homeostasis against Doxorubicin-Induced Toxicity in Human Cardiomyocytes: Implementation of TT21C. <i>Toxicological Sciences</i> , 2016 , 150, 400-17	4.4	29
60	Pro-oxidant induced DNA damage in human lymphoblastoid cells: homeostatic mechanisms of genotoxic tolerance. <i>Toxicological Sciences</i> , 2012 , 128, 387-97	4.4	27

59	Gene expression changes induced by estrogen and selective estrogen receptor modulators in primary-cultured human endometrial cells: signals that distinguish the human carcinogen tamoxifen. <i>Toxicology</i> , 2005 , 206, 91-109	4.4	27
58	Contributions of DNA repair and damage response pathways to the non-linear genotoxic responses of alkylating agents. <i>Mutation Research - Reviews in Mutation Research</i> , 2016 , 767, 77-91	7	26
57	Suppression of NRF2-ARE activity sensitizes chemotherapeutic agent-induced cytotoxicity in human acute monocytic leukemia cells. <i>Toxicology and Applied Pharmacology</i> , 2016 , 292, 1-7	4.6	26
56	Assessing dose-dependent differences in DNA-damage, p53 response and genotoxicity for quercetin and curcumin. <i>Toxicology in Vitro</i> , 2013 , 27, 1877-87	3.6	26
55	N-demethylation accompanies alpha-hydroxylation in the metabolic activation of tamoxifen in rat liver cells. <i>Carcinogenesis</i> , 1999 , 20, 2003-9	4.6	26
54	Isolating stem cells in the inter-follicular epidermis employing synchrotron radiation-based Fourier-transform infrared microspectroscopy and focal plane array imaging. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 1745-58	4.4	25
53	Tamoxifen does not form detectable DNA adducts in white blood cells of breast cancer patients. <i>Carcinogenesis</i> , 1996 , 17, 1149-52	4.6	25
52	mRNA transfection retrofits cell-based assays with xenobiotic metabolism. <i>Journal of Pharmacological and Toxicological Methods</i> , 2018 , 92, 77-94	1.7	24
51	Measuring similarity and improving stability in biomarker identification methods applied to Fourier-transform infrared (FTIR) spectroscopy. <i>Journal of Biophotonics</i> , 2014 , 7, 254-65	3.1	23
50	Discrimination of a transformation phenotype in Syrian golden hamster embryo (SHE) cells using ATR-FTIR spectroscopy. <i>Toxicology</i> , 2009 , 258, 33-8	4.4	23
49	Mechanisms of action of antiestrogens: relevance to clinical benefits and risks. <i>Cancer Investigation</i> , 1998 , 16, 604-11	2.1	23
48	Identifying and Characterizing Stress Pathways of Concern for Consumer Safety in Next-Generation Risk Assessment. <i>Toxicological Sciences</i> , 2020 , 176, 11-33	4.4	22
47	Genotoxic effects of subacute treatments with wood dust extracts on the nasal epithelium of rats: assessment by the micronucleus and 32P-postlabelling. <i>Archives of Toxicology</i> , 1993 , 67, 586-9	5.8	19
46	Vision of a near future: Bridging the human health-environment divide. Toward an integrated strategy to understand mechanisms across species for chemical safety assessment. <i>Toxicology in Vitro</i> , 2020 , 62, 104692	3.6	19
45	Towards a non-animal risk assessment for anti-androgenic effects in humans. <i>Environment International</i> , 2015 , 83, 94-106	12.9	18
44	Assuring consumer safety without animal testing: a feasibility case study for skin sensitisation. <i>ATLA Alternatives To Laboratory Animals</i> , 2008 , 36, 557-68	2.1	18
43	Percutaneous penetration and genotoxicity of 4,4Smethylenedianiline through rat and human skin in vitro. <i>Toxicology</i> , 2004 , 196, 65-75	4.4	18
42	Genomic phenotyping of the essential and non-essential yeast genome detects novel pathways for alkylation resistance. <i>BMC Systems Biology</i> , 2011 , 5, 157	3.5	17

(2020-1992)

41	DNA adduct formation in mice following treatment with used engine oil and identification of some of the major adducts by 32P-postlabelling. <i>Cancer Letters</i> , 1992 , 64, 137-44	9.9	16	
40	Challenges in working towards an internal threshold of toxicological concern (iTTC) for use in the safety assessment of cosmetics: Discussions from the Cosmetics Europe iTTC Working Group workshop. <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 103, 63-72	3.4	15	
39	Correlation of tumors with DNA adducts from methyl eugenol and tamoxifen in rats. <i>Toxicological Sciences</i> , 2004 , 79, 38-40	4.4	15	
38	A mode-of-action ontology model for safety evaluation of chemicals: Outcome of a series of workshops on repeated dose toxicity. <i>Toxicology in Vitro</i> , 2019 , 59, 44-50	3.6	13	
37	Non-animal approaches for consumer safety risk assessments: Unilever's scientific research programme. <i>ATLA Alternatives To Laboratory Animals</i> , 2009 , 37, 595-610	2.1	12	
36	Mechanisms of hormonal carcinogenesis in the p53+/- hemizygous knockout mouse: studies with diethylstilbestrol. <i>Toxicologic Pathology</i> , 2001 , 29 Suppl, 155-60	2.1	12	
35	Non-cytotoxic concentrations of acetaminophen induced mitochondrial biogenesis and antioxidant response in HepG2 cells. <i>Environmental Toxicology and Pharmacology</i> , 2016 , 46, 71-79	5.8	11	
34	International Harmonization and Cooperation in the Validation of Alternative Methods. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 856, 343-386	3.6	11	
33	A comparison of gene expression changes in response to diethylstilbestrol treatment in wild-type and p53+/- hemizygous knockout mice using focussed arrays. <i>Toxicology</i> , 2003 , 185, 49-57	4.4	10	
32	Integrated in silico approaches for the prediction of Ames test mutagenicity. <i>Journal of Computer-Aided Molecular Design</i> , 2012 , 26, 1017-33	4.2	9	
31	The Syrian hamster embryo (SHE) assay (pH 6.7): mechanisms of cell transformation and application of vibrational spectroscopy to objectively score endpoint alterations. <i>Mutagenesis</i> , 2012 , 27, 257-66	2.8	9	
30	Employing Dietary Comparators to Perform Risk Assessments for Anti-Androgens Without Using Animal Data. <i>Toxicological Sciences</i> , 2019 , 167, 375-384	4.4	8	
29	Case Studies in Cellular Stress: Defining Adversity/Adaptation Tipping Points. <i>Applied in Vitro Toxicology</i> , 2017 , 3, 199-210	1.3	7	
28	Pathway Based Toxicology and Fit-for-Purpose Assays. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 856, 205-230	3.6	7	
27	Flutamide Induces Hepatic Cell Death and Mitochondrial Dysfunction via Inhibition of Nrf2-Mediated Heme Oxygenase-1. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 8017073	6.7	7	
26	China begins to position for leadership on responsible risk-based global chemicals management. <i>Environmental Pollution</i> , 2012 , 165, 170-3	9.3	7	
25	The Alginate Immobilization of Metabolic Enzymes Platform Retrofits an Estrogen Receptor Transactivation Assay With Metabolic Competence. <i>Toxicological Sciences</i> , 2020 , 178, 281-301	4.4	7	
24	Integration of in vitro data from three dimensionally cultured HepaRG cells and physiologically based pharmacokinetic modeling for assessment of acetaminophen hepatotoxicity. <i>Regulatory Toxicology and Pharmacology</i> , 2020 , 114, 104661	3.4	6	

23	Classification of test agent-specific effects in the Syrian hamster embryo assay (pH 6.7) using infrared spectroscopy with computational analysis. <i>Mutagenesis</i> , 2012 , 27, 375-82	2.8	6
22	A metabolomic and multivariate statistical process to assess the effects of genotoxins in Saccharomyces cerevisiae. <i>Molecular BioSystems</i> , 2009 , 5, 1913-24		6
21	Differences in susceptibility between crystallins and non-lenticular proteins to copper and H2O2-mediated peptide bond cleavage. <i>Free Radical Research Communications</i> , 1991 , 15, 101-10		6
20	Gene expression profiling of p53(+/-) knockout and wild-type mice following diethylstilbestrol administration. <i>IUBMB Life</i> , 2004 , 56, 409-16	4.7	5
19	Implementing organ-on-chip in a next-generation risk assessment of chemicals: a review <i>Archives of Toxicology</i> , 2022 , 96, 711	5.8	5
18	Classification of agents using Syrian hamster embryo (SHE) cell transformation assay (CTA) with ATR-FTIR spectroscopy and multivariate analysis. <i>Mutagenesis</i> , 2015 , 30, 603-12	2.8	4
17	Correspondence regarding M. Sharma et al., "Antioxidant inhibits tamoxifen-DNA adducts in endometrial explant culture". <i>Biochemical and Biophysical Research Communications</i> , 2003 , 310, 1039	3.4	4
16	Integrating in vitro testing and physiologically-based pharmacokinetic (PBPK) modelling for chemical liver toxicity assessment-A case study of troglitazone. <i>Environmental Toxicology and Pharmacology</i> , 2020 , 74, 103296	5.8	4
15	Risk prediction for acute kidney injury in acute medical admissions in the UK. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2019 , 112, 197-205	2.7	4
14	Assuring safety without animal testing: UnileverS ongoing research programme to deliver novel ways to assure consumer safety. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2010 , 27, 61-5	4.3	4
13	A human-derived prostate co-culture microtissue model using epithelial (RWPE-1) and stromal (WPMY-1) cell lines. <i>Toxicology in Vitro</i> , 2019 , 60, 203-211	3.6	3
12	Novel approaches to derive points of departure for food chemical risk assessment. <i>Current Opinion in Food Science</i> , 2019 , 27, 139-144	9.8	3
11	Chemical safety without animals. <i>Nature Biotechnology</i> , 2014 , 32, 541-3	44.5	3
10	Next generation risk assessment of human exposure to anti-androgens using newly defined comparator compound values. <i>Toxicology in Vitro</i> , 2021 , 73, 105132	3.6	3
9	Genomic phenotyping by barcode sequencing broadly distinguishes between alkylating agents, oxidizing agents, and non-genotoxic agents, and reveals a role for aromatic amino acids in cellular recovery after quinone exposure. <i>PLoS ONE</i> , 2013 , 8, e73736	3.7	2
8	Validation of a high throughput bacterial screen for mutagenicity: Incorporation of Salmonella typhimurium strain TA102. <i>Toxicology</i> , 2006 , 226, 72-73	4.4	2
7	Identification of transcriptional biomarkers induced by SERMS in human endometrial cells using multivariate analysis of DNA microarrays. <i>Biomarkers</i> , 2004 , 9, 447-60	2.6	2
6	Beyond AOPs: A Mechanistic Evaluation of NAMs in DART Testing Frontiers in Toxicology, 2022, 4, 838	4 6 66	2

LIST OF PUBLICATIONS

5	Development of a human keratinocyte cell line that is up-regulated for the expression of superoxide dismutase 1 (SOD1). <i>Toxicology</i> , 2006 , 226, 74-75	4.4	1
4	Detection of low levels of DNA damage arising from exposure of humans to chemical carcinogens. <i>Archives of Toxicology Supplement</i> , 1998 , 20, 199-205		1
3	Next generation risk assessment (NGRA): Bridging in vitro points-of-departure to human safety assessment using physiologically-based kinetic (PBK) modelling - A case study of doxorubicin with dose metrics considerations. <i>Toxicology in Vitro</i> , 2021 , 74, 105171	3.6	1
2	Catabolism of aberrant crystallin in cell-free extracts of bovine lens: effects of animal age. <i>Biochemical Society Transactions</i> , 1989 , 17, 181-182	5.1	
1	Differential susceptibility of crystallin and other proteins to free-radical-induced peptide bond cleavage. <i>Biochemical Society Transactions</i> , 1989 , 17, 494-495	5.1	