

Cristiane Alves Villela-Nogueira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7829622/publications.pdf>

Version: 2024-02-01

83
papers

1,911
citations

393982

19
h-index

276539

41
g-index

85
all docs

85
docs citations

85
times ranked

3100
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and associated factors of non-alcoholic fatty liver disease in patients with type 2 diabetes mellitus. <i>Liver International</i> , 2009, 29, 113-119.	1.9	427
2	Histopathological stages of nonalcoholic fatty liver disease in type 2 diabetes: prevalences and correlated factors. <i>Liver International</i> , 2011, 31, 700-706.	1.9	151
3	Assessment of hepatic steatosis by controlled attenuation parameter using the M and XL probes: an individual patient data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 185-198.	3.7	130
4	Hepatitis B virus genotypes circulating in Brazil: molecular characterization of genotype F isolates. <i>BMC Microbiology</i> , 2007, 7, 103.	1.3	102
5	Acute Kidney Injury Network Criteria as a Predictor of Hospital Mortality in Cirrhotic Patients With Ascites. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, e21-e26.	1.1	88
6	Non-alcoholic fatty liver disease and diabetes: From physiopathological interplay to diagnosis and treatment. <i>World Journal of Gastroenterology</i> , 2014, 20, 8377.	1.4	76
7	Performance of rapid hepatitis C virus antibody assays among high- and low-risk populations. <i>Journal of Clinical Virology</i> , 2014, 60, 200-205.	1.6	38
8	Gamma-Glutamyl Transferase (GGT) as an Independent Predictive Factor of Sustained Virologic Response in Patients With Hepatitis C Treated With Interferon-Alpha and Ribavirin. <i>Journal of Clinical Gastroenterology</i> , 2005, 39, 728-730.	1.1	33
9	NAFLD and Increased Aortic Stiffness: Parallel or Common Physiopathological Mechanisms?. <i>International Journal of Molecular Sciences</i> , 2016, 17, 460.	1.8	33
10	Dried blood spot samples: Optimization of commercial EIAs for hepatitis C antibody detection and stability under different storage conditions. <i>Journal of Medical Virology</i> , 2012, 84, 1600-1607.	2.5	32
11	Simultaneous detection of hepatitis c virus antigen and antibodies in dried blood spots. <i>Journal of Clinical Virology</i> , 2013, 57, 98-102.	1.6	32
12	Identification of novel recombinants of hepatitis B virus genotypes F and G in human immunodeficiency virus-positive patients from Argentina and Brazil. <i>Journal of General Virology</i> , 2013, 94, 150-158.	1.3	31
13	Serum biomarkers in type 2 diabetic patients with non-alcoholic steatohepatitis and advanced fibrosis. <i>Hepatology Research</i> , 2013, 43, 508-515.	1.8	28
14	Efficacy of diacerein in reducing liver steatosis and fibrosis in patients with type 2 diabetes and non-alcoholic fatty liver disease: A randomized, placebo-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1266-1270.	2.2	25
15	Abbreviated mpMRI protocol for diffuse liver disease: a practical approach for evaluation and follow-up of NAFLD. <i>Abdominal Radiology</i> , 2018, 43, 2340-2350.	1.0	23
16	New drugs for non-alcoholic steatohepatitis. <i>Liver International</i> , 2020, 40, 96-101.	1.9	23
17	Evaluation of saliva specimens as an alternative sampling method to detect hepatitis B surface antigen. <i>Journal of Clinical Laboratory Analysis</i> , 2011, 25, 134-141.	0.9	22
18	Evaluation of dried blood spot samples for hepatitis C virus detection and quantification. <i>Journal of Clinical Virology</i> , 2016, 82, 139-144.	1.6	22

#	ARTICLE	IF	CITATIONS
19	Transient elastography evaluation of hepatic and spleen stiffness in patients with hepatosplenic schistosomiasis. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 730-735.	0.8	22
20	Usefulness of in-house real time PCR for HBV DNA quantification in serum and oral fluid samples. <i>Journal of Virological Methods</i> , 2018, 256, 100-106.	1.0	21
21	Transient hepatic elastography has the best performance to evaluate liver fibrosis in non-alcoholic fatty liver disease (NAFLD). <i>Annals of Hepatology</i> , 2019, 18, 445-449.	0.6	20
22	Increasing aortic stiffness is predictive of advanced liver fibrosis in patients with type 2 diabetes: the Rio de Janeiro DM cohort study. <i>Liver International</i> , 2016, 36, 977-985.	1.9	19
23	Prevalence of occult hepatitis B virus infection and Torque teno virus infection and their association with hepatocellular carcinoma in chronic hepatitis C patients. <i>Virus Research</i> , 2017, 242, 166-172.	1.1	19
24	RASSF1A and DOK1 Promoter Methylation Levels in Hepatocellular Carcinoma, Cirrhotic and Non-Cirrhotic Liver, and Correlation with Liver Cancer in Brazilian Patients. <i>PLoS ONE</i> , 2016, 11, e0153796.	1.1	19
25	Is the Rapid Virologic Response a Positive Predictive Factor of Sustained Virologic Response in all Pretreatment Status Genotype 1 Hepatitis C Patients Treated With Peginterferon- α 2b and Ribavirin?. <i>Journal of Clinical Gastroenterology</i> , 2009, 43, 362-366.	1.1	17
26	Dynamics of resistance mutations to NS3 protease inhibitors in a cohort of Brazilian patients chronically infected with hepatitis C virus (genotype 1) treated with pegylated interferon and ribavirin: a prospective longitudinal study. <i>Virology Journal</i> , 2013, 10, 57.	1.4	17
27	Prognostic impact of liver fibrosis and steatosis by transient elastography for cardiovascular and mortality outcomes in individuals with nonalcoholic fatty liver disease and type 2 diabetes: the Rio de Janeiro Cohort Study. <i>Cardiovascular Diabetology</i> , 2021, 20, 193.	2.7	17
28	A single nucleotide polymorphism, rs129679860, in the IL28B locus is associated with the viral kinetics and a sustained virological response in a chronic, monoinfected hepatitis C virus genotype-1 Brazilian population treated with pegylated interferon-ribavirin. <i>Memórias Do Instituto Oswaldo Cruz</i> , 2012, 107, 888-892.	0.8	16
29	Propranolol improves endothelial dysfunction in advanced cirrhosis: the "endothelial exhaustion" hypothesis. <i>Gut</i> , 2016, 65, 1391-1392.	6.1	16
30	An evaluation of different saliva collection methods for detection of antibodies against hepatitis C virus (anti-HCV). <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 793-800.	1.4	15
31	PNPLA3 gene polymorphism in Brazilian patients with type 2 diabetes: A prognostic marker beyond liver disease?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 965-971.	1.1	15
32	Orthotopic Liver Transplantation in Glucose-6-phosphatase Deficiency - von Gierke Disease - with Multiple Hepatic Adenomas and Concomitant Focal Nodular Hyperplasia. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2007, 20, 545-9.	0.4	14
33	Hypovitaminosis D and its relation to demographic and laboratory data among hepatitis C patients. <i>Annals of Hepatology</i> , 2015, 14, 457-463.	0.6	14
34	Burden of Chronic Viral Hepatitis and Liver Cirrhosis in Brazil - the Brazilian Global Burden of Disease Study. <i>Annals of Hepatology</i> , 2017, 16, 893-900.	0.6	14
35	Impact of vitamin D receptor and binding protein gene polymorphisms in clinical and laboratory data of HCV patients. <i>Medicine (United States)</i> , 2018, 97, e9881.	0.4	14
36	Current management of NAFLD/NASH. <i>Liver International</i> , 2021, 41, 89-94.	1.9	14

#	ARTICLE	IF	CITATIONS
37	Predictors of response to chronic hepatitis C treatment. <i>Annals of Hepatology</i> , 2010, 9, S54-S60.	0.6	13
38	Performance of ANTI-HCV testing in dried blood spots and saliva according to HIV status. <i>Journal of Medical Virology</i> , 2017, 89, 1435-1441.	2.5	13
39	The performance of M and XL probes of FibroScan for the diagnosis of steatosis and fibrosis on a Brazilian nonalcoholic fatty liver disease cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 231-238.	0.8	13
40	Agressive inflammatory myofibroblastic tumor of the liver with underlying schistosomiasis: A case report. <i>World Journal of Gastroenterology</i> , 2010, 16, 4233.	1.4	13
41	Comparison of oral fluid collection methods for the molecular detection of hepatitis B virus. <i>Oral Diseases</i> , 2017, 23, 1072-1079.	1.5	12
42	Organ dysfunction in cirrhosis: a mechanism involving the microcirculation. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 618-625.	0.8	12
43	Peginterferon plus ribavirin and sustained virological response rate in HCV-related advanced fibrosis: a real life study. <i>Brazilian Journal of Infectious Diseases</i> , 2014, 18, 48-52.	0.3	11
44	HBV-DNA Levels in HBsAg-positive Blood Donors and its Relationship With Liver Histology. <i>Journal of Clinical Gastroenterology</i> , 2007, 41, 194-198.	1.1	10
45	Risk factors for long-term mortality in a large cohort of patients wait-listed for liver transplantation in Brazil. <i>Liver Transplantation</i> , 2011, 17, 1013-1020.	1.3	10
46	Prevalence of occult hepatitis B virus infection in kidney transplant recipients. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 657-660.	0.8	10
47	No correspondence between resistance mutations in the HCV-NS3 protease at baseline and early telaprevir-based triple therapy. <i>BBA Clinical</i> , 2015, 3, 146-151.	4.1	10
48	The Correlation Between Obesity-Related Diseases and Non-alcoholic Fatty Liver Disease in Women in the Pre-operative Evaluation for Bariatric Surgery Assessed by Transient Hepatic Elastography. <i>Obesity Surgery</i> , 2016, 26, 2089-2097.	1.1	10
49	Genetic variability of hepatitis B and C viruses in Brazilian patients with and without hepatocellular carcinoma. <i>Journal of Medical Virology</i> , 2014, 86, 217-223.	2.5	9
50	The anti-inflammatory role of propranolol in cirrhosis: Preventing the inflammatory exhaustion?. <i>Journal of Hepatology</i> , 2017, 66, 240-241.	1.8	9
51	Anti-mitochondrial Antibody-Negative Primary Biliary Cholangitis Is Part of the Same Spectrum of Classical Primary Biliary Cholangitis. <i>Digestive Diseases and Sciences</i> , 2022, 67, 3305-3312.	1.1	9
52	Intermediate fibrosis staging in hepatitis C: a problem not overcome by optimal samples or pathologists' expertise. <i>Annals of Hepatology</i> , 2015, 14, 652-657.	0.6	8
53	Hypovitaminosis D and its relation to demographic and laboratory data among hepatitis C patients. <i>Annals of Hepatology</i> , 2015, 14, 457-63.	0.6	8
54	Staging Fibrosis in Chronic Viral Hepatitis. <i>Viruses</i> , 2022, 14, 660.	1.5	8

#	ARTICLE	IF	CITATIONS
55	Evaluation of thrombocytopenia in patients with non-alcoholic fatty liver disease without cirrhosis. <i>Annals of Hepatology</i> , 2020, 19, 88-91.	0.6	7
56	Interleukin 28B-related polymorphisms: A pathway for understanding hepatitis C virus infection?. <i>World Journal of Gastroenterology</i> , 2013, 19, 7399.	1.4	7
57	Non-alcoholic fatty liver disease and the impact of genetic, epigenetic and environmental factors in the offspring. <i>World Journal of Gastroenterology</i> , 2022, 28, 2890-2899.	1.4	7
58	Importance of Collection Methods and Stability of Oral Fluid Samples for Hepatitis B Surface Antigen Detection. <i>Journal of Clinical Laboratory Analysis</i> , 2013, 27, 186-194.	0.9	6
59	Clinical features and treatment outcomes of primary biliary cholangitis in a highly admixed population. <i>Annals of Hepatology</i> , 2022, 27, 100546.	0.6	6
60	Fibrosis assessment using FibroMeter combined to first generation tests in hepatitis C. <i>World Journal of Hepatology</i> , 2017, 9, 310.	0.8	6
61	Detection of occult hepatitis B in serum and oral fluid samples. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2018, 113, 62-65.	0.8	5
62	Prevalence and predictive factors of moderate/severe liver steatosis in chronic hepatitis C (<sc>CHC</sc>) infected patients evaluated with controlled attenuation parameter (<sc>CAP</sc>). <i>Journal of Viral Hepatitis</i> , 2018, 25, 1244-1250.	1.0	5
63	Inosine triphosphatase allele frequency and association with ribavirin-induced anaemia in Brazilian patients receiving antiviral therapy for chronic hepatitis C. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015, 110, 636-643.	0.8	4
64	Hepatitis C Virus-Infected Responders and Relapsers to Treatment Show Similar Genetic Profiles of <i>IL28B</i> and <i>IL10</i> Single Nucleotide Polymorphisms. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	4
65	Brazilian Society of Hepatology and Brazilian College of Radiology practice guidance for the use of elastography in liver diseases. <i>Annals of Hepatology</i> , 2021, 22, 100341.	0.6	4
66	Noninvasive predictors of esophageal varices in patients with hepatosplenic schistosomiasis mansoni. <i>Acta Tropica</i> , 2022, 226, 106283.	0.9	4
67	Validation and Performance of FibroScan®-AST (FAST) Score on a Brazilian Population with Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2022, 67, 5272-5279.	1.1	4
68	Fibrates for the Treatment of Primary Biliary Cholangitis Unresponsive to Ursodeoxycholic Acid: An Exploratory Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 818089.	1.6	4
69	Aminotransferase-to-platelet ratio index and Fibrosis-4 index score predict hepatic fibrosis evaluated by transient hepatic elastography in hepatitis C virus-infected hemodialysis patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, e260-e265.	0.8	3
70	2-D Shear Wave Elastography for the Evaluation of Liver Fibrosis in Hepatosplenic Schistosomiasis: Reliability of a Single Measurement and Inter-Hepatic Lobe Variability. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 104, 712-717.	0.6	3
71	Applicability of oral fluid samples for tracking hepatitis B virus mutations, genotyping, and phylogenetic analysis. <i>Archives of Virology</i> , 2021, 166, 2435-2442.	0.9	3
72	Association of Polymorphisms in the Glutathione S-Transferase Theta-1 Gene with Cirrhosis and Hepatocellular Carcinoma in Brazilian Patients with Chronic Hepatitis C. <i>Vaccines</i> , 2021, 9, 831.	2.1	3

#	ARTICLE	IF	CITATIONS
73	Effectiveness and safety of first-generation protease inhibitors in real-world patients with hepatitis C virus genotype 1 infection in Brazil: a multicenter study. <i>Clinics</i> , 2017, 72, 378-385.	0.6	3
74	Frequency distribution of HCV resistance-associated variants in infected patients treated with direct-acting antivirals. <i>International Journal of Infectious Diseases</i> , 2022, 115, 171-177.	1.5	3
75	Intermediate fibrosis staging in hepatitis C: a problem not overcome by optimal samples or pathologists' expertise. <i>Annals of Hepatology</i> , 2015, 14, 652-7.	0.6	3
76	Lack of Association between Hepatitis C Virus core Gene Variation 70/91aa and Insulin Resistance. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1444.	1.8	2
77	Lower levels of dehydroepiandrosterone sulfate are associated with more advanced liver fibrosis in chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2018, 25, 254-261.	1.0	2
78	Clinical Features and Outcomes of Primary Sclerosing Cholangitis in the Highly Admixed Brazilian Population. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021, 2021, 1-8.	0.8	2
79	Diabetes influences liver stiffness in chronic hepatitis C patients with and without virological cure: A longitudinal study. <i>Clinics</i> , 2021, 76, e3236.	0.6	2
80	Reply to contribution on the topic of hypovitaminosis D in chronic hepatitis C. <i>Annals of Hepatology</i> , 2016, 15, 139-140.	0.6	1
81	High prevalence of insulin resistance among Brazilian chronic hepatitis C patients. <i>Archives of Endocrinology and Metabolism</i> , 2017, 61, 628-632.	0.3	1
82	Metabolic Factors and Their Influence on the Clinical Course and Response to HCV Treatment. , 2018, , .		0
83	Reply to Drs Mantovani and Zusi. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 164-166.	1.1	0