

Cristiane Alves Villela-Nogueira

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/7829622/cristiane-alves-villela-nogueira-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78

papers

1,376

citations

16

h-index

34

g-index

85

ext. papers

1,654

ext. citations

5.1

avg, IF

4.31

L-index

#	Paper	IF	Citations
78	Prevalence and associated factors of non-alcoholic fatty liver disease in patients with type-2 diabetes mellitus. <i>Liver International</i> , 2009 , 29, 113-9	7.9	353
77	Histopathological stages of nonalcoholic fatty liver disease in type 2 diabetes: prevalences and correlated factors. <i>Liver International</i> , 2011 , 31, 700-6	7.9	109
76	Hepatitis B virus genotypes circulating in Brazil: molecular characterization of genotype F isolates. <i>BMC Microbiology</i> , 2007 , 7, 103	4.5	88
75	Acute kidney injury network criteria as a predictor of hospital mortality in cirrhotic patients with ascites. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, e21-6	3	74
74	Non-alcoholic fatty liver disease and diabetes: from physiopathological interplay to diagnosis and treatment. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8377-92	5.6	53
73	Assessment of hepatic steatosis by controlled attenuation parameter using the M and XL probes: an individual patient data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 185-198	18.8	36
72	Performance of rapid hepatitis C virus antibody assays among high- and low-risk populations. <i>Journal of Clinical Virology</i> , 2014 , 60, 200-5	14.5	31
71	Simultaneous detection of hepatitis C virus antigen and antibodies in dried blood spots. <i>Journal of Clinical Virology</i> , 2013 , 57, 98-102	14.5	30
70	Gamma-glutamyl transferase (GGT) as an independent predictive factor of sustained virologic response in patients with hepatitis C treated with interferon-alpha and ribavirin. <i>Journal of Clinical Gastroenterology</i> , 2005 , 39, 728-30	3	30
69	Dried blood spot samples: optimization of commercial EIAs for hepatitis C antibody detection and stability under different storage conditions. <i>Journal of Medical Virology</i> , 2012 , 84, 1600-7	19.7	28
68	Identification of novel recombinants of hepatitis B virus genotypes F and G in human immunodeficiency virus-positive patients from Argentina and Brazil. <i>Journal of General Virology</i> , 2013 , 94, 150-158	4.9	24
67	NAFLD and Increased Aortic Stiffness: Parallel or Common Physiopathological Mechanisms?. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	23
66	Serum biomarkers in type 2 diabetic patients with non-alcoholic steatohepatitis and advanced fibrosis. <i>Hepatology Research</i> , 2013 , 43, 508-15	5.1	22
65	Evaluation of saliva specimens as an alternative sampling method to detect hepatitis B surface antigen. <i>Journal of Clinical Laboratory Analysis</i> , 2011 , 25, 134-41	3	20
64	Transient elastography evaluation of hepatic and spleen stiffness in patients with hepatosplenic schistosomiasis. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 730-735	2.2	19
63	Dynamics of resistance mutations to NS3 protease inhibitors in a cohort of Brazilian patients chronically infected with hepatitis C virus (genotype 1) treated with pegylated interferon and ribavirin: a prospective longitudinal study. <i>Virology Journal</i> , 2013 , 10, 57	6.1	16
62	Is the rapid virologic response a positive predictive factor of sustained virologic response in all pretreatment status genotype 1 hepatitis c patients treated with peginterferon-alpha2b and ribavirin?. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 362-6	3	16

61	Increasing aortic stiffness is predictive of advanced liver fibrosis in patients with type 2 diabetes: the Rio-T2DM cohort study. <i>Liver International</i> , 2016 , 36, 977-85	7.9	16
60	New drugs for non-alcoholic steatohepatitis. <i>Liver International</i> , 2020 , 40 Suppl 1, 96-101	7.9	15
59	Usefulness of in-house real time PCR for HBV DNA quantification in serum and oral fluid samples. <i>Journal of Virological Methods</i> , 2018 , 256, 100-106	2.6	15
58	Evaluation of dried blood spot samples for hepatitis C virus detection and quantification. <i>Journal of Clinical Virology</i> , 2016 , 82, 139-144	14.5	15
57	Abbreviated mpMRI protocol for diffuse liver disease: a practical approach for evaluation and follow-up of NAFLD. <i>Abdominal Radiology</i> , 2018 , 43, 2340-2350	3	14
56	RASSF1A and DOK1 Promoter Methylation Levels in Hepatocellular Carcinoma, Cirrhotic and Non-Cirrhotic Liver, and Correlation with Liver Cancer in Brazilian Patients. <i>PLoS ONE</i> , 2016 , 11, e0153796	3.7	14
55	Efficacy of diacerein in reducing liver steatosis and fibrosis in patients with type 2 diabetes and non-alcoholic fatty liver disease: A randomized, placebo-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1266-1270	6.7	13
54	Transient hepatic elastography has the best performance to evaluate liver fibrosis in non-alcoholic fatty liver disease (NAFLD). <i>Annals of Hepatology</i> , 2019 , 18, 445-449	3.1	13
53	An evaluation of different saliva collection methods for detection of antibodies against hepatitis C virus (anti-HCV). <i>Journal of Oral Pathology and Medicine</i> , 2012 , 41, 793-800	3.3	13
52	Orthotopic liver transplantation in glucose-6-phosphatase deficiency--Von Gierke disease--with multiple hepatic adenomas and concomitant focal nodular hyperplasia. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2007 , 20, 545-9	1.6	13
51	A single nucleotide polymorphism, rs129679860, in the IL28B locus is associated with the viral kinetics and a sustained virological response in a chronic, monoinfected hepatitis C virus genotype-1 Brazilian population treated with pegylated interferon-ribavirin. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2012 , 107, 888-92	2.6	12
50	Agressive inflammatory myofibroblastic tumor of the liver with underlying schistosomiasis: a case report. <i>World Journal of Gastroenterology</i> , 2010 , 16, 4233-6	5.6	12
49	Propranolol improves endothelial dysfunction in advanced cirrhosis: the 'endothelial exhaustion' hypothesis. <i>Gut</i> , 2016 , 65, 1391-2	19.2	12
48	Peginterferon plus ribavirin and sustained virological response rate in HCV-related advanced fibrosis: a real life study. <i>Brazilian Journal of Infectious Diseases</i> , 2014 , 18, 48-52	2.8	11
47	Hypovitaminosis D and its relation to demographic and laboratory data among hepatitis C patients. <i>Annals of Hepatology</i> , 2015 , 14, 457-463	3.1	11
46	The performance of M and XL probes of FibroScan for the diagnosis of steatosis and fibrosis on a Brazilian nonalcoholic fatty liver disease cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 231-238	2.2	11
45	Prevalence of occult hepatitis B virus infection and Torque teno virus infection and their association with hepatocellular carcinoma in chronic hepatitis C patients. <i>Virus Research</i> , 2017 , 242, 166-172	6.4	10
44	Impact of vitamin D receptor and binding protein gene polymorphisms in clinical and laboratory data of HCV patients: Cross sectional study. <i>Medicine (United States)</i> , 2018 , 97, e9881	1.8	10

43	Risk factors for long-term mortality in a large cohort of patients wait-listed for liver transplantation in Brazil. <i>Liver Transplantation</i> , 2011 , 17, 1013-20	4.5	10
42	Performance of ANTI-HCV testing in dried blood spots and saliva according to HIV status. <i>Journal of Medical Virology</i> , 2017 , 89, 1435-1441	19.7	9
41	The Correlation Between Obesity-Related Diseases and Non-alcoholic Fatty Liver Disease in Women in the Pre-operative Evaluation for Bariatric Surgery Assessed by Transient Hepatic Elastography. <i>Obesity Surgery</i> , 2016 , 26, 2089-2097	3.7	9
40	PNPLA3 gene polymorphism in Brazilian patients with type 2 diabetes: A prognostic marker beyond liver disease?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 965-971	4.5	9
39	The anti-inflammatory role of propranolol in cirrhosis: Preventing the inflammatory exhaustion?. <i>Journal of Hepatology</i> , 2017 , 66, 240-241	13.4	9
38	No correspondence between resistance mutations in the HCV-NS3 protease at baseline and early telaprevir-based triple therapy. <i>BBA Clinical</i> , 2015 , 3, 146-51		9
37	Predictors of response to chronic hepatitis C treatment. <i>Annals of Hepatology</i> , 2010 , 9, S54-S60	3.1	9
36	HBV-DNA levels in HBsAg-positive blood donors and its relationship with liver histology. <i>Journal of Clinical Gastroenterology</i> , 2007 , 41, 194-8	3	9
35	Comparison of oral fluid collection methods for the molecular detection of hepatitis B virus. <i>Oral Diseases</i> , 2017 , 23, 1072-1079	3.5	8
34	Prevalence of occult hepatitis B virus infection in kidney transplant recipients. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013 , 108, 657-60	2.6	8
33	Burden of Chronic Viral Hepatitis and Liver Cirrhosis in Brazil - the Brazilian Global Burden of Disease Study. <i>Annals of Hepatology</i> , 2017 , 16, 893-900	3.1	7
32	Genetic variability of hepatitis B and C viruses in Brazilian patients with and without hepatocellular carcinoma. <i>Journal of Medical Virology</i> , 2014 , 86, 217-23	19.7	6
31	Intermediate fibrosis staging in hepatitis C: a problem not overcome by optimal samples or pathologists' expertise. <i>Annals of Hepatology</i> , 2015 , 14, 652-657	3.1	6
30	Organ dysfunction in cirrhosis: a mechanism involving the microcirculation. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 618-625	2.2	6
29	Importance of collection methods and stability of oral fluid samples for hepatitis B surface antigen detection. <i>Journal of Clinical Laboratory Analysis</i> , 2013 , 27, 186-94	3	5
28	Interleukin 28B-related polymorphisms: a pathway for understanding hepatitis C virus infection?. <i>World Journal of Gastroenterology</i> , 2013 , 19, 7399-404	5.6	5
27	Fibrosis assessment using FibroMeter combined to first generation tests in hepatitis C. <i>World Journal of Hepatology</i> , 2017 , 9, 310-317	3.4	5
26	Inosine triphosphatase allele frequency and association with ribavirin-induced anaemia in Brazilian patients receiving antiviral therapy for chronic hepatitis C. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015 , 110, 636-43	2.6	4

25	Evaluation of thrombocytopenia in patients with non-alcoholic fatty liver disease without cirrhosis. <i>Annals of Hepatology</i> , 2020 , 19, 88-91	3.1	4
24	Detection of occult hepatitis B in serum and oral fluid samples. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2018 , 113, 62-65	2.6	4
23	Prognostic impact of liver fibrosis and steatosis by transient elastography for cardiovascular and mortality outcomes in individuals with nonalcoholic fatty liver disease and type 2 diabetes: the Rio de Janeiro Cohort Study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 193	8.7	4
22	Hypovitaminosis D and its relation to demographic and laboratory data among hepatitis C patients. <i>Annals of Hepatology</i> , 2015 , 14, 457-63	3.1	4
21	Effectiveness and safety of first-generation protease inhibitors in real-world patients with hepatitis C virus genotype 1 infection in Brazil: a multicenter study. <i>Clinics</i> , 2017 , 72, 378-385	2.3	3
20	Prevalence and predictive factors of moderate/severe liver steatosis in chronic hepatitis C (CHC) infected patients evaluated with controlled attenuation parameter (CAP). <i>Journal of Viral Hepatitis</i> , 2018 , 25, 1244-1250	3.4	3
19	Intermediate fibrosis staging in hepatitis C: a problem not overcome by optimal samples or pathologists' expertise. <i>Annals of Hepatology</i> , 2015 , 14, 652-7	3.1	3
18	Fibrates for the Treatment of Primary Biliary Cholangitis Unresponsive to Ursodeoxycholic Acid: An Exploratory Study.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 818089	5.6	2
17	Current management of NAFLD/NASH. <i>Liver International</i> , 2021 , 41 Suppl 1, 89-94	7.9	2
16	Anti-mitochondrial Antibody-Negative Primary Biliary Cholangitis Is Part of the Same Spectrum of Classical Primary Biliary Cholangitis. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	2
15	Hepatitis C Virus-Infected Responders and Relapsers to Treatment Show Similar Genetic Profiles of and Single Nucleotide Polymorphisms. <i>BioMed Research International</i> , 2018 , 2018, 2931486	3	2
14	Clinical features and treatment outcomes of primary biliary cholangitis in a highly admixed population. <i>Annals of Hepatology</i> , 2021 , 27, 100546	3.1	2
13	High prevalence of insulin resistance among Brazilian chronic hepatitis C patients. <i>Archives of Endocrinology and Metabolism</i> , 2017 , 61, 628-632	2.2	1
12	Lower levels of dehydroepiandrosterone sulfate are associated with more advanced liver fibrosis in chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2018 , 25, 254-261	3.4	1
11	2-D Shear Wave Elastography for the Evaluation of Liver Fibrosis in Hepatosplenic Schistosomiasis: Reliability of a Single Measurement and Inter-Hepatic Lobe Variability. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 ,	3.2	1
10	Association of Polymorphisms in the Glutathione S-Transferase Theta-1 Gene with Cirrhosis and Hepatocellular Carcinoma in Brazilian Patients with Chronic Hepatitis C. <i>Vaccines</i> , 2021 , 9,	5.3	1
9	Reply to contribution on the topic of hypovitaminosis D in chronic hepatitis C. <i>Annals of Hepatology</i> , 2016 , 15, 139-40	3.1	0
8	Validation and Performance of FibroScan® -AST (FAST) Score on a Brazilian Population with Nonalcoholic Fatty Liver Disease.. <i>Digestive Diseases and Sciences</i> , 2022 , 1	4	0

7	Clinical Features and Outcomes of Primary Sclerosing Cholangitis in the Highly Admixed Brazilian Population. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021 , 2021, 7746401	2.8	○
6	Noninvasive predictors of esophageal varices in patients with hepatosplenic schistosomiasis mansoni.. <i>Acta Tropica</i> , 2021 , 226, 106283	3.2	○
5	Frequency distribution of HCV resistance-associated variants in infected patients treated with direct-acting antivirals.. <i>International Journal of Infectious Diseases</i> , 2021 , 115, 171-177	10.5	○
4	Brazilian Society of Hepatology and Brazilian College of Radiology practice guidance for the use of elastography in liver diseases. <i>Annals of Hepatology</i> , 2021 , 22, 100341	3.1	○
3	Diabetes influences liver stiffness in chronic hepatitis C patients with and without virological cure: A longitudinal study. <i>Clinics</i> , 2021 , 76, e3236	2.3	○
2	Reply to Drs Mantovani and Zusi. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 164-166	4.5	
1	Applicability of oral fluid samples for tracking hepatitis B virus mutations, genotyping, and phylogenetic analysis. <i>Archives of Virology</i> , 2021 , 166, 2435-2442	2.6	