

# Mike R Schoenberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7829700/publications.pdf>

Version: 2024-02-01

73  
papers

2,284  
citations

279798

23  
h-index

233421

45  
g-index

75  
all docs

75  
docs citations

75  
times ranked

2757  
citing authors

#	ARTICLE	IF	CITATIONS
1	Surgical disconnection of epilepsy network correlates with improved outcomes. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 76, 56-63.	2.0	12
2	Comparing the North American Adult Reading Test (NAART) and the Test of Premorbid Functioning (TOPF) to estimate premorbid Wechsler Adult Intelligence Scale - 4th edition FSIQ in a clinical sample with epilepsy. <i>Applied Neuropsychology Adult</i> , 2019, 28, 1-9.	1.2	0
3	Network connectivity separate from the hypothesized irritative zone correlates with impaired cognition and higher rates of seizure recurrence. <i>Epilepsy and Behavior</i> , 2019, 101, 106585.	1.7	10
4	Psychometrics of Assessment: Understanding What Neuropsychology Adds to the Physician's Understanding of the Patient. , 2019, , 45-60.		0
5	Deciding to adopt revised and new psychological and neuropsychological tests: an inter-organizational position paper. <i>Clinical Neuropsychologist</i> , 2018, 32, 319-325.	2.3	15
6	Premorbid Intelligence. , 2018, , 2778-2787.		0
7	A randomized, double-blind, placebo-controlled crossover study of the effects of levetiracetam on cognition, mood, and balance in healthy older adults. <i>Epilepsia</i> , 2017, 58, 1566-1574.	5.1	26
8	Towards reporting standards for neuropsychological study results: A proposal to minimize communication errors with standardized qualitative descriptors for normalized test scores. <i>Clinical Neurology and Neurosurgery</i> , 2017, 162, 72-79.	1.4	10
9	Premorbid Intelligence. , 2017, , 1-9.		0
10	Wechsler Adult Intelligence Scale (All Versions). , 2017, , 1-11.		0
11	Addressing potential role of magnesium dyshomeostasis to improve treatment efficacy for epilepsy: A reexamination of the literature. <i>Journal of Clinical Pharmacology</i> , 2016, 56, 260-265.	2.0	13
12	Utility of Green's Word Memory Test Free Recall Subtest as a Measure of Verbal Memory: Initial Evidence from a Temporal Lobe Epilepsy Clinical Sample. <i>Archives of Clinical Neuropsychology</i> , 2016, 31, 79-87.	0.5	9
13	Predictors of surgical outcome in medically-resistant temporal lobe epilepsy with bilateral features on pre-operative evaluation. <i>Clinical Neurology and Neurosurgery</i> , 2015, 139, 199-205.	1.4	8
14	Five-Months-Postoperative Neuropsychological Outcome From a Pilot Prospective Randomized Clinical Trial of Thalamic Deep Brain Stimulation for Tourette Syndrome. <i>Neuromodulation</i> , 2015, 18, 97-104.	0.8	25
15	Temporal lobe epilepsy and cavernous malformations: surgical strategies and long-term outcomes. <i>Acta Neurochirurgica</i> , 2015, 157, 1887-1895.	1.7	22
16	Laser ablation therapy: An alternative treatment for medically resistant mesial temporal lobe epilepsy after age 50. <i>Epilepsy and Behavior</i> , 2015, 51, 152-157.	1.7	137
17	Sex differences in lateralization of semantic verbal fluency in temporal lobe epilepsy. <i>Brain and Language</i> , 2015, 141, 11-15.	1.6	0
18	Consolidated Standards of Reporting Trials (CONSORT): Considerations for Neuropsychological Research. <i>Clinical Neuropsychologist</i> , 2014, 28, 575-599.	2.3	14

#	ARTICLE	IF	CITATIONS
19	An open-label pilot trial of minocycline in children as a treatment for Angelman syndrome. BMC Neurology, 2014, 14, 232.	1.8	50
20	Introduction to the Special Issue on Improving Neuropsychological Research Through Use of Reporting Guidelines. Clinical Neuropsychologist, 2014, 28, 549-555.	2.3	3
21	Sensitivity of Greenâ€™s Word Memory Test Genuine Memory Impairment Profile to Temporal Pathology: A Study in Patients With Temporal Lobe Epilepsy. Clinical Neuropsychologist, 2014, 28, 941-953.	2.3	11
22	Verbal Fluency Patterns in Mild Cognitive Impairment and Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 2014, 38, 1-9.	1.5	42
23	Clinical utility of the Wechsler Memory Scaleâ€™ Fourth Edition (WMS-IV) in predicting laterality of temporal lobe epilepsy among surgical candidates. Epilepsy and Behavior, 2014, 41, 232-237.	1.7	17
24	Outcome of corpus callosotomy in adults. Epilepsy and Behavior, 2013, 28, 181-184.	1.7	52
25	Predicting Premorbid Ability for WAISâ€™IV, WMSâ€™IV and WASIâ€™II. , 2013, , 217-278.		15
26	Assessing Reliable Change Using the Repeatable Battery for the Assessment of Neuropsychological Status (RBANS) for Patients with Parkinson's Disease Undergoing Deep Brain Stimulation (DBS) Surgery. Clinical Neuropsychologist, 2012, 26, 255-270.	2.3	19
27	Long-term radiosurgery effects in the treatment of temporal lobe epilepsy. Journal of Neurosurgery, 2012, 117, 962-969.	1.6	8
28	Where are somatoform disorders going? An update on the DSM-V. Expert Review of Neurotherapeutics, 2012, 12, 1371-1374.	2.8	2
29	Parkinsonâ€™s Disease and Other Movement Disorders. , 2011, , 567-646.		9
30	Gender differences on the Repeatable Battery for the Assessment of Neuropsychological Status subtests in older adults: Baseline and retest data. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 448-455.	1.3	23
31	Intersubtest Discrepancies on the RBANS: Results from the OKLAHOMA Study. Applied Neuropsychology, 2011, 18, 79-85.	1.5	3
32	Wechsler Adult Intelligence Scale (All Versions). , 2011, , 2675-2680.		10
33	Premorbid Intelligence. , 2011, , 2004-2010.		3
34	Defining Mild Cognitive Impairment: Impact of Varying Decision Criteria on Neuropsychological Diagnostic Frequencies and Correlates. American Journal of Geriatric Psychiatry, 2010, 18, 684-691.	1.2	102
35	Normative data on and psychometric properties of Verbal and Visual Indexes of the RBANS in older adults. Clinical Neuropsychologist, 2009, 23, 39-50.	2.3	9
36	Chapter 1 Normal Brain Aging. International Review of Neurobiology, 2009, 84, 1-19.	2.0	57

#	ARTICLE	IF	CITATIONS
37	Deep Brain Stimulation Parameters Associated with Neuropsychological Changes in Subthalamic Nucleus Stimulation for Refractory Parkinson's Disease. Stereotactic and Functional Neurosurgery, 2008, 86, 337-344.	1.5	27
38	Predicting Cognitive Change Across 3 Years in Community-Dwelling Elders. Clinical Neuropsychologist, 2008, 22, 651-661.	2.3	6
39	Premorbid Intellect and Current RBANS Performance: Discrepancy Scores in Three Geriatric Samples. Applied Neuropsychology, 2008, 15, 241-249.	1.5	5
40	Retention Rates on RBANS Memory Subtests in Elderly Adults. Journal of Geriatric Psychiatry and Neurology, 2008, 21, 26-33.	2.3	9
41	Validation of the Child Premorbid Intelligence Estimate method to predict premorbid Wechsler Intelligence Scale for Children-Fourth Edition Full Scale IQ among children with brain injury.. Psychological Assessment, 2008, 20, 377-384.	1.5	16
42	Comparison of functional outcomes and treatment cost between a computer-based cognitive rehabilitation teletherapy program and a face-to-face rehabilitation program.. Professional Psychology: Research and Practice, 2008, 39, 169-175.	1.0	48
43	A proposed method to estimate premorbid full scale intelligence quotient (FSIQ) for the Canadian Wechsler Intelligence Scale for Children-Fourth Edition (WISC-IV) using demographic and combined estimation procedures. Journal of Clinical and Experimental Neuropsychology, 2007, 29, 867-878.	1.3	10
44	Normative and retest data on the RBANS cortical/subcortical index in older adults. Journal of Clinical and Experimental Neuropsychology, 2007, 29, 854-859.	1.3	11
45	Prospective randomized double-blind trial of bilateral thalamic deep brain stimulation in adults with Tourette syndrome. Journal of Neurosurgery, 2007, 107, 1004-1014.	1.6	276
46	Estimating Premorbid General Cognitive Functioning for Children and Adolescents Using the American Wechsler Intelligence Scale for Children-Fourth Edition: Demographic and Current Performance Approaches. Journal of Child Neurology, 2007, 22, 379-388.	1.4	22
47	Modified Scoring Criteria for the RBANS Figures. Applied Neuropsychology, 2007, 14, 73-83.	1.5	31
48	Examining the Repeatable Battery for the Assessment of Neuropsychological Status: Factor Analytic Studies in an Elderly Sample. American Journal of Geriatric Psychiatry, 2006, 14, 976-979.	1.2	33
49	Development of discriminant functions to detect dissimulation for the Millon Clinical Multiaxial Inventory (3rd edition). Journal of Forensic Psychiatry and Psychology, 2006, 17, 405-416.	1.0	9
50	RBANS index discrepancies: Base rates for older adults. Archives of Clinical Neuropsychology, 2006, 21, 151-160.	0.5	9
51	Prediction errors of the Oklahoma Premorbid Intelligence Estimate-3 (OPIE-3) stratified by 13 age groups. Archives of Clinical Neuropsychology, 2006, 21, 469-475.	0.5	11
52	Test performance and classification statistics for the Rey Auditory Verbal Learning Test in selected clinical samples. Archives of Clinical Neuropsychology, 2006, 21, 693-703.	0.5	156
53	Subjective preference for lamotrigine or topiramate in healthy volunteers: Relationship to cognitive and behavioral functioning. Epilepsy and Behavior, 2006, 8, 181-191.	1.7	15
54	Expanding the WAIS-III Estimate of Premorbid Ability for Canadians (EPAC). Journal of Clinical and Experimental Neuropsychology, 2006, 28, 773-789.	1.3	6

#	ARTICLE	IF	CITATIONS
55	Clinical Validation of the General Ability Index Estimate (GAI-E): Estimating Premorbid GAI. <i>Clinical Neuropsychologist</i> , 2006, 20, 365-381.	2.3	14
56	Test-Retest Stability and Practice Effects of the RBANS in a Community Dwelling Elderly Sample. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2005, 27, 565-575.	1.3	92
57	DEVELOPMENT OF THE WAIS-III GENERAL ABILITY INDEX ESTIMATE (GAI-E). <i>Clinical Neuropsychologist</i> , 2005, 19, 73-86.	2.3	19
58	BASE RATES OF LONGITUDINAL RBANS DISCREPANCIES AT ONE- AND TWO-YEAR INTERVALS IN COMMUNITY-DWELLING OLDER ADULTS. <i>Clinical Neuropsychologist</i> , 2005, 19, 27-44.	2.3	18
59	The relationship between executive functioning and verbal and visual learning and memory. <i>Archives of Clinical Neuropsychology</i> , 2005, 20, 111-122.	0.5	130
60	Regression-based formulas for predicting change in RBANS subtests with older adults. <i>Archives of Clinical Neuropsychology</i> , 2005, 20, 281-290.	0.5	55
61	Development of the WAIS-III estimate of premorbid ability for Canadians (EPAC). <i>Archives of Clinical Neuropsychology</i> , 2005, 20, 1009-1024.	0.5	6
62	A Comparison of the MCMI-III Personality Disorder and Modifier Indices With the MMPI-2 Clinical and Validity Scales. <i>Journal of Personality Assessment</i> , 2004, 82, 273-280.	2.1	10
63	Differential Estimation of Verbal Intelligence and Performance Intelligence Scores from Combined Performance and Demographic Variables: The OPIE-3 Verbal and Performance Algorithms*. <i>Clinical Neuropsychologist</i> , 2004, 18, 266-276.	2.3	11
64	Assumptions that underlie predicting premorbid IQ: a comment on the "Evaluation of the accuracy of two regression-based methods for estimating premorbid IQ?". <i>Archives of Clinical Neuropsychology</i> , 2004, 19, 1103-1106.	0.5	14
65	A proposed method to estimate premorbid intelligence utilizing group achievement measures from school records. <i>Archives of Clinical Neuropsychology</i> , 2004, 19, 227-243.	0.5	40
66	Predicting change with the RBANS in a community dwelling elderly sample. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 828-834.	1.8	46
67	Age- and Education-Corrected Independent Normative Data for the RBANS in a Community Dwelling Elderly Sample. <i>Clinical Neuropsychologist</i> , 2003, 17, 351-366.	2.3	128
68	An Evaluation of the Clinical Utility of the OPIE-3 as an Estimate of Premorbid WAIS-III FSIQ. <i>Clinical Neuropsychologist</i> , 2003, 17, 308-321.	2.3	49
69	Performance of Cognitively Normal African Americans on the RBANS in Community Dwelling Older Adults. <i>Clinical Neuropsychologist</i> , 2003, 17, 515-530.	2.3	68
70	The ability of the Millon Clinical Multiaxial Inventory--Third Edition to detect malingering.. <i>Psychological Assessment</i> , 2003, 15, 198-204.	1.5	24
71	Overreport on the MCMI-III: Concurrent Validation With the MMPI-2 Using a Psychiatric Inpatient Sample. <i>Journal of Personality Assessment</i> , 2002, 78, 288-300.	2.1	15
72	Estimation of WAIS-III Intelligence from Combined Performance and Demographic Variables: Development of the OPIE-3. <i>Clinical Neuropsychologist</i> , 2002, 16, 426-438.	2.3	75

#	ARTICLE	IF	CITATIONS
73	Continuum of professional involvement in self-help groups. Journal of Community Psychology, 1999, 27, 39-53.	1.8	27