

Mary Arimond

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7830894/publications.pdf>

Version: 2024-02-01

22
papers

1,311
citations

623188

14
h-index

676716

22
g-index

22
all docs

22
docs citations

22
times ranked

1697
citing authors

#	ARTICLE	IF	CITATIONS
1	Simple Food Group Diversity Indicators Predict Micronutrient Adequacy of Women's Diets in 5 Diverse, Resource-Poor Settings. <i>Journal of Nutrition</i> , 2010, 140, 2059S-2069S.	1.3	408
2	Considerations in developing lipid-based nutrient supplements for prevention of undernutrition: experience from the International Lipid-Based Nutrient Supplements (iLINS) Project. <i>Maternal and Child Nutrition</i> , 2015, 11, 31-61.	1.4	172
3	Women in Resource-Poor Settings Are at Risk of Inadequate Intakes of Multiple Micronutrients. <i>Journal of Nutrition</i> , 2010, 140, 2051S-2058S.	1.3	157
4	Lipid-based nutrient supplement increases the birth size of infants of primiparous women in Ghana. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 835-846.	2.2	123
5	Small-quantity, lipid-based nutrient supplements provided to women during pregnancy and 6 mo postpartum and to their infants from 6 mo of age increase the mean attained length of 18-mo-old children in semi-urban Ghana: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 797-808.	2.2	106
6	Predictors and pathways of language and motor development in four prospective cohorts of young children in Ghana, Malawi, and Burkina Faso. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 1264-1275.	3.1	60
7	Risk factors of poor complementary feeding practices in Pakistani children aged 6–23 months: A multilevel analysis of the Demographic and Health Survey 2012–2013. <i>Maternal and Child Nutrition</i> , 2017, 13, e12463.	1.4	46
8	Maternal Supplementation with Small-Quantity Lipid-Based Nutrient Supplements Compared with Multiple Micronutrients, but Not with Iron and Folic Acid, Reduces the Prevalence of Low Gestational Weight Gain in Semi-Urban Ghana: A Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2017, 147, 697-705.	1.3	35
9	Impact of small quantity lipid-based nutrient supplements on infant and young child feeding practices at 18 months of age: results from four randomized controlled trials in Africa. <i>Maternal and Child Nutrition</i> , 2017, 13, e12377.	1.4	30
10	A mixed method study exploring adherence to and acceptability of small quantity lipid-based nutrient supplements (SQ-LNS) among pregnant and lactating women in Ghana and Malawi. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 253.	0.9	28
11	Lipid-Based Nutrient Supplements Increase Energy and Macronutrient Intakes from Complementary Food among Malawian Infants. <i>Journal of Nutrition</i> , 2016, 146, 326-334.	1.3	28
12	Local foods can meet micronutrient needs for women in urban Burkina Faso, but only if rarely consumed micronutrient-dense foods are included in daily diets: A linear programming exercise. <i>Maternal and Child Nutrition</i> , 2018, 14, .	1.4	18
13	Maternal and Infant Lipid-Based Nutritional Supplementation Increases Height of Ghanaian Children at 4–6 Years Only if the Mother Was Not Overweight Before Conception. <i>Journal of Nutrition</i> , 2019, 149, 847-855.	1.3	17
14	Malawian Mothers Consider Lipid-Based Nutrient Supplements Acceptable for Children throughout a 1-Year Intervention, but Deviation from User Recommendations Is Common. <i>Journal of Nutrition</i> , 2015, 145, 1588-1595.	1.3	15
15	Willingness to pay for small-quantity lipid-based nutrient supplements for women and children: Evidence from Ghana and Malawi. <i>Maternal and Child Nutrition</i> , 2018, 14, e12518.	1.4	14
16	Maternal and Infant Supplementation with Small-Quantity Lipid-Based Nutrient Supplements Increases Infants' Iron Status at 18 Months of Age in a Semiurban Setting in Ghana: A Secondary Outcome Analysis of the iLINS-DYAD Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2019, 149, 149-158.	1.3	12
17	Unintended effects of a targeted maternal and child nutrition intervention on household expenditures, labor income, and the nutritional status of non-targeted siblings in Ghana. <i>World Development</i> , 2018, 107, 138-150.	2.6	10
18	The association of early linear growth and haemoglobin concentration with later cognitive, motor, and social-emotional development at preschool age in Ghana. <i>Maternal and Child Nutrition</i> , 2019, 15, e12834.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Factors associated with breast milk intake among 9â€“10â€“monthâ€“old Malawian infants. Maternal and Child Nutrition, 2016, 12, 778-789.	1.4	8
20	Ghanaian parents' perceptions of pre and postnatal nutrient supplements and their effects. Maternal and Child Nutrition, 2018, 14, e12608.	1.4	7
21	Maternal and child factors associated with child body fatness in a Ghanaian cohort. Public Health Nutrition, 2020, 23, 309-318.	1.1	6
22	Association between breast milk intake at 9â€“10â€“months of age and growth and development among Malawian young children. Maternal and Child Nutrition, 2018, 14, e12582.	1.4	2