

Mary Arimond

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7830894/publications.pdf>

Version: 2024-02-01

22
papers

1,311
citations

623188

14
h-index

676716

22
g-index

22
all docs

22
docs citations

22
times ranked

1697
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal and child factors associated with child body fatness in a Ghanaian cohort. <i>Public Health Nutrition</i> , 2020, 23, 309-318.	1.1	6
2	Maternal and Infant Supplementation with Small-Quantity Lipid-Based Nutrient Supplements Increases Infants' Iron Status at 18 Months of Age in a Semiurban Setting in Ghana: A Secondary Outcome Analysis of the iLiNS-DYAD Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2019, 149, 149-158.	1.3	12
3	The association of early linear growth and haemoglobin concentration with later cognitive, motor, and social-emotional development at preschool age in Ghana. <i>Maternal and Child Nutrition</i> , 2019, 15, e12834.	1.4	9
4	Maternal and Infant Lipid-Based Nutritional Supplementation Increases Height of Ghanaian Children at 4-6 Years Only if the Mother Was Not Overweight Before Conception. <i>Journal of Nutrition</i> , 2019, 149, 847-855.	1.3	17
5	Ghanaian parents' perceptions of pre and postnatal nutrient supplements and their effects. <i>Maternal and Child Nutrition</i> , 2018, 14, e12608.	1.4	7
6	Willingness to pay for small-quantity lipid-based nutrient supplements for women and children: Evidence from Ghana and Malawi. <i>Maternal and Child Nutrition</i> , 2018, 14, e12518.	1.4	14
7	Association between breast milk intake at 9-10 months of age and growth and development among Malawian young children. <i>Maternal and Child Nutrition</i> , 2018, 14, e12582.	1.4	2
8	Unintended effects of a targeted maternal and child nutrition intervention on household expenditures, labor income, and the nutritional status of non-targeted siblings in Ghana. <i>World Development</i> , 2018, 107, 138-150.	2.6	10
9	Local foods can meet micronutrient needs for women in urban Burkina Faso, but only if rarely consumed micronutrient-dense foods are included in daily diets: A linear programming exercise. <i>Maternal and Child Nutrition</i> , 2018, 14, .	1.4	18
10	Maternal Supplementation with Small-Quantity Lipid-Based Nutrient Supplements Compared with Multiple Micronutrients, but Not with Iron and Folic Acid, Reduces the Prevalence of Low Gestational Weight Gain in Semi-Urban Ghana: A Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2017, 147, 697-705.	1.3	35
11	Impact of small quantity lipid-based nutrient supplements on infant and young child feeding practices at 18 months of age: results from four randomized controlled trials in Africa. <i>Maternal and Child Nutrition</i> , 2017, 13, e12377.	1.4	30
12	Predictors and pathways of language and motor development in four prospective cohorts of young children in Ghana, Malawi, and Burkina Faso. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2017, 58, 1264-1275.	3.1	60
13	Risk factors of poor complementary feeding practices in Pakistani children aged 6-23 months: A multilevel analysis of the Demographic and Health Survey 2012-2013. <i>Maternal and Child Nutrition</i> , 2017, 13, e12463.	1.4	46
14	Factors associated with breast milk intake among 9-10-month-old Malawian infants. <i>Maternal and Child Nutrition</i> , 2016, 12, 778-789.	1.4	8
15	Small-quantity, lipid-based nutrient supplements provided to women during pregnancy and 6 mo postpartum and to their infants from 6 mo of age increase the mean attained length of 18-mo-old children in semi-urban Ghana: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 797-808.	2.2	106
16	A mixed method study exploring adherence to and acceptability of small quantity lipid-based nutrient supplements (SQ-LNS) among pregnant and lactating women in Ghana and Malawi. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 253.	0.9	28
17	Lipid-Based Nutrient Supplements Increase Energy and Macronutrient Intakes from Complementary Food among Malawian Infants. <i>Journal of Nutrition</i> , 2016, 146, 326-334.	1.3	28
18	Considerations in developing lipid-based nutrient supplements for prevention of undernutrition: experience from the International Lipid-Based Nutrient Supplements (iLiNS) Project. <i>Maternal and Child Nutrition</i> , 2015, 11, 31-61.	1.4	172

#	ARTICLE	IF	CITATIONS
19	Malawian Mothers Consider Lipid-Based Nutrient Supplements Acceptable for Children throughout a 1-Year Intervention, but Deviation from User Recommendations Is Common. <i>Journal of Nutrition</i> , 2015, 145, 1588-1595.	1.3	15
20	Lipid-based nutrient supplement increases the birth size of infants of primiparous women in Ghana. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 835-846.	2.2	123
21	Simple Food Group Diversity Indicators Predict Micronutrient Adequacy of Women's Diets in 5 Diverse, Resource-Poor Settings. <i>Journal of Nutrition</i> , 2010, 140, 2059S-2069S.	1.3	408
22	Women in Resource-Poor Settings Are at Risk of Inadequate Intakes of Multiple Micronutrients. <i>Journal of Nutrition</i> , 2010, 140, 2051S-2058S.	1.3	157