

Tae-Youl Ha

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7831097/tae-youl-ha-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

6,396
citations

45
h-index

79
g-index

105
ext. papers

7,686
ext. citations

10.8
avg, IF

5.9
L-index

#	Paper	IF	Citations
103	Stretchable array of CdSe/ZnS quantum-dot light emitting diodes for visual display of bio-signals. <i>Chemical Engineering Journal</i> , 2022 , 427, 130858	14.7	6
102	A stretchable array of high-performance electrochromic devices for displaying skin-attached multi-sensor signals. <i>Chemical Engineering Journal</i> , 2022 , 429, 132289	14.7	4
101	All vanadium-based Li-ion hybrid supercapacitor with enhanced electrochemical performance via prelithiation. <i>Journal of Alloys and Compounds</i> , 2022 , 914, 165288	5.7	0
100	High performance flexible micro-supercapacitor for powering a vertically integrated skin-attachable strain sensor on a bio-inspired adhesive. <i>Nano Energy</i> , 2021 , 83, 105837	17.1	14
99	Self-healing strain-responsive electrochromic display based on a multiple crosslinked network hydrogel. <i>Chemical Engineering Journal</i> , 2021 , 430, 132685	14.7	9
98	Stretchable, self-healable, and photodegradable supercapacitor based on a polyelectrolyte crosslinked via dynamic host-guest interaction. <i>Chemical Engineering Journal</i> , 2021 , 422, 130121	14.7	7
97	Highly sensitive pressure and temperature sensors fabricated with poly(3-hexylthiophene-2,5-diyl)-coated elastic carbon foam for bio-signal monitoring. <i>Chemical Engineering Journal</i> , 2021 , 423, 130197	14.7	9
96	A rationally designed flexible self-healing system with a high performance supercapacitor for powering an integrated multifunctional sensor. <i>Applied Surface Science</i> , 2020 , 515, 146018	6.7	17
95	Metal Atom-Doped Co O Hierarchical Nanoplates for Electrocatalytic Oxygen Evolution. <i>Advanced Materials</i> , 2020 , 32, e2002235	24	151
94	A highly conductive and electromechanically self-healable gold nanosheet electrode for stretchable electronics. <i>Chemical Engineering Journal</i> , 2020 , 384, 123336	14.7	21
93	A Fractal-designed stretchable and transparent microsupercapacitor as a Skin-attachable energy storage device. <i>Chemical Engineering Journal</i> , 2020 , 387, 124076	14.7	32
92	Flexible/Stretchable Supercapacitors with Novel Functionality for Wearable Electronics. <i>Advanced Materials</i> , 2020 , 32, e2002180	24	85
91	Dynamically Stretchable Supercapacitor for Powering an Integrated Biosensor in an All-in-One Textile System. <i>ACS Nano</i> , 2019 , 13, 10469-10480	16.7	66
90	A Shape Memory High-Voltage Supercapacitor with Asymmetric Organic Electrolytes for Driving an Integrated NO ₂ Gas Sensor. <i>Advanced Functional Materials</i> , 2019 , 29, 1901996	15.6	27
89	Paper-Like, Thin, Foldable, and Self-Healable Electronics Based on PVA/CNC Nanocomposite Film. <i>Advanced Functional Materials</i> , 2019 , 29, 1905968	15.6	52
88	Facile fabrication of a fully biodegradable and stretchable serpentine-shaped wire supercapacitor. <i>Chemical Engineering Journal</i> , 2019 , 366, 62-71	14.7	45
87	A Flexible Loudspeaker Using the Movement of Liquid Metal Induced by Electrochemically Controlled Interfacial Tension. <i>Small</i> , 2019 , 15, e1905263	11	12

86	Stretchable, Skin-Attachable Electronics with Integrated Energy Storage Devices for Biosignal Monitoring. <i>Accounts of Chemical Research</i> , 2019 , 52, 91-99	24.3	53
85	Skin-Like, Dynamically Stretchable, Planar Supercapacitors with Buckled Carbon Nanotube/Mn-Mo Mixed Oxide Electrodes and Air-Stable Organic Electrolyte. <i>ACS Nano</i> , 2019 , 13, 855-866	16.7	55
84	High performance wire-type supercapacitor with Ppy/CNT-ionic liquid/AuNP/carbon fiber electrode and ionic liquid based electrolyte. <i>Carbon</i> , 2019 , 144, 639-648	10.4	40
83	High-Sensitivity, Skin-Attachable, and Stretchable Array of Thermo-Responsive Suspended Gate Field-Effect Transistors with Thermochromic Display. <i>Advanced Functional Materials</i> , 2019 , 29, 1807679	15.6	27
82	Low power stretchable active-matrix red, green, blue (RGB) electrochromic device array of poly(3-methylthiophene)/Prussian blue. <i>Applied Surface Science</i> , 2019 , 471, 300-308	6.7	28
81	Skin-Attachable, Stretchable Electrochemical Sweat Sensor for Glucose and pH Detection. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 13729-13740	9.5	205
80	Super-Absorbent Polymer Valves and Colorimetric Chemistries for Time-Sequenced Discrete Sampling and Chloride Analysis of Sweat via Skin-Mounted Soft Microfluidics. <i>Small</i> , 2018 , 14, e1703334	11	81
79	Fabrication of High-Sensitivity Skin-Attachable Temperature Sensors with Bioinspired Microstructured Adhesive. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 7263-7270	9.5	111
78	Microporous Polypyrrole-Coated Graphene Foam for High-Performance Multifunctional Sensors and Flexible Supercapacitors. <i>Advanced Functional Materials</i> , 2018 , 28, 1707013	15.6	141
77	Highly Conductive, Stretchable, and Transparent PEDOT:PSS Electrodes Fabricated with Triblock Copolymer Additives and Acid Treatment. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 28027-28035	9.5	72
76	Wire-Shaped Supercapacitors with Organic Electrolytes Fabricated via Layer-by-Layer Assembly. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 26248-26257	9.5	25
75	Stretchable array of high-performance micro-supercapacitors charged with solar cells for wireless powering of an integrated strain sensor. <i>Nano Energy</i> , 2018 , 49, 644-654	17.1	102
74	Highly Durable and Flexible Transparent Electrode for Flexible Optoelectronic Applications. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 30706-30715	9.5	27
73	Flexible Near-Field Wireless Optoelectronics as Subdermal Implants for Broad Applications in Optogenetics. <i>Neuron</i> , 2017 , 93, 509-521.e3	13.9	225
72	A skin-integrated transparent and stretchable strain sensor with interactive color-changing electrochromic displays. <i>Nanoscale</i> , 2017 , 9, 7631-7640	7.7	113
71	A Patterned Graphene/ZnO UV Sensor Driven by Integrated Asymmetric Micro-Supercapacitors on a Liquid Metal Patterned Foldable Paper. <i>Advanced Functional Materials</i> , 2017 , 27, 1700135	15.6	85
70	Fully Biodegradable Microsupercapacitor for Power Storage in Transient Electronics. <i>Advanced Energy Materials</i> , 2017 , 7, 1700157	21.8	145
69	Flexible, water-proof, wire-type supercapacitors integrated with wire-type UV/NO ₂ sensors on textiles. <i>Nano Energy</i> , 2017 , 35, 199-206	17.1	41

68	A skin-attachable, stretchable integrated system based on liquid GaInSn for wireless human motion monitoring with multi-site sensing capabilities. <i>NPG Asia Materials</i> , 2017 , 9, e443-e443	10.3	145
67	Polyurethane foam coated with a multi-walled carbon nanotube/polyaniline nanocomposite for a skin-like stretchable array of multi-functional sensors. <i>NPG Asia Materials</i> , 2017 , 9, e448-e448	10.3	62
66	Fully implantable, battery-free wireless optoelectronic devices for spinal optogenetics. <i>Pain</i> , 2017 , 158, 2108-2116	8	76
65	A 7.5-GHz uniplanar 180° hybrid coupler on flexible polyimide substrate. <i>Journal of Electromagnetic Waves and Applications</i> , 2017 , 31, 38-46	1.3	1
64	Stretchable Active Matrix Temperature Sensor Array of Polyaniline Nanofibers for Electronic Skin. <i>Advanced Materials</i> , 2016 , 28, 930-5	24	264
63	Encapsulated, High-Performance, Stretchable Array of Stacked Planar Micro-Supercapacitors as Waterproof Wearable Energy Storage Devices. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 16016-25	9.5	87
62	Body-Attachable and Stretchable Multisensors Integrated with Wirelessly Rechargeable Energy Storage Devices. <i>Advanced Materials</i> , 2016 , 28, 748-56	24	102
61	Stretchable patterned graphene gas sensor driven by integrated micro-supercapacitor array. <i>Nano Energy</i> , 2016 , 19, 401-414	17.1	137
60	Controllable Formation of Nanofilaments in Resistive Memories via Tip-Enhanced Electric Fields. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600233	6.4	68
59	High performance flexible double-sided micro-supercapacitors with an organic gel electrolyte containing a redox-active additive. <i>Nanoscale</i> , 2016 , 8, 15611-20	7.7	34
58	Stretchable Loudspeaker using Liquid Metal Microchannel. <i>Scientific Reports</i> , 2015 , 5, 11695	4.9	59
57	Fabrication of a stretchable and patchable array of high performance micro-supercapacitors using a non-aqueous solvent based gel electrolyte. <i>Energy and Environmental Science</i> , 2015 , 8, 1764-1774	35.4	115
56	Stretchable Array of Highly Sensitive Pressure Sensors Consisting of Polyaniline Nanofibers and Au-Coated Polydimethylsiloxane Micropillars. <i>ACS Nano</i> , 2015 , 9, 9974-85	16.7	272
55	Soft, stretchable, fully implantable miniaturized optoelectronic systems for wireless optogenetics. <i>Nature Biotechnology</i> , 2015 , 33, 1280-1286	44.5	510
54	Fabrication of flexible micro-supercapacitor array with patterned graphene foam/MWNT-COOH/MnO electrodes and its application. <i>Carbon</i> , 2015 , 81, 29-37	10.4	63
53	Ice-templated Self-assembly of VOPO ₄ -Graphene Nanocomposites for Vertically Porous 3D Supercapacitor Electrodes. <i>Scientific Reports</i> , 2015 , 5, 13696	4.9	53
52	Highly Stretchable and Sensitive Strain Sensors Using Fragmentized Graphene Foam. <i>Advanced Functional Materials</i> , 2015 , 25, 4228-4236	15.6	442
51	Air-stable, high-performance, flexible microsupercapacitor with patterned ionogel electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 4608-15	9.5	69

50	Fabrication of patterned flexible graphene devices via facile direct transfer of as-grown bi-layer graphene. <i>Applied Surface Science</i> , 2015 , 328, 235-240	6.7	8
49	Biaxially stretchable, integrated array of high performance microsupercapacitors. <i>ACS Nano</i> , 2014 , 8, 11639-50	16.7	114
48	Fabrication of high performance flexible micro-supercapacitor arrays with hybrid electrodes of MWNT/V ₂ O ₅ nanowires integrated with a SnO ₂ nanowire UV sensor. <i>Nanoscale</i> , 2014 , 6, 12034-41	7.7	72
47	All-solid-state flexible micro-supercapacitor arrays with patterned graphene/MWNT electrodes. <i>Carbon</i> , 2014 , 79, 156-164	10.4	117
46	High-performance all-solid-state flexible micro-supercapacitor arrays with layer-by-layer assembled MWNT/MnO(x) nanocomposite electrodes. <i>Nanoscale</i> , 2014 , 6, 9655-64	7.7	70
45	High-density, stretchable, all-solid-state microsupercapacitor arrays. <i>ACS Nano</i> , 2014 , 8, 8844-55	16.7	79
44	Fabrication of stretchable single-walled carbon nanotube logic devices. <i>Small</i> , 2014 , 10, 2910-7	11	9
43	Design and fabrication of novel stretchable device arrays on a deformable polymer substrate with embedded liquid-metal interconnections. <i>Advanced Materials</i> , 2014 , 26, 6580-6	24	75
42	Catalyst-free growth of readily detachable nanographene on alumina. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6438	7.1	8
41	Fabrication of a stretchable solid-state micro-supercapacitor array. <i>ACS Nano</i> , 2013 , 7, 7975-82	16.7	220
40	Current generation of vertically aligned ZnO nanowires by photo-induced deformation of a matrix polymer. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 7191	7.1	4
39	High performance stretchable UV sensor arrays of SnO ₂ nanowires. <i>Nanotechnology</i> , 2013 , 24, 315502	3.4	33
38	Electronic properties of light-emitting p-n hetero-junction array consisting of p ⁺ -Si and aligned n-ZnO nanowires. <i>Journal of Applied Physics</i> , 2013 , 113, 084310	2.5	5
37	Effect of Sb doping on the opto-electronic properties of SnO ₂ nanowires. <i>Thin Solid Films</i> , 2012 , 520, 6471-6475	2.2	8
36	Effects of stabilizers on the synthesis of Pt ₃ Cox/C electrocatalysts for oxygen reduction. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 12088-12095	6.7	20
35	Stretchable field-effect-transistor array of suspended SnO ₂ nanowires. <i>Small</i> , 2011 , 7, 1181-5	11	64
34	White-Light Emitting Diode Array of p ⁺ -Si/Aligned n-SnO ₂ Nanowires Heterojunctions. <i>Advanced Functional Materials</i> , 2011 , 21, 119-124	15.6	37
33	Array of Single-Walled Carbon Nanotube Intrajunction Devices Fabricated via Type Conversion by Partial Coating with Nicotinamide Adenine Dinucleotide. <i>Advanced Functional Materials</i> , 2011 , 21, 2515-2521	15.6	7

32	Facile Fabrication of SWCNT/SnO ₂ Nanowire Heterojunction Devices on Flexible Polyimide Substrate. <i>Advanced Functional Materials</i> , 2011 , 21, 4159-4165	15.6	13
31	High yield production of semiconducting p-type single-walled carbon nanotube thin-film transistors on a flexible polyimide substrate by tuning the density of ferritin catalyts. <i>Carbon</i> , 2011 , 49, 2492-2498	10.4	11
30	Size-controlled synthesis of Pt nanoparticles and their electrochemical activities toward oxygen reduction. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 706-712	6.7	30
29	Effect of humidity and thermal curing of polymer gate dielectrics on the electrical hysteresis of SnO ₂ nanowire field effect transistors. <i>Applied Physics Letters</i> , 2011 , 98, 102906	3.4	11
28	Effect of gate dielectrics on the device performance of SnO ₂ nanowire field effect transistors. <i>Applied Physics Letters</i> , 2010 , 96, 102908	3.4	7
27	Experimental and modeling studies of imaging with curvilinear electronic eye cameras. <i>Optics Express</i> , 2010 , 18, 27346-58	3.3	8
26	Paraboloid electronic eye cameras using deformable arrays of photodetectors in hexagonal mesh layouts. <i>Applied Physics Letters</i> , 2010 , 96, 021110	3.4	47
25	Micromechanics and advanced designs for curved photodetector arrays in hemispherical electronic-eye cameras. <i>Small</i> , 2010 , 6, 851-6	11	84
24	Photoconductance of aligned SnO ₂ nanowire field effect transistors. <i>Applied Physics Letters</i> , 2009 , 95, 043107	3.4	40
23	Fabrication of nanowire channels with unidirectional alignment and controlled length by a simple, gas-blowing-assisted, selective-transfer-printing technique. <i>Small</i> , 2009 , 5, 727-34	11	16
22	Curvilinear electronics formed using silicon membrane circuits and elastomeric transfer elements. <i>Small</i> , 2009 , 5, 2703-9	11	186
21	Highly ordered nanoporous thin films by blending of PST-b-PMMA block copolymers and PEO additives as structure directing agents. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 8041-8048	2.5	10
20	High-performance titanium dioxide photocatalyst on ordered mesoporous carbon support. <i>Chemical Physics Letters</i> , 2008 , 456, 198-201	2.5	20
19	Controlled Ordering of Block Copolymer Thin Films by the Addition of Hydrophilic Nanoparticles. <i>Macromolecules</i> , 2007 , 40, 8119-8124	5.5	68
18	Synthesis and characterization of visible-light absorbing ordered mesoporous titanosilicate incorporated with vanadium oxide. <i>Chemical Physics Letters</i> , 2007 , 444, 161-166	2.5	8
17	Hypocholesterolemic and antioxidant properties of 3-(4-hydroxyl)propanoic acid derivatives in high-cholesterol fed rats. <i>Chemico-Biological Interactions</i> , 2007 , 170, 9-19	5	37
16	Thickness and density controllable pattern transfer of DODAB/V ₂ O ₅ nanowire hybrid film. <i>Nanotechnology</i> , 2007 , 18, 405301	3.4	3
15	Adsorption behavior of binary mixed alkanethiol molecules on Au: Scanning tunneling microscope and linear-scan voltammetry investigation. <i>Applied Surface Science</i> , 2006 , 252, 4951-4956	6.7	13

14	Adsorption behaviors of V2O5 nanowires on binary mixed self-assembled monolayers. <i>Applied Surface Science</i> , 2006 , 253, 1528-1533	6.7	8
13	Sol-gel synthesis of sub-50 nm ZnO nanowires on pulse laser deposited ZnO thin films. <i>Applied Surface Science</i> , 2006 , 253, 1758-1761	6.7	30
12	Lateral force microscope and linear-scan voltammetry studies on the replacement of adsorbed thiolates on Au with thiols in solution. <i>Thin Solid Films</i> , 2005 , 479, 277-281	2.2	5
11	Replacement of adsorbed alkanethiolate on Au with carboxyl-terminated thiol in solution: effect of alkyl chain length. <i>Applied Surface Science</i> , 2005 , 249, 7-11	6.7	14
10	Percolation network of growing V2O5 nanowires. <i>Applied Physics Letters</i> , 2004 , 84, 5392-5394	3.4	8
9	Time dependent evolution of vanadium pentoxide nanowires in sols. <i>Chemical Physics Letters</i> , 2004 , 390, 199-202	2.5	32
8	STM investigation of nano-structures fabricated on passivated Si surfaces. <i>Korean Journal of Chemical Engineering</i> , 2003 , 20, 169-173	2.8	1
7	The effects of ambient He pressure on the oxygen density of Er-doped SiOx thin films grown by laser ablation of a Si:Er2O3 target. <i>Applied Surface Science</i> , 2003 , 218, 311-317	6.7	1
6	Green-Function Calculations of Coherent Electron Transport in a Gated Si Nanowire. <i>ETRI Journal</i> , 2000 , 22, 19-26	1.4	2
5	Nanometer scale selective etching of Si(111) surface using silicon nitride islands. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 1998 , 16, 2806		5
4	Uniform Ag Thin Film Growth on an Sb-terminated Si(111) Surface. <i>ETRI Journal</i> , 1997 , 19, 71-81	1.4	9
3	Initial Stage of Oxidation on Si(111)-7x7 Surface Investigated by Scanning Tunneling Microscope. <i>Materials Research Society Symposia Proceedings</i> , 1995 , 404, 205		
2	Scanning tunneling microscopy investigation of the surface structures of natural MoS2. <i>Surface Science</i> , 1994 , 315, 62-68	1.8	16
1	A Textile-Based Temperature-Tolerant Stretchable Supercapacitor for Wearable Electronics. <i>Advanced Functional Materials</i> , 2106491	15.6	9