

# Bertrand Huard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7831265/publications.pdf>

Version: 2024-02-01

69  
papers

4,510  
citations

147801

31  
h-index

106344

65  
g-index

70  
all docs

70  
docs citations

70  
times ranked

5600  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasmocyte depletion in autoimmune diseases. , 2022, , 179-191.		0
2	Further analyses of APRIL/APRIL-receptor/glycosaminoglycan interactions by biochemical assays linked to computational studies. <i>Glycobiology</i> , 2021, 31, 772-786.	2.5	9
3	The number 13 of the family: a proliferation inducing ligand. <i>Current Opinion in Immunology</i> , 2021, 71, 132-137.	5.5	6
4	Case Report: In Situ Expression of a Proliferation-Inducing Ligand in Neuromyelitis Optica. <i>Frontiers in Neurology</i> , 2021, 12, 721877.	2.4	1
5	Polarized Secretion of APRIL by the Tonsil Epithelium Upon Toll-Like Receptor Stimulation. <i>Frontiers in Immunology</i> , 2021, 12, 715724.	4.8	2
6	Advanced Molecular Dynamics Approaches to Model a Tertiary Complex APRIL/TACI with Long Glycosaminoglycans. <i>Biomolecules</i> , 2021, 11, 1349.	4.0	6
7	The microenvironment of DLBCL is characterized by noncanonical macrophages recruited by tumor-derived CCL5. <i>Blood Advances</i> , 2021, 5, 4338-4351.	5.2	9
8	Inhibition of Chondroitin Sulfate Proteoglycans by APRIL. <i>Methods in Molecular Biology</i> , 2021, 2248, 43-61.	0.9	2
9	APRIL-producing eosinophils are involved in gastric MALT lymphomagenesis induced by <i>Helicobacter sp</i> infection. <i>Scientific Reports</i> , 2020, 10, 14858.	3.3	15
10	APRIL Induces a Novel Subset of IgA+ Regulatory B Cells That Suppress Inflammation via Expression of IL-10 and PD-L1. <i>Frontiers in Immunology</i> , 2019, 10, 1368.	4.8	63
11	A proliferation-inducing ligand-mediated anti-inflammatory response of astrocytes in multiple sclerosis. <i>Annals of Neurology</i> , 2019, 85, 406-420.	5.3	32
12	Abundant a proliferation-inducing ligand (APRIL)-producing macrophages contribute to plasma cell accumulation in immunoglobulin G4-related disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 960-969.	0.7	17
13	The role of APRIL - A proliferation inducing ligand - In autoimmune diseases and expectations from its targeting. <i>Journal of Autoimmunity</i> , 2018, 95, 179-190.	6.5	31
14	Tumor-associated neutrophils correlate with poor prognosis in diffuse large B-cell lymphoma patients. <i>Blood Cancer Journal</i> , 2018, 8, 66.	6.2	24
15	Targeting BAFF and APRIL in systemic lupus erythematosus and other antibody-associated diseases. <i>International Reviews of Immunology</i> , 2017, 36, 3-19.	3.3	144
16	Toll-Like Receptor 9 Stimulation Induces Aberrant Expression of a Proliferation-Inducing Ligand by Tonsillar Germinal Center B Cells in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1227-1238.	6.1	91
17	CXCL-8/IL8 Produced by Diffuse Large B-cell Lymphomas Recruits Neutrophils Expressing a Proliferation-Inducing Ligand APRIL. <i>Cancer Research</i> , 2017, 77, 1097-1107.	0.9	59
18	Progression of fibrosis in patients with chronic viral hepatitis is associated with IL-17 neutrophils. <i>Liver International</i> , 2016, 36, 1116-1124.	3.9	30

#	ARTICLE	IF	CITATIONS
19	Revisiting IL-6 antagonism in multiple myeloma. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 105, 1-4.	4.4	53
20	Pathogenic Role of a Proliferation-Inducing Ligand (APRIL) in Murine IgA Nephropathy. <i>PLoS ONE</i> , 2015, 10, e0137044.	2.5	24
21	FP304ABERRANT APRIL EXPRESSION IN TONSILLAR GERMINAL CENTER B CELLS IN IGA NEPHROPATHY PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii168-iii169.	0.7	0
22	No Evidence That Soluble TACI Induces Signalling via Membrane-Expressed BAFF and APRIL in Myeloid Cells. <i>PLoS ONE</i> , 2013, 8, e61350.	2.5	27
23	Selective APRIL Blockade Delays Systemic Lupus Erythematosus in Mouse. <i>PLoS ONE</i> , 2012, 7, e31837.	2.5	33
24	A Novel Mouse Model for Multiple Myeloma (MOPC315.BM) That Allows Noninvasive Spatiotemporal Detection of Osteolytic Disease. <i>PLoS ONE</i> , 2012, 7, e51892.	2.5	61
25	Production of the plasma-cell survival factor a proliferation-inducing ligand (APRIL) peaks in myeloid precursor cells from human bone marrow. <i>Blood</i> , 2011, 118, 1838-1844.	1.4	85
26	Evidence for a Repertoire of Functional Untolerized CD4 <sup>+</sup> T Cells Specific for Melanoma-associated Antigens. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 80-86.	2.7	3
27	Absence of up-regulation for a proliferation-inducing ligand in Sjogren's sialadenitis lesions. <i>Rheumatology</i> , 2011, 50, 1211-1215.	1.9	10
28	CD56 <sup>bright</sup> NK cells after hematopoietic stem cell transplantation are activated mature NK cells that expand in patients with low numbers of T cells. <i>European Journal of Immunology</i> , 2010, 40, 3246-3254.	2.9	31
29	Buffy's, B cells, and membrane BAFF. <i>Arthritis and Rheumatism</i> , 2010, 62, 1557-1558.	6.7	1
30	Comment on "Cutting Edge: FcR-Like 6 Is an MHC Class II Receptor". <i>Journal of Immunology</i> , 2010, 185, 4965.1-4965.	0.8	0
31	Comment on "Dendritic Cells and Monocyte/Macrophages That Create the IL-6/APRIL-Rich Lymph Node Microenvironment Where Plasmablasts Mature". FIGURE 1.. <i>Journal of Immunology</i> , 2009, 182, 5159-5159.	0.8	1
32	Tumors that look for their springtime in APRIL. <i>Critical Reviews in Oncology/Hematology</i> , 2009, 72, 91-97.	4.4	26
33	Lymph node tumor metastases: more susceptible than primary tumors to CD8+ T-cell immune destruction. <i>Trends in Immunology</i> , 2009, 30, 569-573.	6.8	11
34	Synovial tissues concentrate secreted APRIL. <i>Arthritis Research and Therapy</i> , 2009, 11, R144.	3.5	29
35	Reconstitution of the immune system after hematopoietic stem cell transplantation in humans. <i>Seminars in Immunopathology</i> , 2008, 30, 425-437.	6.1	210
36	Role of the tumor necrosis factor ligand APRIL in Hodgkin's lymphoma: a retrospective study including 107 cases. <i>Experimental Hematology</i> , 2008, 36, 533-534.	0.4	5

#	ARTICLE	IF	CITATIONS
37	Role of the tumour necrosis family ligand APRIL in solid tumour development: Retrospective studies in bladder, ovarian and head and neck carcinomas. <i>European Journal of Cancer</i> , 2008, 44, 2097-2100.	2.8	22
38	Direct Presentation of a Melanocyte-Associated Antigen in Peripheral Lymph Nodes Induces Cytotoxic CD8+ T Cells. <i>Cancer Research</i> , 2008, 68, 8410-8418.	0.9	12
39	APRIL is critical for plasmablast survival in the bone marrow and poorly expressed by early-life bone marrow stromal cells. <i>Blood</i> , 2008, 111, 2755-2764.	1.4	311
40	Heparan sulfate proteoglycans, Fc receptors, and DC suppression. <i>Blood</i> , 2008, 112, 915-916.	1.4	3
41	APRIL secreted by neutrophils binds to heparan sulfate proteoglycans to create plasma cell niches in human mucosa. <i>Journal of Clinical Investigation</i> , 2008, 118, 2887-95.	8.2	175
42	Extralymphatic Tumors Prepare Draining Lymph Nodes to Invasion via a T-Cell Cross-Tolerance Process. <i>Cancer Research</i> , 2007, 67, 5009-5016.	0.9	39
43	Neutrophil-derived APRIL concentrated in tumor lesions by proteoglycans correlates with human B-cell lymphoma aggressiveness. <i>Blood</i> , 2007, 109, 331-338.	1.4	138
44	Melanoma-infiltrating dendritic cells induce protective antitumor responses mediated by T cells. <i>Melanoma Research</i> , 2007, 17, 169-176.	1.2	21
45	HLA and KIR polymorphisms affect NK-cell anti-tumor activity. <i>Trends in Immunology</i> , 2007, 28, 437-441.	6.8	32
46	Paracrine promotion of tumor development by the TNF ligand APRIL in Hodgkin's Disease. <i>Leukemia</i> , 2007, 21, 1324-1327.	7.2	32
47	T cell tolerance to the skin: a central role for central tolerance. <i>Seminars in Immunopathology</i> , 2007, 29, 59-64.	6.1	0
48	A CD40-CD95L fusion protein interferes with CD40L-induced prosurvival signaling and allows membrane CD40L-restricted activation of CD95. <i>Journal of Molecular Medicine</i> , 2006, 84, 785-797.	3.9	17
49	The source of APRIL up-regulation in human solid tumor lesions. <i>Journal of Leukocyte Biology</i> , 2006, 80, 697-704.	3.3	68
50	Tumor-Infiltrating Dendritic Cells Are Potent Antigen-Presenting Cells Able to Activate T Cells and Mediate Tumor Rejection. <i>Journal of Immunology</i> , 2006, 176, 61-67.	0.8	84
51	Impaired CD40L signaling is a cause of defective IL-12 and TNF- $\beta$ production in Sezary syndrome: circumvention by hexameric soluble CD40L. <i>Blood</i> , 2005, 105, 219-225.	1.4	36
52	Identification of proteoglycans as the APRIL-specific binding partners. <i>Journal of Experimental Medicine</i> , 2005, 201, 1375-1383.	8.5	323
53	BAFF production by antigen-presenting cells provides T cell co-stimulation. <i>International Immunology</i> , 2004, 16, 467-475.	4.0	134
54	Expression of inhibitory KIR is confined to CD8+ effector T cells and limits their proliferative capacity. <i>European Journal of Immunology</i> , 2004, 34, 3413-3422.	2.9	39

#	ARTICLE	IF	CITATIONS
55	Activating CD94:NKG2C and inhibitory CD94:NKG2A receptors are expressed by distinct subsets of committed CD8+ TCR <sup>+</sup> lymphocytes. <i>European Journal of Immunology</i> , 2004, 34, 3456-3464.	2.9	58
56	Selective Expression of FLIP in Malignant Melanocytic Skin Lesions. <i>Journal of Investigative Dermatology</i> , 2001, 117, 360-364.	0.7	97
57	KIR down-regulation on NK cells is associated with down-regulation of activating receptors and NK cell inactivation. <i>European Journal of Immunology</i> , 2001, 31, 1728-1735.	2.9	24
58	T Cell Costimulation by the TNF Ligand BAFF. <i>Journal of Immunology</i> , 2001, 167, 6225-6231.	0.8	198
59	A role for MHC class I down-regulation in NK cell lysis of herpes virus-infected cells. <i>European Journal of Immunology</i> , 2000, 30, 509-515.	2.9	89
60	A subpopulation of CD8+ T cells specific for melanocyte differentiation antigens expresses killer inhibitory receptors (KIR) in healthy donors: evidence for a role of KIR in the control of peripheral tolerance. <i>European Journal of Immunology</i> , 2000, 30, 1665-1675.	2.9	40
61	KIR expression on self-reactive CD8+ T cells is controlled by T-cell receptor engagement. <i>Nature</i> , 2000, 403, 325-328.	27.8	121
62	A role for MHC class I down-regulation in NK cell lysis of herpes virus-infected cells. <i>European Journal of Immunology</i> , 2000, 30, 509-515.	2.9	2
63	Expression of Inhibitory Receptors for MHC Class I Molecules on T Cells. <i>Critical Reviews in Immunology</i> , 2000, 20, 6.	0.5	2
64	LAG-3 does not define a specific mode of natural killing in human. <i>Immunology Letters</i> , 1998, 61, 109-112.	2.5	73
65	Characterization of the major histocompatibility complex class II binding site on LAG-3 protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 5744-5749.	7.1	224
66	T cell major histocompatibility complex class II molecules down-regulate CD4+ T cell clone responses following LAG-3 binding. <i>European Journal of Immunology</i> , 1996, 26, 1180-1186.	2.9	115
67	CD4/major histocompatibility complex class II interaction analyzed with CD4- and lymphocyte activation gene-3 (LAG-3)-Ig fusion proteins. <i>European Journal of Immunology</i> , 1995, 25, 2718-2721.	2.9	308
68	Lymphocyte-activation gene 3/major histocompatibility complex class II interaction modulates the antigenic response of CD4+ T lymphocytes. <i>European Journal of Immunology</i> , 1994, 24, 3216-3221.	2.9	189
69	Characterization of the lymphocyte activation gene 3-encoded protein. A new ligand for human leukocyte antigen class II antigens.. <i>Journal of Experimental Medicine</i> , 1992, 176, 327-337.	8.5	331