

Tomoyo Goto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7833176/publications.pdf>

Version: 2024-02-01

57
papers

764
citations

516710

16
h-index

610901

24
g-index

57
all docs

57
docs citations

57
times ranked

866
citing authors

#	ARTICLE	IF	CITATIONS
1	Liquid-phase synthesis of advanced ceramic sorbents with high functionalization and morphological control. <i>Journal of the Ceramic Society of Japan</i> , 2022, 130, 163-171.	1.1	4
2	Mechanism investigation of the enhanced oxygen storage performance of $\text{YBaCo}_4\text{O}_{7+\delta}$ synthesized by a glycine-complex decomposition method. <i>Chemical Communications</i> , 2022, 58, 2822-2825.	4.1	0
3	BaTiO_3 Nanocubes Functionalized by Catechol-Based Organic Molecules via Ligand-Exchange and Chemical Reactions: Implications for Closed Packing of Nanoblocks. <i>ACS Applied Nano Materials</i> , 2022, 5, 1056-1067.	5.0	1
4	Fluorescent properties of octacalcium phosphate with incorporated isophthalate ions. <i>Journal of the Ceramic Society of Japan</i> , 2022, 130, 337-340.	1.1	5
5	Enhanced Photocatalytic Activity of Porphyrin Nanodisks Prepared by Exfoliation of Metalloporphyrin-Based Covalent Organic Frameworks. <i>ACS Omega</i> , 2022, 7, 7172-7178.	3.5	13
6	The effects of microstructure on mechanical and electrical properties of W dispersed Al_2O_3 ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2022, 19, 1746-1755.	2.1	5
7	Peculiarities of the formation, structural and morphological properties of zinc whitlockite ($\text{Ca}_{18}\text{Zn}_2(\text{HPO}_4)_2(\text{PO}_4)_{12}$) synthesized via a phase transformation process under hydrothermal conditions. <i>CrystEngComm</i> , 2022, 24, 5068-5079.	2.6	6
8	Porphyrin covalent organic nanodisks synthesized using acid-assisted exfoliation for improved bactericidal efficacy. <i>Nanoscale Advances</i> , 2022, 4, 2992-2995.	4.6	1
9	Development of Ti dispersed ZrO_2 composites and their room-temperature crack-healing behaviors. <i>Journal of Alloys and Compounds</i> , 2021, 851, 156895.	5.5	3
10	Role of $\text{CeAl}_{11}\text{O}_{18}$ in reinforcing $\text{Al}_2\text{O}_3/\text{Ti}$ composites by adding CeO_2 . <i>International Journal of Applied Ceramic Technology</i> , 2021, 18, 170-181.	2.1	4
11	Sr^{2+} sorption property of seaweed-like sodium titanate mats: effects of crystallographic properties. <i>RSC Advances</i> , 2021, 11, 18676-18684.	3.6	4
12	Incorporation of tetracarboxylate ions into octacalcium phosphate for the development of next-generation biofriendly materials. <i>Communications Chemistry</i> , 2021, 4, .	4.5	19
13	Fine TiC dispersed Al_2O_3 composites fabricated via in situ reaction synthesis and conventional process. <i>Journal of the American Ceramic Society</i> , 2021, 104, 2753-2766.	3.8	7
14	Selective adsorption of dyes on TiO_2 -modified hydroxyapatite photocatalysts morphologically controlled by solvothermal synthesis. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105738.	6.7	15
15	The influence of Fe^{3+} doping on thermally induced crystallization and phase evolution of amorphous calcium phosphate. <i>CrystEngComm</i> , 2021, 23, 4627-4637.	2.6	11
16	Bottom-up method for synthesis of layered lithium titanate nanoplates using ion precursor. <i>Chemical Communications</i> , 2021, 57, 12536-12539.	4.1	2
17	Low Alkali Bottom-Up Synthesis of Titanate Nanotubes Using a Peroxo Titanium Complex Ion Precursor for Photocatalysis. <i>ACS Applied Nano Materials</i> , 2020, 3, 7795-7803.	5.0	11
18	Photocatalytic properties and controlled morphologies of TiO_2 -modified hydroxyapatite synthesized by the urea-assisted hydrothermal method. <i>Powder Technology</i> , 2020, 373, 468-475.	4.2	9

#	ARTICLE	IF	CITATIONS
19	Sorption capacity of seaweed-like sodium titanate mats for Co ²⁺ removal. RSC Advances, 2020, 10, 41032-41040.	3.6	8
20	The effects of sintering temperature on mechanical and electrical properties of Al ₂ O ₃ /Ti composites. Materials Today Communications, 2020, 25, 101522.	1.9	18
21	Crystallization Behavior of the Low-Temperature Mineralization Sintering Process for Glass Nanoparticles. Materials, 2020, 13, 3281.	2.9	2
22	Effects of Annealing Temperature on the Crystal Structure, Morphology, and Optical Properties of Peroxo-Titanate Nanotubes Prepared by Peroxo-Titanium Complex Ion. Nanomaterials, 2020, 10, 1331.	4.1	8
23	Enhancing Visible Light Absorption of Yellow-Colored Peroxo-Titanate Nanotubes Prepared Using Peroxo Titanium Complex Ions. ACS Omega, 2020, 5, 21753-21761.	3.5	14
24	Hydroxyapatite Formation from Octacalcium Phosphate and Its Related Compounds: A Discussion of the Transformation Mechanism. Bulletin of the Chemical Society of Japan, 2020, 93, 701-707.	3.2	18
25	Ti and SmAlO ₃ co-affected Al ₂ O ₃ ceramics: Microstructure, electrical and mechanical properties. Journal of Alloys and Compounds, 2020, 835, 155427.	5.5	7
26	Ti and TiC co-toughened Al ₂ O ₃ composites by in-situ synthesis from reaction of Ti and MWCNT. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 777, 139066.	5.6	13
27	Synthesis of porphyrin nanodisks from COFs through mechanical stirring and their photocatalytic activity. Applied Surface Science, 2020, 513, 145720.	6.1	17
28	CNT-induced TiC toughened Al ₂ O ₃ /Ti composites: Mechanical, electrical, and room-temperature crack-healing behaviors. Journal of the American Ceramic Society, 2020, 103, 4573-4585.	3.8	6
29	Formation of Hydroxyapatite Crystals from Octacalcium Phosphate with Incorporated Succinate Ion under Hydrothermal Conditions. Chemistry Letters, 2019, 48, 855-858.	1.3	4
30	Low-Dimensional Carbon and Titania Nanotube Composites via a Solution Chemical Process and Their Nanostructural and Electrical Properties for Electrochemical Devices. ACS Applied Nano Materials, 2019, 2, 6230-6237.	5.0	6
31	Thermoelectric gas sensors with selective combustion catalysts. Journal of the Ceramic Society of Japan, 2019, 127, 57-66.	1.1	7
32	Electrochemically assisted room-temperature crack healing of ceramic-based composites. Journal of the American Ceramic Society, 2019, 102, 4236-4246.	3.8	14
33	Fine Ti dispersed Al ₂ O ₃ composites and their mechanical and electrical properties. Journal of the American Ceramic Society, 2018, 101, 3181-3190.	3.8	26
34	Low-temperature hydrothermal synthesis and characterization of SrTiO ₃ photocatalysts for NO _x degradation. Journal of the Ceramic Society of Japan, 2018, 126, 135-138.	1.1	21
35	Homogeneously bulk porous calcium hexaaluminate (CaAl ₂ O ₉): Reactive sintering and microstructure development. Ceramics International, 2018, 44, 4462-4466.	4.8	19
36	Surface-morphology modification of ceramic-based composites for photocatalytic activity via simple chemical and heat treatments. Journal of the Ceramic Society of Japan, 2018, 126, 877-884.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Effect of nitrogen gas pressure during heat treatment on the morphology of silicon nitride fibers synthesized by carbothermal nitridation. <i>Journal of Asian Ceramic Societies</i> , 2018, 6, 401-408.	2.3	5
38	Sorption capacity of Cs ⁺ on titania nanotubes synthesized by solution processing. <i>Journal of the Ceramic Society of Japan</i> , 2018, 126, 801-807.	1.1	10
39	Formation of vertically grown 1D TiO ₂ nanorods on the surface of Al ₂ O ₃ /Ti composites by simple heat treatment and their photocatalytic performance. <i>Journal of the Ceramic Society of Japan</i> , 2018, 126, 847-851.	1.1	1
40	Thermoelectric Array Sensors with Selective Combustion Catalysts for Breath Gas Monitoring. <i>Sensors</i> , 2018, 18, 1579.	3.8	9
41	Combinative effects of Y ₂ O ₃ and Ti on Al ₂ O ₃ ceramics for optimizing mechanical and electrical properties. <i>Ceramics International</i> , 2018, 44, 18382-18388.	4.8	14
42	Transformation of dicalcium phosphate dihydrate into octacalcium phosphate with incorporated dicarboxylate ions. <i>Journal of the Ceramic Society of Japan</i> , 2018, 126, 462-468.	1.1	14
43	Heat transfer control of micro-thermoelectric gas sensor for breath gas monitoring. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 571-580.	7.8	24
44	Relationship between the CO sensing performance of micro-thermoelectric gas sensors and characteristics of PtPd/Co ₃ O ₄ and PtPd/SnO ₂ catalysts. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 847-855.	7.8	8
45	Synthesis of morphologically controlled hydroxyapatite from fish bone by urea-assisted hydrothermal treatment and its Sr ²⁺ sorption capacity. <i>Powder Technology</i> , 2016, 292, 314-322.	4.2	33
46	CO sensing properties of Au/SnO ₂ -Co ₃ O ₄ catalysts on a micro thermoelectric gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 774-783.	7.8	50
47	CO Sensing Performance of a Micro Thermoelectric Gas Sensor with AuPtPd/SnO ₂ Catalyst and Effects of a Double Catalyst Structure with Pt/Al ₂ O ₃ . <i>Sensors</i> , 2015, 15, 31687-31698.	3.8	17
48	Effects of trace elements in fish bones on crystal characteristics of hydroxyapatite obtained by calcination. <i>Ceramics International</i> , 2014, 40, 10777-10785.	4.8	66
49	Immobilization of Sr ²⁺ on naturally derived hydroxyapatite by calcination of different species of fish bones and influence of calcination on ion-exchange efficiency. <i>Ceramics International</i> , 2014, 40, 11649-11656.	4.8	19
50	Behavior of hydroxyapatite crystals in a simulated body fluid: effects of crystal face. <i>Journal of the Ceramic Society of Japan</i> , 2013, 121, 807-812.	1.1	23
51	Comparative study of hydroxyapatite formation from β - and β' -tricalcium phosphates under hydrothermal conditions. <i>Journal of the Ceramic Society of Japan</i> , 2012, 120, 131-137.	1.1	19
52	Interfacial shear strength of bioactive ϵ -coated carbon fiber reinforced polyetheretherketone after in vivo implantation. <i>Journal of Orthopaedic Research</i> , 2012, 30, 1618-1625.	2.3	51
53	Hydroxyapatite formation by solvothermal treatment of β -tricalcium phosphate with water ϵ -ethanol solution. <i>Ceramics International</i> , 2012, 38, 1003-1010.	4.8	32
54	Hydrothermal synthesis of composites of well-crystallized hydroxyapatite and poly(vinyl alcohol) hydrogel. <i>Materials Science and Engineering C</i> , 2012, 32, 397-403.	7.3	19

#	ARTICLE	IF	CITATIONS
55	Oxidation of Pentatitanium Trisilicide (Ti ₅ Si ₃) Powder at High Temperature. Materials Science Forum, 0, 868, 38-42.	0.3	3
56	Synthesis of TiO ₂ -Modified Hydroxyapatite with Various Morphology by Urea-Assisted Hydrothermal Method. Materials Science Forum, 0, 868, 28-32.	0.3	10
57	Solvothermal Synthesis of TiO ₂ -Modified Hydroxyapatite Using Water-Isopropanol Solution. Materials Science Forum, 0, 922, 86-91.	0.3	3