

# Ramachandra K Kini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7833480/publications.pdf>

Version: 2024-02-01

51  
papers

1,186  
citations

430874

18  
h-index

395702

33  
g-index

53  
all docs

53  
docs citations

53  
times ranked

1554  
citing authors

#	ARTICLE	IF	CITATIONS
1	The SUMO Conjugation Complex Self-Assembles into Nuclear Bodies Independent of SIZ1 and COP1. <i>Plant Physiology</i> , 2019, 179, 168-183.	4.8	21
2	Evaluation of an In-house LipL32 Polymerase Chain Reaction for Diagnosis of Leptospirosis and its Correlation with Various Serological Diagnostic Techniques. <i>Indian Journal of Medical Microbiology</i> , 2018, 36, 385-390.	0.8	6
3	Efficiency of RAPD, ISSR and ITS markers in detecting genetic variability among <i>Salacia</i> species sampled from the Western Ghats of Karnataka. <i>Molecular Biology Reports</i> , 2018, 45, 931-941.	2.3	3
4	Reference gene selection and validation for gene expression studies in downy mildew infected pearl millet by quantitative real-time PCR. <i>Australasian Plant Pathology</i> , 2017, 46, 441-452.	1.0	4
5	Identification of Biomarkers for Resistance to <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> Infection and in Silico Studies in <i>Musa paradisiaca</i> Cultivar Puttabale through Proteomic Approach. <i>Proteomes</i> , 2016, 4, 9.	3.5	7
6	Molecular cloning of a coiled-coil-nucleotide-binding-site-leucine-rich repeat gene from pearl millet and its expression pattern in response to the downy mildew pathogen. <i>Molecular Biology Reports</i> , 2016, 43, 117-128.	2.3	12
7	Immuno-affinity purification of PglPGIP1, a polygalacturonase-inhibitor protein from pearl millet: studies on its inhibition of fungal polygalacturonases and role in resistance against the downy mildew pathogen. <i>Molecular Biology Reports</i> , 2015, 42, 1123-1138.	2.3	8
8	The pearl millet mitogen-activated protein kinase PgMPK4 is involved in responses to downy mildew infection and in jasmonic- and salicylic acid-mediated defense. <i>Plant Molecular Biology</i> , 2015, 87, 287-302.	3.9	13
9	Proteomic analysis of elicitation of downy mildew disease resistance in pearl millet by seed priming with $\beta^2$ -aminobutyric acid and <i>Pseudomonas fluorescens</i> . <i>Journal of Proteomics</i> , 2015, 120, 58-74.	2.4	35
10	Genetic diversity and antimicrobial activity of endophytic <i>Myrothecium</i> spp. isolated from <i>Calophyllum apetalum</i> and <i>Garcinia morella</i> . <i>Molecular Biology Reports</i> , 2015, 42, 1533-1543.	2.3	8
11	Identification of Taxol-producing endophytic fungi isolated from <i>Salacia oblonga</i> through genomic mining approach. <i>Journal of Genetic Engineering and Biotechnology</i> , 2015, 13, 119-127.	3.3	27
12	Experimental and bioinformatic characterization of a recombinant polygalacturonase-inhibitor protein from pearl millet and its interaction with fungal polygalacturonases. <i>Journal of Experimental Botany</i> , 2014, 65, 5033-5047.	4.8	8
13	Antioxidant and Neuroprotective Activities of <i>Hyptis suaveolens</i> (L.) Poit. Against Oxidative Stress-Induced Neurotoxicity. <i>Cellular and Molecular Neurobiology</i> , 2014, 34, 323-331.	3.3	31
14	Antioxidant and hepatoprotective effects of <i>Solanum xanthocarpum</i> leaf extracts against CCl <sub>4</sub> -induced liver injury in rats. <i>Pharmaceutical Biology</i> , 2014, 52, 1060-1068.	2.9	17
15	Involvement of mitogen-activated protein kinase signalling in pearl millet-downy mildew interaction. <i>Plant Science</i> , 2014, 214, 29-37.	3.6	16
16	Association between accumulation of allene oxide synthase activity and development of resistance against downy mildew disease of pearl millet. <i>Molecular Biology Reports</i> , 2013, 40, 6821-6829.	2.3	14
17	Inhibition of virus infection by transient expression of short hairpin RNA targeting the methyltransferase domain of Tobacco mosaic virus replicase. <i>Phytoparasitica</i> , 2013, 41, 9-15.	1.2	1
18	Polygalacturonase-inhibitor proteins in pearl millet: possible involvement in resistance against downy mildew. <i>Acta Biochimica Et Biophysica Sinica</i> , 2012, 44, 415-423.	2.0	17

#	ARTICLE	IF	CITATIONS
19	Comparative analysis of activities of vital defence enzymes during induction of resistance in pearl millet against downy mildew. Archives of Phytopathology and Plant Protection, 2012, 45, 1252-1272.	1.3	5
20	Inhibition of TMV multiplication by siRNA constructs against TOM1 and TOM3 genes of Capsicum annum. Journal of Virological Methods, 2012, 186, 78-85.	2.1	10
21	Characterization of a hydroxyproline-rich glycoprotein in pearl millet and its differential expression in response to the downy mildew pathogen Sclerospora graminicola. Acta Physiologiae Plantarum, 2012, 34, 779-791.	2.1	9
22	Isolation and characterisation of a NBS-LRR resistance gene analogue from pearl millet. Archives of Phytopathology and Plant Protection, 2011, 44, 1014-1024.	1.3	3
23	Production of Unusual Dispiro Metabolites in <i>Pestalotiopsis virgatula</i> Endophyte Cultures: HPLC-SPE-NMR, Electronic Circular Dichroism, and Time-Dependent Density-Functional Computation Study. Journal of Natural Products, 2011, 74, 2206-2215.	3.0	38
24	Hydroxyproline-rich Glycoproteins and Plant Defence. Journal of Phytopathology, 2010, 158, 585.	1.0	72
25	<i>Arabidopsis</i> Small Ubiquitin-Like Modifier Paralogs Have Distinct Functions in Development and Defense. Plant Cell, 2010, 22, 1998-2016.	6.6	140
26	Hydroxyproline-rich glycoproteins accumulate in pearl millet after seed treatment with elicitors of defense responses against Sclerospora graminicola. Physiological and Molecular Plant Pathology, 2010, 74, 230-237.	2.5	15
27	Elicitation of resistance and defense related proteins by $\beta$ -amino butyric acid in sunflower against downy mildew pathogen <i>Plasmopara halstedii</i> . Archives of Phytopathology and Plant Protection, 2009, 42, 1020-1032.	1.3	14
28	HPLC-SPE-NMR Identification of a Novel Metabolite Containing the Benzo[ <i>c</i> ]oxepin Skeleton from the Endophytic Fungus <i>Pestalotiopsis virgatula</i> Culture. Planta Medica, 2009, 75, 1104-1106.	1.3	28
29	Hypersensitive reaction and P/HRGP accumulation is modulated by nitric oxide through hydrogen peroxide in pearl millet during Sclerospora graminicola infection. Physiological and Molecular Plant Pathology, 2009, 74, 191-198.	2.5	4
30	Infection induced oxidative cross-linking of hydroxyproline-rich glycoproteins (HRGPs) is associated with restriction of <i>Colletotrichum sublineolum</i> in sorghum. Journal of Plant Interactions, 2009, 4, 179-186.	2.1	11
31	Assessment of genetic stability of in vitro grown <i>Dictyospermum ovalifolium</i> . Biologia Plantarum, 2008, 52, 735-739.	1.9	28
32	Serodiagnosis of pearl millet resistance to downy mildew by quantitating cell wall P/HRGP using polyclonal antiserum Pab-P/HRGP. European Journal of Plant Pathology, 2008, 121, 77-85.	1.7	4
33	Changes in peroxidase activity in sunflower during infection by necrotrophic pathogen <i>Alternaria helianthi</i> . Archives of Phytopathology and Plant Protection, 2008, 41, 586-596.	1.3	5
34	Antioxidant, antihypertensive, and antibacterial properties of endophytic <i>Pestalotiopsis</i> species from medicinal plants. Canadian Journal of Microbiology, 2008, 54, 769-780.	1.7	40
35	Induction of resistance against downy mildew pathogen in pearl millet by a synthetic jasmonate analogon. Physiological and Molecular Plant Pathology, 2007, 71, 96-105.	2.5	19
36	Purification and characterization of proline/hydroxyproline-rich glycoprotein from pearl millet coleoptiles infected with downy mildew pathogen Sclerospora graminicola. Phytochemistry, 2007, 68, 298-305.	2.9	20

#	ARTICLE	IF	CITATIONS
37	Differential expression of sunflower peroxidase isoforms and transcripts during necrotrophic interaction with <i>Alternaria helianthi</i> . <i>Russian Journal of Plant Physiology</i> , 2007, 54, 513-517.	1.1	3
38	Role of hydroxyproline-rich glycoproteins in resistance of pearl millet against downy mildew pathogen <i>Sclerospora graminicola</i> . <i>Planta</i> , 2007, 226, 323-333.	3.2	57
39	Fungal endophyte assemblages from ethnopharmacologically important medicinal trees. <i>Canadian Journal of Microbiology</i> , 2006, 52, 427-435.	1.7	40
40	Spore cell wall components of <i>Aspergillus niger</i> elicit downy mildew disease resistance in pearl millet. <i>Phytoparasitica</i> , 2006, 34, 72-86.	1.2	6
41	Isolation and characterisation of a protein elicitor from <i>Sclerospora graminicola</i> and elicitor-mediated induction of defence responses in cultured cells of <i>Pennisetum glaucum</i> . <i>Functional Plant Biology</i> , 2006, 33, 267.	2.1	13
42	Genetic variation in <i>Fusarium oxysporum</i> f.sp. <i>cubense</i> isolates based on random amplified polymorphic DNA and intergenic spacer. <i>Archives of Phytopathology and Plant Protection</i> , 2006, 39, 151-160.	1.3	3
43	Endophytic Fungal Assemblages from Inner Bark and Twig of <i>Terminalia arjuna</i> W. & A. (Combretaceae). <i>World Journal of Microbiology and Biotechnology</i> , 2005, 21, 1535-1540.	3.6	80
44	Fungal endophytes from the three-leaved caper, <i>Crataeva magna</i> (Lour.) DC. (Capparidaceae). <i>Mycopathologia</i> , 2005, 159, 245-249.	3.1	31
45	Accumulation of hydroxyproline-rich glycoproteins in pearl millet seedlings in response to <i>Sclerospora graminicola</i> infection. <i>Plant Science</i> , 2004, 167, 1227-1234.	3.6	49
46	Genetic Variation in <i>Fusarium moniliforme</i> Isolated from Seeds of Different Host Species from Burkina Faso Based on Random Amplified Polymorphic DNA Analysis. <i>Journal of Phytopathology</i> , 2002, 150, 209-212.	1.0	25
47	Inheritance of downy mildew resistance, $\beta$ -1,3-glucanases and peroxidases in pearl millet [ <i>Pennisetum glaucum</i> (L.) R. Br.] crosses. <i>Theoretical and Applied Genetics</i> , 2001, 102, 1221-1226.	3.6	6
48	Title is missing!. <i>European Journal of Plant Pathology</i> , 2000, 106, 267-274.	1.7	48
49	Separation and direct detection of raw and gelatinized starch hydrolyzing activities of glucoamylase on isoelectric focusing gels. <i>Electrophoresis</i> , 1999, 20, 483-485.	2.4	4
50	Total peroxidase activity and peroxidase isoforms as modified by salt stress in two cultivars of fox-tail millet with differential salt tolerance. <i>Plant Science</i> , 1999, 141, 1-9.	3.6	107
51	Separation and direct detection of raw and gelatinized starch hydrolyzing activities of glucoamylase on isoelectric focusing gels. , 1999, 20, 483.		1