

Otonel M Martnez-Maza

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7833835/otoniel-m-martinez-maza-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

196
papers

7,064
citations

44
h-index

76
g-index

205
ext. papers

7,806
ext. citations

4.7
avg, IF

5.25
L-index

#	Paper	IF	Citations
196	Host characteristics associated with serologic inflammatory biomarkers in women. <i>Cytokine</i> , 2022 , 149, 155726	4	
195	Differential Gene Expression in Circulating T-Cells in Long-Term Adolescent/Young Adult Hodgkin Lymphoma (AYAHL) Survivors and Their Unaffected Twins. <i>Blood</i> , 2021 , 138, 1332-1332	2.2	
194	Targeting Tfr1 with the ch128.1/IgG1 Antibody Inhibits EBV-driven Lymphomagenesis in Immunosuppressed Mice Bearing EBV Human Primary B-cells. <i>Molecular Cancer Therapeutics</i> , 2021 , 20, 1592-1602	6.1	2
193	Immune Activation and Microbial Translocation as Prognostic Biomarkers for AIDS-Related Non-Hodgkin Lymphoma in the AMC-034 Study. <i>Clinical Cancer Research</i> , 2021 , 27, 4642-4651	12.9	0
192	Effect of Statin Use on Inflammation and Immune Activation Biomarkers in HIV-Infected Persons on Effective Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2021 , 37, 357-367	1.6	2
191	Circulating Biomarkers of Inflammation and Ovarian Cancer Risk in the Nurses' Health Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 710-718	4	1
190	Increased Rate of Epigenetic Aging in Men Living With HIV Prior to Treatment.. <i>Frontiers in Genetics</i> , 2021 , 12, 796547	4.5	0
189	Treatment of advanced AIDS-associated Kaposi sarcoma in resource-limited settings: a three-arm, open-label, randomised, non-inferiority trial. <i>Lancet, The</i> , 2020 , 395, 1195-1207	40	26
188	The Effects of Anti-retroviral Therapy on Epigenetic Age Acceleration Observed in HIV-1-infected Adults. <i>Pathogens and Immunity</i> , 2020 , 5, 291-311	4.9	9
187	Associations between QT interval subcomponents, HIV serostatus, and inflammation. <i>Annals of Noninvasive Electrocardiology</i> , 2020 , 25, e12705	1.5	7
186	An IgG1 Version of the Anti-transferrin Receptor 1 Antibody ch128.1 Shows Significant Antitumor Activity Against Different Xenograft Models of Multiple Myeloma: A Brief Communication. <i>Journal of Immunotherapy</i> , 2020 , 43, 48-52	5	7
185	Human Immunodeficiency Virus (HIV) Infection and Use of Illicit Substances Promote Secretion of Semen Exosomes that Enhance Monocyte Adhesion and Induce Actin Reorganization and Chemotactic Migration. <i>Cells</i> , 2019 , 8,	7.9	12
184	Comparison of nylon-flocked swab and Dacron swab cytology for anal HSIL detection in transgender women and gay, bisexual, and other men who have sex with men. <i>Cancer Cytopathology</i> , 2019 , 127, 247-257	3.9	2
183	Serological Assessment of 18 Pathogens and Risk of AIDS-Associated Non-Hodgkin Lymphoma. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 80, e53-e63	3.1	3
182	30-Year Longitudinal Study of Hematological Parameters of HIV-1 Negative Men Participating in Los Angeles Multicenter AIDS Cohort Study (MACS). <i>Laboratory Medicine</i> , 2019 , 50, 64-72	1.6	4
181	Sustained delivery and molecular targeting of a therapeutic monoclonal antibody to metastases in the central nervous system of mice. <i>Nature Biomedical Engineering</i> , 2019 , 3, 706-716	19	41
180	Elevated numbers of PD-L1 expressing B cells are associated with the development of AIDS-NHL. <i>Scientific Reports</i> , 2019 , 9, 9371	4.9	12

179	Regulation of Krüppel-Like Factor 4 (KLF4) expression through the transcription factor Yin-Yang 1 (YY1) in non-Hodgkin B-cell lymphoma. <i>Oncotarget</i> , 2019 , 10, 2173-2188	3.3	15
178	Longitudinal Intra- and Inter-individual variation in T-cell subsets of HIV-infected and uninfected men participating in the LA Multi-Center AIDS Cohort Study. <i>Medicine (United States)</i> , 2019 , 98, e17525	1.8	4
177	Increasing Levels of Serum Heat Shock Protein 70 Precede the Development of AIDS-Defining Non-Hodgkin Lymphoma Among Carriers of HLA-B8-DR3. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 266-273	3.1	1
176	The influence of EDTA Vacutainer blood collection tube on the level of blood interleukin-1 receptor antagonist. <i>Journal of Immunological Methods</i> , 2019 , 464, 114-118	2.5	2
175	Predictors of electrocardiographic QT interval prolongation in men with HIV. <i>Heart</i> , 2019 , 105, 559-565	5.1	21
174	Efficacy and Mechanism of Antitumor Activity of an Antibody Targeting Transferrin Receptor 1 in Mouse Models of Human Multiple Myeloma. <i>Journal of Immunology</i> , 2018 , 200, 3485-3494	5.3	16
173	A prospective study of serum microbial translocation biomarkers and risk of AIDS-related non-Hodgkin lymphoma. <i>Aids</i> , 2018 , 32, 945-954	3.5	15
172	Novel tumor markers provide improved prediction of survival after diagnosis of human immunodeficiency virus (HIV)-related diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2018 , 59, 321-329	1.9	5
171	Pre-diagnosis plasma immune markers and risk of non-Hodgkin lymphoma in two prospective cohort studies. <i>Haematologica</i> , 2018 , 103, 1679-1687	6.6	7
170	Decreased levels of the serum inflammatory biomarkers, sGP130, IL-6, sCRP and BAFF, are associated with increased likelihood of AIDS related Kaposi's sarcoma in men who have sex with men. <i>Cancer Research Frontiers</i> , 2018 , 4, 45-59		3
169	Markers of Immune Activation and Inflammation, and Non-Hodgkin Lymphoma: A Meta-Analysis of Prospective Studies. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky082	4.6	20
168	Viremia copy-years and mortality among combination antiretroviral therapy-initiating HIV-positive individuals: how much viral load history is enough?. <i>Aids</i> , 2018 , 32, 2547-2556	3.5	8
167	As-Needed Vs Immediate Etoposide Chemotherapy in Combination With Antiretroviral Therapy for Mild-to-Moderate AIDS-Associated Kaposi Sarcoma in Resource-Limited Settings: A5264/AMC-067 Randomized Clinical Trial. <i>Clinical Infectious Diseases</i> , 2018 , 67, 251-260	11.6	19
166	Frailty and Circulating Markers of Inflammation in HIV+ and HIV- Men in the Multicenter AIDS Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 74, 407-417	3.1	45
165	Effect of prolonged freezing of semen on exosome recovery and biologic activity. <i>Scientific Reports</i> , 2017 , 7, 45034	4.9	31
164	Elevated Serum Levels of sCD30 and IL6 and Detectable IL10 Precede Classical Hodgkin Lymphoma Diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1114-1123	4	14
163	Multiplex assay reliability and long-term intra-individual variation of serologic inflammatory biomarkers. <i>Cytokine</i> , 2017 , 90, 185-192	4	33
162	Influence of Dietary Patterns on Plasma Soluble CD14, a Surrogate Marker of Gut Barrier Dysfunction. <i>Current Developments in Nutrition</i> , 2017 , 1,	0.4	16

161	Effects of Mutations on Replicative Fitness and Major Histocompatibility Complex Class I Binding Affinity Are Among the Determinants Underlying Cytotoxic-T-Lymphocyte Escape of HIV-1 Gag Epitopes. <i>MBio</i> , 2017 , 8,	7.8	9
160	Immunologic evaluation of the endometrium with a levonorgestrel intrauterine device in solid organ transplant women and healthy controls. <i>Contraception</i> , 2016 , 94, 534-540	2.5	11
159	Data on serologic inflammatory biomarkers assessed using multiplex assays and host characteristics in the Multicenter AIDS Cohort Study (MACS). <i>Data in Brief</i> , 2016 , 9, 262-70	1.2	4
158	Host factors associated with serologic inflammatory markers assessed using multiplex assays. <i>Cytokine</i> , 2016 , 85, 71-9	4	13
157	Inflammatory Biomarkers and Mortality Risk Among HIV-Suppressed Men: A Multisite Prospective Cohort Study. <i>Clinical Infectious Diseases</i> , 2016 , 63, 984-990	11.6	47
156	Predictive Value of Cytokines and Immune Activation Biomarkers in AIDS-Related Non-Hodgkin Lymphoma Treated with Rituximab plus Infusional EPOCH (AMC-034 trial). <i>Clinical Cancer Research</i> , 2016 , 22, 328-36	12.9	9
155	Identification of the transcripts associated with spontaneous HCV clearance in individuals co-infected with HIV and HCV. <i>BMC Infectious Diseases</i> , 2016 , 16, 693	4	1
154	MicroRNA-related polymorphisms and non-Hodgkin lymphoma susceptibility in the Multicenter AIDS Cohort Study. <i>Cancer Epidemiology</i> , 2016 , 45, 47-57	2.8	14
153	Associations of non-Hodgkin Lymphoma (NHL) risk with autoimmune conditions according to putative NHL loci. <i>American Journal of Epidemiology</i> , 2015 , 181, 406-21	3.8	42
152	Atopic allergic conditions and colorectal cancer risk in the Multiethnic Cohort Study. <i>American Journal of Epidemiology</i> , 2015 , 181, 889-97	3.8	11
151	A comparative study of molecular characteristics of diffuse large B-cell lymphoma from patients with and without human immunodeficiency virus infection. <i>Clinical Cancer Research</i> , 2015 , 21, 1429-37	12.9	16
150	The effect of HAART-induced HIV suppression on circulating markers of inflammation and immune activation. <i>Aids</i> , 2015 , 29, 463-71	3.5	247
149	Insights into the effector functions of human IgG3 in the context of an antibody targeting transferrin receptor 1. <i>Molecular Immunology</i> , 2015 , 67, 407-15	4.3	12
148	Common immune-related exposures/conditions and risk of non-Hodgkin lymphoma: a case-control study of disease-discordant twin pairs. <i>American Journal of Epidemiology</i> , 2015 , 182, 417-25	3.8	4
147	Polymorphism in apoptotic BAX (-248G>A) gene but not in anti-apoptotic BCL2 (-938C>A) gene and its protein and mRNA expression are associated with cervical intraepithelial neoplasia. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2015 , 20, 1347-57	5.4	7
146	P38 MAPK expression and activation predicts failure of response to CHOP in patients with Diffuse Large B-Cell Lymphoma. <i>BMC Cancer</i> , 2015 , 15, 722	4.8	16
145	Stromal immune infiltration in HIV-related diffuse large B-cell lymphoma is associated with HIV disease history and patient survival. <i>Aids</i> , 2015 , 29, 1943-51	3.5	4
144	Efficacy of an Anti-transferrin Receptor 1 Antibody Against AIDS-related Non-Hodgkin Lymphoma: A Brief Communication. <i>Journal of Immunotherapy</i> , 2015 , 38, 307-10	5	12

143	Dysregulated B-cell TLR2 expression and elevated regulatory B-cell frequency precede the diagnosis of AIDS-related non-Hodgkin lymphoma. <i>Aids</i> , 2015 , 29, 1659-1664	3.5	3
142	Lung cancer incidence and survival among HIV-infected and uninfected women and men. <i>Aids</i> , 2015 , 29, 1183-93	3.5	36
141	The role of chemokine C-C motif ligand 2 genotype and cerebrospinal fluid chemokine C-C motif ligand 2 in neurocognition among HIV-infected patients. <i>Aids</i> , 2015 , 29, 1483-91	3.5	20
140	Memories of John Fahey and His Contributions to the Multicenter AIDS Cohort Study (MACS). <i>Forum on Immunopathological Diseases and Therapeutics</i> , 2015 , 6, 53-55		
139	Acceleration of age-associated methylation patterns in HIV-1-infected adults. <i>PLoS ONE</i> , 2015 , 10, e0119291	3.7	80
138	Association between free testosterone levels and anal human papillomavirus types 16/18 infections in a cohort of men who have sex with men. <i>PLoS ONE</i> , 2015 , 10, e0119447	3.7	1
137	Dysregulated B-cell TLR2 expression and elevated regulatory B-cell frequency precede the diagnosis of AIDS-related non-Hodgkin lymphoma. <i>Aids</i> , 2015 , 29, 1659-64	3.5	1
136	Immune Activation: Contribution to AIDS-Associated Non-Hodgkin Lymphoma. <i>Forum on Immunopathological Diseases and Therapeutics</i> , 2015 , 6, 79-90		4
135	DNA Methylation Differences in Twins Discordant for Adolescent/Young Adult Hodgkin Lymphoma. <i>Blood</i> , 2015 , 126, 179-179	2.2	
134	KLF4 and YY1 Are Resistant Factors in NHL and Potential Therapeutic Targets: The New Resistant NF-B/YY1/KLF4/BclxL/Mcl-1 Axis. <i>Blood</i> , 2015 , 126, 1466-1466	2.2	
133	Transmission and evolution of hepatitis C virus in HCV seroconverters in HIV infected subjects. <i>Virology</i> , 2014 , 449, 339-49	3.6	10
132	A high throughput biochemical fluorometric method for measuring lipid peroxidation in HDL. <i>PLoS ONE</i> , 2014 , 9, e111716	3.7	17
131	Serum microRNAs in HIV-infected individuals as pre-diagnosis biomarkers for AIDS-NHL. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 66, 229-37	3.1	25
130	Comment on "characteristics of B-cell lymphomas in HIV/HCV-coinfected patients during the combined antiretroviral therapy era: an ANRS CO16 LYMPHOVIR cohort study". <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 67, e84-6	3.1	2
129	Cytokines in serum in relation to future non-Hodgkin lymphoma risk: evidence for associations by histologic subtype. <i>International Journal of Cancer</i> , 2014 , 135, 913-22	7.5	19
128	Expression of KLF4 is a predictive marker for survival in pediatric Burkitt lymphoma. <i>Leukemia and Lymphoma</i> , 2014 , 55, 1806-14	1.9	17
127	Serum levels of cytokines and biomarkers for inflammation and immune activation, and HIV-associated non-Hodgkin B-cell lymphoma risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 343-9	4	47
126	Exhaustion, immuno-inflammation, and pathogen burden after cardiac surgery: an exploratory study. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 211-20	3.3	5

125	A novel IgE antibody targeting the prostate-specific antigen as a potential prostate cancer therapy. <i>BMC Cancer</i> , 2013 , 13, 195	4.8	29
124	Risk of lymphoma subtypes after solid organ transplantation in the United States. <i>British Journal of Cancer</i> , 2013 , 109, 280-8	8.7	95
123	Transcriptome analysis of HIV-infected peripheral blood monocytes: gene transcripts and networks associated with neurocognitive functioning. <i>Journal of Neuroimmunology</i> , 2013 , 265, 96-105	3.5	19
122	Insights into the mechanism of cell death induced by saporin delivered into cancer cells by an antibody fusion protein targeting the transferrin receptor 1. <i>Toxicology in Vitro</i> , 2013 , 27, 220-31	3.6	25
121	Investigation of epstein-barr virus as a potential cause of B-cell non-Hodgkin lymphoma in a prospective cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1747-55	4	13
120	Serum biomarkers of immune activation and subsequent risk of non-hodgkin B-cell lymphoma among HIV-infected women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2084-93	4	23
119	Comparison of 2 anal cytology protocols to predict high-grade anal intraepithelial neoplasia. <i>Journal of Lower Genital Tract Disease</i> , 2013 , 17, 414-24	3.6	11
118	Temporal stability of serum concentrations of cytokines and soluble receptors measured across two years in low-risk HIV-seronegative men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2009-15	4	36
117	Acute HIV-1 seroconversion with an unusual plasma biomarker profile. <i>Vaccine Journal</i> , 2013 , 20, 1774-7		1
116	Serum levels of the chemokine CXCL13, genetic variation in CXCL13 and its receptor CXCR5, and HIV-associated non-hodgkin B-cell lymphoma risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 295-307	4	39
115	TLR2-activated B cells are phenotypically similar to the abnormal circulating B cells seen preceding the diagnosis of AIDS-related NHL diagnosis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 64, 204-10	3.1	9
114	Levels of murine, but not human, CXCL13 are greatly elevated in NOD-SCID mice bearing the AIDS-associated Burkitt lymphoma cell line, 2F7. <i>PLoS ONE</i> , 2013 , 8, e72414	3.7	10
113	Factors affecting the prevalence of strongly and weakly carcinogenic and lower-risk human papillomaviruses in anal specimens in a cohort of men who have sex with men (MSM). <i>PLoS ONE</i> , 2013 , 8, e79492	3.7	27
112	Serum levels of several molecules that are associated with B cell activation and inflammation are elevated in AIDS-associated non-Hodgkin lymphoma (AIDS-NHL) and predict response to treatment. <i>Infectious Agents and Cancer</i> , 2012 , 7,	3.5	78
111	Animal models for IgE-mediated cancer immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2012 , 61, 1535-46	7.4	14
110	The multicenter AIDS Cohort Study, 1983 to 2008. <i>Public Health</i> , 2012 , 126, 196-198	4	79
109	Self-reported history of infections and the risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>International Journal of Cancer</i> , 2012 , 131, 2342-8	7.5	19
108	When grief makes you sick: bereavement induced systemic inflammation is a question of genotype. <i>Brain, Behavior, and Immunity</i> , 2012 , 26, 1066-71	16.6	58

107	Targeting HER2/neu with a fully human IgE to harness the allergic reaction against cancer cells. <i>Cancer Immunology, Immunotherapy</i> , 2012 , 61, 991-1003	7.4	28
106	Markers of B-cell activation in relation to risk of non-Hodgkin lymphoma. <i>Cancer Research</i> , 2012 , 72, 4733-43	4.3	48
105	Epstein-Barr virus infection and expression of B-cell oncogenic markers in HIV-related diffuse large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2012 , 18, 4702-12	12.9	30
104	B-cell activation induced microRNA-21 is elevated in circulating B cells preceding the diagnosis of AIDS-related non-Hodgkin lymphomas. <i>Aids</i> , 2012 , 26, 1177-80	3.5	21
103	Improved estimation of the distribution of suppressed plasma HIV-1 RNA in men receiving effective antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 59, 389-92	3.1	4
102	Tocilizumab attenuates inflammation in ALS patients through inhibition of IL6 receptor signaling. <i>American Journal of Neurodegenerative Disease</i> , 2012 , 1, 305-15	2.5	43
101	Overexpression of microRNAs from the miR-17-92 paralog clusters in AIDS-related non-Hodgkin's lymphomas. <i>PLoS ONE</i> , 2011 , 6, e20781	3.7	29
100	An antibody-based multifaceted approach targeting the human transferrin receptor for the treatment of B-cell malignancies. <i>Journal of Immunotherapy</i> , 2011 , 34, 500-8	5	25
99	Effect of highly active antiretroviral therapy on biomarkers of B-lymphocyte activation and inflammation. <i>Aids</i> , 2011 , 25, 303-14	3.5	82
98	Kaposi sarcoma-associated herpesvirus serum DNA and antibodies not associated with subsequent non-Hodgkin lymphoma risk. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 56, 188-92	3.1	11
97	Clonal immunoglobulin DNA in the plasma of patients with AIDS lymphoma. <i>Blood</i> , 2011 , 117, 4860-2	2.2	6
96	Visualization and quantification of cytotoxicity mediated by antibodies using imaging flow cytometry. <i>Journal of Immunological Methods</i> , 2011 , 368, 54-63	2.5	11
95	Lethal iron deprivation induced by non-neutralizing antibodies targeting transferrin receptor 1 in malignant B cells. <i>Leukemia and Lymphoma</i> , 2011 , 52, 2169-78	1.9	18
94	Assessment of pre-diagnosis biomarkers of immune activation and inflammation: insights on the etiology of lymphoma. <i>Journal of Proteome Research</i> , 2011 , 10, 113-9	5.6	38
93	B-cell stimulatory cytokines and markers of immune activation are elevated several years prior to the diagnosis of systemic AIDS-associated non-Hodgkin B-cell lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1303-14	4	98
92	Multisite comparison of high-sensitivity multiplex cytokine assays. <i>Vaccine Journal</i> , 2011 , 18, 1229-42		133
91	Comparison of humoral immune responses to Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus using a viral proteome microarray. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1683-91	7	29
90	Birth order and risk of non-hodgkin lymphoma--true association or bias?. <i>American Journal of Epidemiology</i> , 2010 , 172, 621-30	3.8	21

89	Expression and Function of the Chemokine, CXCL13, and Its Receptor, CXCR5, in Aids-Associated Non-Hodgkin's Lymphoma. <i>AIDS Research and Treatment</i> , 2010 , 2010, 164586	2.3	28
88	IL-17A is increased in the serum and in spinal cord CD8 and mast cells of ALS patients. <i>Journal of Neuroinflammation</i> , 2010 , 7, 76	10.1	121
87	Elevated serum levels of CXCL13 precede HIV-associated non-Hodgkin lymphoma. <i>Infectious Agents and Cancer</i> , 2010 , 5,	3.5	4
86	Cytokine signaling pathway polymorphisms and AIDS-related non-Hodgkin lymphoma risk in the multicenter AIDS cohort study. <i>Aids</i> , 2010 , 24, 1025-33	3.5	24
85	Cancer biomarkers in HIV patients. <i>Current Opinion in HIV and AIDS</i> , 2010 , 5, 531-7	4.2	26
84	HIV-associated immune dysfunction and viral infection: role in the pathogenesis of AIDS-related lymphoma. <i>Immunologic Research</i> , 2010 , 48, 72-83	4.3	70
83	Cancer incidence in the multicenter AIDS Cohort Study before and during the HAART era: 1984 to 2007. <i>Cancer</i> , 2010 , 116, 5507-16	6.4	115
82	CD40 ligand (CD154) incorporated into HIV virions induces activation-induced cytidine deaminase (AID) expression in human B lymphocytes. <i>PLoS ONE</i> , 2010 , 5, e11448	3.7	42
81	Epidemiological Evidence: IgE, Allergies, and Hematopoietic Malignancies 2010 , 79-136		8
80	Recreational drug use and risk of Kaposi's sarcoma in HIV- and HHV-8-coinfected homosexual men. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 149-56	1.6	6
79	Atopic disease and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>Cancer Research</i> , 2009 , 69, 6482-9	10.1	80
78	Population differences in immune marker profiles associated with human T-lymphotropic virus type I infection in Japan and Jamaica. <i>International Journal of Cancer</i> , 2009 , 124, 614-21	7.5	19
77	Recreational amphetamine use and risk of HIV-related non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2009 , 20, 509-16	2.8	4
76	Enhanced cytotoxicity of an anti-transferrin receptor IgG3-avidin fusion protein in combination with gambogic acid against human malignant hematopoietic cells: functional relevance of iron, the receptor, and reactive oxygen species. <i>Leukemia</i> , 2009 , 23, 59-70	10.7	39
75	Serum levels of soluble vascular cell adhesion molecule-1, tumor necrosis factor-alpha, and interleukin-6 in in vitro fertilization cycles. <i>Fertility and Sterility</i> , 2009 , 91, 2012-9	4.8	11
74	The major histocompatibility complex conserved extended haplotype 8.1 in AIDS-related non-Hodgkin lymphoma. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52, 170-9	3.1	19
73	A prospective study of serum soluble CD30 concentration and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2009 , 114, 2730-2	2.2	61
72	Inverse Relationship Between the Transcription Repressor Yin Yang 1 (YY1) and the TRAIL Death Receptor DR5 in AIDS-Related Non-Hodgkin's Lymphoma Tissues: Potential Prognostic Biomarkers and Targets for Therapeutic Intervention.. <i>Blood</i> , 2009 , 114, 1932-1932	2.2	1

71	Upregulation of Kruppel-Like Factor 4 (KLF-4) Expression as a Potential Tumor Progression Gene Product in Non-Hodgkin's Lymphoma.. <i>Blood</i> , 2009 , 114, 5022-5022	2.2	
70	The NF-kappaB inhibitors (bortezomib and DHMEQ) sensitise rituximab-resistant AIDS-B-non-Hodgkin lymphoma to apoptosis by various chemotherapeutic drugs. <i>Leukemia and Lymphoma</i> , 2008 , 49, 1982-94	1.9	25
69	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 2008 , 111, 4029-38	2.2	429
68	Recreational drug use and T lymphocyte subpopulations in HIV-uninfected and HIV-infected men. <i>Drug and Alcohol Dependence</i> , 2008 , 94, 165-71	4.9	37
67	Sleep loss activates cellular inflammatory signaling. <i>Biological Psychiatry</i> , 2008 , 64, 538-40	7.9	273
66	Effect of HAART on incident cancer and noncancer AIDS events among male HIV seroconverters. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 48, 485-90	3.1	27
65	Relation of depression, natural killer cell function, and infections after coronary artery bypass in women. <i>European Journal of Cardiovascular Nursing</i> , 2008 , 7, 52-8	3.3	22
64	Interleukin-2, interleukin-12, and interferon-gamma levels and risk of young adult Hodgkin lymphoma. <i>Blood</i> , 2008 , 111, 3377-82	2.2	32
63	Cellular and Molecular Mechanisms of Sensitivity and Resistance of Hematopoietic Malignant Cells to Treatment with ch128.1A _v , An Antibody-Avidin Fusion Protein Specific for Human Transferrin Receptor 1 (CD71).. <i>Blood</i> , 2008 , 112, 1608-1608	2.2	
62	The effect of atopy, childhood crowding, and other immune-related factors on non-Hodgkin lymphoma risk. <i>Cancer Causes and Control</i> , 2007 , 18, 821-31	2.8	38
61	Pain-related activation of leukocyte cellular adhesion molecules: preliminary findings. <i>NeuroImmunoModulation</i> , 2007 , 14, 224-8	2.5	3
60	Elevated expression of activation induced cytidine deaminase in peripheral blood mononuclear cells precedes AIDS-NHL diagnosis. <i>Aids</i> , 2007 , 21, 2265-70	3.5	43
59	C-reactive protein in nipple aspirate fluid associated with Gail model factors. <i>Biological Research for Nursing</i> , 2007 , 9, 108-16	2.6	14
58	Infection of human B cells with Epstein-Barr virus results in the expression of somatic hypermutation-inducing molecules and in the accrual of oncogene mutations. <i>Molecular Immunology</i> , 2007 , 44, 934-42	4.3	76
57	Elevated serum soluble CD30 precedes the development of AIDS-associated non-Hodgkin's B cell lymphoma. <i>Tumor Biology</i> , 2006 , 27, 187-94	2.9	59
56	C-reactive protein in nipple aspirate fluid: relation to women's health factors. <i>Nursing Research</i> , 2006 , 55, 418-25	1.9	8
55	Pathogenesis of AIDS lymphoma: role of oncogenic viruses and B cell activation-associated molecular lesions. <i>Current Opinion in Oncology</i> , 2006 , 18, 444-8	4.2	52
54	Childhood Crowding, Atopy and Risk of Non-Hodgkin Lymphoma.. <i>Blood</i> , 2006 , 108, 4648-4648	2.2	

53	Serum levels of soluble vascular cell adhesion molecule-1 are decreased in women receiving oral contraceptives compared with normally menstruating women: implications in atherosclerosis. <i>Fertility and Sterility</i> , 2005 , 83, 1480-8	4.8	11
52	Distribution of immune cell subsets and cytokine-producing cells in the uterine cervix of human papillomavirus (HPV)-infected women: influence of HIV-1 coinfection. <i>Diagnostic Molecular Pathology</i> , 2005 , 14, 39-47		38
51	Elevated levels of soluble CD44 precede the development of AIDS-associated non-Hodgkin's B-cell lymphoma. <i>Aids</i> , 2005 , 19, 1711-2	3.5	20
50	Serum levels of the homeostatic B cell chemokine, CXCL13, are elevated during HIV infection. <i>Journal of Interferon and Cytokine Research</i> , 2005 , 25, 702-6	3.5	55
49	Beta blocker and angiotensin-converting enzyme inhibitor therapy is associated with decreased Th1/Th2 cytokine ratios and inflammatory cytokine production in patients with chronic heart failure. <i>NeuroImmunoModulation</i> , 2004 , 11, 173-80	2.5	69
48	Interleukin-6 (IL-6) expression and natural killer (NK) cell dysfunction and anergy in heart failure. <i>American Journal of Cardiology</i> , 2004 , 93, 1007-11	3	44
47	IL-6 levels and genotype are associated with risk of young adult Hodgkin lymphoma. <i>Blood</i> , 2004 , 103, 3216-21	2.2	102
46	Expression and function of CD28 on Epstein-Barr virus-positive B cell lines and AIDS-associated non-Hodgkin's lymphoma cell lines. <i>Tumor Biology</i> , 2003 , 24, 82-93	2.9	15
45	Non-Hodgkin's B cell lymphoma in persons with acquired immunodeficiency syndrome is associated with increased serum levels of IL10, or the IL10 promoter -592 C/C genotype. <i>Clinical Immunology</i> , 2003 , 109, 119-29	9	90
44	B-cell activation and lymphoma in patients with HIV. <i>Current Opinion in Oncology</i> , 2002 , 14, 528-32	4.2	93
43	Rta of the human herpesvirus 8/Kaposi sarcoma-associated herpesvirus up-regulates human interleukin-6 gene expression. <i>Blood</i> , 2002 , 100, 1919-21	2.2	62
42	Viral interleukin 6 stimulates human peripheral blood B cells that are unresponsive to human interleukin 6. <i>Cellular Immunology</i> , 2001 , 212, 118-25	4.4	19
41	Effects of human papillomavirus-associated cells on human immunodeficiency virus gene expression. <i>Obstetrics and Gynecology</i> , 2000 , 96, 879-85	4.9	21
40	Peritoneal fluid interleukin-6 in women with chronic pelvic pain. <i>Fertility and Sterility</i> , 2000 , 74, 325-8	4.8	23
39	The development of AIDS-associated Burkitt's/small noncleaved cell lymphoma is preceded by elevated serum levels of interleukin 6. <i>Clinical Immunology</i> , 1999 , 92, 293-9	9	65
38	Serum sCD23 level in patients with AIDS-related non-Hodgkin's lymphoma is associated with absence of Epstein-Barr virus in tumor tissue. <i>Clinical Immunology</i> , 1999 , 93, 239-44	9	11
37	Aberrant expression of CD27 and soluble CD27 (sCD27) in HIV infection and in AIDS-associated lymphoma. <i>Clinical Immunology</i> , 1999 , 93, 114-23	9	89
36	Human herpesvirus 8-encoded interleukin 6 activates HIV-1 in the U1 monocytic cell line. <i>Aids</i> , 1999 , 13, 1851-5	3.5	10

35	Monokine production following in vitro stimulation of the THP-1 human monocytic cell line with pertussis vaccine components. <i>Journal of Clinical Immunology</i> , 1998 , 18, 81-8	5.7	6
34	Increased immune activation precedes the inflection point of CD4 T cells and the increased serum virus load in human immunodeficiency virus infection. <i>Journal of Infectious Diseases</i> , 1998 , 178, 423-30	7	40
33	Immune dysfunction and the pathogenesis of AIDS-associated non-Hodgkin's lymphoma. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1998 , 93, 373-81	2.6	10
32	Interleukin 6 and AIDS-associated Kaposi's sarcoma: a nested case control study within the Multicenter AIDS Cohort Study. <i>AIDS Research and Human Retroviruses</i> , 1997 , 13, 781-8	1.6	10
31	Circulating CD8 T cells show increased interferon-gamma mRNA expression in HIV infection. <i>Cellular Immunology</i> , 1997 , 178, 91-8	4.4	26
30	Relationship of plasma HIV-RNA levels and levels of TNF-alpha and immune activation products in HIV infection. <i>Clinical Immunology and Immunopathology</i> , 1997 , 84, 36-45		49
29	Risk factors for non-Hodgkin's lymphomas in acquired immunodeficiency syndrome (AIDS). <i>American Journal of Epidemiology</i> , 1996 , 143, 374-9	3.8	24
28	Vascular endothelial growth factor expression is not regulated by estradiol or medroxyprogesterone acetate in endometrial carcinoma. <i>Gynecologic Oncology</i> , 1996 , 61, 97-100	4.9	5
27	Regulation of HIV-1 infection in astrocytes: expression of Nef, TNF-alpha and IL-6 is enhanced in coculture of astrocytes with macrophages. <i>Journal of NeuroVirology</i> , 1996 , 2, 158-66	3.9	40
26	Induction of IL-6 and IL-10 production by recombinant HIV-1 envelope glycoprotein 41 (gp41) in the THP-1 human monocytic cell line. <i>Cellular Immunology</i> , 1995 , 165, 234-42	4.4	33
25	Cytokine-induced modulation of tumor suppressor gene expression in ovarian cancer cells: up-regulation of p53 gene expression and induction of apoptosis by tumor necrosis factor-alpha. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 170, 1121-8; discussion 1128-30	6.4	34
24	Constitutive production of macrophage colony-stimulating factor and interleukin-6 by human ovarian surface epithelial cells. <i>Experimental Cell Research</i> , 1993 , 207, 332-9	4.2	60
23	Growth inhibition of ovarian cancer cells induced by antisense IL-6 oligonucleotides. <i>Gynecologic Oncology</i> , 1993 , 49, 8-15	4.9	42
22	Epidemiologic analysis of Kaposi's sarcoma as an early and later AIDS outcome in homosexual men. <i>American Journal of Epidemiology</i> , 1993 , 138, 266-78	3.8	78
21	Oncostatin M as a potent mitogen for AIDS-Kaposi's sarcoma-derived cells. <i>Science</i> , 1992 , 255, 1432-4	33.3	242
20	Elevated interleukin-6 levels in peritoneal fluid of patients with pelvic pathology. <i>Fertility and Sterility</i> , 1992 , 58, 302-306	4.8	82
19	Detection of interleukin-6 in human follicular fluid**Presented at the 46th Annual Meeting of The American Fertility Society, Washington, D.C., October 15 to 18, 1990.Supported by a grant from the California Institute for Cancer Research, Los Angeles, California, and by grants CA 01588 from the National Institutes of Health and CA 09120 from the National Institutes of Health Tumor Immunology Institutional Training, Bethesda, Maryland..	4.8	62
18	IL6 and AIDS. <i>Research in Immunology</i> , 1992 , 143, 764-9		15

17	Stimulation of ovarian tumor cell proliferation with monocyte products including interleukin-1, interleukin-6, and tumor necrosis factor-alpha. <i>American Journal of Obstetrics and Gynecology</i> , 1992 , 166, 997-1007	6.4	91
16	Presence of interleukin 10 (IL-10) in the ascites of patients with ovarian and other intra-abdominal cancers. <i>Cytokine</i> , 1992 , 4, 385-90	4	105
15	In vitro regulation of B cell differentiation by interleukin-6 and soluble CD23 in systemic lupus erythematosus B cell subpopulations and antigen-induced normal B cells. <i>Arthritis and Rheumatism</i> , 1991 , 34, 276-86		51
14	Serum interleukin-6 levels correlate with disease status in patients with epithelial ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 1991 , 164, 1038-42; discussion 1042-3	6.4	178
13	Interleukin 6 is essential for antibody secretion by human in vivo antigen-induced lymphoblastoid B cells. <i>Cellular Immunology</i> , 1990 , 130, 303-10	4.4	16
12	Histamine blocks interleukin 2 (IL-2) gene expression and regulates IL-2 receptor expression. <i>Immunopharmacology and Immunotoxicology</i> , 1990 , 12, 345-62	3.2	10
11	AIDS Kaposi sarcoma-derived cells produce and respond to interleukin 6. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990 , 87, 4068-72	11.5	426
10	Gamma-interferon-induced monocyte major histocompatibility complex class II antigen expression individuals with acquired immune deficiency syndrome. <i>Cellular Immunology</i> , 1989 , 123, 316-24	4.4	4
9	Selective decrease in Leu8-negative T cell subpopulations following treatment with recombinant interferon-alpha 2a (rIFN-alpha 2a). <i>Cellular Immunology</i> , 1988 , 117, 89-98	4.4	2
8	Increased spontaneous immunoglobulin secretion associated with cyclophosphamide-induced immune suppression. <i>Journal of Clinical Immunology</i> , 1987 , 7, 107-13	5.7	5
7	Jacalin, an IgA-binding lectin, inhibits differentiation of human B cells by both a direct effect and by activating T-suppressor cells. <i>Cellular Immunology</i> , 1987 , 104, 134-41	4.4	24
6	The Epstein-Barr virus-induced production of IgE by human B cells. <i>Clinical Immunology and Immunopathology</i> , 1986 , 39, 405-13		6
5	Immunoglobulin M and immunoglobulin G secretion by human B cells exposed to RU 41.740, a glycoprotein extract from <i>Klebsiella pneumoniae</i> . <i>Cellular Immunology</i> , 1985 , 90, 569-76	4.4	12
4	Spontaneous production of interferon-gamma in adult and newborn humans. <i>Journal of Immunology</i> , 1984 , 132, 251-5	5.3	36
3	Production of human immune interferon (Hu IFN-gamma) studied at the single cell level. Origin, evidence for spontaneous secretion and effect of cyclosporin A. <i>European Journal of Immunology</i> , 1983 , 13, 221-5	6.1	42
2	Frequencies of the separate human B cell subsets activatable to Ig secretion by Epstein-Barr virus and pokeweed mitogen. <i>Journal of Experimental Medicine</i> , 1983 , 157, 1808-14	16.6	50
1	Monoclonal antibodies against HLA-DR antigens replace T helper cells in activation of B lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 3456-60	11.5	66