

Young-Hoon Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7835210/publications.pdf>

Version: 2024-02-01

99
papers

1,498
citations

448610

19
h-index

445137

33
g-index

103
all docs

103
docs citations

103
times ranked

3577
citing authors

#	ARTICLE	IF	CITATIONS
1	Causal Association Between Alcohol Consumption and Atrial Fibrillation: A Mendelian Randomization Study. <i>Korean Circulation Journal</i> , 2022, 52, 220.	0.7	5
2	Dietary iodine, seaweed consumption, and incidence risk of metabolic syndrome among postmenopausal women: a prospective analysis of the Korean Multi-Rural Communities Cohort Study (MRCohort). <i>European Journal of Nutrition</i> , 2021, 60, 135-146.	1.8	14
3	Increased adiponectin levels are associated with higher radiographic scores in the knee joint, but not in the hand joint. <i>Scientific Reports</i> , 2021, 11, 1842.	1.6	10
4	Association between Alcohol Consumption and Serum Cortisol Levels: a Mendelian Randomization Study. <i>Journal of Korean Medical Science</i> , 2021, 36, e195.	1.1	2
5	Comparison of Psychological Health Problems between Families Living with Stroke Survivors and the General Population in the Community. <i>Chonnam Medical Journal</i> , 2021, 57, 118.	0.5	1
6	Association between Albumin, Total Bilirubin, and Uric Acid Serum Levels and the Risk of Cancer: A Prospective Study in a Korean Population. <i>Yonsei Medical Journal</i> , 2021, 62, 792.	0.9	7
7	Community-Dwelling Individuals with Coronary Artery Disease Have Higher Risk of Depression than the General Population in Female, But Not in Male. <i>Korean Circulation Journal</i> , 2021, 51, 752.	0.7	4
8	Status Of Dysphagia After Ischemic Stroke: A Korean Nationwide Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2343-2352.e3.	0.5	12
9	Association between alcohol and bone mineral density in a Mendelian randomization study: the Dong-gu study. <i>Journal of Bone and Mineral Metabolism</i> , 2021, , 1.	1.3	1
10	Elevated resting heart rate is associated with increased radiographic severity of knee but not hand joints. <i>Scientific Reports</i> , 2021, 11, 23697.	1.6	1
11	Sociodemographic Factors Associated with Participation in Diabetes Education among Community-Dwelling Adults with Diabetes. <i>Yonsei Medical Journal</i> , 2020, 61, 169.	0.9	5
12	Low serum 25-hydroxyvitamin D levels, tooth loss, and the prevalence of severe periodontitis in Koreans aged 50 years and older. <i>Journal of Periodontal and Implant Science</i> , 2020, 50, 368.	0.9	9
13	Effect Modification of Acetaldehyde Dehydrogenase 2 rs671 Polymorphism on the Association between Alcohol Intake and Blood Pressure: the Dong-gu Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e14.	1.1	6
14	Differences in the Level of Health Care Indicators According to the Duration of Diabetes among Community-Dwelling People with Diabetes Mellitus: Analysis of the 2018 Community Health Survey in Korea. <i>Korean Journal of Health Promotion</i> , 2020, 20, 91-101.	0.1	2
15	Health Indicators Related to Disease, Death, and Reproduction. <i>Journal of Preventive Medicine and Public Health</i> , 2019, 52, 14-20.	0.7	23
16	Association of Plasma Pentraxin-3 Level with Lipid Levels and Cardiovascular Risk Factors in People with No History of Lipid-Lowering Medication: the Dong-gu Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 738-745.	0.9	11
17	Differences in the awareness of stroke symptoms and emergency response by occupation in the Korean general population. <i>PLoS ONE</i> , 2019, 14, e0218608.	1.1	8
18	Serum level vitamin D and parathyroid hormone, and mortality, with or without chronic kidney disease. <i>Journal of Bone and Mineral Metabolism</i> , 2019, 37, 825-834.	1.3	1

#	ARTICLE	IF	CITATIONS
19	The Association between the Apolipoprotein E Gene Polymorphism and All-cause Mortality in the Korean Population. <i>Journal of Korean Medical Science</i> , 2019, 34, e269.	1.1	2
20	Association between Plasma Pentraxin 3 Levels and Bone Mineral Density in Elderly Koreans: the Dong-gu Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e165.	1.1	5
21	Association between Serum Parathyroid Hormone Levels and the Prevalence of Atrial Fibrillation: the Dong-gu Study. <i>Korean Circulation Journal</i> , 2018, 48, 159.	0.7	5
22	Effect of Family History of Diabetes on Hemoglobin A1c Levels among Individuals with and without Diabetes: The Dong-gu Study. <i>Yonsei Medical Journal</i> , 2018, 59, 92.	0.9	14
23	Socioeconomic differences among community-dwelling diabetic adults screened for diabetic retinopathy and nephropathy: The 2015 Korean Community Health Survey. <i>PLoS ONE</i> , 2018, 13, e0191496.	1.1	17
24	Gender-specific factors related to suicidal ideation among community-dwelling stroke survivors: The 2013 Korean Community Health Survey. <i>PLoS ONE</i> , 2018, 13, e0201717.	1.1	9
25	Relationship between plasma pentraxin 3 level and risk of chronic kidney disease in the Korean elderly: the Dong-gu study. <i>International Urology and Nephrology</i> , 2017, 49, 2027-2033.	0.6	3
26	Factors Related to Awareness of Cardio-cerebrovascular Disease among Korean Adults: the 2013 Community Health Survey. <i>Korean Journal of Health Promotion</i> , 2017, 17, 99.	0.1	8
27	Carotid Atherosclerosis and Electrocardiographic Left Ventricular Hypertrophy in the General Population: The Namwon Study. <i>Chonnam Medical Journal</i> , 2017, 53, 153.	0.5	1
28	A Gender-Specific Association between Self-Reported Snoring and Hemoglobin A1c Levels in a General Population without Type 2 Diabetes Mellitus. <i>Yonsei Medical Journal</i> , 2017, 58, 1152.	0.9	9
29	Association between Serum 25-hydroxyvitamin D Levels and Type 2 Diabetes in Korean Adults. <i>Chonnam Medical Journal</i> , 2017, 53, 73.	0.5	6
30	Association between Stroke Status and Depression in a Community Setting: The 2014 Korea National		

#	ARTICLE	IF	CITATIONS
37	Association of <i>APOE</i> Genotype with Bone Mineral Density in Men and Women: The Dong-gu and Namwon Studies. <i>Chonnam Medical Journal</i> , 2016, 52, 59.	0.5	2
38	C-reactive Protein Concentration Is Associated With a Higher Risk of Mortality in a Rural Korean Population. <i>Journal of Preventive Medicine and Public Health</i> , 2016, 49, 275-287.	0.7	4
39	Public Awareness of Stroke and Its Predicting Factors in Korea: a National Public Telephone Survey, 2012 and 2014. <i>Journal of Korean Medical Science</i> , 2016, 31, 1703.	1.1	17
40	Continuous Abstinence Rates from Smoking Over 12 Months according to the Frequency of Participation in a Hospital-based Smoking Cessation Program among Patients Discharged after Acute Myocardial Infarction. <i>Korean Journal of Health Promotion</i> , 2016, 16, 48.	0.1	2
41	Gender-Specific Factors Associated with Suicide Attempts among the Community-Dwelling General Population with Suicidal Ideation: the 2013 Korean Community Health Survey. <i>Journal of Korean Medical Science</i> , 2016, 31, 2010.	1.1	16
42	Association between Vitamin D Status and Risk of Peripheral Arterial Disease: The Dong-gu Study. <i>Chonnam Medical Journal</i> , 2016, 52, 212.	0.5	5
43	The General Public's Awareness of Early Symptoms of and Emergency Responses to Acute Myocardial Infarction and Related Factors in South Korea: A National Public Telephone Survey. <i>Journal of Epidemiology</i> , 2016, 26, 233-241.	1.1	25
44	Associations between body composition measurements of obesity and radiographic osteoarthritis in older adults: Data from the Dong-gu Study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 192.	0.8	12
45	HbA1c is significantly associated with arterial stiffness but not with carotid atherosclerosis in a community-based population without type 2 diabetes: The Dong-gu study. <i>Atherosclerosis</i> , 2016, 247, 1-6.	0.4	26
46	The association between vitamin D and parathyroid hormone and bone mineral density: the Dong-gu Study. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 555-563.	1.3	11
47	25-Hydroxyvitamin D and Parathyroid Hormone Levels Are Independently Associated with the Hemoglobin A1c Level of Korean Type 2 Diabetic Patients: The Dong-Gu Study. <i>PLoS ONE</i> , 2016, 11, e0158764.	1.1	8
48	Factors Related to Pre-hospital Delay in Korean Patients with ST-segment Elevation Myocardial Infarction: A Data from the Province of Jeonbuk Regional Cardiovascular Center. <i>Journal of Lipid and Atherosclerosis</i> , 2016, 5, 21.	1.1	0
49	Gender-Specific Association between Average Volume of Alcohol Consumption, Binge Drinking, and Periodontitis among Korean Adults: The Korea National Health and Nutrition Examination Survey, 2013~2014. <i>Journal of Dental Hygiene Science</i> , 2016, 16, 339-348.	0.1	3
50	Effects of in-Person, in-Hospital Education for Stroke Patients by an Education-Specialized Nurse. <i>Journal of the Korean Neurological Association</i> , 2016, 34, 333-339.	0.0	0
51	Public Perception of the Concentration of Cardiac and Cerebrovascular Surgery to Metropolitan Hospitals. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 49, 44-52.	0.6	0
52	Periodontal disease associated with blood glucose levels in urban Koreans aged 50 years and older: the Dong-gu study. <i>Gerodontology</i> , 2015, 32, 267-273.	0.8	7
53	The cross-sectional relationship between dietary calcium intake and metabolic syndrome among men and women aged 40 or older in rural areas of Korea. <i>Nutrition Research and Practice</i> , 2015, 9, 328.	0.7	17
54	<i>APOE</i> Polymorphism Is Associated with C-reactive Protein Levels but Not with White Blood Cell Count: Dong-gu Study and Namwon Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 860.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Household and area income levels are associated with smoking status in the Korean adult population. <i>BMC Public Health</i> , 2015, 15, 39.	1.2	31
56	Estimation of the cutoff value of vitamin D: the Dong-gu study. <i>Journal of Physiological Anthropology</i> , 2015, 34, 10.	1.0	7
57	Effects of Community-based Stroke Education and Advocacy on the Time from Stroke Onset to Hospital Arrival in Ischemic Stroke Patients. <i>Journal of the Korean Neurological Association</i> , 2015, 33, 265-271.	0.0	4
58	Characteristics and factors affecting the job satisfaction of community health survey interviewers. <i>Journal of Agricultural Medicine and Community Health</i> , 2015, 40, 1-8.	0.2	0
59	Methylenetetrahydrofolate Reductase 677 Genotype-Specific Reference Values for Plasma Homocysteine and Serum Folate Concentrations in Korean Population Aged 45 to 74 Years: The Namwon Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 743.	1.1	4
60	High Prevalence of Vitamin D Deficiency in Adults Aged 50 Years and Older in Gwangju, Korea: the Dong-gu Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 149.	1.1	27
61	Sex-related differences in the association between waist circumference and bone mineral density in a Korean population. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 326.	0.8	22
62	Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. <i>Human Molecular Genetics</i> , 2014, 23, 5492-5504.	1.4	192
63	A Disease Modification Effect of APOE ϵ 4 on the Association between Urinary Albumin Excretion and Cognition in Korean Adults. <i>Disease Markers</i> , 2014, 2014, 1-7.	0.6	3
64	The correlation of carotid artery calcification on panoramic radiographs and determination of carotid artery atherosclerosis with ultrasonography. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 118, 739-745.	0.2	11
65	Cohort Profile: The Namwon Study and the Dong-gu Study. <i>International Journal of Epidemiology</i> , 2014, 43, 558-567.	0.9	66
66	The effect of an APOE polymorphism on cognitive function depends on age. <i>Journal of Neurology</i> , 2014, 261, 66-72.	1.8	12
67	Self-reported snoring and metabolic syndrome: the Korean Multi-Rural Communities Cohort Study. <i>Sleep and Breathing</i> , 2014, 18, 423-430.	0.9	30
68	Relationship between periodontal disease and subclinical atherosclerosis: The Dong-gu study. <i>Journal of Clinical Periodontology</i> , 2014, 41, 262-268.	2.3	16
69	Lack of association between serum gamma-glutamyltransferase and carotid atherosclerosis: The Namwon study. <i>Atherosclerosis</i> , 2014, 237, 268-272.	0.4	2
70	APOE polymorphism and carotid atherosclerosis in Korean population: The Dong-gu Study and the Namwon Study. <i>Atherosclerosis</i> , 2014, 232, 180-185.	0.4	17
71	Normative and mean carotid intima-media thickness values according to metabolic syndrome in Koreans: The Namwon Study. <i>Atherosclerosis</i> , 2014, 234, 230-236.	0.4	16
72	Dose-Response Relationship Between Serum γ -Glutamyltransferase and Arterial Stiffness in Korean Adults: The Namwon Study. <i>Journal of Epidemiology</i> , 2014, 24, 7-14.	1.1	5

#	ARTICLE	IF	CITATIONS
73	Self-reported Snoring and Carotid Atherosclerosis in Middle-aged and Older Adults: The Korean Multi-Rural Communities Cohort Study. <i>Journal of Epidemiology</i> , 2014, 24, 281-286.	1.1	18
74	Gender Differences in the Association between Depressive Symptoms and Carotid Atherosclerosis among Middle-Aged and Older Koreans: The Namwon Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 1507.	1.1	9
75	Association between Apolipoprotein E Polymorphism and Chronic Kidney Disease in the Korean General Population: Dong-gu Study. <i>Korean Journal of Family Medicine</i> , 2014, 35, 276.	0.4	1
76	Association of Bone Mineral Density with Albuminuria and Estimated Glomerular Filtration Rate : The Dong-gu Study. <i>Kidney and Blood Pressure Research</i> , 2013, 37, 132-141.	0.9	16
77	Sex Differences in the Associations of Testosterone and Sex Hormone-Binding Globulin With Metabolic Syndrome in Middle-Aged and Elderly Koreans. <i>Circulation Journal</i> , 2013, 77, 734-740.	0.7	19
78	Average Volume of Alcohol Consumed, Drinking Patterns, and Metabolic Syndrome in Older Korean Adults. <i>Journal of Epidemiology</i> , 2013, 23, 122-131.	1.1	16
79	Association between Methylenetetrahydrofolate Reductase C677T Polymorphism and Bone Mineral Density: The Dong-gu Study and the Namwon Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 965.	1.1	4
80	Trends in the Incidence of Hospitalized Acute Myocardial Infarction and Stroke in Korea, 2006-2010. <i>Journal of Korean Medical Science</i> , 2013, 28, 16.	1.1	70
81	The association of ankle brachial index with left ventricular hypertrophy and left ventricular mass index: the Dong-gu study. <i>Vasa - European Journal of Vascular Medicine</i> , 2013, 42, 284-291.	0.6	2
82	Determining the Optimal Cut-Off Value of the Urinary Albumin-To-Creatinine Ratio to Detect Atherosclerotic Vascular Diseases. <i>Kidney and Blood Pressure Research</i> , 2012, 36, 290-300.	0.9	6
83	Effects of Cumulative Smoking Exposure and Duration of Smoking Cessation on Carotid Artery Structure. <i>Circulation Journal</i> , 2012, 76, 2041-2047.	0.7	34
84	Prevalence of albuminuria and associated cardiovascular risk factors: A community cohort in Namwon City, Korea. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 492-498.	1.1	6
85	Higher normal ranges of urine albumin-to-creatinine ratio are independently associated with carotid intima-media thickness. <i>Cardiovascular Diabetology</i> , 2012, 11, 112.	2.7	20
86	Association between Total Bilirubin and Hemoglobin A1c in Korean Type 2 Diabetic Patients. <i>Journal of Korean Medical Science</i> , 2012, 27, 1196.	1.1	20
87	Ankle-brachial Index, Peripheral Arterial Disease, and Diabetic Retinopathy. <i>Journal of Preventive Medicine and Public Health</i> , 2012, 45, 122-124.	0.7	2
88	Comparison of the Framingham Risk Score, UKPDS Risk Engine, and SCORE for Predicting Carotid Atherosclerosis and Peripheral Arterial Disease in Korean Type 2 Diabetic Patients. <i>Korean Journal of Family Medicine</i> , 2011, 32, 189.	0.4	12
89	Association between hemoglobin A1c, carotid atherosclerosis, arterial stiffness, and peripheral arterial disease in Korean type 2 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2011, 25, 7-13.	1.2	27
90	Cumulative smoking exposure, duration of smoking cessation, and peripheral arterial disease in middle-aged and older Korean men. <i>BMC Public Health</i> , 2011, 11, 94.	1.2	53

#	ARTICLE	IF	CITATIONS
91	Arterial Stiffness is Associated With Diabetic Retinopathy in Korean Type 2 Diabetic Patients. <i>Journal of Preventive Medicine and Public Health</i> , 2011, 44, 260-266.	0.7	38
92	Cross-Sectional Relations of Arterial Stiffness and Inflammatory Markers in Korean Adults Aged 50 Years and Older. <i>Journal of Agricultural Medicine and Community Health</i> , 2011, 36, 101-112.	0.2	1
93	Metabolic Syndrome and Carotid Artery Parameter in Koreans Aged 50 Years and Older. <i>Circulation Journal</i> , 2010, 74, 560-566.	0.7	10
94	eGFR is associated with subclinical atherosclerosis independent of albuminuria: The Dong-gu Study. <i>Atherosclerosis</i> , 2010, 212, 661-667.	0.4	37
95	Alcohol consumption and carotid artery structure in Korean adults aged 50 years and older. <i>BMC Public Health</i> , 2009, 9, 358.	1.2	31
96	Prevalence of osteoporosis and reference data for lumbar spine and hip bone mineral density in a Korean population. <i>Journal of Bone and Mineral Metabolism</i> , 2008, 26, 609-617.	1.3	52
97	Prevalence and Correlates of Depression among the Elderly in an Urban Community. <i>Journal of Agricultural Medicine and Community Health</i> , 2008, 33, 303-315.	0.2	13
98	Relative contribution of body composition to bone mineral density at different sites in men and women of South Korea. <i>Journal of Bone and Mineral Metabolism</i> , 2007, 25, 165-171.	1.3	90
99	Understanding of the Lower Extremity Motor Recovery After First-Ever Ischemic Stroke. <i>Stroke</i> , 0, , .	1.0	1