Amiya K Jana

List of Publications by Citations

Source: https://exaly.com/author-pdf/7835472/amiya-k-jana-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81 1,285 19 31 h-index g-index citations papers 5.86 83 1,575 5.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
81	Heat integrated distillation operation. <i>Applied Energy</i> , 2010 , 87, 1477-1494	10.7	189
80	Advances in heat pump assisted distillation column: A review. <i>Energy Conversion and Management</i> , 2014 , 77, 287-297	10.6	85
79	A novel intensified heat integration in multicomponent distillation. <i>Energy</i> , 2012 , 41, 443-453	7.9	60
78	A novel multistage vapor recompression reactive distillation system with intermediate reboilers. AICHE Journal, 2013 , 59, 761-771	3.6	50
77	Nonlinear multivariable sliding mode control of a reversible PEM fuel cell integrated system. <i>Energy Conversion and Management</i> , 2018 , 171, 541-565	10.6	37
76	A partially heat integrated reactive distillation: Feasibility and analysis. <i>Separation and Purification Technology</i> , 2009 , 70, 136-139	8.3	30
75	A new divided-wall heat integrated distillation column (HIDiC) for batch processing: Feasibility and analysis. <i>Applied Energy</i> , 2016 , 172, 199-206	10.7	30
74	Introducing vapor recompression mechanism in heat-integrated distillation column: Impact of internal energy driven intermediate and bottom reboiler. <i>AICHE Journal</i> , 2015 , 61, 118-131	3.6	29
73	Intensified thermal integration in batch reactive distillation. <i>Applied Energy</i> , 2013 , 103, 290-297	10.7	28
72	Performance investigation of a variable speed vapor recompression reactive batch rectifier. <i>AICHE Journal</i> , 2011 , 57, 3238-3242	3.6	27
71	Dividing wall column: Improving thermal efficiency, energy savings and economic performance. <i>Applied Thermal Engineering</i> , 2016 , 106, 1033-1041	5.8	26
70	Modeling phase equilibrium with a modified Wong-Sandler mixing rule for natural gas hydrates: Experimental validation. <i>Applied Energy</i> , 2017 , 205, 749-760	10.7	24
69	Differential Geometry-Based Adaptive Nonlinear Control Law: Application to an Industrial Refinery Process. <i>IEEE Transactions on Industrial Informatics</i> , 2013 , 9, 2014-2022	11.9	22
68	Pressure-Swing Dividing Wall Column with Multiple Binary Azeotropes: Improving Energy Efficiency and Cost Savings through Vapor Recompression. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 4019-4032	3.9	20
67	Dynamic simulation and nonlinear control of a rigorous batch reactive distillation. <i>ISA Transactions</i> , 2010 , 49, 130-7	5.5	20
66	A Novel Heat Integrated Extractive Dividing Wall Column for Ethanol Dehydration. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 9109-9117	3.9	19
65	Double-partitioned dividing wall column for a multicomponent azeotropic system. <i>Separation and Purification Technology</i> , 2019 , 219, 33-46	8.3	19

(2010-2014)

64	Impact of vapor recompression in batch distillation on energy consumption, cost and CO2 emission: Open-loop versus closed-loop operation. <i>Applied Thermal Engineering</i> , 2014 , 62, 365-374	5.8	19
63	Assessing the performance improvement of an intensified heat integration scheme: Reactive pressure-swing distillation. <i>Applied Thermal Engineering</i> , 2015 , 76, 509-520	5.8	19
62	Nonlinear state estimation and control of a batch reactive distillation. <i>Chemical Engineering Journal</i> , 2009 , 150, 516-526	14.7	19
61	Fundamental of swapping phenomena in naturally occurring gas hydrates. <i>Scientific Reports</i> , 2018 , 8, 16563	4.9	19
60	Modeling Growth Kinetics of Gas Hydrate in Porous Media: Experimental Validation. <i>Energy & Energy & E</i>	4.1	18
59	Alumina-silica nano-sorbent from plant fly ash and scrap aluminium foil in removing nickel through adsorption. <i>Powder Technology</i> , 2019 , 354, 792-803	5.2	18
58	Predicting wellbore dynamics in a steam-assisted gravity drainage system: Numeric and semi-analytic model, and validation. <i>Applied Thermal Engineering</i> , 2015 , 91, 679-686	5.8	18
57	Optimizing reboiler duty and reflux ratio profiles of vapor recompressed batch distillation. <i>Separation and Purification Technology</i> , 2019 , 213, 553-570	8.3	18
56	Multiphase Vortex Flow Patterns in Slab Caster Mold: Experimental Study. <i>ISIJ International</i> , 2017 , 57, 1553-1562	1.7	17
55	A novel energy-efficient batch stripper: Thermodynamic feasibility, cost analysis and CO2 emissions. <i>Applied Thermal Engineering</i> , 2015 , 84, 292-300	5.8	16
54	Reducing total annualized cost and CO2 emissions in batch distillation: Dynamics and control. <i>AICHE Journal</i> , 2013 , 59, 2821-2832	3.6	16
53	Assessment of the implementation of vapor recompression technique in batch distillation. <i>Separation and Purification Technology</i> , 2013 , 107, 1-10	8.3	16
52	Formulating formation mechanism of natural gas hydrates. Scientific Reports, 2017, 7, 6392	4.9	16
51	Techno-economic Feasibility of Reactive Distillation for Biodiesel Production from Algal Oil: Comparing with a Conventional Multiunit System. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 12028-12040	3.9	14
50	Performance analysis of a heat integrated column with heat pumping. <i>Separation and Purification Technology</i> , 2019 , 209, 18-25	8.3	14
49	Microscopic Molecular Insights into Hydrate Formation and Growth in Pure and Saline Water Environments. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 4241-4252	2.8	13
48	Dynamics and Estimator-Based Nonlinear Control of a PEM Fuel Cell. <i>IEEE Transactions on Control Systems Technology</i> , 2018 , 26, 1124-1131	4.8	13
47	A Hybrid FLC-EKF Scheme for Temperature Control of a Refinery Debutanizer Column. <i>IEEE Transactions on Industrial Informatics</i> , 2010 , 6, 25-35	11.9	13

46	Vapor recompression with interreboiler in a ternary dividing wall column: Improving energy efficiency and savings, and economic performance. <i>Applied Thermal Engineering</i> , 2019 , 147, 1009-1023	5.8	13
45	Multi-objective optimization of vapor recompressed distillation column in batch processing: Improving energy and cost savings. <i>Applied Thermal Engineering</i> , 2019 , 150, 1273-1296	5.8	12
44	Improving Energy Efficiency and Cost-Effectiveness of Batch Distillation for Separating Wide Boiling Constituents. 1. Vapor Recompression Column. <i>Industrial & Distributed Chemistry Research</i> , 2012 , 51, 15413-15422	3.9	12
43	Analysis of Weighting and Selection Methods for Pareto-Optimal Solutions of Multiobjective Optimization in Chemical Engineering Applications. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 14850-14867	3.9	12
42	Growth and Decomposition Mechanism of Clathrate Hydrates in the Presence of Porous Media and Seawater: Experimental Validation. <i>Energy & Energy</i> 33, 1433-1443	4.1	11
41	Computing Anisotropic Cavity Potential for Clathrate Hydrates. <i>Journal of Physical Chemistry A</i> , 2019 , 123, 2762-2770	2.8	11
40	Internally heat integrated batch distillation: Vapor recompression and nonlinear control. <i>Separation and Purification Technology</i> , 2017 , 189, 267-278	8.3	11
39	Nonlinear model-based control algorithm for a distillation column using software sensor. <i>ISA Transactions</i> , 2005 , 44, 259-71	5.5	11
38	Clathrate hydrate dynamics with synthetic- and bio-surfactant in porous media: Model formulation and validation. <i>Chemical Engineering Science</i> , 2020 , 213, 115386	4.4	11
37	Modeling recovery of natural gas from hydrate reservoirs with carbon dioxide sequestration: Validation with IBik Sikumi field data. <i>Scientific Reports</i> , 2019 , 9, 18901	4.9	11
36	Vapor recompressed batch distillation: Optimizing reflux ratio at variable mode. <i>Computers and Chemical Engineering</i> , 2019 , 124, 184-196	4	10
35	Mixed-Integer dynamic optimization of conventional and vapor recompressed batch distillation for economic and environmental objectives. <i>Chemical Engineering Research and Design</i> , 2020 , 154, 70-85	5.5	10
34	Globally linearized control on diabatic continuous stirred tank reactor: a case study. <i>ISA Transactions</i> , 2005 , 44, 423-44	5.5	10
33	Evolutionary Algorithm Based Multiobjective Optimization of Vapor Recompressed Batch Extractive Distillation: Assessing Economic Potential and Environmental Impact. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 5032-5046	3.9	9
32	A novel synthesis of MIL-53(Al)@SiO2: an integrated photocatalyst adsorbent to remove bisphenol a from wastewater. <i>New Journal of Chemistry</i> , 2020 , 44, 18892-18905	3.6	9
31	Dynamic simulation, numerical control and analysis of a novel bottom flashing scheme in batch distillation. <i>Computers and Chemical Engineering</i> , 2016 , 89, 166-171	4	8
30	Improving energy efficiency and cost-effectiveness of batch distillation for separating wide boiling constituents. II: Internal versus external heat integration. <i>Chemical Engineering and Processing: Process Intensification</i> , 2013 , 72, 122-129	3.7	7
29	An energy-efficient cost-effective transient batch rectifier with bottom flashing: Process dynamics and control. <i>AICHE Journal</i> , 2015 , 61, 3699-3707	3.6	7

(2020-2020)

28	Gas hydrate dynamics in distributed porous particles with saltwater: Model formulation and experimental validation. <i>Chemical Engineering Journal</i> , 2020 , 392, 123660	14.7	7
27	Carbon Dioxide Hydrate Growth Dynamics and Crystallography in Pure and Saline Water. <i>Crystal Growth and Design</i> , 2020 , 20, 7129-7140	3.5	7
26	Physical and molecular insights to Clathrate hydrate thermodynamics. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 135, 110150	16.2	7
25	Insights into the competitive adsorption of pollutants on a mesoporous alumina-silica nano-sorbent synthesized from coal fly ash and a waste aluminium foil <i>RSC Advances</i> , 2020 , 10, 15514-15522	3.7	6
24	Nonmonotonous Lattice Distortion Model for Gas Hydrates. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 3149-3156	2.8	6
23	Nonlinear state estimation and control of a refinery debutanizer column. <i>Computers and Chemical Engineering</i> , 2009 , 33, 1484-1490	4	6
22	A novel combination of internal and external heat integrations in batch distillation: Application to a reactive system. <i>Applied Thermal Engineering</i> , 2013 , 59, 405-413	5.8	5
21	A Novel Divided-Wall Heat Integrated Distillation Column: Thermodynamic and Economic Feasibility. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 12127-12135	3.9	5
20	Vertical partition in fractionating tower to configure a novel heat integrated distillation hybridized with vapor recompression. <i>Separation and Purification Technology</i> , 2020 , 235, 116153	8.3	4
19	A novel vapor recompressed batch extractive distillation: Design and retrofitting. <i>Separation and Purification Technology</i> , 2021 , 260, 118225	8.3	4
18	Silica supported binary metal organic framework for removing organic dye involving combined effect of adsorption followed by photocatalytic degradation. <i>Materials Research Bulletin</i> , 2021 , 138, 117	1 22 7	4
17	Insight into the thermo-physics of gas hydrates: Three phase equilibrium in presence of electrolyte. <i>Journal of Chemical Thermodynamics</i> , 2020 , 150, 106182	2.9	3
16	Dynamic vapor recompression in a reactive batch rectifier: Analysis and nonlinear control. <i>Energy</i> , 2016 , 115, 60-66	7.9	3
15	Comparative control study of a simulated batch rectifier. <i>Computers and Chemical Engineering</i> , 2012 , 36, 265-272	4	3
14	Nano-catalytic heterogeneous reactive distillation for algal biodiesel production: Multi-objective optimization and heat integration. <i>Energy Conversion and Management</i> , 2021 , 241, 114298	10.6	3
13	Predicting phase equilibrium of a ternary feed to the hydroiodic acid section of SI thermochemical cycle. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 15381-15388	6.7	2
12	A nonlinear exponential observer for a batch distillation 2010 ,		2
11	A Lattice Distortion Theory for Promotor Containing Clathrate Hydrates. <i>Scientific Reports</i> , 2020 , 10, 9622	4.9	2

10	A binary MOF of iron and copper for treating ciprofloxacin-contaminated waste water by an integrated technique of adsorption and photocatalytic degradation. <i>New Journal of Chemistry</i> , 2021 , 45, 17196-17210	3.6	2
9	Nonlinear control of a PEM fuel cell integrated system with water electrolyzer. <i>Chemical Engineering Research and Design</i> , 2021 , 171, 150-167	5.5	2
8	A comparative performance of thermodynamic models for a quaternary (HIE 2 OE2 E 2) HIX system: Experimental verification. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 13350-13358	6.7	1
7	Naturally Occurring Hydrate Formation and Dissociation in Marine Sediment: Experimental Validation. <i>Industrial & Discourse Chemistry Research</i> , 2021 , 60, 1175-1184	3.9	1
6	Structure-H Hydrate of Mixed Gases: Phase Equilibrium Modeling and Experimental Validation. <i>Journal of Molecular Liquids</i> , 2021 , 117605	6	1
5	Optimal Reflux Splitting Reactive Distillation for Algal Biodiesel Production: Waste Heat Recovery through Vapor Recompression and Organic Rankine Cycle. <i>Separation and Purification Technology</i> , 2022 , 121007	8.3	1
4	Optimizing Algal Biodiesel Production from a Novel Reactive Distillation based Unit: Reducing CO2 Emission and Cost. <i>Chemical Engineering and Processing: Process Intensification</i> , 2022 , 108948	3.7	1
3	Multiphase vortex flow patterns in slab caster mould: insights of air vortex interaction and plant data analysis. <i>Canadian Metallurgical Quarterly</i> , 2020 , 59, 270-287	0.9	O
2	Proposing ab initio assisted lattice distortion theory for phase equilibrium: Pure and mixed refrigerant gas hydrates. <i>AICHE Journal</i> ,e17463	3.6	O
1	Microsecond molecular dynamics of methane-carbon dioxide swapping in pure and saline water environment <i>Scientific Reports</i> , 2022 , 12, 2634	4.9	