Gregory G Freund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7835880/publications.pdf

Version: 2024-02-01

23 papers 6,734 citations

687220 13 h-index 713332 21 g-index

24 all docs

24 docs citations

times ranked

24

10856 citing authors

#	Article	IF	CITATIONS
1	HFD refeeding in mice after fasting impairs learning by activating caspase-1 in the brain. Metabolism: Clinical and Experimental, 2020, 102, 153989.	1.5	5
2	Handling stress impairs learning through a mechanism involving caspase-1 activation and adenosine signaling. Brain, Behavior, and Immunity, 2019, 80, 763-776.	2.0	6
3	Mouse Testing Methods in Psychoneuroimmunology 2.0: Measuring Behavioral Responses. Methods in Molecular Biology, 2018, 1781, 221-258.	0.4	9
4	Switching from a high-fat cellulose diet to a high-fat pectin diet reverses certain obesity-related morbidities. Nutrition and Metabolism, 2018, 15, 55.	1.3	13
5	Exposure to a firefighting overhaul environment without respiratory protection increases immune dysregulation and lung disease risk. PLoS ONE, 2018, 13, e0201830.	1.1	14
6	Glial and tissue-specific regulation of Kynurenine Pathway dioxygenases by acute stress of mice. Neurobiology of Stress, 2017, 7, 1-15.	1.9	30
7	Acute fasting inhibits central caspase-1 activity reducing anxiety-like behavior and increasing novel object and object location recognition. Metabolism: Clinical and Experimental, 2017, 71, 70-82.	1.5	14
8	IL-4 Knock Out Mice Display Anxiety-Like Behavior. Behavior Genetics, 2015, 45, 451-460.	1.4	31
9	Modulation of neuroimmunity by adenosine and its receptors: Metabolism to mental illness. Metabolism: Clinical and Experimental, 2014, 63, 1491-1498.	1.5	29
10	Adenosine through the A2A adenosine receptor increases IL- \hat{l}^2 in the brain contributing to anxiety. Brain, Behavior, and Immunity, 2014, 41, 218-231.	2.0	37
11	The saturated fatty acid, palmitic acid, induces anxiety-like behavior in mice. Metabolism: Clinical and Experimental, 2014, 63, 1131-1140.	1.5	55
12	IL-1 receptor 2 (IL-1R2) and its role in immune regulation. Brain, Behavior, and Immunity, 2013, 32, 1-8.	2.0	180
13	Hypoxia/Reoxygenation Impairs Memory Formation via Adenosine-Dependent Activation of Caspase 1. Journal of Neuroscience, 2012, 32, 13945-13955.	1.7	40
14	The biobehavioral and neuroimmune impact of low-dose ionizing radiation. Brain, Behavior, and Immunity, 2012, 26, 218-227.	2.0	47
15	The health benefits of dietary fiber: Beyond the usual suspects of type 2 diabetes mellitus, cardiovascular disease and colon cancer. Metabolism: Clinical and Experimental, 2012, 61, 1058-1066.	1.5	426
16	Fasting Induces an Antiâ€Inflammatory Effect on the Neuroimmune System Which a Highâ€Fat Diet Prevents. Obesity, 2011, 19, 1586-1594.	1.5	67
17	Sickness behavior induced by endotoxin can be mitigated by the dietary soluble fiber, pectin, through up-regulation of IL-4 and Th2 polarization. Brain, Behavior, and Immunity, 2010, 24, 631-640.	2.0	86
18	Preface. Immunology and Allergy Clinics of North America, 2009, 29, xv-xvi.	0.7	O

#	Article	IF	CITATIONS
19	Psychoneuroimmune Implications of Type 2 Diabetes: Redux. Immunology and Allergy Clinics of North America, 2009, 29, 339-358.	0.7	4
20	From inflammation to sickness and depression: when the immune system subjugates the brain. Nature Reviews Neuroscience, 2008, 9, 46-56.	4.9	5,599
21	Acute Hypoxia Activates the Neuroimmune System, Which Diabetes Exacerbates. Journal of Neuroscience, 2007, 27, 1161-1166.	1.7	37
22	Amplified macropinocytosis of cholesteryl ester by macrophages from diabetic mice is dependent on PI3â€Kinase and stimulates the secretion of TNFâ€Î± FASEB Journal, 2006, 20, A485.	0.2	0
23	Anomalous ABO inheritance explained by ovum transplantation. Transfusion, 1995, 35, 61-62.	0.8	5