

Julian A Dowdeswell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7836641/publications.pdf>

Version: 2024-02-01

417
papers

21,745
citations

7568

77
h-index

14208

128
g-index

443
all docs

443
docs citations

443
times ranked

9591
citing authors

#	ARTICLE	IF	CITATIONS
1	Subglacial Water Flow Over an Antarctic Palaeo-ice Stream Bed. <i>Journal of Geophysical Research F: Earth Surface</i> , 2022, 127, .	2.8	2
2	Antarctic ice-shelf advance driven by anomalous atmospheric and sea-ice circulation. <i>Nature Geoscience</i> , 2022, 15, 356-362.	12.9	28
3	Glacial landforms reveal dynamic ice-sheet behaviour along the mid-Norwegian margin during the last glacial-deglacial cycle. <i>Quaternary Science Reviews</i> , 2022, 285, 107462.	3.0	8
4	The morphology of pockmarks on the north-east Antarctic Peninsula continental shelf. <i>Antarctic Science</i> , 2022, 34, 313-324.	0.9	2
5	Structure-From-Motion With Varying Principal Point. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022, 19, 1-5.	3.1	0
6	Unravelling the long-term, locally heterogenous response of Greenland glaciers observed in archival photography. <i>Cryosphere</i> , 2022, 16, 2449-2470.	3.9	3
7	Distinctive iceberg ploughmarks on the mid-Norwegian margin: Tidally influenced chains of pits with implications for iceberg drift. <i>Arctic, Antarctic, and Alpine Research</i> , 2022, 54, 163-175.	1.1	5
8	Glacial, fluvial and contour-current-derived sedimentation along the northern North Sea margin through the Quaternary. <i>Earth and Planetary Science Letters</i> , 2021, 566, 116966.	4.4	10
9	Late Weichselian ice-sheet flow directions in the Russian northern Barents Sea from high-resolution imagery of submarine glacial landforms. <i>Geology</i> , 2021, 49, 1484-1488.	4.4	9
10	Tunnel valley infill and genesis revealed by high-resolution 3-D seismic data. <i>Geology</i> , 2021, 49, 1516-1520.	4.4	14
11	Subglacial controls on dynamic thinning at Trinity-Wykeham Glacier, Prince of Wales Ice Field, Canadian Arctic. <i>International Journal of Remote Sensing</i> , 2020, 41, 1191-1213.	2.9	4
12	Deep and extensive meltwater system beneath the former Eurasian Ice Sheet in the Kara Sea. <i>Geology</i> , 2020, 48, 179-183.	4.4	11
13	The changing extent of marine-terminating glaciers and ice caps in northeastern Svalbard since the "Little Ice Age"™ from marine-geophysical records. <i>Holocene</i> , 2020, 30, 389-401.	1.7	7
14	New insights into the formation of submarine glacial landforms from high-resolution Autonomous Underwater Vehicle data. <i>Geomorphology</i> , 2020, 370, 107396.	2.6	16
15	3D sedimentary architecture showing the inception of an Ice Age. <i>Nature Communications</i> , 2020, 11, 2975.	12.8	13
16	The International Bathymetric Chart of the Arctic Ocean Version 4.0. <i>Scientific Data</i> , 2020, 7, 176.	5.3	129
17	Morphometry of bedrock meltwater channels on Antarctic inner continental shelves: Implications for channel development and subglacial hydrology. <i>Geomorphology</i> , 2020, 370, 107369.	2.6	10
18	Delicate seafloor landforms reveal past Antarctic grounding-line retreat of kilometers per year. <i>Science</i> , 2020, 368, 1020-1024.	12.6	32

#	ARTICLE	IF	CITATIONS
19	Water Mass Characteristics and Distribution Adjacent to Larsen C Ice Shelf, Antarctica. <i>Journal of Geophysical Research: Oceans</i> , 2020, 125, e2019JC015855.	2.6	11
20	The evolution of the Patagonian Ice Sheet from 35 ka to the present day (PATICE). <i>Earth-Science Reviews</i> , 2020, 204, 103152.	9.1	137
21	Sea-floor and sea-ice conditions in the western Weddell Sea, Antarctica, around the wreck of Sir Ernest Shackleton's <i>Endurance</i> . <i>Antarctic Science</i> , 2020, 32, 301-313.	0.9	6
22	Past water flow beneath Pine Island and Thwaites glaciers, West Antarctica. <i>Cryosphere</i> , 2019, 13, 1959-1981.	3.9	25
23	Subglacial hydrological control on flow of an Antarctic Peninsula palaeo-ice stream. <i>Cryosphere</i> , 2019, 13, 1583-1596.	3.9	21
24	Intra- and inter-annual variability in dynamic discharge from the Academy of Sciences Ice Cap, Severnaya Zemlya, Russian Arctic, and its role in modulating mass balance. <i>Journal of Glaciology</i> , 2019, 65, 780-797.	2.2	15
25	The glacier-influenced marine record on high-latitude continental margins: synergies between modern, Quaternary and ancient evidence. <i>Geological Society Special Publication</i> , 2019, 475, 261-279.	1.3	4
26	Processes and patterns of glacier-influenced sedimentation and recent tidewater glacier dynamics in Darbel Bay, western Antarctic Peninsula. <i>Antarctic Science</i> , 2019, 31, 218-227.	0.9	7
27	Basal melting of Ross Ice Shelf from solar heat absorption in an ice-front polynya. <i>Nature Geoscience</i> , 2019, 12, 435-440.	12.9	69
28	A historical Southern Ocean climate dataset from whaling ships' logbooks. <i>Geoscience Data Journal</i> , 2019, 6, 30-40.	4.4	4
29	Submarine Moraines in Southeast Greenland Fjords Reveal Contrasting Outlet Glacier Behavior since the Last Glacial Maximum. <i>Geophysical Research Letters</i> , 2019, 46, 3279-3286.	4.0	17
30	Multidecadal observations of the Antarctic ice sheet from restored analog radar records. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18867-18873.	7.1	25
31	Enhanced glacial discharge from the eastern Antarctic Peninsula since the 1700s associated with a positive Southern Annular Mode. <i>Scientific Reports</i> , 2019, 9, 14606.	3.3	25
32	Discovery of a hypersaline subglacial lake complex beneath Devon Ice Cap, Canadian Arctic. <i>Science Advances</i> , 2018, 4, eaar4353.	10.3	39
33	Accelerating glacier mass loss on Franz Josef Land, Russian Arctic. <i>Remote Sensing of Environment</i> , 2018, 211, 357-375.	11.0	29
34	The role of meltwater in high-latitude trough-mouth fan development: The Disko Trough-Mouth Fan, West Greenland. <i>Marine Geology</i> , 2018, 402, 17-32.	2.1	12
35	Submarine landforms reveal varying rates and styles of deglaciation in North-West Greenland fjords. <i>Marine Geology</i> , 2018, 402, 60-80.	2.1	22
36	Sedimentary processes on the continental slope off KvitÅya and Albertini troughs north of Nordaustlandet, Svalbard – The importance of structural-geological setting in trough-mouth fan development. <i>Marine Geology</i> , 2018, 402, 194-208.	2.1	10

#	ARTICLE	IF	CITATIONS
37	3D seismic evidence of buried iceberg ploughmarks from the mid-Norwegian continental margin reveals largely persistent North Atlantic Current through the Quaternary. <i>Marine Geology</i> , 2018, 399, 66-83.	2.1	17
38	The Ice-Free Topography of Svalbard. <i>Geophysical Research Letters</i> , 2018, 45, 11,760.	4.0	32
39	Massive destabilization of an Arctic ice cap. <i>Earth and Planetary Science Letters</i> , 2018, 502, 146-155.	4.4	45
40	Physiographic influences on dense shelf-water cascading down the Antarctic continental slope. <i>Earth-Science Reviews</i> , 2018, 185, 887-900.	9.1	19
41	Morphology and pattern of Quaternary sedimentation in the North Sea Basin (52°–62°N). <i>Marine and Petroleum Geology</i> , 2018, 98, 836-859.	3.3	34
42	Architecture and sedimentary processes on the mid-Norwegian continental slope: A 2.7 Myr record from extensive seismic evidence. <i>Quaternary Science Reviews</i> , 2018, 192, 185-207.	3.0	10
43	Submarine Glacial Landforms. <i>Springer Geology</i> , 2018, , 207-234.	0.3	8
44	Submarine Canyons and Gullies. <i>Springer Geology</i> , 2018, , 251-272.	0.3	17
45	Ice-sheet dynamics through the Quaternary on the mid-Norwegian continental margin inferred from 3D seismic data. <i>Marine and Petroleum Geology</i> , 2017, 80, 228-242.	3.3	36
46	Pleistocene iceberg dynamics on the west Svalbard margin: Evidence from bathymetric and sub-bottom profiler data. <i>Quaternary Science Reviews</i> , 2017, 161, 30-44.	3.0	0
47	Quaternary evolution of the northern North Sea margin through glacigenic debris-flow and contourite deposition. <i>Journal of Quaternary Science</i> , 2017, 32, 416-426.	2.1	24
48	Variability in ice motion and dynamic discharge from Devon Ice Cap, Nunavut, Canada. <i>Journal of Glaciology</i> , 2017, 63, 436-449.	2.2	18
49	Anatomy of Heinrich Layer 1 and its role in the last deglaciation. <i>Paleoceanography</i> , 2017, 32, 284-303.	3.0	128
50	Evidence of marine ice-cliff instability in Pine Island Bay from iceberg-keel plough marks. <i>Nature</i> , 2017, 550, 506-510.	27.8	57
51	BedMachine v3: Complete Bed Topography and Ocean Bathymetry Mapping of Greenland From Multibeam Echo Sounding Combined With Mass Conservation. <i>Geophysical Research Letters</i> , 2017, 44, 11051-11061.	4.0	536
52	The periodic topography of ice stream beds: Insights from the Fourier spectra of megascale glacial lineations. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017, 122, 1355-1373.	2.8	30
53	Subglacial sediment pathways and deglacial chronology of the northern Barents Sea Ice Sheet. <i>Boreas</i> , 2017, 46, 750-771.	2.4	22
54	The geomorphic imprint of glacier surges into open-marine waters: Examples from eastern Svalbard. <i>Marine Geology</i> , 2017, 392, 1-29.	2.1	31

#	ARTICLE	IF	CITATIONS
55	Seafloor geomorphology and glacimarine sedimentation associated with fast-flowing ice sheet outlet glaciers in Disko Bay, West Greenland. <i>Quaternary Science Reviews</i> , 2017, 169, 206-230.	3.0	22
56	How accurate are estimates of glacier ice thickness? Results from ITMIX, the Ice Thickness Models Intercomparison eXperiment. <i>Cryosphere</i> , 2017, 11, 949-970.	3.9	173
57	Generating synthetic fjord bathymetry for coastal Greenland. <i>Cryosphere</i> , 2017, 11, 363-380.	3.9	21
58	Application of a two-step approach for mapping ice thickness to various glacier types on Svalbard. <i>Cryosphere</i> , 2017, 11, 2003-2032.	3.9	34
59	Arctic Ice Shelves: An Introduction. <i>Springer Polar Sciences</i> , 2017, , 3-21.	0.1	15
60	Eurasian Arctic Ice Shelves and Tidewater Ice Margins. <i>Springer Polar Sciences</i> , 2017, , 55-74.	0.1	7
61	ICESHEET 1.0: a program to produce paleo-ice sheet reconstructions with minimal assumptions. <i>Geoscientific Model Development</i> , 2016, 9, 1673-1682.	3.6	20
62	Subglacial processes on an Antarctic ice stream bed. 1: Sediment transport and bedform genesis inferred from marine geophysical data. <i>Journal of Glaciology</i> , 2016, 62, 270-284.	2.2	29
63	Bathymetry data reveal glaciers vulnerable to ice-ocean interaction in Uummannaq and Vaigat glacial fjords, west Greenland. <i>Geophysical Research Letters</i> , 2016, 43, 2667-2674.	4.0	52
64	Malangsdjupet: a cross-shelf trough on the North Norwegian margin. <i>Geological Society Memoir</i> , 2016, 46, 169-170.	1.7	1
65	Current-modified recessional-moraine ridges on the NW Spitsbergen shelf. <i>Geological Society Memoir</i> , 2016, 46, 255-256.	1.7	2
66	Introduction: an Atlas of Submarine Glacial Landforms. <i>Geological Society Memoir</i> , 2016, 46, 3-14.	1.7	35
67	Glossary of glaciated continental margins and related geoscience methods ^{â€}. <i>Geological Society Memoir</i> , 2016, 46, 555-574.	1.7	5
68	The variety and distribution of submarine glacial landforms and implications for ice-sheet reconstruction. <i>Geological Society Memoir</i> , 2016, 46, 519-552.	1.7	50
69	Glacially related gullies on the upper continental slope, SW Barents Sea margin. <i>Geological Society Memoir</i> , 2016, 46, 381-382.	1.7	3
70	Assemblage of glacial and related landforms in the fjords of southern Chile. <i>Geological Society Memoir</i> , 2016, 46, 131-134.	1.7	3
71	Mud volcanoes and ice-keel ploughmarks, Beaufort Sea shelf, Arctic Canada. <i>Geological Society Memoir</i> , 2016, 46, 299-300.	1.7	1
72	Giant ploughmarks on the South Patagonian continental margin produced by Antarctic icebergs. <i>Geological Society Memoir</i> , 2016, 46, 273-274.	1.7	0

#	ARTICLE	IF	CITATIONS
73	Crag-and-tail features: convergent ice flow through Eclipse Sound, Baffin Island, Arctic Canada. Geological Society Memoir, 2016, 46, 55-56.	1.7	9
74	Ice-sculpted bedrock in channels of the Canadian Arctic Archipelago. Geological Society Memoir, 2016, 46, 59-60.	1.7	1
75	Terminal and recessional moraines in the fjords of southern Chile. Geological Society Memoir, 2016, 46, 65-66.	1.7	4
76	Little Ice Age terminal and retreat moraines in Kollerfjorden, NW Spitsbergen. Geological Society Memoir, 2016, 46, 71-72.	1.7	6
77	Nordvestfjord: a major East Greenland fjord system. Geological Society Memoir, 2016, 46, 43-44.	1.7	5
78	Large, buried glacial moraines revealed by TOPAS sub-bottom profiling, South Orkney Islands, South Atlantic Ocean. Geological Society Memoir, 2016, 46, 251-252.	1.7	1
79	Rhombohedral crevasse-fill ridges at the marine margin of a surging Svalbard ice cap. Geological Society Memoir, 2016, 46, 73-74.	1.7	1
80	Debris-flow lobes on the distal flanks of terminal moraines in Spitsbergen fjords. Geological Society Memoir, 2016, 46, 77-78.	1.7	3
81	Mega-scale glacial lineations in Marguerite Trough, Antarctic Peninsula. Geological Society Memoir, 2016, 46, 175-176.	1.7	6
82	Ice-proximal fans in Dexterity Fjord, Buchan Gulf, Baffin Island, Canadian Arctic. Geological Society Memoir, 2016, 46, 89-90.	1.7	2
83	Glacial landform assemblages in Spitsbergen fjords from the last full-glacial, deglaciation and the late Holocene. Geological Society Memoir, 2016, 46, 147-150.	1.7	7
84	Characterizing near-surface firn using the scattered signal component of the glacier surface return from airborne radio-echo sounding. Geophysical Research Letters, 2016, 43, 12,502.	4.0	10
85	Geomorphic and shallow-acoustic investigation of an Antarctic Peninsula fjord system using high-resolution ROV and shipboard geophysical observations: Ice dynamics and behaviour since the Last Glacial Maximum. Quaternary Science Reviews, 2016, 153, 122-138.	3.0	14
86	Assemblages of submarine landforms in the glacial troughs of the northern Barents Sea, east of Svalbard. Geological Society Memoir, 2016, 46, 333-336.	1.7	1
87	Mapping submarine glacial landforms using acoustic methods. Geological Society Memoir, 2016, 46, 17-40.	1.7	24
88	Geomorphology of the huge Hinlopen-Yermak landslide on the northern Svalbard margin. Geological Society Memoir, 2016, 46, 415-416.	1.7	1
89	Unusual iceberg ploughmarks on the Norwegian continental shelf. Geological Society Memoir, 2016, 46, 283-284.	1.7	4
90	Streamlined ridges and depressions in the glacial sediments of the Arendal Terrace, Norwegian Skagerrak. Geological Society Memoir, 2016, 46, 205-206.	1.7	0

#	ARTICLE	IF	CITATIONS
91	Grounding-zone wedges on the western Svalbard shelf. Geological Society Memoir, 2016, 46, 233-234.	1.7	4
92	Large sediment drifts on the upper continental rise west of the Antarctic Peninsula. Geological Society Memoir, 2016, 46, 401-402.	1.7	2
93	Canyons and slides on the continental slope seaward of a shallow bank, Labrador margin, eastern Canada. Geological Society Memoir, 2016, 46, 405-406.	1.7	2
94	Lateral ice-stream shear-margin moraines on north Norwegian shelves. Geological Society Memoir, 2016, 46, 191-192.	1.7	3
95	A set of grounding-zone wedges in Vestfjorden, North Norway. Geological Society Memoir, 2016, 46, 229-230.	1.7	1
96	Submarine medial moraines and convergent ice flow, Scott Inlet, Baffin Island, Arctic Canada. Geological Society Memoir, 2016, 46, 193-194.	1.7	3
97	A subglacial landform assemblage on the outer shelf of M'Clure Strait, Canadian Arctic, ploughed by iceberg keels. Geological Society Memoir, 2016, 46, 337-340.	1.7	3
98	A glacier-influenced turbidite system and associated landform assemblage in the Greenland Basin and adjacent continental slope. Geological Society Memoir, 2016, 46, 461-468.	1.7	3
99	Submarine glacial-landform distribution across the West Greenland margin: a fjordâ€“shelfâ€“slope transect through the Uummannaq system (70â€“71Â° N). Geological Society Memoir, 2016, 46, 453-460.	1.7	6
100	Fan-like sediments on outer Haltenbanken, mid-Norwegian shelf. Geological Society Memoir, 2016, 46, 223-224.	1.7	1
101	Channels and gullies on the continental slope seaward of a cross-shelf trough, Labrador margin, eastern Canada. Geological Society Memoir, 2016, 46, 385-386.	1.7	6
102	Landforms characteristic of inter-ice stream settings on the Norwegian and Svalbard continental margins. Geological Society Memoir, 2016, 46, 437-444.	1.7	4
103	Landform assemblage produced by ice-grounding events on the Yermak Plateau. Geological Society Memoir, 2016, 46, 329-332.	1.7	0
104	Subglacial meltwater channels in Marguerite Trough, western Antarctic Peninsula. Geological Society Memoir, 2016, 46, 215-216.	1.7	3
105	Submarine glacial-landform distribution along an Antarctic Peninsula palaeo-ice stream: a shelfâ€“slope transect through the Marguerite Trough system (66â€“70Â° S). Geological Society Memoir, 2016, 46, 485-492.	1.7	6
106	Possible â€“lift-off morainesâ€™ at grounded ice-sheet margins, North Norwegian shelf edge. Geological Society Memoir, 2016, 46, 247-248.	1.7	8
107	Canyons and slope instability on the Lofotenâ€“VesterÃ¥len continental margin, North Norway. Geological Society Memoir, 2016, 46, 407-408.	1.7	1
108	Huge iceberg ploughmarks and associated corrugation ridges on the northern Svalbard shelf. Geological Society Memoir, 2016, 46, 269-270.	1.7	8

#	ARTICLE	IF	CITATIONS
109	Grounding-zone wedges on the West Greenland shelf imaged from multibeam and seismic data. Geological Society Memoir, 2016, 46, 235-236.	1.7	0
110	Skjoldryggen terminal moraine on the mid-Norwegian shelf. Geological Society Memoir, 2016, 46, 249-250.	1.7	2
111	3D seismic imagery of mega-scale glacial lineations and flow-switching by ice streams on the Norwegian continental shelf. Geological Society Memoir, 2016, 46, 181-182.	1.7	1
112	Deeply buried glacial debris-flows imaged in 3D seismic data from early Quaternary sediments of the northern North Sea. Geological Society Memoir, 2016, 46, 369-370.	1.7	2
113	Possible iceberg-produced submarine terraces in Hambergbukta, Spitsbergen. Geological Society Memoir, 2016, 46, 101-102.	1.7	5
114	A tidewater glacier landform assemblage in Belcher Inlet, Canadian Arctic. Geological Society Memoir, 2016, 46, 155-158.	1.7	1
115	Pockmarks in the fjords of Chilean Patagonia. Geological Society Memoir, 2016, 46, 109-110.	1.7	3
116	Submarine landform assemblage for Svalbard surge-type tidewater glaciers. Geological Society Memoir, 2016, 46, 151-154.	1.7	4
117	Submarine slides from the walls of Smeerenburgfjorden, NW Svalbard. Geological Society Memoir, 2016, 46, 105-106.	1.7	2
118	Submarine gullies and an axial channel in glacier-influenced Courtauld Fjord, East Greenland. Geological Society Memoir, 2016, 46, 103-104.	1.7	1
119	Buried mega-scale glacial lineations in the Norwegian Channel from 3D seismic imagery. Geological Society Memoir, 2016, 46, 179-180.	1.7	1
120	Eskers formed at the beds of modern surge-type tidewater glaciers in Spitsbergen. Geological Society Memoir, 2016, 46, 83-84.	1.7	7
121	Stratified glacial-marine basin-fills in West Greenland fjords. Geological Society Memoir, 2016, 46, 99-100.	1.7	5
122	Three cross-shelf troughs on the continental shelf of SW Greenland from Olex data. Geological Society Memoir, 2016, 46, 167-168.	1.7	8
123	Seismic character of possible buried grounding-zone wedges in the Late Ordovician glacial rocks of Algeria. Geological Society Memoir, 2016, 46, 245-246.	1.7	2
124	Glacial debris-flows on the Bear Island Trough-Mouth Fan, Barents Sea margin. Geological Society Memoir, 2016, 46, 367-368.	1.7	4
125	Three-dimensional seismic imagery of deeply buried iceberg ploughmarks in North Sea sediments. Geological Society Memoir, 2016, 46, 291-292.	1.7	3
126	Deglaciation of a major palaeo-ice stream in Disko Trough, West Greenland. Quaternary Science Reviews, 2016, 147, 5-26.	3.0	62

#	ARTICLE	IF	CITATIONS
127	Lateral shear-moraines and lateral marginal-moraines of palaeo-ice streams. <i>Quaternary Science Reviews</i> , 2016, 151, 1-26.	3.0	24
128	Long-term record of Barents Sea Ice Sheet advance to the shelf edge from a 140,000 year record. <i>Quaternary Science Reviews</i> , 2016, 150, 55-66.	3.0	11
129	Shallow ice approximation, second order shallow ice approximation, and full Stokes models: A discussion of their roles in palaeo-ice sheet modelling and development. <i>Quaternary Science Reviews</i> , 2016, 147, 136-147.	3.0	8
130	Shallow ice approximation, second order shallow ice approximation, and full Stokes models: A discussion of their roles in palaeo-ice sheet modelling and development. <i>Quaternary Science Reviews</i> , 2016, 135, 103-114.	3.0	11
131	Micromorphology of diamicton affected by iceberg-keel scouring, Scoresby Sund, East Greenland. <i>Quaternary Science Reviews</i> , 2016, 152, 169-196.	3.0	12
132	Marginal Fluctuations of a Svalbard Surge-Type Tidewater Glacier, Blomstrandbreken, Since the Little Ice Age: A Record of Three Surges. <i>Arctic, Antarctic, and Alpine Research</i> , 2016, 48, 411-426.	1.1	29
133	Ice stream retreat following the LGM and onset of the west Greenland current in Uummannaq Trough, west Greenland. <i>Quaternary Science Reviews</i> , 2016, 147, 27-46.	3.0	45
134	Tracking the provenance of Greenland-sourced, Holocene aged, individual sand-sized ice-rafted debris using the Pb-isotope compositions of feldspars and 40 Ar/ 39 Ar ages of hornblendes. <i>Earth and Planetary Science Letters</i> , 2016, 433, 192-203.	4.4	30
135	Geophysical constraints on the dynamics and retreat of the Barents Sea ice sheet as a paleobenchmark for models of marine ice sheet deglaciation. <i>Reviews of Geophysics</i> , 2015, 53, 1051-1098.	23.0	68
136	A new bathymetry of the Northeast Greenland continental shelf: Constraints on glacial and other processes. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 3733-3753.	2.5	43
137	Ice-sheet grounding-zone wedges (GZWs) on high-latitude continental margins. <i>Marine Geology</i> , 2015, 363, 65-92.	2.1	142
138	Sediment-rich meltwater plumes and ice-proximal fans at the margins of modern and ancient tidewater glaciers: Observations and modelling. <i>Sedimentology</i> , 2015, 62, 1665-1692.	3.1	77
139	Basal topographic controls on rapid retreat of Humboldt Glacier, northern Greenland. <i>Journal of Glaciology</i> , 2015, 61, 137-150.	2.2	52
140	Glacier velocities and dynamic ice discharge from the Queen Elizabeth Islands, Nunavut, Canada. <i>Geophysical Research Letters</i> , 2014, 41, 484-490.	4.0	47
141	Paleoenvironments during Younger Dryas-early Holocene retreat of the Greenland Ice Sheet from outer Disko Trough, central west Greenland. <i>Journal of Quaternary Science</i> , 2014, 29, 27-40.	2.1	77
142	Rapid dynamic activation of a marine-based Arctic ice cap. <i>Geophysical Research Letters</i> , 2014, 41, 8902-8909.	4.0	43
143	Reconstruction of changes in the Amundsen Sea and Bellingshausen Sea sector of the West Antarctic Ice Sheet since the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2014, 100, 55-86.	3.0	94
144	Late Quaternary ice flow in a West Greenland fjord and cross-shelf trough system: submarine landforms from Rink Isbrae to Uummannaq shelf and slope. <i>Quaternary Science Reviews</i> , 2014, 92, 292-309.	3.0	91

#	ARTICLE	IF	CITATIONS
145	Morphology, sedimentary infill and depositional environments of the Early Quaternary North Sea Basin (56°N–62°N). <i>Marine and Petroleum Geology</i> , 2014, 56, 123-146.	3.3	75
146	Arctic Ocean glacial history. <i>Quaternary Science Reviews</i> , 2014, 92, 40-67.	3.0	184
147	A community-based geological reconstruction of Antarctic Ice Sheet deglaciation since the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2014, 100, 1-9.	3.0	228
148	Remote sensing of recent glacier changes in the Canadian Arctic. , 2014, , 205-228.		24
149	A new bathymetric compilation for the South Orkney Islands region, Antarctic Peninsula (49°S–39°S) Tj ETQq1 1 0.784314 rgBT Geophysics, Geosystems, 2014, 15, 2494-2514.	2.5	29
150	Reconstruction of ice-sheet changes in the Antarctic Peninsula since the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2014, 100, 87-110.	3.0	129
151	Evidence for multiple Quaternary ice advances and fan development from the Amundsen Gulf cross-shelf trough and slope, Canadian Beaufort Sea margin. <i>Marine and Petroleum Geology</i> , 2014, 52, 125-143.	3.3	25
152	The physiography of High Arctic cross-shelf troughs. <i>Quaternary Science Reviews</i> , 2014, 92, 68-96.	3.0	106
153	Subglacial hydrological connectivity within the Byrd Glacier catchment, East Antarctica. <i>Journal of Glaciology</i> , 2014, 60, 345-352.	2.2	23
154	New insights into slide processes and seafloor geology revealed by side-scan imagery of the massive Hinlopen Slide, Arctic Ocean margin. <i>Geo-Marine Letters</i> , 2013, 33, 325-343.	1.1	19
155	Geomorphic signature of Antarctic submarine gullies: Implications for continental slope processes. <i>Marine Geology</i> , 2013, 337, 112-124.	2.1	48
156	Buried iceberg ploughmarks in the early Quaternary sediments of the central North Sea: A two-million year record of glacial influence from 3D seismic data. <i>Marine Geology</i> , 2013, 344, 1-9.	2.1	66
157	Submarine landforms in the fjords of southern Chile: implications for glacimarine processes and sedimentation in a mild glacier-influenced environment. <i>Quaternary Science Reviews</i> , 2013, 64, 1-19.	3.0	71
158	Seismic stratigraphy, sedimentary architecture and palaeo-glaciology of the Mackenzie Trough: evidence for two Quaternary ice advances and limited fan development on the western Canadian Beaufort Sea margin. <i>Quaternary Science Reviews</i> , 2013, 65, 73-87.	3.0	38
159	Glacimarine lithofacies, provenance and depositional processes on a West Greenland trough–mouth fan. <i>Journal of Quaternary Science</i> , 2013, 28, 13-26.	2.1	59
160	An extensive and dynamic ice sheet on the West Greenland shelf during the last glacial cycle. <i>Geology</i> , 2013, 41, 219-222.	4.4	123
161	A new bed elevation dataset for Greenland. <i>Cryosphere</i> , 2013, 7, 499-510.	3.9	341
162	Greenland subglacial lakes detected by radar. <i>Geophysical Research Letters</i> , 2013, 40, 6154-6159.	4.0	62

#	ARTICLE	IF	CITATIONS
163	Variable history of Quaternary ice-sheet advance across the Beaufort Sea margin, Arctic Ocean. <i>Geology</i> , 2013, 41, 131-134.	4.4	26
164	The seismic architecture and geometry of grounding-zone wedges formed at the marine margins of past ice sheets. <i>Bulletin of the Geological Society of America</i> , 2012, 124, 1750-1761.	3.3	159
165	Large-scale development of the mid-Norwegian shelf over the last three million years and potential for hydrocarbon reservoirs in glacial sediments. <i>Geological Society Special Publication</i> , 2012, 368, 53-73.	1.3	19
166	Dynamic instability of marine-terminating glacier basins of Academy of Sciences Ice Cap, Russian High Arctic. <i>Annals of Glaciology</i> , 2012, 53, 193-201.	1.4	10
167	Recent glacially influenced sedimentary processes on the East Greenland continental slope and deep Greenland Basin. <i>Quaternary Science Reviews</i> , 2012, 49, 64-81.	3.0	25
168	Evidence of a hydrological connection between the ice divide and ice sheet margin in the Aurora Subglacial Basin, East Antarctica. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	68
169	The International Bathymetric Chart of the Arctic Ocean (IBCAO) Version 3.0. <i>Geophysical Research Letters</i> , 2012, 39, .	4.0	888
170	Ice-stream stability on a reverse bed slope. <i>Nature Geoscience</i> , 2012, 5, 799-802.	12.9	174
171	Modeling glacial meltwater plume dynamics and sedimentation in high-latitude fjords. <i>Journal of Geophysical Research</i> , 2011, 116, n/a-n/a.	3.3	58
172	Ice thickness and basal conditions of vestfonna ice cap, eastern svalbard. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2011, 93, 311-322.	1.5	20
173	Submarine landforms and the behavior of a surging ice cap since the last glacial maximum: The open-marine setting of eastern Austfonna, Svalbard. <i>Marine Geology</i> , 2011, 286, 82-94.	2.1	22
174	Relict sea-floor ploughmarks record deep-keeled Antarctic icebergs to 45°S on the Argentine margin. <i>Marine Geology</i> , 2011, 288, 43-48.	2.1	25
175	Sediment lithofacies, processes and sedimentary models in the Central Bransfield Basin, Antarctic Peninsula, since the Last Glacial Maximum. <i>Marine Geology</i> , 2011, 290, 1-16.	2.1	20
176	Late Quaternary ice flow and sediment delivery through Hinlopen Trough, Northern Svalbard margin: Submarine landforms and depositional fan. <i>Marine Geology</i> , 2011, 284, 13-27.	2.1	30
177	Geological record of ice shelf break-up and grounding line retreat, Pine Island Bay, West Antarctica. <i>Geology</i> , 2011, 39, 691-694.	4.4	125
178	Warming of waters in an East Greenland fjord prior to glacier retreat: mechanisms and connection to large-scale atmospheric conditions. <i>Cryosphere</i> , 2011, 5, 701-714.	3.9	93
179	Ice-stream retreat and ice-shelf history in Marguerite Trough, Antarctic Peninsula: Sedimentological and foraminiferal signatures. <i>Bulletin of the Geological Society of America</i> , 2011, 123, 997-1015.	3.3	88
180	Micromorphological characteristics of glacial marine sediments: implications for distinguishing genetic processes of massive diamicts. <i>Geo-Marine Letters</i> , 2010, 30, 77-97.	1.1	32

#	ARTICLE	IF	CITATIONS
181	Reconstructing past glacier dynamics and erosion from glacial geomorphic evidence: Snowdon, North Wales. <i>Journal of Quaternary Science</i> , 2010, 4, 115-130.	2.1	34
182	Past ice-sheet flow east of Svalbard inferred from streamlined subglacial landforms. <i>Geology</i> , 2010, 38, 163-166.	4.4	79
183	Rates of sediment delivery from the Fennoscandian Ice Sheet through an ice age. <i>Geology</i> , 2010, 38, 3-6.	4.4	85
184	Flow and retreat of the Late Quaternary Pine Island–Thwaites palaeo-ice stream, West Antarctica. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	93
185	Modeling iceberg-rafted sedimentation in high-latitude fjord environments. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	33
186	Comment on Shaw J., Pugin, A. and Young, R. (2008): ‘A meltwater origin for Antarctic shelf bedforms with special attention to megalineations’, <i>Geomorphology</i> 102, 364–375. <i>Geomorphology</i> , 2010, 117, 195-198.	2.6	16
187	An Arctic Ocean ice shelf during MIS 6 constrained by new geophysical and geological data. <i>Quaternary Science Reviews</i> , 2010, 29, 3505-3517.	3.0	104
188	Evidence for full-glacial flow and retreat of the Late Weichselian Ice Sheet from the waters around Kong Karls Land, eastern Svalbard. <i>Quaternary Science Reviews</i> , 2010, 29, 3563-3582.	3.0	62
189	High-resolution geophysical observations of the Yermak Plateau and northern Svalbard margin: implications for ice-sheet grounding and deep-keeled icebergs. <i>Quaternary Science Reviews</i> , 2010, 29, 3518-3531.	3.0	57
190	Submarine landforms and shallow acoustic stratigraphy of a 400-km-long fjord-shelf-slope transect, Kangerlussuaq margin, East Greenland. <i>Quaternary Science Reviews</i> , 2010, 29, 3359-3369.	3.0	70
191	The sedimentary legacy of a palaeo-ice stream on the shelf of the southern Bellingshausen Sea: Clues to West Antarctic glacial history during the Late Quaternary. <i>Quaternary Science Reviews</i> , 2010, 29, 2741-2763.	3.0	58
192	Submarine landforms and ice-sheet flow in the KvitÅya Trough, northwestern Barents Sea. <i>Quaternary Science Reviews</i> , 2010, 29, 3545-3562.	3.0	42
193	Calculating ice volumes and ice flux to constrain the dimensions of a 440 Ma North African ice sheet. <i>Journal of the Geological Society</i> , 2009, 166, 277-281.	2.1	53
194	Marine geophysical evidence for former expansion and flow of the Greenland Ice Sheet across the north-east Greenland continental shelf. <i>Journal of Quaternary Science</i> , 2009, 24, 279-293.	2.1	77
195	Morphology of the upper continental slope in the Bellingshausen and Amundsen Seas – Implications for sedimentary processes at the shelf edge of West Antarctica. <i>Marine Geology</i> , 2009, 258, 100-114.	2.1	71
196	Clay mineral provenance of sediments in the southern Bellingshausen Sea reveals drainage changes of the West Antarctic Ice Sheet during the Late Quaternary. <i>Marine Geology</i> , 2009, 265, 1-18.	2.1	30
197	An inter-ice-stream glaciated margin: Submarine landforms and a geomorphic model based on marine-geophysical data from Svalbard. <i>Bulletin of the Geological Society of America</i> , 2009, 121, 1647-1665.	3.3	120
198	Mass balance of the Prince of Wales Icefield, Ellesmere Island, Nunavut, Canada. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	14

#	ARTICLE	IF	CITATIONS
199	Erratum for Le Heron & Dowdeswell, Journal of the Geological Society, London, 166 (2) 277â€“281. Calculating ice volumes and ice flux to constrain the dimensions of a 440 Ma North African ice sheet. Journal of the Geological Society, 2009, 166, 825-825.	2.1	0
200	Sea-floor scour at the mouth of Hudson Strait by deep-keeled icebergs from the Laurentide Ice Sheet. Marine Geology, 2008, 253, 149-159.	2.1	24
201	Geological constraints on Antarctic palaeo-ice stream retreat. Earth Surface Processes and Landforms, 2008, 33, 513-525.	2.5	101
202	A major trough-mouth fan on the continental margin of the Bellingshausen Sea, West Antarctica: The Belgica Fan. Marine Geology, 2008, 252, 129-140.	2.1	87
203	Iceberg calving flux and mass balance of the Austfonna ice cap on Nordaustlandet, Svalbard. Journal of Geophysical Research, 2008, 113, .	3.3	78
204	Submarine landforms characteristic of glacier surges in two Spitsbergen fjords. Quaternary Science Reviews, 2008, 27, 1583-1599.	3.0	126
205	Evidence for glaciation in the Northern Hemisphere back to 44ÂMa from ice-rafted debris in the Greenland Sea. Earth and Planetary Science Letters, 2008, 265, 112-122.	4.4	117
206	Autonomous underwater vehicles (AUVs) and investigations of the iceâ€“ocean interface in Antarctic and Arctic waters. Journal of Glaciology, 2008, 54, 661-672.	2.2	67
207	Submarine glacial landforms and rates of ice-stream collapse. Geology, 2008, 36, 819.	4.4	206
208	Iceberg calving rates from northern Ellesmere Island ice caps, Canadian Arctic, 1999â€“2003. Journal of Glaciology, 2008, 54, 391-400.	2.2	34
209	On The Glaciers of Bylot Island, Nunavut, Arctic Canada. Arctic, Antarctic, and Alpine Research, 2007, 39, 402-411.	1.1	29
210	Identification and preservation of landforms diagnostic of past ice-sheet activity on continental shelves from three-dimensional seismic evidence. Geology, 2007, 35, 359.	4.4	47
211	Mass balance of Devon Ice Cap, Canadian Arctic. Annals of Glaciology, 2007, 46, 249-254.	1.4	17
212	Ice elevation and areal changes of glaciers from the Northern Patagonia Icefield, Chile. Global and Planetary Change, 2007, 59, 126-137.	3.5	147
213	Oceanic heat transport onto the Amundsen Sea shelf through a submarine glacial trough. Geophysical Research Letters, 2007, 34, .	4.0	140
214	Till characteristics, genesis and transport beneath Antarctic paleo-ice streams. Journal of Geophysical Research, 2007, 112, .	3.3	63
215	Dynamics of the Late Weichselian ice sheet on Svalbard inferred from high-resolution sea-floor morphology. Boreas, 2007, 36, 286-306.	2.4	122
216	Keel depths of modern Antarctic icebergs and implications for sea-floor scouring in the geological record. Marine Geology, 2007, 243, 120-131.	2.1	134

#	ARTICLE	IF	CITATIONS
217	Dynamics of the Late Weichselian ice sheet on Svalbard inferred from high-resolution sea-floor morphology. <i>Boreas</i> , 2007, 36, 286-306.	2.4	16
218	Assemblages of submarine landforms produced by tidewater glaciers in Svalbard. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	178
219	Flow switching and large-scale deposition by ice streams draining former ice sheets. <i>Geology</i> , 2006, 34, 313.	4.4	90
220	Extent and dynamics of the West Antarctic Ice Sheet on the outer continental shelf of Pine Island Bay during the last glaciation. <i>Marine Geology</i> , 2006, 230, 53-72.	2.1	99
221	Geophysical investigations of a high-latitude submarine channel system and associated channel-mouth lobe in the Lofoten Basin, Polar North Atlantic. <i>Marine Geology</i> , 2006, 226, 41-50.	2.1	29
222	Quantifying the Mass Balance of Ice Caps on Severnaya Zemlya, Russian High Arctic. III: Sensitivity of Ice Caps in Severnaya Zemlya to Future Climate Change. <i>Arctic, Antarctic, and Alpine Research</i> , 2006, 38, 21-33.	1.1	12
223	Morphology and sedimentary processes on the continental slope off Pine Island Bay, Amundsen Sea, West Antarctica. <i>Bulletin of the Geological Society of America</i> , 2006, 118, 606-619.	3.3	74
224	Quantifying the Mass Balance of Ice Caps on Severnaya Zemlya, Russian High Arctic. I: Climate and Mass Balance of the Vavilov Ice Cap. <i>Arctic, Antarctic, and Alpine Research</i> , 2006, 38, 1-12.	1.1	21
225	Quantifying the Mass Balance of Ice Caps on Severnaya Zemlya, Russian High Arctic. II: Modeling the Flow of the Vavilov Ice Cap under the Present Climate. <i>Arctic, Antarctic, and Alpine Research</i> , 2006, 38, 13-20.	1.1	8
226	On the Meteorological Instruments and Observations Made during the 19th Century Exploration of the Canadian Northwest Passage. <i>Arctic, Antarctic, and Alpine Research</i> , 2006, 38, 454-464.	1.1	5
227	ATMOSPHERIC SCIENCE: The Greenland Ice Sheet and Global Sea-Level Rise. <i>Science</i> , 2006, 311, 963-964.	12.6	97
228	Elevation changes measured on Svalbard glaciers and ice caps from airborne laser data. <i>Annals of Glaciology</i> , 2005, 42, 202-208.	1.4	52
229	Estimating the contribution of Arctic glaciers to sea-level change in the next 100 years. <i>Annals of Glaciology</i> , 2005, 42, 230-236.	1.4	31
230	Radio-echo layering in West Antarctica: a spreadsheet dataset. <i>Earth Surface Processes and Landforms</i> , 2005, 30, 1583-1591.	2.5	8
231	Flow dynamics and iceberg calving rates of Devon Ice Cap, Nunavut, Canada. <i>Journal of Glaciology</i> , 2005, 51, 219-230.	2.2	68
232	Submarine landforms and the reconstruction of fast-flowing ice streams within a large Quaternary ice sheet: The 2500-km-long Norwegian-Svalbard margin (57°N–80°N). <i>Bulletin of the Geological Society of America</i> , 2005, 117, 1033.	3.3	351
233	Flow dynamics and till genesis associated with a marine-based Antarctic palaeo-ice stream. <i>Quaternary Science Reviews</i> , 2005, 24, 709-740.	3.0	262
234	Flow of the West Antarctic Ice Sheet on the continental margin of the Bellingshausen Sea at the Last Glacial Maximum. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	72

#	ARTICLE	IF	CITATIONS
235	Arctic ice caps and glaciers. , 2004, , 527-558.		26
236	Investigations of the form and flow of ice sheets and glaciers using radio-echo sounding. Reports on Progress in Physics, 2004, 67, 1821-1861.	20.1	132
237	A. P. Lisitzin, 2002. Sea-ice and iceberg sedimentation in the ocean: recent and past. Berlin and Heidelberg, Springer-Verlag. xii + 564 pp. ISBN 3540679650, hardback. Â£154/US\$239/ â¬199.95.. Journal of Glaciology, 2004, 50, 462-462.	2.2	0
238	Thickness and extent of the subglacial till layer beneath an Antarctic paleo-ice stream. Geology, 2004, 32, 13.	4.4	197
239	The characteristics and formation of a high-Arctic proglacial icing. Geografiska Annaler, Series A: Physical Geography, 2004, 86, 265-275.	1.5	30
240	Timing and significance of glacially influenced mass-wasting in the submarine channels of the Greenland Basin. Marine Geology, 2004, 207, 39-54.	2.1	89
241	Continental slope morphology and sedimentary processes at the mouth of an Antarctic palaeo-ice stream. Marine Geology, 2004, 204, 203-214.	2.1	99
242	Late Quaternary submarine bedforms and ice-sheet flow in Gerlache Strait and on the adjacent continental shelf, Antarctic Peninsula. Journal of Quaternary Science, 2004, 19, 397-407.	2.1	49
243	Form and flow of the Devon Island Ice Cap, Canadian Arctic. Journal of Geophysical Research, 2004, 109, n/a-n/a.	3.3	64
244	What was QUEEN? Its history and international framework?an introduction to its final synthesis issue. Quaternary Science Reviews, 2004, 23, 1225-1227.	3.0	22
245	Late Quaternary ice sheet history of northern Eurasia. Quaternary Science Reviews, 2004, 23, 1229-1271.	3.0	1,279
246	Numerical reconstructions of the Eurasian Ice Sheet and climate during the Late Weichselian. Quaternary Science Reviews, 2004, 23, 1273-1283.	3.0	111
247	The periglacial climate and environment in northern Eurasia during the Last Glaciation. Quaternary Science Reviews, 2004, 23, 1333-1357.	3.0	183
248	Anomalous recent growth of part of a large Arctic ice cap: Austfonna, Svalbard. Geophysical Research Letters, 2004, 31, n/a-n/a.	4.0	57
249	A surge of Perseibreen, Svalbard, examined using aerial photography and ASTER high resolution satellite imagery. Polar Research, 2003, 22, 373-383.	1.6	43
250	Palaeo-ice streams, trough mouth fans and high-latitude continental slope sedimentation. Boreas, 2003, 32, 37-55.	2.4	156
251	The physiography of modern Antarctic subglacial lakes. Global and Planetary Change, 2003, 35, 221-236.	3.5	57
252	On the Net Mass Balance of the Glaciers and Ice Caps in Svalbard, Norwegian Arctic. Arctic, Antarctic, and Alpine Research, 2003, 35, 264-270.	1.1	149

#	ARTICLE	IF	CITATIONS
253	A simple visualization method for distinguishing subglacial-bed and side-wall returns in radio-echo records from outlet and valley glaciers. <i>Journal of Glaciology</i> , 2003, 49, 463-468.	2.2	6
254	The distribution and flow characteristics of surge-type glaciers in the Canadian High Arctic. <i>Annals of Glaciology</i> , 2003, 36, 73-81.	1.4	97
255	A surge of Perseibreen, Svalbard, examined using aerial photography and ASTER high resolution satellite imagery. <i>Polar Research</i> , 2003, 22, 373-383.	1.6	28
256	The Håkon Mosby Mud Volcano. , 2003, , 119-122.		2
257	Morphology and Acoustic Character of the Middle and Lower North Sea Fan. , 2003, , 71-75.		0
258	Debris Flow Activity on the Bear Island Trough Mouth Fan from GLORIA and 3.5 kHz Records. , 2003, , 77-81.		0
259	Canyon and Channel Systems in the Lofoten Basin, Norwegian Margin. , 2003, , 93-97.		0
260	Large-Scale Slides on the North Norwegian Margin Imaged by GLORIA. , 2003, , 37-43.		0
261	The Norwegian Margin. , 2003, , 19-30.		2
262	Experimental constraints on shear mixing rates and processes: implications for the dilution of submarine debris flows. <i>Geological Society Special Publication</i> , 2002, 203, 89-103.	1.3	24
263	Late Quaternary sedimentation in Kejser Franz Joseph Fjord and the continental margin of East Greenland. <i>Geological Society Special Publication</i> , 2002, 203, 149-179.	1.3	38
264	Sediment reworking on high-latitude continental margins and its implications for palaeoceanographic studies: insights from the Norwegian-Greenland Sea. <i>Geological Society Special Publication</i> , 2002, 203, 325-348.	1.3	25
265	Glacier-influenced sedimentation on high-latitude continental margins: introduction and overview. <i>Geological Society Special Publication</i> , 2002, 203, 1-9.	1.3	20
266	On the architecture of high-latitude continental margins: the influence of ice-sheet and sea-ice processes in the Polar North Atlantic. <i>Geological Society Special Publication</i> , 2002, 203, 33-54.	1.3	32
267	Late Quaternary architecture of trough-mouth fans: debris flows and suspended sediments on the Norwegian margin. <i>Geological Society Special Publication</i> , 2002, 203, 55-71.	1.3	32
268	Large-scale morphological evidence for past ice-stream flow on the mid-Norwegian continental margin. <i>Geological Society Special Publication</i> , 2002, 203, 245-258.	1.3	26
269	Form and flow of the Academy of Sciences Ice Cap, Severnaya Zemlya, Russian High Arctic. <i>Journal of Geophysical Research</i> , 2002, 107, EPM 5-1-EPM 5-15.	3.3	49
270	Evolution of subglacial bedforms along a paleo-ice stream, Antarctic Peninsula continental shelf. <i>Geophysical Research Letters</i> , 2002, 29, 41-1-41-4.	4.0	272

#	ARTICLE	IF	CITATIONS
271	The timing of initiation of fast-flowing ice streams during a glacial cycle inferred from glacimarine sedimentation. <i>Marine Geology</i> , 2002, 188, 3-14.	2.1	74
272	Late Weichselian depositional processes, fluxes, and sediment volumes on the margins of the Norwegian Sea (62°–75°N). <i>Marine Geology</i> , 2002, 188, 61-77.	2.1	42
273	Late Weichselian iceberg, surface-melt and sediment production from the Eurasian Ice Sheet: results from numerical ice-sheet modelling. <i>Marine Geology</i> , 2002, 188, 109-127.	2.1	74
274	The Eurasian Arctic During the Last Ice Age. <i>American Scientist</i> , 2002, 90, 32.	0.1	31
275	Workshop explores debris transported by icebergs and paleoenvironmental implications. <i>Eos</i> , 2001, 82, 382-382.	0.1	5
276	Laminated sediments in glacimarine environments: diagnostic criteria for their interpretation. <i>Quaternary Science Reviews</i> , 2001, 20, 1411-1436.	3.0	183
277	Modelling the Eurasian Ice Sheet through a full (Weichselian) glacial cycle. <i>Global and Planetary Change</i> , 2001, 31, 367-385.	3.5	133
278	Historical Fluctuations of the Matusevich Ice Shelf, Severnaya Zemlya, Russian High Arctic. <i>Arctic, Antarctic, and Alpine Research</i> , 2001, 33, 211-222.	1.1	17
279	Glaciological applications with Landsat-7 imagery: Early assessments. <i>Remote Sensing of Environment</i> , 2001, 78, 163-179.	11.0	52
280	Holocene glacimarine sedimentation, inner Scoresby Sund, East Greenland: the influence of fast-flowing ice-sheet outlet glaciers. <i>Marine Geology</i> , 2001, 175, 103-129.	2.1	69
281	Devensian glacial sedimentation and landscape evolution in the Cardigan area of southwest Wales. <i>Journal of Quaternary Science</i> , 2001, 16, 455-482.	2.1	29
282	Late Quaternary Iceberg Rafting along the Antarctic Peninsula Continental Rise and in the Weddell and Scotia Seas. <i>Quaternary Research</i> , 2001, 56, 308-321.	1.7	52
283	Historical Fluctuations of the Matusevich Ice Shelf, Severnaya Zemlya, Russian High Arctic. <i>Arctic, Antarctic, and Alpine Research</i> , 2001, 33, 211.	1.1	14
284	Hydrochemistry of meltwaters draining a polythermal-based, high-Arctic glacier, south Svalbard: II. Winter and early Spring. <i>Hydrological Processes</i> , 2000, 14, 1767-1786.	2.6	55
285	Modelling the influence of glacial isostasy on Late Weichselian ice-sheet growth in the Barents Sea. <i>Journal of Quaternary Science</i> , 2000, 15, 475-486.	2.1	11
286	An origin for laminated glacimarine sediments through sea-ice build-up and suppressed iceberg rafting. <i>Sedimentology</i> , 2000, 47, 557-576.	3.1	102
287	Canyons and late Quaternary sedimentation on the North Norwegian margin. <i>Marine Geology</i> , 2000, 166, 1-9.	2.1	30
288	Morphology and Late Quaternary sedimentation on the North Faeroes slope and abyssal plain, North Atlantic. <i>Marine Geology</i> , 2000, 168, 1-24.	2.1	30

#	ARTICLE	IF	CITATIONS
289	The And�ya Slide and the And�ya Canyon, north-eastern Norwegian��Greenland Sea. Marine Geology, 2000, 162, 259-275.	2.1	106
290	Geophysical investigations of ice-sheet internal layering and deformation in the Dome C region of central East Antarctica. Journal of Glaciology, 2000, 46, 161-166.	2.2	13
291	Doctoral Thesis - Doktoravhandling. Norsk Geografisk Tidsskrift, 2000, 54, 193-193.	0.7	0
292	Calibrating the Late Ordovician glaciation and mass extinction by the eccentricity cycles of Earth's orbit. Geology, 2000, 28, 967.	4.4	175
293	Calibrating the Late Ordovician glaciation and mass extinction by the eccentricity cycles of Earth's orbit. Geology, 2000, 28, 967-970.	4.4	13
294	Asynchronous deposition of ice-rafted layers in the Nordic seas and North Atlantic Ocean. Nature, 1999, 400, 348-351.	27.8	76
295	Maximum extent of the Eurasian ice sheets in the Barents and Kara Sea region during the Weichselian. Boreas, 1999, 28, 234-242.	2.4	322
296	Late Weichselian Glaciation of the Russian High Arctic. Quaternary Research, 1999, 52, 273-285.	1.7	92
297	Velocity structure, flow instability and mass flux on a large Arctic ice cap from satellite radar interferometry. Earth and Planetary Science Letters, 1999, 167, 131-140.	4.4	58
298	The dimensions and topographic setting of Antarctic subglacial lakes and implications for large-scale water storage beneath continental ice sheets. Bulletin of the Geological Society of America, 1999, 111, 254-263.	3.3	106
299	Debris entrainment and transfer in polythermal valley glaciers. Journal of Glaciology, 1999, 45, 69-86.	2.2	136
300	Ice-sheet numerical modeling and marine geophysical measurements of glacier-derived sedimentation on the Eurasian Arctic continental margins. Bulletin of the Geological Society of America, 1999, 111, 1080-1097.	3.3	131
301	Debris entrainment and transfer in polythermal valley glaciers. Journal of Glaciology, 1999, 45, 69-86.	2.2	55
302	The hydrochemistry of runoff from a ��cold-based�� glacier in the High Arctic (Scott Turnerbreen,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf		39
303	The hydrochemistry of meltwaters draining a polythermal-based, high Arctic glacier, south Svalbard: I. The ablation season. Hydrological Processes, 1998, 12, 1825-1849.	2.6	78
304	GLACIMARINE SEDIMENTARY PROCESSES AND FACIES ON THE POLAR NORTH ATLANTIC MARGINS. Quaternary Science Reviews, 1998, 17, 243-272.	3.0	164
305	THE NORWEGIAN��GREENLAND SEA CONTINENTAL MARGINS: MORPHOLOGY AND LATE QUATERNARY SEDIMENTARY PROCESSES AND ENVIRONMENT. Quaternary Science Reviews, 1998, 17, 273-302.	3.0	310
306	GLACIAL AND OCEANIC HISTORY OF THE POLAR NORTH ATLANTIC MARGINS: AN OVERVIEW. Quaternary Science Reviews, 1998, 17, 1-10.	3.0	78

#	ARTICLE	IF	CITATIONS
307	A chronology for the Dome C deep ice-core site through radio-echo layer Correlation with the Vostok Ice Core, Antarctica. <i>Geophysical Research Letters</i> , 1998, 25, 1019-1022.	4.0	38
308	Internal radio-echo layering at Vostok station, Antarctica, as an independent stratigraphic control on the ice-core record. <i>Annals of Glaciology</i> , 1998, 27, 360-364.	1.4	19
309	Geometric evolution and ice dynamics during a surge of Bakaninbreen, Svalbard. <i>Journal of Glaciology</i> , 1998, 44, 263-272.	2.2	68
310	Mapping seabird nesting habitats in Franz Josef Land, Russian High Arctic, using digital Landsat Thematic Mapper imagery. <i>Polar Research</i> , 1998, 17, 15-30.	1.6	1
311	Geometric evolution and ice dynamics during a surge of Bakaninbreen, Svalbard. <i>Journal of Glaciology</i> , 1998, 44, 263-272.	2.2	35
312	Chapter 22 Modern glaciers and climate change. <i>Geological Society Memoir</i> , 1997, 17, 436-448.	1.7	0
313	Glacier thermal regime and suspended-sediment yield: a comparison of two high-Arctic glaciers. <i>Annals of Glaciology</i> , 1997, 24, 32-37.	1.4	39
314	The rate of chemical weathering beneath a quiescent, surge-type, polythermal-based glacier, southern Spitsbergen, Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 27-31.	1.4	21
315	Iceberg Scours: Records from Broad and Narrow-Beam Acoustic Systems. , 1997, , 27-28.		3
316	Glacial Geology: Ice Sheets and Landforms M.R. Bennett & N.F. Glasser John Wiley, Chichester (1996). 364 pages. £19.99. ISBN 0 471 96345 3.. <i>Antarctic Science</i> , 1997, 9, 366-367.	0.9	1
317	Surge-type glaciers in the Russian High Arctic identified from digital satellite imagery. <i>Journal of Glaciology</i> , 1997, 43, 489-494.	2.2	40
318	Modelling the mass balance of northwest Spitsbergen glaciers and responses to climate change. <i>Annals of Glaciology</i> , 1997, 24, 203-210.	1.4	16
319	Quiescent-phase changes in velocity and geometry of Finsterwalderbreen, a surge-type glacier in Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 249-254.	1.4	10
320	Sediment deformation and basal dynamics beneath a glacier surge front: Bakaninbreen, Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 21-26.	1.4	27
321	Modelling the mass balance of northwest Spitsbergen glaciers and responses to climate change. <i>Annals of Glaciology</i> , 1997, 24, 203-210.	1.4	52
322	Quiescent-phase changes in velocity and geometry of Finsterwalderbreen, a surge-type glacier in Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 249-254.	1.4	43
323	Structural evolution of a surge-type polythermal glacier: Hessbreen, Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 375-381.	1.4	23
324	Sediment deformation and basal dynamics beneath a glacier surge front: Bakaninbreen, Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 21-26.	1.4	23

#	ARTICLE	IF	CITATIONS
325	On the origin and flow behavior of submarine slides on deep-sea fans along the Norwegian-Barents Sea continental margin. <i>Geo-Marine Letters</i> , 1997, 17, 119-125.	1.1	113
326	The Mass Balance of Circum-Arctic Glaciers and Recent Climate Change. <i>Quaternary Research</i> , 1997, 48, 1-14.	1.7	194
327	The glacier-influenced Scoresby Sund Fan, East Greenland continental margin: evidence from GLORIA and 3.5 kHz records. <i>Marine Geology</i> , 1997, 143, 207-221.	2.1	63
328	Solute provenance, transport and denudation in a high arctic glacierized catchment. <i>Hydrological Processes</i> , 1997, 11, 1813-1832.	2.6	1
329	Submarine Debris Flows on Glacier-Influenced Margins: GLORIA Imagery of the Bear Island Fan. , 1997, , 118-119.		5
330	Seismic and Side-Scan Sonar Investigations of Recent Sedimentation in an Ice-Proximal Glacimarine Setting, Kongsfjorden, North-West Spitsbergen.. , 1997, , 175-178.		20
331	Surge-type glaciers in the Russian High Arctic identified from digital satellite imagery. <i>Journal of Glaciology</i> , 1997, 43, 489-494.	2.2	12
332	The rate of chemical weathering beneath a quiescent, surge-type, polythermal-based glacier, southern Spitsbergen, Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 27-31.	1.4	9
333	Glacier thermal regime and suspended-sediment yield: a comparison of two high-Arctic glaciers. <i>Annals of Glaciology</i> , 1997, 24, 32-37.	1.4	9
334	Structural evolution of a surge-type polythermal glacier: Hessbreen, Svalbard. <i>Annals of Glaciology</i> , 1997, 24, 375-381.	1.4	11
335	Topographic control on the dynamics of the Svalbard-Barents Sea ice sheet. <i>Global and Planetary Change</i> , 1996, 12, 27-39.	3.5	18
336	Sediment deposition in an iceberg-dominated glacimarine environment, East Greenland: basin fill implications. <i>Global and Planetary Change</i> , 1996, 12, 251-270.	3.5	134
337	Large-scale sedimentation on the glacier-influenced polar North Atlantic Margins: Long-range side-scan sonar evidence. <i>Geophysical Research Letters</i> , 1996, 23, 3535-3538.	4.0	144
338	High resolution imagery from the Russian KATE-200 satellite camera: morphology and dynamics of ice masses in the European high Arctic. <i>International Journal of Remote Sensing</i> , 1996, 17, 3343-3356.	2.9	1
339	Controls on glacier surging in Svalbard. <i>Journal of Glaciology</i> , 1996, 42, 157-168.	2.2	93
340	Thrusting and debris entrainment in a surging glacier: Bakaninbreen, Svalbard. <i>Annals of Glaciology</i> , 1996, 22, 241-248.	1.4	71
341	Instruments and methods: Submersible remotely operated vehicles (ROVs) for investigations of the glacier-ocean-sediment interface. <i>Journal of Glaciology</i> , 1996, 42, 176-183.	2.2	8
342	An adaptive-grid finite-volume model of glacier-terminus fluctuations. <i>Annals of Glaciology</i> , 1996, 23, 86-93.	1.4	3

#	ARTICLE	IF	CITATIONS
343	Thrusting and debris entrainment in a surging glacier: Bakaninbreen, Svalbard. <i>Annals of Glaciology</i> , 1996, 22, 241-248.	1.4	47
344	Controls on glacier surging in Svalbard. <i>Journal of Glaciology</i> , 1996, 42, 157-168.	2.2	84
345	Spatial variations in heat at the base of the Antarctic ice sheet from analysis of the thermal regime above subglacial lakes. <i>Journal of Glaciology</i> , 1996, 42, 501-509.	2.2	60
346	Spatial variations in heat at the base of the Antarctic ice sheet from analysis of the thermal regime above subglacial lakes. <i>Journal of Glaciology</i> , 1996, 42, 501-509.	2.2	11
347	An adaptive-grid finite-volume model of glacier-terminus fluctuations. <i>Annals of Glaciology</i> , 1996, 23, 86-93.	1.4	0
348	Instruments and methods: Submersible remotely operated vehicles (ROVs) for investigations of the glacier-ocean-sediment interface. <i>Journal of Glaciology</i> , 1996, 42, 176-183.	2.2	0
349	Cold Climate Landforms. D.J.A. Evans (Editor). 1994. Chichester: Wiley, xvi + 526 p, illustrated, hard cover. ISBN 0-471-94043-7. £95.00.. <i>Polar Record</i> , 1995, 31, 436-437.	0.8	0
350	Modelling ice-sheet sensitivity to late weichselian environments in the svalbard-barents sea region. <i>Journal of Quaternary Science</i> , 1995, 10, 33-43.	2.1	17
351	On the glaciology of Edgeŷya and Barentsŷya, Svalbard. <i>Polar Research</i> , 1995, 14, 105-122.	1.6	10
352	Numerical Modeling of the Late Weichselian Svalbard-Barents Sea Ice Sheet. <i>Quaternary Research</i> , 1995, 43, 1-13.	1.7	36
353	Analysis of ERS-1 Synthetic Aperture Radar data from Nordaustlandet, Svalbard. <i>International Journal of Remote Sensing</i> , 1995, 16, 905-924.	2.9	22
354	Iceberg production, debris rafting, and the extent and thickness of Heinrich layers (H-1, H-2) in North Atlantic sediments. <i>Geology</i> , 1995, 23, 301.	4.4	204
355	Title is missing!. <i>Geological Magazine</i> , 1995, 132, 750-751.	1.5	0
356	Ice Divides and Drainage Basins on the Ice Caps of Franz Josef Land, Russian High Arctic, Defined from Landsat, KFA-1000, and ERS-1 SAR Satellite Imagery. <i>Arctic and Alpine Research</i> , 1995, 27, 264.	1.3	14
357	Mass balance change as a control on the frequency and occurrence of glacier surges in Svalbard, Norwegian High Arctic. <i>Geophysical Research Letters</i> , 1995, 22, 2909-2912.	4.0	108
358	Late Weichselian iceŷsheet sensitivity over Franz Josef Land, Russian High Arctic, from numerical modelling experiments. <i>Boreas</i> , 1995, 24, 207-224.	2.4	3
359	Deep Pleistocene iceberg plowmarks on the Yermak Plateau: Sidescan and 3.5 kHz evidence for thick calving ice fronts and a possible marine ice sheet in the Arctic Ocean. <i>Geology</i> , 1995, 23, 476.	4.4	9
360	On the glaciology of Edgeŷya and Barentsŷya, Svalbard. <i>Polar Research</i> , 1995, 14, 105-122.	1.6	14

#	ARTICLE	IF	CITATIONS
361	Tectonic processes in Svalbard tide-water glacier surges: evidence from structural glaciology. <i>Journal of Glaciology</i> , 1994, 40, 553-560.	2.2	39
362	The spatial and temporal effect of cloud cover on the acquisition of high quality landsat imagery in the European Arctic sector. <i>Remote Sensing of Environment</i> , 1994, 50, 149-160.	11.0	39
363	The origin of massive diamicton facies by iceberg rafting and scouring, Scoresby Sund, East Greenland. <i>Sedimentology</i> , 1994, 41, 21-35.	3.1	143
364	Evidence for Floating Ice Shelves in Franz Josef Land, Russian High Arctic. <i>Arctic and Alpine Research</i> , 1994, 26, 86.	1.3	27
365	Tectonic processes in Svalbard tide-water glacier surges: evidence from structural glaciology. <i>Journal of Glaciology</i> , 1994, 40, 553-560.	2.2	37
366	The Late Quaternary sedimentary record in Scoresby Sund, East Greenland. <i>Boreas</i> , 1994, 23, 294-310.	2.4	57
367	Flow regime of the Lambert Glacier-Amery Ice Shelf system, Antarctica: structural evidence from Landsat imagery. <i>Annals of Glaciology</i> , 1994, 20, 401-406.	1.4	45
368	Flow regime of the Lambert Glacier-Amery Ice Shelf system, Antarctica: structural evidence from Landsat imagery. <i>Annals of Glaciology</i> , 1994, 20, 401-406.	1.4	22
369	Iceberg scouring in Scoresby Sund and on the East Greenland continental shelf. <i>Marine Geology</i> , 1993, 111, 37-53.	2.1	146
370	Ice Age Earth: Late Quaternary Geology & Climate. Alastair G. Dawson. 1992. London and New York: Routledge. 293 p, illustrated, soft cover. ISBN 0-415-01567-7. US\$25.00.. <i>Polar Record</i> , 1993, 29, 158-159.	0.8	0
371	The size and frequency of icebergs and bergy bits derived from tidewater glaciers in Kongsfjorden, northwest Spitsbergen. <i>Polar Research</i> , 1992, 11, 81-91.	1.6	37
372	The sizes, frequencies, and freeboards of East Greenland icebergs observed using ship radar and sextant. <i>Journal of Geophysical Research</i> , 1992, 97, 3515-3528.	3.3	95
373	Water throughflow and the physical effects of deformation on sedimentary glacier beds. <i>Journal of Geophysical Research</i> , 1992, 97, 8993-9002.	3.3	41
374	The size and frequency of icebergs and bergy bits derived from tidewater glaciers in Kongsfjorden, northwest Spitsbergen. <i>Polar Research</i> , 1992, 11, 81-91.	1.6	69
375	Seismic architecture and sedimentation in northwest Spitsbergen fjords. <i>Marine Geology</i> , 1992, 103, 53-68.	2.1	59
376	The duration of the active phase on surge-type glaciers: contrasts between Svalbard and other regions. <i>Journal of Glaciology</i> , 1991, 37, 388-400.	2.2	32
377	The duration of the active phase on surge-type glaciers: contrasts between Svalbard and other regions. <i>Journal of Glaciology</i> , 1991, 37, 388-400.	2.2	200
378	Behavior of a Glacier-Derived Suspended Sediment Plume in a Small Arctic Inlet. <i>Journal of Geology</i> , 1991, 99, 111-123.	1.4	32

#	ARTICLE	IF	CITATIONS
379	All Kinds of Ice - The growth and decay of ice. G. S. H. Lock 1990. Cambridge, Cambridge University Press. 434 p, illustrated, hard cover. ISBN 0-521-33133-1. Â£65.00, US\$100.00. Polar Record, 1991, 27, 264-264.	0.8	0
380	Permafrost - The frozen earth: fundamentals of geocryology. Peter J. Williams and Michael W. Smith 1989. Cambridge, Cambridge University Press. 306 p, illustrated, hard cover. ISBN 0-521-36534-1. Â£37.50 or US\$65.00.. Polar Record, 1990, 26, 59-60.	0.8	0
381	Remote-Sensing Studies of KvitÃjÃkulen, an Ice Cap on KvitÃya, North-East Svalbard. Journal of Glaciology, 1990, 36, 75-81.	2.2	12
382	Dynamic former ice sheets. Nature, 1990, 346, 795-796.	27.8	1
383	Comments on: â€œ6000-year climate records in an ice core from the HÃghetta ice dome in northern Spitsbergenâ€. Journal of Glaciology, 1990, 36, 353-356.	2.2	12
384	Modelling rates of sedimentation from icebergs. Geological Society Special Publication, 1990, 53, 121-137.	1.3	37
385	Fast-flowing outlet glaciers on Svalbard ice caps. Geology, 1990, 18, 778.	4.4	40
386	On the description and modelling of glacimarine sediments and sedimentation. Geological Society Special Publication, 1990, 53, 1-13.	1.3	25
387	Remote-Sensing Studies of KvitÃjÃkulen, an Ice Cap on KvitÃya, North-East Svalbard. Journal of Glaciology, 1990, 36, 75-81.	2.2	2
388	Comments on: â€œ6000-year climate records in an ice core from the HÃghetta ice dome in northern Spitsbergenâ€. Journal of Glaciology, 1990, 36, 353-356.	2.2	3
389	Debris in Icebergs and Rates of Glaci-Marine Sedimentation: Observations from Spitsbergen and a Simple Model. Journal of Geology, 1989, 97, 221-231.	1.4	96
390	On The Nature of Svalbard Icebergs. Journal of Glaciology, 1989, 35, 224-234.	2.2	87
391	The Dynamics of Austfonna, Nordaustlandet, Svalbard: Surface Velocities, Mass Balance, and Subglacial Melt Water. Annals of Glaciology, 1989, 12, 37-45.	1.4	45
392	The Dynamics of Austfonna, Nordaustlandet, Svalbard: Surface Velocities, Mass Balance, and Subglacial Melt Water. Annals of Glaciology, 1989, 12, 37-45.	1.4	7
393	Failure and flow on a 35Â° slope: Causes and three-dimensional observations. Earth Surface Processes and Landforms, 1988, 13, 737-746.	2.5	5
394	Microstructural control of quartz sand grain shape and texture: Implications for the discrimination of debris transport pathways through glaciers. Sedimentary Geology, 1988, 57, 119-129.	2.1	15
395	Processes of glacimarine sedimentation. Progress in Physical Geography, 1987, 11, 52-90.	3.2	35
396	The Surface Topography of Large Ice Masses from Landsat Imagery. Journal of Glaciology, 1987, 33, 16-23.	2.2	51

#	ARTICLE	IF	CITATIONS
397	The Surface Topography of Large Ice Masses from Landsat Imagery. <i>Journal of Glaciology</i> , 1987, 33, 16-23.	2.2	23
398	A Multi-Sensor Approach to the Interpretation of Radar Altimeter Wave Forms from Two Arctic Ice Caps. <i>Annals of Glaciology</i> , 1987, 9, 60-68.	1.4	2
399	The Distribution and Character of Sediments in a Tidewater Glacier, Southern Baffin Island, N.W.T., Canada. <i>Arctic and Alpine Research</i> , 1986, 18, 45.	1.3	38
400	Remote sensing of ice cap outlet glacier fluctuations on Nordaustlandet, Svalbard. <i>Polar Research</i> , 1986, 4, 25-32.	1.6	18
401	Drainage-Basin Characteristics of Nordaustlandet Ice Caps, Svalbard. <i>Journal of Glaciology</i> , 1986, 32, 31-38.	2.2	77
402	Drainage-Basin Characteristics of Nordaustlandet Ice Caps, Svalbard. <i>Journal of Glaciology</i> , 1986, 32, 31-38.	2.2	22
403	Characterization of pebble fabrics in modern terrestrial glacial sediments. <i>Sedimentology</i> , 1986, 33, 699-710.	3.1	212
404	Remote sensing of ice cap outlet glacier fluctuations on Nordaustlandet, Svalbard. <i>Polar Research</i> , 1986, 4, 25-32.	1.6	23
405	The saturation of LANDSAT MSS detectors over large ice masses. <i>International Journal of Remote Sensing</i> , 1986, 7, 151-164.	2.9	29
406	Quartz sand grain shape and other criteria used to distinguish glacial and non-glacial events in a marine core from Frobisher Bay, Baffin Island, N.W.T., Canada. <i>Sedimentology</i> , 1985, 32, 119-132.	3.1	15
407	Place names on the Nordaustlandet ice caps, Svalbard. <i>Polar Record</i> , 1985, 22, 519-523.	0.8	21
408	Applications and limitations of finite element modeling to glaciers: A case study. <i>Journal of Geophysical Research</i> , 1985, 90, 11303-11311.	3.3	14
409	Radio Echo-Sounding of Spitsbergen Glaciers: Problems in the Interpretation of Layer and Bottom Returns. <i>Journal of Glaciology</i> , 1984, 30, 16-21.	2.2	69
410	Late Quaternary Chronology for the Watts Bay Area, Frobisher Bay, Southern Baffin Island, N.W.T., Canada. <i>Arctic and Alpine Research</i> , 1984, 16, 311.	1.3	12
411	Radio Echo-Sounding of Spitsbergen Glaciers: Problems in the Interpretation of Layer and Bottom Returns. <i>Journal of Glaciology</i> , 1984, 30, 16-21.	2.2	17
412	Multivariate statistical approaches to the analysis of late Quaternary relative age data. <i>Progress in Physical Geography</i> , 1983, 7, 157-176.	3.2	19
413	Supraglacial Re-Sedimentation from Melt-Water Streams on to Snow Overlying Glacier Ice, Sylgjujökull, West Vatnajökull, Iceland. <i>Journal of Glaciology</i> , 1982, 28, 365-375.	2.2	4
414	Relative dating of Late Quaternary deposits using cluster and discriminant analysis, Audubon Cirque, Mt. Audubon, Colorado Front Range. <i>Boreas</i> , 1982, 11, 151-161.	2.4	21

#	ARTICLE	IF	CITATIONS
415	Supraglacial Re-Sedimentation from Melt-Water Streams on to Snow Overlying Glacier Ice, Sylgjujökull, West Vatnajökull, Iceland. Journal of Glaciology, 1982, 28, 365-375.	2.2	2
416	Ice Sheets and Marine Sedimentation on High-Latitude Continental Margins. , 0, , 153-159.		1
417	Ice-Rafted Debris (IRD). Encyclopedia of Earth Sciences Series, 0, , 471-473.	0.1	4