

Jianhui Qiu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7836672/publications.pdf>

Version: 2024-02-01

29
papers

1,182
citations

516215

16
h-index

500791

28
g-index

29
all docs

29
docs citations

29
times ranked

1618
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A tough hydrogel with fast self-healing and adhesive performance for wearable sensors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 632, 127793. | 2.3 | 11 |
| 2 | Synthesis of Sodium Carboxymethyl Cellulose/Poly(acrylic acid) Microgels via Visible-Light-Triggered Polymerization as a Self-Sedimentary Cationic Basic Dye Adsorbent. <i>Langmuir</i> , 2022, 38, 3711-3719. | 1.6 | 13 |
| 3 | High-Performance PVA/PEDOT:PSS Hydrogel Electrode for All-Solid-State Flexible Supercapacitors. <i>Advanced Materials Technologies</i> , 2021, 6, . | 3.0 | 68 |
| 4 | Constructing and optimizing hollow Zn _x Fe _{3-x} O ₄ @polyaniline composites as high-performance microwave absorbers. <i>Journal of Colloid and Interface Science</i> , 2021, 584, 80-91. | 5.0 | 31 |
| 5 | Simple preparation of carboxymethyl cellulose-based ionic conductive hydrogels for highly sensitive, stable and durable sensors. <i>Cellulose</i> , 2021, 28, 4253-4265. | 2.4 | 15 |
| 6 | Low-temperature adaptive conductive hydrogel based on ice structuring proteins/CaCl ₂ anti-freeze system as wearable strain and temperature sensor. <i>International Journal of Biological Macromolecules</i> , 2021, 188, 534-541. | 3.6 | 32 |
| 7 | Robust quasi-solid-state integrated asymmetric flexible supercapacitors with interchangeable positive and negative electrode based on all-conducting-polymer electrodes. <i>Journal of Alloys and Compounds</i> , 2021, 887, 161362. | 2.8 | 12 |
| 8 | Multi-Sacrificial Bonds Enhanced Double Network Hydrogel with High Toughness, Resilience, Damping, and Notch-Insensitivity. <i>Polymers</i> , 2020, 12, 2263. | 2.0 | 11 |
| 9 | Preparation of Chitosan/Magnetic Porous Biochar as Support for Cellulase Immobilization by Using Glutaraldehyde. <i>Polymers</i> , 2020, 12, 2672. | 2.0 | 31 |
| 10 | High-Performance All-Solid-State Supercapacitor Based on Activated Carbon Coated Fiberglass Cloth Using Asphalt as Active Binder. <i>Journal of the Electrochemical Society</i> , 2020, 167, 020540. | 1.3 | 11 |
| 11 | Poly(acrylic acid)/palygorskite microgel via radical polymerization in aqueous phase for reinforcing poly(vinyl alcohol) hydrogel. <i>Applied Clay Science</i> , 2020, 185, 105421. | 2.6 | 18 |
| 12 | Preparation and characterization of magnetic polyporous biochar for cellulase immobilization by physical adsorption. <i>Cellulose</i> , 2020, 27, 4963-4973. | 2.4 | 29 |
| 13 | Porous biochar/chitosan composites for high performance cellulase immobilization by glutaraldehyde. <i>Enzyme and Microbial Technology</i> , 2020, 138, 109561. | 1.6 | 47 |
| 14 | Facile fabrication of sepiolite functionalized composites with tunable dielectric properties and their superior microwave absorption performance. <i>Journal of Colloid and Interface Science</i> , 2020, 576, 444-456. | 5.0 | 11 |
| 15 | Highly Compressible and Sensitive Pressure Sensor under Large Strain Based on 3D Porous Reduced Graphene Oxide Fiber Fabrics in Wide Compression Strains. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 37051-37059. | 4.0 | 74 |
| 16 | Highly temperature resistant cellulose nanofiber/polyvinyl alcohol hydrogel using aldehyde cellulose nanofiber as cross-linker. <i>Cellulose</i> , 2019, 26, 5291-5303. | 2.4 | 41 |
| 17 | High-Performance Yarn Supercapacitor Based on Metal-Inorganic-Organic Hybrid Electrode for Wearable Electronics. <i>Advanced Electronic Materials</i> , 2019, 5, 1800435. | 2.6 | 17 |
| 18 | Cellulose as a template to fabricate a cellulase-immobilized composite with high bioactivity and reusability. <i>New Journal of Chemistry</i> , 2018, 42, 1665-1672. | 1.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A Flexible and Knittable Fiber Supercapacitor for Wearable Energy Storage with High Energy Density and Mechanical Robustness. <i>Journal of the Electrochemical Society</i> , 2018, 165, A1515-A1522. | 1.3 | 24 |
| 20 | Rapid Recovery Double Cross-Linking Hydrogel with Stable Mechanical Properties and High Resilience Triggered by Visible Light. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 13593-13601. | 4.0 | 51 |
| 21 | A high modulus hydrogel obtained from hydrogen bond reconstruction and its application in vibration damper. <i>RSC Advances</i> , 2017, 7, 43755-43763. | 1.7 | 46 |
| 22 | Design and Fabrication of an All-Solid-State Polymer Supercapacitor with Highly Mechanical Flexibility Based on Polypyrrole Hydrogel. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 33941-33947. | 4.0 | 129 |
| 23 | Synthesis of mesoporous silica with different pore sizes for cellulase immobilization: pure physical adsorption. <i>New Journal of Chemistry</i> , 2017, 41, 9338-9345. | 1.4 | 40 |
| 24 | Possible Application of Tough Hydrogel in Machinery. <i>Advances in Automobile Engineering</i> , 2017, 06, . | 0.2 | 0 |
| 25 | Preparation and application of conducting polymer/Ag/clay composite nanoparticles formed by in situ UV-induced dispersion polymerization. <i>Scientific Reports</i> , 2016, 6, 20470. | 1.6 | 50 |
| 26 | Preparation of Functionalized Magnetic Silica Nanospheres for the Cellulase Immobilization. <i>Nano</i> , 2015, 10, 1550013. | 0.5 | 15 |
| 27 | Preparation of Magnetic Chitosan Nanoparticles As Support for Cellulase Immobilization. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 3448-3454. | 1.8 | 212 |
| 28 | Nano-cladding of natural microcrystalline cellulose with conducting polymer: preparation, characterization, and application in energy storage. <i>RSC Advances</i> , 2014, 4, 40345. | 1.7 | 14 |
| 29 | Evaluation of piezoelectric property of reduced graphene oxide (rGO)â€™poly(vinylidene fluoride) nanocomposites. <i>Nanoscale</i> , 2012, 4, 7250. | 2.8 | 112 |