

# Harushi Mori

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7836907/publications.pdf>

Version: 2024-02-01

152  
papers

3,781  
citations

159573

30  
h-index

149686

56  
g-index

157  
all docs

157  
docs citations

157  
times ranked

5193  
citing authors

#	ARTICLE	IF	CITATIONS
1	Normal aging in the central nervous system: quantitative MR diffusion-tensor analysis. <i>Neurobiology of Aging</i> , 2002, 23, 433-441.	3.1	405
2	The Optimal Trackability Threshold of Fractional Anisotropy for Diffusion Tensor Tractography of the Corticospinal Tract. <i>Magnetic Resonance in Medical Sciences</i> , 2004, 3, 11-17.	2.0	233
3	Three-dimensional white matter tractography by diffusion tensor imaging in ischaemic stroke involving the corticospinal tract. <i>Neuroradiology</i> , 2003, 45, 532-535.	2.2	218
4	Brachial Plexus Injury: Clinical Manifestations, Conventional Imaging Findings, and the Latest Imaging Techniques. <i>Radiographics</i> , 2006, 26, S133-S143.	3.3	166
5	Topography of the Human Corpus Callosum Using Diffusion Tensor Tractography. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 533-539.	0.9	134
6	Amyotrophic lateral sclerosis: diffusion tensor tractography and voxel-based analysis. <i>NMR in Biomedicine</i> , 2004, 17, 411-416.	2.8	130
7	Clinical Features of Acute Flaccid Myelitis Temporally Associated With an Enterovirus D68 Outbreak: Results of a Nationwide Survey of Acute Flaccid Paralysis in Japan, August–December 2015. <i>Clinical Infectious Diseases</i> , 2018, 66, 653-664.	5.8	110
8	MR Imaging of IgG4-Related Disease in the Head and Neck and Brain. <i>American Journal of Neuroradiology</i> , 2012, 33, 2136-2139.	2.4	108
9	Diffeomorphic Anatomical Registration Through Exponentiated Lie Algebra provides reduced effect of scanner for cortex volumetry with atlas-based method in healthy subjects. <i>Neuroradiology</i> , 2013, 55, 869-875.	2.2	95
10	Radiological features of IgG4-related disease in the head, neck, and brain. <i>Neuroradiology</i> , 2012, 54, 873-882.	2.2	88
11	Quantitative evaluation of the pyramidal tract segmented by diffusion tensor tractography: feasibility study in patients with amyotrophic lateral sclerosis. <i>Radiation Medicine</i> , 2005, 23, 195-9.	0.8	73
12	Diffusion-weighted magnetic resonance imaging of dural sinus thrombosis. <i>Neuroradiology</i> , 2002, 44, 481-488.	2.2	67
13	Papillary neuroepithelial tumor of the pineal region. A case report. <i>Acta Neuropathologica</i> , 2004, 108, 337-340.	7.7	64
14	A new strategic neurosurgical planning tool for brainstem cavernous malformations using interactive computer graphics with multimodal fusion images. <i>Journal of Neurosurgery</i> , 2012, 117, 78-88.	1.6	58
15	Utilization of Low-Field MR Scanners. <i>Magnetic Resonance in Medical Sciences</i> , 2004, 3, 27-38.	2.0	55
16	Parasellar T2 Dark Sign on MR Imaging in Patients with Lymphocytic Hypophysitis. <i>American Journal of Neuroradiology</i> , 2010, 31, 1944-1950.	2.4	55
17	Comparison between Glioblastoma and Primary Central Nervous System Lymphoma Using MR Image-based Texture Analysis. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 50-57.	2.0	53
18	Arteriportal Shunts in Cirrhotic Patients. <i>American Journal of Roentgenology</i> , 2000, 175, 1659-1664.	2.2	51

#	ARTICLE	IF	CITATIONS
19	Diffusion Tensor Tractography of Gliomatosis Cerebri. <i>Journal of Computer Assisted Tomography</i> , 2005, 29, 127-129.	0.9	49
20	Two-dimensional thick-slice MR digital subtraction angiography in the assessment of small to medium-size intracranial arteriovenous malformations. <i>Neuroradiology</i> , 2003, 45, 27-33.	2.2	48
21	Variants of meningiomas: a review of imaging findings and clinical features. <i>Japanese Journal of Radiology</i> , 2016, 34, 459-469.	2.4	46
22	Biallelic <i>COLGALT1</i> variants are associated with cerebral small vessel disease. <i>Annals of Neurology</i> , 2018, 84, 843-853.	5.3	46
23	Diffusion imaging of reversible and irreversible microstructural changes within the corticospinal tract in idiopathic normal pressure hydrocephalus. <i>NeuroImage: Clinical</i> , 2017, 14, 663-671.	2.7	42
24	Machine Learning-based Texture Analysis of Contrast-enhanced MR Imaging to Differentiate between Glioblastoma and Primary Central Nervous System Lymphoma. <i>Magnetic Resonance in Medical Sciences</i> , 2019, 18, 44-52.	2.0	40
25	3 Tesla MRI detects accelerated hippocampal volume reduction in postmenopausal women. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 48-53.	3.4	38
26	Corticospinal Tracts by Diffusion Tensor Tractography in Patients With Arteriovenous Malformations. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 618-623.	0.9	37
27	Three-dimensional susceptibility-weighted imaging at 3 T using various image analysis methods in the estimation of grading intracranial gliomas. <i>Magnetic Resonance Imaging</i> , 2010, 28, 594-598.	1.8	37
28	Structural brain abnormalities in women with subclinical depression, as revealed by voxel-based morphometry and diffusion tensor imaging. <i>Journal of Affective Disorders</i> , 2013, 144, 263-268.	4.1	37
29	Machine Learning of DTI Structural Brain Connectomes for Lateralization of Temporal Lobe Epilepsy. <i>Magnetic Resonance in Medical Sciences</i> , 2016, 15, 121-129.	2.0	36
30	Hierarchical recognition of daily human actions based on continuous Hidden Markov Models. , 0, , .		32
31	Effects of age and gender on neuroanatomical volumes. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 1072-1076.	3.4	32
32	Preliminary report on virtual monochromatic spectral imaging with fast kVp switching dual energy head CT: comparable image quality to that of 120-kVp CT without increasing the radiation dose. <i>Japanese Journal of Radiology</i> , 2013, 31, 293-298.	2.4	31
33	Serial MRI findings of acute flaccid myelitis during an outbreak of enterovirus D68 infection in Japan. <i>Brain and Development</i> , 2019, 41, 443-451.	1.1	31
34	Combined use of diffusion tensor tractography and multifused contrast-enhanced FIESTA for predicting facial and cochlear nerve positions in relation to vestibular schwannoma. <i>Journal of Neurosurgery</i> , 2015, 123, 1480-1488.	1.6	29
35	Semipermanent Volumization by an Absorbable Filler. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2013, 1, 1-11.	0.6	28
36	Altered Structural Brain Networks Related to Adrenergic/Muscarinic Receptor Autoantibodies in Chronic Fatigue Syndrome. <i>Journal of Neuroimaging</i> , 2020, 30, 822-827.	2.0	28

#	ARTICLE	IF	CITATIONS
37	Symmetric Temporal Abnormalities on MR Imaging in Amyotrophic Lateral Sclerosis with Dementia. <i>American Journal of Neuroradiology</i> , 2007, 28, 1511-1516.	2.4	26
38	MR imaging of postischemic neuronal death in the substantia nigra and thalamus following middle cerebral artery occlusion in rats. <i>NMR in Biomedicine</i> , 2003, 16, 152-159.	2.8	25
39	MR imaging of ischemic penumbra. <i>European Journal of Radiology</i> , 2003, 46, 67-78.	2.6	22
40	Flexible ex vivo phantoms for validation of diffusion tensor tractography on a clinical scanner. <i>Radiation Medicine</i> , 2006, 24, 605-609.	0.8	22
41	De novo microdeletion of 5q14.3 excluding <i>MEF2C</i> in a patient with infantile spasms, microcephaly, and agenesis of the corpus callosum. <i>American Journal of Medical Genetics, Part A</i> , 2012, 158A, 2272-2276.	1.2	22
42	MRI Findings of Immune Checkpoint Inhibitor-Induced Hypophysitis: Possible Association with Fibrosis. <i>American Journal of Neuroradiology</i> , 2020, 41, 1683-1689.	2.4	22
43	Different patterns of cerebellar abnormality and hypomyelination between <i>POLR3A</i> and <i>POLR3B</i> mutations. <i>Brain and Development</i> , 2014, 36, 259-263.	1.1	21
44	Diffusional Kurtosis Imaging in Idiopathic Normal Pressure Hydrocephalus: Correlation with Severity of Cognitive Impairment. <i>Magnetic Resonance in Medical Sciences</i> , 2016, 15, 316-323.	2.0	21
45	An Autopsy Case of Familial Neuronal Intranuclear Inclusion Disease with Dementia and Neuropathy. <i>Internal Medicine</i> , 2018, 57, 3459-3462.	0.7	21
46	Recognizing Radiation-induced Changes in the Central Nervous System: Where to Look and What to Look For. <i>Radiographics</i> , 2021, 41, 224-248.	3.3	21
47	Hemorrhagic brain metastases with high signal intensity on diffusion-weighted MR images. A case report. <i>Acta Radiologica</i> , 2002, 43, 563-566.	1.1	20
48	Effects of Image Distortion Correction on Voxel-based Morphometry. <i>Magnetic Resonance in Medical Sciences</i> , 2012, 11, 27-34.	2.0	20
49	Diffusion tensor tractography of normal facial and vestibulocochlear nerves. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2015, 10, 383-392.	2.8	20
50	Feasibility of a Curvature-based Enhanced Display System for Detecting Cerebral Aneurysms in MR Angiography. <i>Magnetic Resonance in Medical Sciences</i> , 2003, 2, 29-36.	2.0	19
51	Influence of Signal Intensity Non-Uniformity on Brain Volumetry Using an Atlas-Based Method. <i>Korean Journal of Radiology</i> , 2012, 13, 391.	3.4	19
52	Entorhinal cortex volume measured with 3T MRI is positively correlated with the Wechsler Memory Scale-Revised logical/verbal memory score for healthy subjects. <i>Neuroradiology</i> , 2011, 53, 617-622.	2.2	18
53	Reversible splenial lesion in the corpus callosum following rapid withdrawal of carbamazepine after neurosurgical decompression for trigeminal neuralgia. <i>Journal of Clinical Neuroscience</i> , 2012, 19, 1182-1184.	1.5	18
54	Neuro-Behçet's disease: analysis of apparent diffusion coefficients. <i>Neuroradiology</i> , 2003, 45, 524-527.	2.2	17

#	ARTICLE	IF	CITATIONS
55	High signal intensity in the dural sinuses on 3D-TOF MR angiography at 3.0 T. <i>Clinical Imaging</i> , 2010, 34, 332-336.	1.5	17
56	Feasibility of diffusion tensor tractography for preoperative prediction of the location of the facial and vestibulocochlear nerves in relation to vestibular schwannoma. <i>Acta Neurochirurgica</i> , 2015, 157, 939-946.	1.7	16
57	Diffusional kurtosis imaging and white matter microstructure modeling in a clinical study of major depressive disorder. <i>NMR in Biomedicine</i> , 2018, 31, e3938.	2.8	16
58	Smaller outer diameter of atherosclerotic middle cerebral artery associated with RNF213 c.14576G>A Variant (rs112735431). <i>Stroke</i> , 2017, 48, 104.		16
59	Stroke and Anti-VEGF Therapy. <i>Ophthalmology</i> , 2011, 118, 2093-2093.e2.	5.2	15
60	The relationship of waist circumference and body mass index to grey matter volume in community dwelling adults with mild obesity. <i>Obesity Science and Practice</i> , 2018, 4, 97-105.	1.9	15
61	Assessment of arteriovenous malformations with 3-Tesla time-resolved, contrast-enhanced, three-dimensional magnetic resonance angiography. <i>Journal of Neurosurgery</i> , 2009, 110, 492-499.	1.6	14
62	Single-energy metal artifact reduction technique for reducing metallic coil artifacts on post-interventional cerebral CT and CT angiography. <i>Neuroradiology</i> , 2018, 60, 1141-1150.	2.2	14
63	Clinical efficacy of haematopoietic stem cell transplantation for adult adrenoleukodystrophy. <i>Brain Communications</i> , 2020, 2, fcz048.	3.3	14
64	Morning Glory Sign is not Prevalent in Progressive Supranuclear Palsy. <i>Magnetic Resonance in Medical Sciences</i> , 2004, 3, 215.	2.0	13
65	Concurrent spinal schwannoma and meningioma mimicking a single cervical dumbbell-shaped tumor: case report. <i>Journal of Neurosurgery: Spine</i> , 2015, 23, 784-787.	1.7	13
66	Superparamagnetic iron oxide-enhanced MR imaging for early and late radiation-induced hepatic injuries. <i>Magnetic Resonance Imaging</i> , 2000, 18, 1079-1088.	1.8	12
67	Diffusion Property in a Hamartomatous Lesion of Neurofibromatosis Type 1. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 537-539.	0.9	12
68	Partially Uncrossed Pyramidal Tracts Shown by Tractography in Horizontal Gaze Palsy and Scoliosis. <i>American Journal of Roentgenology</i> , 2005, 184, S4-S6.	2.2	12
69	Accelerated hippocampal volume reduction in post-menopausal women: an additional study with Atlas-based method. <i>Radiological Physics and Technology</i> , 2011, 4, 185-188.	1.9	12
70	Differentiation between ovarian metastasis from colorectal carcinoma and primary ovarian carcinoma: Evaluation of tumour markers and $\alpha$ -fetoprotein on computed tomography/magnetic resonance imaging. <i>European Journal of Radiology</i> , 2020, 124, 108823.	2.6	12
71	Postsurgical Spinal Magnetic Resonance Imaging With Iterative Decomposition of Water and Fat With Echo Asymmetry and Least-Squares Estimation. <i>Journal of Computer Assisted Tomography</i> , 2011, 35, 16-20.	0.9	11
72	Two cases of spontaneous temporal encephalocele. <i>Journal of Neuroradiology</i> , 2012, 39, 360-363.	1.1	11

#	ARTICLE	IF	CITATIONS
73	Clinical Value of 3D T2*-weighted Imaging with Multi-echo Acquisition: Comparison with Conventional 2D T2*-weighted Imaging and 3D Phase-sensitive MR Imaging. <i>Magnetic Resonance in Medical Sciences</i> , 2012, 11, 205-211.	2.0	11
74	Association between iron content and gray matter missegmentation with voxel-based morphometry in basal ganglia. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 958-962.	3.4	11
75	Periodically Rotated Overlapping Parallel Lines with Enhanced Reconstruction-Based Diffusion Tensor Imaging. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 654-660.	0.9	10
76	A new aspect of tri-modal therapy with superselective intra-arterial chemotherapy in maxillary sinus carcinoma. <i>Acta Oto-Laryngologica</i> , 2007, 127, 151-156.	0.9	10
77	Postoperative Transient Reduced Diffusion in the Ipsilateral Striatum and Thalamus. <i>American Journal of Neuroradiology</i> , 2013, 34, 524-532.	2.4	10
78	Non-Gaussian diffusion-weighted imaging for assessing diurnal changes in intervertebral disc microstructure. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1208-1214.	3.4	10
79	Spinal cord swelling in patients with cervical compression myelopathy. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 284.	1.9	10
80	Computed tomography findings of early-stage TAFRO syndrome and associated adrenal abnormalities. <i>European Radiology</i> , 2020, 30, 5588-5598.	4.5	10
81	Two-dimensional magnetic resonance digital subtraction angiography using array spatial sensitivity encoding techniques in the assessment of intracranial hemodynamics. <i>Radiation Medicine</i> , 2002, 20, 223-9.	0.8	10
82	Diffusion property following functional hemispherectomy in hemimegalencephaly. <i>Acta Radiologica</i> , 2004, 45, 778-781.	1.1	8
83	Silent White Matter Lesion in Linear Scleroderma En Coup de Sabre. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 822-824.	0.9	8
84	Oxidative stress markers and phosphorus magnetic resonance spectroscopy in a patient with GLUT1 deficiency treated with modified Atkins diet. <i>Brain and Development</i> , 2012, 34, 372-375.	1.1	8
85	Diffusion tensor tract-specific analysis of the uncinate fasciculus in patients with progressive supranuclear palsy. <i>Journal of Neuroradiology</i> , 2013, 40, 121-129.	1.1	8
86	Recurrent cerebral aneurysm formation and rupture within a short period due to invasive aspergillosis of the nasal sinus; pathological analysis of the catastrophic clinical course. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 13510-22.	0.5	8
87	Early Radiation Effects on the Liver Demonstrated on Superparamagnetic Iron Oxide-Enhanced T1-Weighted MRI. <i>Journal of Computer Assisted Tomography</i> , 2000, 24, 648-651.	0.9	7
88	The "Morning Glory Sign" May Lead to False Impression According to Slice Angle. <i>Magnetic Resonance in Medical Sciences</i> , 2007, 6, 183-184.	2.0	7
89	Diffusion tensor imaging of the brain: effects of distortion correction with correspondence to numbers of encoding directions. <i>Radiation Medicine</i> , 2008, 26, 481-7.	0.8	7
90	Customization of normal data base specific for 3-tesla MRI is mandatory in VSRAD analysis. <i>Radiological Physics and Technology</i> , 2008, 1, 196-200.	1.9	7

#	ARTICLE	IF	CITATIONS
91	Pertussis-associated encephalitis/encephalopathy with marked demyelination in an unimmunized child. <i>Journal of the Neurological Sciences</i> , 2012, 320, 145-148.	0.6	7
92	Case of a 78-year-old woman with a neuronal intranuclear inclusion disease. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2623-2625.	1.5	7
93	Evaluation of the depiction ability of the microanatomy of the temporal bone in quarter-detector CT. <i>Medicine (United States)</i> , 2019, 98, e15991.	1.0	7
94	Elevated taurine and glutamate in cerebral juvenile xanthogranuloma on MR spectroscopy. <i>Brain and Development</i> , 2016, 38, 964-967.	1.1	6
95	Acute flaccid myelitis associated with enterovirus D68 in a non-epidemic setting. <i>IDCases</i> , 2019, 17, e00549.	0.9	6
96	Chronic Lymphocytic Inflammation with Pontine Perivascular Enhancement Responsive to Steroids with a Significant Elevation of I <sup>2</sup> -2 Microglobulin Levels. <i>Journal of Korean Neurosurgical Society</i> , 2015, 58, 487.	1.2	6
97	Radiation-induced liver injury showing low intensity on T2-weighted images noted in Budd-Chiari syndrome. <i>Radiation Medicine</i> , 2002, 20, 69-76.	0.8	6
98	Visualization of Central Nervous System Nerve Communications Using Diffusion Tensor Imaging. <i>The Neuroradiology Journal</i> , 2004, 17, 135-144.	0.1	5
99	Repeatability of Measured Brain Volume by Atlas-Based Method Using T1-Weighted Image. <i>Journal of Digital Imaging</i> , 2012, 25, 173-178.	2.9	5
100	Depiction of branch vessels arising from intracranial aneurysm sacs: Time-of-flight MR angiography versus CT angiography. <i>Clinical Neurology and Neurosurgery</i> , 2014, 126, 177-184.	1.4	5
101	Influence of Parameter Settings in Voxel-based Morphometry 8. <i>Methods of Information in Medicine</i> , 2015, 54, 171-178.	1.2	5
102	Accelerated acquisition of carotid MR angiography using 3D gradient-echo imaging with two-point Dixon. <i>Neuroradiology</i> , 2020, 62, 1345-1349.	2.2	5
103	Acute Flaccid Myelitis With Neuroradiological Finding of Brachial Plexus Swelling. <i>Pediatric Neurology</i> , 2020, 109, 85-88.	2.1	5
104	Development of Intraarterial Contrast-enhanced 2D MRDSA with a 0.3 Tesla Open MRI System. <i>Magnetic Resonance in Medical Sciences</i> , 2003, 2, 97-103.	2.0	5
105	Multiple hemorrhagic intraparenchymal tumors presenting with fatal intracranial hypertension: A rare manifestation of systemic epithelioid hemangioendothelioma. , 2015, 6, 156.		5
106	Database of normal japanese gray matter volumes in the default mode network. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 132-142.	3.4	4
107	Low CT Attenuation Values of Sinonasal Benign Tumours Relative to the Brainstem Identify Schwannomas. <i>Orl</i> , 2018, 80, 41-50.	1.1	4
108	Longitudinally extensive vasogenic edema following spinal cord infarction. <i>Neurology and Clinical Neuroscience</i> , 2018, 6, 143-145.	0.4	4

#	ARTICLE	IF	CITATIONS
109	Evaluation of peripheral bronchiole visualization using model-based iterative reconstruction in quarter-detector computed tomography. <i>PLoS ONE</i> , 2020, 15, e0239459.	2.5	4
110	A Pitfall of the Volume Rendering Method with 3D Time-of-Flight MRA: A Case of a Branching Vessel at the Aneurysm Neck. <i>Magnetic Resonance in Medical Sciences</i> , 2013, 12, 53-56.	2.0	4
111	Diagnostic Ability of Fluid-Attenuated Inversion Recovery MR Imaging to Detect Remnant or Recurrent Meningiomas after Resection. <i>Neuroradiology Journal</i> , 2012, 25, 163-171.	1.2	3
112	Bilateral pre- and postcentral gyrus volume positively correlates with T2-SNR of putamen in healthy adults. <i>Neuroradiology</i> , 2013, 55, 245-250.	2.2	3
113	Consecutive Acquisition of Time-resolved Contrast-enhanced MR Angiography and Perfusion MR Imaging with Added Dose of Gadolinium-based Contrast Agent Aids Diagnosis of Suspected Brain Metastasis. <i>Magnetic Resonance in Medical Sciences</i> , 2013, 12, 87-93.	2.0	3
114	Longitudinal gray-matter volume change in the default-mode network: utility of volume standardized with global gray-matter volume for Alzheimer's disease: a preliminary study. <i>Radiological Physics and Technology</i> , 2015, 8, 64-72.	1.9	3
115	Multinodular and vacuolating neuronal tumor (MVNT): A presumably incidental and asymptomatic case in an intractable epilepsy patient. <i>Clinical Neurophysiology Practice</i> , 2019, 4, 164-167.	1.4	3
116	IVIG in childhood primary angiitis of the central nervous system: A case report. <i>Brain and Development</i> , 2020, 42, 675-679.	1.1	3
117	Two cases of persistent falcine and occipital sinuses. <i>Brain and Development</i> , 2021, 43, 170-173.	1.1	3
118	Three-Year Longitudinal Motor Function and Disability Level of Acute Flaccid Myelitis. <i>Pediatric Neurology</i> , 2021, 116, 14-19.	2.1	3
119	Prediction of Abdominal Aortic Aneurysm Growth After Endovascular Aortic Repair by Measuring Brachial-Ankle Pulse Wave Velocity. <i>Annals of Vascular Surgery</i> , 2022, 81, 163-170.	0.9	3
120	A New Computed Tomography Method to Identify Meningitis-Related Cochlear Ossification and Fibrosis before Cochlear Implantation. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 150, 646-653.	1.9	2
121	Motor neuron disease with saccadic abnormalities similar to progressive supranuclear palsy. <i>Neurology and Clinical Neuroscience</i> , 2016, 4, 146-152.	0.4	2
122	Cerebral venous sinus thrombosis during superselective intra-arterial infusion of cisplatin and concomitant radiotherapy for maxillary squamous cell carcinoma. <i>BMJ Case Reports</i> , 2017, 2017, bcr-2017-220591.	0.5	2
123	Acute flaccid myelitis: an emerging clinical entity. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 290-291.	2.1	2
124	Resection and Reconstruction of Giant Abdominoscrotal Arteriovenous Malformation. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2725.	0.6	2
125	Cerebrovascular diseases in two patients with entire NSD1 deletion. <i>Human Genome Variation</i> , 2021, 8, 20.	0.7	2
126	Case Report: Acute Fulminant Cerebral Edema With Perivascular Abnormalities Related to Kawasaki Disease. <i>Frontiers in Pediatrics</i> , 2021, 9, 732110.	1.9	2



#	ARTICLE	IF	CITATIONS
127	Parietal Arteriovenous Malformation Associated with Ipsilateral Persistent Primitive Hypoglossal Artery. The Neuroradiology Journal, 2002, 15, 769-772.	0.1	1
128	Non-Homogeneous Increased Intensity of the Cortex on PROPELLER DW MRI in Creutzfeldt-Jakob Disease. The Neuroradiology Journal, 2004, 17, 13-16.	0.1	1
129	Contrast-Enhanced Magnetic Resonance Characteristics of Arteriovenous Malformations After Gamma Knife Radiosurgery<subtitle>Predictors of Post-Angiographic Obliteration Hemorrhage</subtitle>. Neurosurgery, 2010, , .	1.1	1
130	Computed tomography findings of ongoing subgaleal hemorrhage. Pediatrics International, 2014, 56, 623-626.	0.5	1
131	Improvement in anti-N-methyl-d-aspartate receptor antibody-mediated temporal lobe epilepsy with amygdala enlargement without immunotherapy. Epilepsy & Behavior Case Reports, 2018, 10, 96-98.	1.5	1
132	Effect of bolus tracking region-of-interest position within the descending aorta on luminal enhancement of coronary arteries in coronary computed tomography angiography. Medicine (United Tj ETQqO 0 QrgBT /Overlock 10 T		
133	Reply to: â€œLetter: Two cases of persistent falcine and occipital sinusesâ€. Brain and Development, 2021, 43, 175.	1.1	1
134	Localization of the central sulcus using the distinctive high signal intensity of the paracentral lobule on T1-weighted images. Neuroradiology, 2021, , 1.	2.2	1
135	Successful control of portal hypertension-related complications after two embolization procedures for multiple and large spontaneous portosystemic shunts in a patient with liver cirrhosis. Clinical Journal of Gastroenterology, 2021, 14, 1227-1232.	0.8	1
136	Case of autoimmune glial fibrillary acidic protein astrocytopathy associated with Epsteinâ€“Barr virus reactivation. Clinical and Experimental Neuroimmunology, 2022, 13, 106-110.	1.0	1
137	Palliative Radiotherapy Provided Good Pain Relief for Painful Adrenal Metastasis. Case Reports in Oncology, 2021, 14, 1266-1270.	0.7	1
138	Building Statistical Atlas of White Matter Fiber Tract Based on Vector/Tensor Field Reconstruction in Diffusion Tensor MRI. Lecture Notes in Computer Science, 2005, , 84-91.	1.3	1
139	Ectopic adrenocortical adenoma in the renal hilum mimicking a renal cell carcinoma. Radiology Case Reports, 2022, 17, 619-622.	0.6	1
140	Radiation Myelopathy Caused by Palliative Radiotherapy and Intrathecal Methotrexate. Case Reports in Oncology, 2022, 15, 674-681.	0.7	1
141	Slowly Enhancing Lesions after Gamma Knife Radiosurgery for Cerebral Arteriovenous Malformations. The Neuroradiology Journal, 2002, 15, 737-743.	0.1	0
142	Hypereosinophilia-Induced Encephalopathy Associated with Human T-cell Lymphotropic Virus Type 1; The Neuroradiology Journal, 2002, 15, 763-768.	0.1	0
143	Motion Artifact Mimicking the Pulvinar Sign. The Neuroradiology Journal, 2004, 17, 659-660.	0.1	0
144	Editorial Comment from Dr Mori to Recent topics related to nephrogenic systemic fibrosis associated with gadoliniumâ€“based contrast agents. International Journal of Urology, 2012, 19, 812-812.	1.0	0

#	ARTICLE	IF	CITATIONS
145	Reply to "Poor clinico-radiological correlation: A hallmark of acute flaccid myelitis" Brain and Development, 2019, 41, 482.	1.1	0
146	Association of volume of self-directed versus assigned interpretive work with diagnostic performance of radiologists: an observational study. BMJ Open, 2019, 9, e033390.	1.9	0
147	Severe visual impairment and subclinical encephalitis preceding clinical signs of chondritis in relapsing polychondritis. Neurology and Clinical Neuroscience, 2019, 7, 75-77.	0.4	0
148	Paracentral homonymous hemianopic scotoma caused by anterior choroidal artery infarction. QJM - Monthly Journal of the Association of Physicians, 2021, 114, 417-418.	0.5	0
149	Clinical and electrophysiological features of acute flaccid myelitis: A national cohort study. Clinical Neurophysiology, 2021, 132, 2456-2463.	1.5	0
150	Analysis of the white matter fibers by Diffusion tensor tractography : preliminary clinical experience. The Japanese Journal for Medical Virtual Reality, 2003, 2, 35-42.	0.2	0
151	Decreased Fronto-Temporal Interaction during Fixation after Memory Retrieval. PLoS ONE, 2014, 9, e110798.	2.5	0
152	Contrast-enhanced magnetic resonance characteristics of arteriovenous malformations after $\gamma$ knife radiosurgery: predictors of post-angiographic obliteration hemorrhage. Neurosurgery, 2010, 67, 100-9; discussion 109.	1.1	0