

Soon Keat Tan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7837577/soon-keat-tan-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

5,305
citations

39
h-index

68
g-index

186
ext. papers

6,113
ext. citations

3.7
avg, IF

5.97
L-index

#	Paper	IF	Citations
166	Municipal solid waste management in China: status, problems and challenges. <i>Journal of Environmental Management</i> , 2010 , 91, 1623-33	7.9	505
165	A review on removing pharmaceutical contaminants from wastewater by constructed wetlands: design, performance and mechanism. <i>Science of the Total Environment</i> , 2014 , 468-469, 908-32	10.2	348
164	Removal of pharmaceuticals and personal care products in aquatic plant-based systems: a review. <i>Environmental Pollution</i> , 2014 , 184, 620-39	9.3	318
163	Impact of climate variability and human activity on streamflow decrease in the Miyun Reservoir catchment. <i>Journal of Hydrology</i> , 2010 , 389, 317-324	6	219
162	Application of constructed wetlands for wastewater treatment in developing countries--a review of recent developments (2000-2013). <i>Journal of Environmental Management</i> , 2014 , 141, 116-31	7.9	212
161	Velocity Distribution and Dip-Phenomenon in Smooth Uniform Open Channel Flows. <i>Journal of Hydraulic Engineering</i> , 2004 , 130, 1179-1186	1.8	183
160	Constructed wetlands in China. <i>Ecological Engineering</i> , 2009 , 35, 1367-1378	3.9	180
159	Constructed wetlands for wastewater treatment in cold climate - A review. <i>Journal of Environmental Sciences</i> , 2017 , 57, 293-311	6.4	109
158	Application of constructed wetlands for wastewater treatment in tropical and subtropical regions (2000-2013). <i>Journal of Environmental Sciences</i> , 2015 , 30, 30-46	6.4	88
157	Removal of pharmaceutical compounds in tropical constructed wetlands. <i>Ecological Engineering</i> , 2011 , 37, 460-464	3.9	83
156	Pharmaceutical removal in tropical subsurface flow constructed wetlands at varying hydraulic loading rates. <i>Chemosphere</i> , 2012 , 87, 273-7	8.4	77
155	Assessing hydrological effects and performance of low impact development practices based on future scenarios modeling. <i>Journal of Cleaner Production</i> , 2018 , 179, 12-23	10.3	76
154	Tsunami hazard from the subduction megathrust of the South China Sea: Part I. Source characterization and the resulting tsunami. <i>Journal of Asian Earth Sciences</i> , 2009 , 36, 13-20	2.8	76
153	Near-wake flow characteristics of a circular cylinder close to a wall. <i>Journal of Fluids and Structures</i> , 2008 , 24, 605-627	3.1	74
152	Batch versus continuous feeding strategies for pharmaceutical removal by subsurface flow constructed wetland. <i>Environmental Pollution</i> , 2012 , 167, 124-31	9.3	73
151	Two-phase SPH simulation of fluid-structure interactions. <i>Journal of Fluids and Structures</i> , 2016 , 65, 155-179	3.9	72
150	Assessing cost-effectiveness of bioretention on stormwater in response to climate change and urbanization for future scenarios. <i>Journal of Hydrology</i> , 2016 , 543, 423-432	6	68

149	Characterization of soluble microbial products (SMPs) in a membrane bioreactor (MBR) treating synthetic wastewater containing pharmaceutical compounds. <i>Water Research</i> , 2016 , 102, 594-606	12.5	67
148	Carbamazepine and naproxen: fate in wetland mesocosms planted with <i>Scirpus validus</i> . <i>Chemosphere</i> , 2013 , 91, 14-21	8.4	65
147	A comparison of municipal solid waste management in Berlin and Singapore. <i>Waste Management</i> , 2010 , 30, 921-33	8.6	62
146	Phytotoxicity and bioaccumulation of ZnO nanoparticles in <i>Schoenoplectus tabernaemontani</i> . <i>Chemosphere</i> , 2015 , 120, 211-9	8.4	60
145	Nutrient removal in tropical subsurface flow constructed wetlands under batch and continuous flow conditions. <i>Journal of Environmental Management</i> , 2012 , 96, 1-6	7.9	60
144	Fate of diclofenac in wetland mesocosms planted with <i>Scirpus validus</i> . <i>Ecological Engineering</i> , 2012 , 49, 59-64	3.9	60
143	Experimental investigation of the interaction between a plane wall jet and a parallel offset jet. <i>Experiments in Fluids</i> , 2007 , 42, 551-562	2.5	60
142	Comparison of flow patterns in the near wake of a circular cylinder and a square cylinder placed near a plane wall. <i>Ocean Engineering</i> , 2008 , 35, 458-472	3.9	56
141	Application of constructed wetlands for treating agricultural runoff and agro-industrial wastewater: a review. <i>Hydrobiologia</i> , 2018 , 805, 1-31	2.4	55
140	Fate of caffeine in mesocosms wetland planted with <i>Scirpus validus</i> . <i>Chemosphere</i> , 2013 , 90, 1568-72	8.4	53
139	Nonlinear scattering of non-breaking waves by a submerged horizontal plate: Experiments and simulations. <i>Ocean Engineering</i> , 2009 , 36, 1332-1345	3.9	51
138	Localized, Adaptive Recursive Partial Least Squares Regression for Dynamic System Modeling. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 8025-8039	3.9	47
137	Fate of pharmaceutical compounds in hydroponic mesocosms planted with <i>Scirpus validus</i> . <i>Environmental Pollution</i> , 2013 , 181, 98-106	9.3	47
136	Dynamic features of a laser-induced cavitation bubble near a solid boundary. <i>Ultrasonics Sonochemistry</i> , 2013 , 20, 1098-103	8.9	44
135	Phytoextraction, phytotransformation and rhizodegradation of ibuprofen associated with <i>Typha angustifolia</i> in a horizontal subsurface flow constructed wetland. <i>Water Research</i> , 2016 , 102, 294-304	12.5	44
134	High-throughput pyrosequencing analysis of bacteria relevant to cometabolic and metabolic degradation of ibuprofen in horizontal subsurface flow constructed wetlands. <i>Science of the Total Environment</i> , 2016 , 562, 604-613	10.2	42
133	Tropical Application of Floating Treatment Wetlands. <i>Wetlands</i> , 2012 , 32, 955-961	1.7	42
132	Force and flow characteristics of a circular cylinder with uniform surface roughness at subcritical Reynolds numbers. <i>Applied Ocean Research</i> , 2015 , 49, 20-26	3.4	41

131	Moving-Window GPR for Nonlinear Dynamic System Modeling with Dual Updating and Dual Preprocessing. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 6416-6428	3.9	41
130	Numerical simulation of patient-specific left ventricular model with both mitral and aortic valves by FSI approach. <i>Computer Methods and Programs in Biomedicine</i> , 2014 , 113, 474-82	6.9	40
129	Flow around four cylinders arranged in a square configuration. <i>Journal of Fluids and Structures</i> , 2013 , 43, 179-199	3.1	40
128	Vortex-induced vibrations of a neutrally buoyant circular cylinder near a plane wall. <i>Journal of Fluids and Structures</i> , 2013 , 39, 188-204	3.1	39
127	Combination Therapy Strategy of Quorum Quenching Enzyme and Quorum Sensing Inhibitor in Suppressing Multiple Quorum Sensing Pathways of <i>P. aeruginosa</i> . <i>Scientific Reports</i> , 2018 , 8, 1155	4.9	38
126	Mechanism of secondary currents in open channel flows. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a		38
125	Experimental study on flow past a circular cylinder with rough surface. <i>Ocean Engineering</i> , 2015 , 109, 7-13	3.9	37
124	Control of flow past a dimpled circular cylinder. <i>Experimental Thermal and Fluid Science</i> , 2015 , 69, 19-26	3	36
123	Analysis of Bayed Beaches in Static Equilibrium. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 1994 , 120, 145-153	1.7	34
122	Assessing performance of porous pavements and bioretention cells for stormwater management in response to probable climatic changes. <i>Journal of Environmental Management</i> , 2019 , 243, 157-167	7.9	32
121	Uptake and accumulation of CuO nanoparticles and CdS/ZnS quantum dot nanoparticles by <i>Schoenoplectus tabernaemontani</i> in hydroponic mesocosms. <i>Ecological Engineering</i> , 2014 , 70, 114-123	3.9	32
120	Conventional and decentralized urban stormwater management: A comparison through case studies of Singapore and Berlin, Germany. <i>Urban Water Journal</i> , 2017 , 14, 113-124	2.3	31
119	Flow development in curved rectangular ducts with continuously varying curvature. <i>Experimental Thermal and Fluid Science</i> , 2016 , 75, 1-15	3	31
118	Rheological properties of dense natural cohesive sediments subject to shear loadings. <i>International Journal of Sediment Research</i> , 2014 , 29, 454-470	3	30
117	Comparison of quadratic and power law for nonlinear flow through porous media. <i>Experimental Thermal and Fluid Science</i> , 2008 , 32, 1538-1547	3	30
116	Characterization of bacterial communities in wetland mesocosms receiving pharmaceutical-enriched wastewater. <i>Ecological Engineering</i> , 2016 , 90, 215-224	3.9	28
115	Flow resistance and bed form geometry in a wide alluvial channel. <i>Water Resources Research</i> , 2005 , 41,	5.4	28
114	Sedimentation behavior of flocculant-treated soil slurry. <i>Marine Georesources and Geotechnology</i> , 2017 , 35, 593-602	2.2	26

113	Scaling of Velocity Profiles for Depth-Limited Open Channel Flows over Simulated Rigid Vegetation. <i>Journal of Hydraulic Engineering</i> , 2012 , 138, 673-683	1.8	26
112	SPH modeling of solitary wave fissions over uneven bottoms. <i>Coastal Engineering</i> , 2012 , 60, 261-275	4.8	26
111	Flow Structure and Sediment Motion around Submerged Vanes in Open Channel. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 2005 , 131, 132-136	1.7	26
110	Tsunami hazard from the subduction Megathrust of the South China Sea: Part II. Hydrodynamic modeling and possible impact on Singapore. <i>Journal of Asian Earth Sciences</i> , 2009 , 36, 93-97	2.8	25
109	On the Plastic Zone Size and the Crack Tip Opening Displacement of an Interface Crack Between two Dissimilar Materials. <i>International Journal of Fracture</i> , 2012 , 176, 97-104	2.3	24
108	Source term treatment of SWEs using surface gradient upwind method. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2012 , 50, 145-153	1.9	23
107	Velocity distribution in combined wavecurrent flows. <i>Advances in Water Resources</i> , 2006 , 29, 1196-1208	4.7	22
106	Use of fluorescein as a ground water tracer in brackish water aquifers. <i>Ground Water</i> , 2007 , 45, 85-8	2.4	22
105	Hydrostratigraphy and geochemistry at a coastal sandfill in Singapore. <i>Hydrogeology Journal</i> , 2007 , 15, 1591-1604	3.1	21
104	Influence of wall proximity on flow around two tandem circular cylinders. <i>Ocean Engineering</i> , 2015 , 94, 36-50	3.9	20
103	Recursive GPR for nonlinear dynamic process modeling. <i>Chemical Engineering Journal</i> , 2011 , 173, 636-643	4.7	19
102	Conventional and holistic urban stormwater management in coastal cities: a case study of the practice in Hong Kong and Singapore. <i>International Journal of Water Resources Development</i> , 2018 , 34, 192-212	3	18
101	On elasticplastic fracture behavior of a bi-layered composite plate with a sub-interface crack under mixed mode loading. <i>Composites Part B: Engineering</i> , 2014 , 60, 60-73	10	18
100	GPR model with signal preprocessing and bias update for dynamic processes modeling. <i>Control Engineering Practice</i> , 2012 , 20, 1281-1292	3.9	18
99	Google Earth as a tool in 2-D hydrodynamic modeling. <i>Computers and Geosciences</i> , 2011 , 37, 38-46	4.5	18
98	Experimental study on the near wake behind two side-by-side cylinders of unequal diameters. <i>Fluid Dynamics Research</i> , 2010 , 42, 055509	1.2	18
97	EROSION OF COHESIVE SOILS. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 1984 , 22, 217-233	3.3	18
96	Assessing Hydrological Effects of Bioretention Cells for Urban Stormwater Runoff in Response to Climatic Changes. <i>Water (Switzerland)</i> , 2019 , 11, 997	3	17

95	Experimental measurements of the drag force and the near-wake flow patterns of a longitudinally grooved cylinder. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2015 , 145, 30-41	3.7	17
94	Flow around two tandem square cylinders near a plane wall. <i>Experiments in Fluids</i> , 2014 , 55, 1	2.5	17
93	Assessment of plant-driven uptake and translocation of clofibric acid by <i>Scirpus validus</i> . <i>Environmental Science and Pollution Research</i> , 2013 , 20, 4612-20	5.1	17
92	Measurements of Fluctuation in Drag Acting on Rigid Cylinder Array in Open Channel Flow. <i>Journal of Hydraulic Engineering</i> , 2014 , 140, 48-55	1.8	17
91	Rheological Properties of Bed Sediments Subjected to Shear and Vibration Loads. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 2014 , 140, 109-113	1.7	17
90	Dean instability and secondary flow structure in curved rectangular ducts. <i>International Journal of Heat and Fluid Flow</i> , 2017 , 68, 189-202	2.4	16
89	Flow Resistance over Mobile Bed in an Open-Channel Flow. <i>Journal of Hydraulic Engineering</i> , 2008 , 134, 937-947	1.8	16
88	Efficient simulation of oxygen cutting using a composite heat source model. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 57, 304-311	4.9	15
87	Future Scenarios Modeling of Urban Stormwater Management Response to Impacts of Climate Change and Urbanization. <i>Clean - Soil, Air, Water</i> , 2017 , 45, 1700111	1.6	15
86	Phytoremediation of pharmaceutical-contaminated wastewater: Insights into rhizobacterial dynamics related to pollutant degradation mechanisms during plant life cycle. <i>Chemosphere</i> , 2020 , 253, 126681	8.4	14
85	Application of incomplete similarity theory for estimating maximum shear layer thickness of granular flows in rotating drums. <i>Chemical Engineering Science</i> , 2011 , 66, 2872-2878	4.4	14
84	Vibration and pressure fluctuation in a flexible hydraulic power system on an aircraft. <i>Computers and Fluids</i> , 1998 , 27, 1-9	2.8	14
83	Estimation of boundary shear stress distribution in open channels using flownet. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2007 , 45, 486-496	1.9	14
82	Performance of Tropical Vertical Subsurface Flow Constructed Wetlands at Different Hydraulic Loading Rates. <i>Clean - Soil, Air, Water</i> , 2016 , 44, 938-948	1.6	14
81	Elastic-plastic fracture behavior of a radial matrix crack interacting with a circle inclusion with generalized Irwin corrections. <i>Acta Mechanica</i> , 2014 , 225, 91-107	2.1	13
80	Experimental investigation on impingement of a submerged circular water jet at varying impinging angles and Reynolds numbers. <i>Experimental Thermal and Fluid Science</i> , 2017 , 89, 189-198	3	12
79	Incompressible SPH simulation of open channel flow over smooth bed. <i>Journal of Hydro-Environment Research</i> , 2015 , 9, 340-353	2.3	12
78	Errors in the Bed Shear Stress as Estimated from Vertical Velocity Profile. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2006 , 132, 490-497	1.1	12

77	Characterization of microbial communities in wetland mesocosms receiving caffeine-enriched wastewater. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 14526-39	5.1	11
76	Frictional Resistance of Overland Flow on Tropical Turfed Slope. <i>Journal of Hydraulic Engineering</i> , 1992 , 118, 92-97	1.8	11
75	Experimental study on the flow around two tandem cylinders with unequal diameters. <i>Journal of Ocean University of China</i> , 2014 , 13, 761-770	1	10
74	Oscillating-grid turbulence and its applications: a review/ Turbulence de grille oscillante et ses applications: une revue. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2007 , 45, 26-32	1.9	10
73	A simplified computational method for random seismic responses of a jacket platform. <i>Ocean Engineering</i> , 2014 , 82, 85-90	3.9	9
72	On the fracture behaviour of an interface crack with plastic zone corrections. <i>Mechanics of Materials</i> , 2013 , 64, 128-134	3.3	9
71	Effect of waves on reaeration. <i>AIChE Journal</i> , 2013 , 59, 4839-4845	3.6	9
70	An interface crack in a coating-substrate composite with mixed-mode Dugdale corrections. <i>International Journal of Fracture</i> , 2013 , 179, 201-212	2.3	9
69	An interface crack under biaxial loading with Dugdale plastic zone corrections in layered composite materials. <i>Engineering Fracture Mechanics</i> , 2013 , 109, 209-220	4.2	9
68	A simple relationship for crenulate-shaped bay in static equilibrium. <i>Coastal Engineering</i> , 2008 , 55, 73-78.4.8	4.8	9
67	Flow behavior behind a clockwise-and-counterclockwise rotational oscillating cylinder. <i>Ocean Engineering</i> , 2018 , 159, 410-421	3.9	8
66	Performance Characterization of Pharmaceutical Removal by Horizontal Subsurface Flow Constructed Wetlands Using Multivariate Analysis. <i>Clean - Soil, Air, Water</i> , 2015 , 43, 1181-1189	1.6	8
65	Experimental investigation on the mean flow field and impact force of a semi-confined round impinging jet. <i>Fluid Dynamics Research</i> , 2015 , 47, 025501	1.2	8
64	Non-spherical multi-oscillations of a bubble in a compressible liquid. <i>Journal of Hydrodynamics</i> , 2014 , 26, 848-855	3.3	8
63	Elastic and plastic fracture analysis of a crack perpendicular to an interface between dissimilar materials. <i>Acta Mechanica</i> , 2012 , 223, 1031-1045	2.1	8
62	Online Ensemble Modeling for Real Time Water Level Forecasts. <i>Water Resources Management</i> , 2017 , 31, 1105-1119	3.7	7
61	Ibuprofen removal in horizontal subsurface flow constructed wetlands: treatment performance and fungal community dynamics. <i>Environmental Technology (United Kingdom)</i> , 2016 , 37, 1467-79	2.6	7
60	Wake flow behaviour behind a smaller cylinder oscillating in the wake of an upstream stationary cylinder. <i>Fluid Dynamics Research</i> , 2014 , 46, 025505	1.2	7

59	Bi-stable flow around tandem cylinders of different diameters at low Reynolds number. <i>Fluid Dynamics Research</i> , 2011 , 43, 055506	1.2	7
58	Environmental fluid dynamics-jet flow. <i>Journal of Hydrodynamics</i> , 2010 , 22, 962-967	3.3	7
57	Effect of shallow and narrow water on added mass of cylinders with various cross-sectional shapes. <i>Ocean Engineering</i> , 2005 , 32, 1199-1215	3.9	7
56	Fate and behavior of dissolved organic matter in a submerged anoxic-aerobic membrane bioreactor (MBR). <i>Environmental Science and Pollution Research</i> , 2018 , 25, 4289-4302	5.1	7
55	Flow patterns of a low mass-damping cylinder undergoing vortex-induced vibration: Transition from initial branch and upper branch. <i>Applied Ocean Research</i> , 2017 , 62, 89-99	3.4	6
54	SPH modeling of tidal bore scenarios. <i>Natural Hazards</i> , 2015 , 75, 1247-1270	3	6
53	Comparison of Flow Fields in a Centrifugal Pump Among Different Tracer Particles by Particle Image Velocimetry. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2016 , 138,	2.1	6
52	Influence of Small Water Surface Perturbations on the Reaeration Process. <i>Journal of Environmental Engineering, ASCE</i> , 2014 , 140, 04013010	2	6
51	Statistical Modeling of Batch Versus Continuous Feeding Strategies for Pollutant Removal by Tropical Subsurface Flow Constructed Wetlands. <i>Wetlands</i> , 2013 , 33, 335-344	1.7	6
50	Particle image velocimetry technique measurements of the near wake behind a cylinder-pair of unequal diameters. <i>Fluid Dynamics Research</i> , 2013 , 45, 045504	1.2	6
49	Effect of feeding strategies on pharmaceutical removal by subsurface flow constructed wetlands. <i>Journal of Environmental Quality</i> , 2012 , 41, 1674-80	3.4	6
48	Synthetic Generation of Tropical Rainfall Time Series Using an Event-Based Method. <i>Journal of Hydrologic Engineering - ASCE</i> , 1997 , 2, 83-89	1.8	6
47	Long-term performance of bioretention systems in storm runoff management under climate change and life-cycle condition. <i>Sustainable Cities and Society</i> , 2021 , 65, 102598	10.1	6
46	Study on Plate Forming Using the Line Heating Process of Multiple-torch. <i>Journal of Ship Production and Design</i> , 2014 , 30, 142-151	0.3	5
45	Rainfall and soil detachment. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 1989 , 27, 699-715	9	5
44	Random seismic response analysis of jacket structure with Timoshenko's beam theory. <i>Ships and Offshore Structures</i> , 2016 , 11, 438-444	1.4	4
43	Comparison and distribution of copper oxide nanoparticles and copper ions in activated sludge reactors. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017 , 52, 507-514	2.3	4
42	Laboratory Study of Porosity Effect on Drag Induced by Circular Vegetative Patch. <i>Journal of Engineering Mechanics - ASCE</i> , 2019 , 145, 04019046	2.4	4

41	Experimental investigation of interactions of three co-planar and converging jets. <i>Experiments in Fluids</i> , 2014 , 55, 1	2.5	4
40	Comparison of the effects and distribution of zinc oxide nanoparticles and zinc ions in activated sludge reactors. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017 , 52, 1073-1081	2.3	4
39	Experimental study of vortex-induced vibrations of a tethered cylinder. <i>Journal of Fluids and Structures</i> , 2012 , 34, 51-67	3.1	4
38	Lagrangian modeling of tidal bores passing through bridge piers. <i>Journal of Hydrodynamics</i> , 2010 , 22, 496-502	3.3	4
37	Life-cycle cost analysis and resilience consideration for coupled grey infrastructure and low-impact development practices. <i>Sustainable Cities and Society</i> , 2021 , 75, 103358	10.1	4
36	Reaeration Model for a Still-Water Body. <i>Journal of Environmental Engineering, ASCE</i> , 2015 , 141, 04014052		3
35	Experimental study on orbital response and flow behavior behind a freely suspended cylinder. <i>Ocean Engineering</i> , 2015 , 108, 439-448	3.9	3
34	Experimental study on flow past a rotationally oscillating cylinder. <i>China Ocean Engineering</i> , 2017 , 31, 495-503	1.1	3
33	Controlled field studies on soil aquifer treatment in a constructed coastal sandfill. <i>Water Science and Technology</i> , 2009 , 60, 1283-93	2.2	3
32	Laboratory investigation of hydraulic performance of silt screens. <i>Journal of Hydrodynamics</i> , 2010 , 22, 307-312	3.3	3
31	Hydrodynamics of trapezoidal embankment weirs. <i>Journal of Hydrodynamics</i> , 2010 , 22, 375-379	3.3	3
30	Recognition and measurement of dispersed oil droplets in a water column. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2001 , 39, 99-103	1.9	3
29	Numerical and Experimental Study on Cutting Access Opening in Ship Structure. <i>Journal of Ship Production and Design</i> , 2017 , 33, 12-23	0.3	2
28	Elastic and plastic stress analysis of an interface crack between two dissimilar layers. <i>Acta Mechanica</i> , 2012 , 223, 2287-2301	2.1	2
27	DOC and UVA attenuation with soil aquifer treatment in the saturated zone of an artificial coastal sandfill. <i>Water Science and Technology</i> , 2010 , 62, 491-500	2.2	2
26	Experimental Studies of Vortex Structures in the Wake of a Cylinder With Helical Strakes 2010 ,		2
25	Performances of Hydraulics and Bedload Sediment Flushing in Rigid Channel Using Surge Flows. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2006 , 132, 171-179	1.1	2
24	Laser Imagery Technique for Measuring Dispersed Droplets in Water. <i>Journal of Environmental Engineering, ASCE</i> , 2002 , 128, 1139-1145	2	2

23	Analysis of Bayed Beaches in Static Equilibrium. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 1995 , 121, 191-193	1.7	2
22	Point-Rainfall Measurement in Terms of Time Interval. <i>Journal of Hydraulic Engineering</i> , 1991 , 117, 1304-1309	1.309	2
21	A Numerical Analysis of the Response and Air Gap Demand for Semi-Submersibles 2009 ,		2
20	Study of flow formed by three coplanar impinging pipe jets at inclination angles of 30° and 45°. <i>Environmental Fluid Mechanics</i> , 2016 , 16, 635-658	2.2	2
19	Effect of Ritz Vectors on Random Seismic Response of Cantilever Beam. <i>Journal of Vibration Engineering and Technologies</i> , 2019 , 7, 321-333	2	1
18	Flow past a near-wall retrograde rotating cylinder at varying rotation and gap ratios. <i>Ocean Engineering</i> , 2018 , 156, 240-251	3.9	1
17	Numerical study of an oscillating smaller cylinder in the wake of an upstream larger cylinder. <i>Journal of Ocean University of China</i> , 2012 , 11, 111-117	1	1
16	Velocity and turbulence characteristics around a silt screen. <i>Proceedings of the Institution of Civil Engineers: Maritime Engineering</i> , 2013 , 166, 89-97	1.8	1
15	Three Dimensional Simulation of Bore Flow Using SPH 2010 ,		1
14	Numerical study of two side-by-side cylinders with unequal diameters at low Reynolds number. <i>IOP Conference Series: Earth and Environmental Science</i> , 2012 , 15, 062041	0.3	1
13	Use of Artificial Neural Networks as Explicit Finite Difference Operators. <i>Journal of Computing in Civil Engineering</i> , 2005 , 19, 426-429	5	1
12	Closure to Frictional Resistance of Overland Flow on Tropical Turfed Slope by Yee-Meng Chiew and Soon-Keat Tan (January, 1992, Vol. 118, No. 1). <i>Journal of Hydraulic Engineering</i> , 1993 , 119, 147-147	1.8	1
11	Experimental Study of Dynamic Drag and Lift Characteristics of Dimpled Cylinders. <i>Marine Technology Society Journal</i> , 2016 , 50, 56-61	0.5	1
10	Effect of Heating Spacing on Deformation Distribution of Line Heating Process. <i>Journal of Ship Production and Design</i> , 2019 , 35, 1-11	0.3	0
9	Finite Element Analysis and Structure Optimum Design of Lifting Padeye. <i>Advanced Materials Research</i> , 2013 , 658, 399-403	0.5	0
8	Application of Potential Theory to Steady Flow Past Two Cylinders in Tandem Arrangement. <i>Mathematical Problems in Engineering</i> , 2014 , 2014, 1-13	1.1	
7	Geochemical changes during recharge with tertiary-treated wastewater at a coastal sandfill. <i>Water Science and Technology</i> , 2009 , 60, 1273-81	2.2	
6	An Active Operator Guidance System for Ship Maneuvers Prototype System. <i>Marine Technology Society Journal</i> , 2008 , 42, 45-56	0.5	

- 5 Reply to comment by M. Bayani Cardenas and John L. Wilson on Flow resistance and bed form geometry in a wide alluvial channel *Water Resources Research*, **2006**, 42, 5-4
- 4 Discussion of Roughness Values for Overland Flow in subcatchments by S. Y. Liong, S. Selvalingam, and D. K. Brady, (April, 1989, Vol. 115, No. 2). *Journal of Irrigation and Drainage Engineering - ASCE*, **1991**, 117, 308-309 1.1
- 3 Discussion of Static Equilibrium Bays: New Relationships by John R. C. Hsu, Richard Silvester and Yi-Min Xia (May, 1989, Vol. 115, No. 3). *Journal of Waterway, Port, Coastal and Ocean Engineering*, **1991**, 117, 194-196 1.7
- 2 Investigation of Inertial Effect in Simplified Porous Media Flow **2009**, 160-165
- 1 Flow Behavior Behind A Freely Suspended Cylinder in the Wake of A Stationary Cylinder. *China Ocean Engineering*, **2020**, 34, 708-717 1.1