

Olga Baker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/783777/publications.pdf>

Version: 2024-02-01

51
papers

1,335
citations

304743

22
h-index

361022

35
g-index

53
all docs

53
docs citations

53
times ranked

1492
citing authors

#	ARTICLE	IF	CITATIONS
1	Specialized pro-resolving receptors are expressed in salivary glands with Sjögren's syndrome. <i>Annals of Diagnostic Pathology</i> , 2022, 56, 151865.	1.3	5
2	Early Dry Eye Disease Onset in a NOD.H-2 ^{h4} Mouse Model of Sjögren's Syndrome. , 2022, 63, 18.		1
3	Trimers Conjugated to Fibrin Hydrogels Promote Salivary Gland Function. <i>Journal of Dental Research</i> , 2021, 100, 268-275.	5.2	10
4	Predicting Resolvin D1 Pharmacokinetics in Humans with Physiologically-Based Pharmacokinetic Modeling. <i>Clinical and Translational Science</i> , 2021, 14, 683-691.	3.1	11
5	SPM Receptor Expression and Localization in Irradiated Salivary Glands. <i>Journal of Histochemistry and Cytochemistry</i> , 2021, 69, 523-534.	2.5	1
6	Laminin-1 Peptides Conjugated to Fibrin Hydrogels Promote Salivary Gland Regeneration in Irradiated Mouse Submandibular Glands. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 729180.	4.1	7
7	Predictive modeling of aspirin-triggered resolvin D1 pharmacokinetics for the study of Sjögren's syndrome. <i>Clinical and Experimental Dental Research</i> , 2020, 6, 225-235.	1.9	4
8	Cell Sheets Restore Secretory Function in Wounded Mouse Submandibular Glands. <i>Cells</i> , 2020, 9, 2645.	4.1	4
9	Sex-mediated elevation of the specialized pro-resolving lipid mediator levels in a Sjögren's syndrome mouse model. <i>FASEB Journal</i> , 2020, 34, 7733-7744.	0.5	14
10	Sex-dependent Regeneration Patterns in Mouse Submandibular Glands. <i>Journal of Histochemistry and Cytochemistry</i> , 2020, 68, 305-318.	2.5	6
11	Engineering the mode of morphogenetic signal presentation to promote branching from salivary gland spheroids in 3D hydrogels. <i>Acta Biomaterialia</i> , 2020, 105, 121-130.	8.3	4
12	Using cell sheets to regenerate mouse submandibular glands. <i>Npj Regenerative Medicine</i> , 2019, 4, 16.	5.2	17
13	Synergistic effects of laminin-1 peptides, VEGF and FGF9 on salivary gland regeneration. <i>Acta Biomaterialia</i> , 2019, 91, 186-194.	8.3	25
14	Aspirin Triggered Resolvin D1 reduces inflammation and restores saliva secretion in a Sjögren's syndrome mouse model. <i>Rheumatology</i> , 2019, 58, 1285-1292.	1.9	26
15	Comparing human and mouse salivary glands: A practice guide for salivary researchers. <i>Oral Diseases</i> , 2019, 25, 403-415.	3.0	53
16	The G-Protein-Coupled Receptor ALX/Fpr2 Regulates Adaptive Immune Responses in Mouse Submandibular Glands. <i>American Journal of Pathology</i> , 2018, 188, 1555-1562.	3.8	16
17	L1 Peptide-Conjugated Fibrin Hydrogels Promote Salivary Gland Regeneration. <i>Journal of Dental Research</i> , 2017, 96, 798-806.	5.2	32
18	AT-RvD1 Promotes Resolution of Inflammation in NOD/ShiLtJ mice. <i>Scientific Reports</i> , 2017, 7, 45525.	3.3	22

#	ARTICLE	IF	CITATIONS
19	Regulation of inflammation by lipid mediators in oral diseases. <i>Oral Diseases</i> , 2017, 23, 576-597.	3.0	19
20	Three-dimensional cultures of mouse submandibular and parotid glands: a comparative study. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017, 11, 618-626.	2.7	13
21	Laminin-111-derived peptide conjugated fibrin hydrogel restores salivary gland function. <i>PLoS ONE</i> , 2017, 12, e0187069.	2.5	25
22	Current Cell Models for Bioengineering Salivary Glands. , 2017, , 133-144.		1
23	Laminin-111 Peptides Conjugated to Fibrin Hydrogels Promote Formation of Lumen Containing Parotid Gland Cell Clusters. <i>Biomacromolecules</i> , 2016, 17, 2293-2301.	5.4	32
24	ALX/FPR2 Modulates Anti-Inflammatory Responses in Mouse Submandibular Gland. <i>Scientific Reports</i> , 2016, 6, 24244.	3.3	27
25	AT-RvD1 combined with DEX is highly effective in treating TNF- α -mediated disruption of the salivary gland epithelium. <i>Physiological Reports</i> , 2016, 4, e12990.	1.7	15
26	Post-Irradiated Human Submandibular Glands Display High Collagen Deposition, Disorganized Cell Junctions, and an Increased Number of Adipocytes. <i>Journal of Histochemistry and Cytochemistry</i> , 2016, 64, 343-352.	2.5	20
27	Current trends in salivary gland tight junctions. <i>Tissue Barriers</i> , 2016, 4, e1162348.	3.2	43
28	Neurons Self-Organize Around Salivary Epithelial Cells in Novel Co-Culture Model. <i>Journal of Stem Cell and Regenerative Biology</i> , 2016, 2, 1-6.	0.2	4
29	Characterization of Angiogenesis and Lymphangiogenesis in Human Minor Salivary Glands with Sjögren's Syndrome. <i>Journal of Histochemistry and Cytochemistry</i> , 2015, 63, 340-349.	2.5	8
30	Zonula Occludens-1, Occludin and E-cadherin Expression and Organization in Salivary Glands with Sjögren's Syndrome. <i>Journal of Histochemistry and Cytochemistry</i> , 2015, 63, 45-56.	2.5	18
31	Stem Cell-Soluble Signals Enhance Multilumen Formation in SMG Cell Clusters. <i>Journal of Dental Research</i> , 2015, 94, 1610-1617.	5.2	28
32	NFIB Regulates Embryonic Development of Submandibular Glands. <i>Journal of Dental Research</i> , 2015, 94, 312-319.	5.2	15
33	Aspirin-Triggered Resolvin D1 Versus Dexamethasone in the Treatment of Sjögren's Syndrome-Like NOD/ShiLtJ Mice - A Pilot Study. <i>Journal of Rheumatic Diseases and Treatment</i> , 2015, 1, .	0.1	10
34	Saliva-Microbe Interactions and Salivary Gland Dysfunction. <i>Advances in Dental Research</i> , 2014, 26, 7-14.	3.6	10
35	Expression of Resolvin D1 Biosynthetic Pathways in Salivary Epithelium. <i>Journal of Dental Research</i> , 2014, 93, 300-305.	5.2	25
36	ALX/FPR2 receptor for RvD1 is expressed and functional in salivary glands. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 306, C178-C185.	4.6	46

#	ARTICLE	IF	CITATIONS
37	The P2Y ₂ Receptor Interacts with VE-Cadherin and VEGF Receptor-2 to Regulate Rac1 Activity in Endothelial Cells. <i>Journal of Biomedical Science and Engineering</i> , 2014, 07, 1105-1121.	0.4	13
38	Current cell models for bioengineering a salivary gland: a mini-review of emerging technologies. <i>Oral Diseases</i> , 2013, 19, 236-244.	3.0	37
39	Understanding Resolvin Signaling Pathways to Improve Oral Health. <i>International Journal of Molecular Sciences</i> , 2013, 14, 5501-5518.	4.1	23
40	Growth Factors Polymerized Within Fibrin Hydrogel Promote Amylase Production in Parotid Cells. <i>Tissue Engineering - Part A</i> , 2013, 19, 2215-2225.	3.1	28
41	Lipoxin A ₄ inhibits immune cell binding to salivary epithelium and vascular endothelium. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 302, C968-C978.	4.6	28
42	Resolvin D1 prevents TNF- α -mediated disruption of salivary epithelial formation. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 302, C1331-C1345.	4.6	80
43	New mechanism of oral immunity to mucosal candidiasis in hyper-IgE syndrome. <i>Mucosal Immunology</i> , 2011, 4, 448-455.	6.0	114
44	P2Y ₂ Nucleotide Receptors Mediate Metalloprotease-dependent Phosphorylation of Epidermal Growth Factor Receptor and ErbB3 in Human Salivary Gland Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 7545-7555.	3.4	45
45	Tight Junctions in Salivary Epithelium. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-13.	3.0	54
46	Rat Parotid Gland Cell Differentiation in Three-Dimensional Culture. <i>Tissue Engineering - Part C: Methods</i> , 2010, 16, 1135-1144.	2.1	51
47	PKC δ - and PKC ζ -dependent endocytosis of NBCe1-A and NBCe1-B in salivary parotid acinar cells. <i>American Journal of Physiology - Cell Physiology</i> , 2009, 297, C1409-C1423.	4.6	29
48	Interleukin-1 β enhances nucleotide-induced and α -secretase-dependent amyloid precursor protein processing in rat primary cortical neurons via up-regulation of the P2Y ₂ receptor. <i>Journal of Neurochemistry</i> , 2009, 109, 1300-1310.	3.9	61
49	P2Y ₂ nucleotide receptor activation up-regulates vascular cell adhesion molecular-1 expression and enhances lymphocyte adherence to a human submandibular gland cell line. <i>Molecular Immunology</i> , 2008, 45, 65-75.	2.2	35
50	Proinflammatory cytokines tumor necrosis factor- α and interferon- β alter tight junction structure and function in the rat parotid gland Par-C10 cell line. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C1191-C1201.	4.6	103
51	Differential coupling of the P2Y ₁ receptor to G α 14 and G α q/11 proteins during the development of the rat salivary gland. <i>Archives of Oral Biology</i> , 2006, 51, 359-370.	1.8	16