

# Bernhard Luscher

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7839132/bernhard-luscher-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71  
papers

7,025  
citations

37  
h-index

76  
g-index

76  
ext. papers

7,628  
ext. citations

7.5  
avg, IF

5.58  
L-index

#	Paper	IF	Citations
71	Screening and Behavioral Validation of a Novel Peptide, LCGA-17, With Anxiolytic-Like Properties. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 705590	5.1	2
70	Full function of exon junction complex factor, Rbm8a, is critical for interneuron development. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 379	8.6	4
69	Antidepressant mechanisms of ketamine: Focus on GABAergic inhibition. <i>Advances in Pharmacology</i> , <b>2020</b> , 89, 43-78	5.7	6
68	Disinhibition of somatostatin interneurons confers resilience to stress in male but not female mice. <i>Neurobiology of Stress</i> , <b>2020</b> , 13, 100238	7.6	2
67	Ketamine normalizes binge drinking-induced defects in glutamatergic synaptic transmission and ethanol drinking behavior in female but not male mice. <i>Neuropharmacology</i> , <b>2019</b> , 149, 35-44	5.5	12
66	Gluconate suppresses seizure activity in developing brains by inhibiting CLC-3 chloride channels. <i>Molecular Brain</i> , <b>2019</b> , 12, 50	4.5	4
65	Reversal of a Treatment-Resistant, Depression-Related Brain State with the Kv7 Channel Opener Retigabine. <i>Neuroscience</i> , <b>2019</b> , 406, 109-125	3.9	9
64	Brexanolone, a neurosteroid antidepressant, vindicates the GABAergic deficit hypothesis of depression and may foster resilience. <i>F1000Research</i> , <b>2019</b> , 8,	3.6	39
63	Adolescent Social Stress Increases Anxiety-like Behavior and Alters Synaptic Transmission, Without Influencing Nicotine Responses, in a Sex-Dependent Manner. <i>Neuroscience</i> , <b>2018</b> , 373, 182-198	3.9	14
62	The Absence of DHHC3 Affects Primary and Latent Herpes Simplex Virus 1 Infection. <i>Journal of Virology</i> , <b>2018</b> , 92,	6.6	11
61	DHHC7 Palmitoylates Glucose Transporter 4 (Glut4) and Regulates Glut4 Membrane Translocation. <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 2979-2991	5.4	31
60	Disinhibition of somatostatin-positive interneurons by deletion of postsynaptic GABA receptors. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 787	15.1	4
59	Binding of Herpes Simplex Virus 1 UL20 to GODZ (DHHC3) Affects Its Palmitoylation and Is Essential for Infectivity and Proper Targeting and Localization of UL20 and Glycoprotein K. <i>Journal of Virology</i> , <b>2017</b> , 91,	6.6	16
58	Disinhibition of somatostatin-positive GABAergic interneurons results in an anxiolytic and antidepressant-like brain state. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 920-930	15.1	106
57	Bidirectional Homeostatic Regulation of a Depression-Related Brain State by Gamma-Aminobutyric Acidergic Deficits and Ketamine Treatment. <i>Biological Psychiatry</i> , <b>2016</b> , 80, 457-468	7.9	64
56	Increased Motor-Impairing Effects of the Neuroactive Steroid Pregnanolone in Mice with Targeted Inactivation of the GABA Receptor $\alpha$ Subunit in the Cerebellum. <i>Frontiers in Pharmacology</i> , <b>2016</b> , 7, 403	5.6	3
55	Dissociation of Golgi-associated DHHC-type Zinc Finger Protein (GODZ)- and Sertoli Cell Gene with a Zinc Finger Domain-[SERZ-]-mediated Palmitoylation by Loss of Function Analyses in Knock-out Mice. <i>Journal of Biological Chemistry</i> , <b>2016</b> , 291, 27371-27386	5.4	24

54	Defects in dendrite and spine maturation and synaptogenesis associated with an anxious-depressive-like phenotype of GABAA receptor-deficient mice. <i>Neuropharmacology</i> , <b>2015</b> , 88, 171-9	5.5	27
53	Effect of C-Terminal S-Palmitoylation on D2 Dopamine Receptor Trafficking and Stability. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140661	3.7	27
52	GABAergic control of depression-related brain states. <i>Advances in Pharmacology</i> , <b>2015</b> , 73, 97-144	5.7	79
51	Palmitoylation of gephyrin controls receptor clustering and plasticity of GABAergic synapses. <i>PLoS Biology</i> , <b>2014</b> , 12, e1001908	9.7	57
50	Adult hippocampal neurogenesis in the absence of serotonin (Commentary on Diaz et al.). <i>European Journal of Neuroscience</i> , <b>2013</b> , 38, 2649	3.5	2
49	Multiple molecular mechanisms for a single GABAA mutation in epilepsy. <i>Neurology</i> , <b>2013</b> , 80, 1003-8	6.5	58
48	Neuronal circuitry mechanism regulating adult quiescent neural stem-cell fate decision. <i>Nature</i> , <b>2012</b> , 489, 150-4	50.4	359
47	$\beta$ -Aminobutyric acid type A (GABAA) receptor $\beta$ subunits play a direct role in synaptic versus extrasynaptic targeting. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 27417-30	5.4	50
46	Influence of GABA(A) receptor $\beta$ subunit isoforms on the benzodiazepine binding site. <i>PLoS ONE</i> , <b>2012</b> , 7, e42101	3.7	12
45	GABAergic control of critical developmental periods for anxiety- and depression-related behavior in mice. <i>PLoS ONE</i> , <b>2012</b> , 7, e47441	3.7	32
44	Gamma-aminobutyric acidergic deficits cause melancholic depression: a reply to Markou and Geyer. <i>Biological Psychiatry</i> , <b>2011</b> , 69, e13-4; author reply e15-6	7.9	2
43	GABAA receptor trafficking-mediated plasticity of inhibitory synapses. <i>Neuron</i> , <b>2011</b> , 70, 385-409	13.9	311
42	The GABAergic deficit hypothesis of major depressive disorder. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 383-406	15.1	515
41	Knockdown of GABA(A) receptor signaling in GnRH neurons has minimal effects upon fertility. <i>Endocrinology</i> , <b>2010</b> , 151, 4428-36	4.8	49
40	gamma-Aminobutyric acid-type A receptor deficits cause hypothalamic-pituitary-adrenal axis hyperactivity and antidepressant drug sensitivity reminiscent of melancholic forms of depression. <i>Biological Psychiatry</i> , <b>2010</b> , 68, 512-20	7.9	107
39	A balanced chromosomal translocation disrupting ARHGEF9 is associated with epilepsy, anxiety, aggression, and mental retardation. <i>Human Mutation</i> , <b>2009</b> , 30, 61-8	4.7	108
38	Calcium-modulating cyclophilin ligand regulates membrane trafficking of postsynaptic GABA(A) receptors. <i>Molecular and Cellular Neurosciences</i> , <b>2008</b> , 38, 277-89	4.8	33
37	Sequential postsynaptic maturation governs the temporal order of GABAergic and glutamatergic synaptogenesis in rat embryonic cultures. <i>Journal of Neuroscience</i> , <b>2007</b> , 27, 10860-9	6.6	32

36	GABAergic control of adult hippocampal neurogenesis in relation to behavior indicative of trait anxiety and depression states. <i>Journal of Neuroscience</i> , <b>2007</b> , 27, 3845-54	6.6	164
35	Trafficking of Postsynaptic GABAA Receptors by Receptor-Associated Proteins <b>2007</b> , 41-67		
34	GODZ-mediated palmitoylation of GABA(A) receptors is required for normal assembly and function of GABAergic inhibitory synapses. <i>Journal of Neuroscience</i> , <b>2006</b> , 26, 12758-68	6.6	137
33	Downregulation of tonic GABA currents following epileptogenic stimulation of rat hippocampal cultures. <i>Journal of Physiology</i> , <b>2006</b> , 577, 579-90	3.9	22
32	Distinct gamma2 subunit domains mediate clustering and synaptic function of postsynaptic GABAA receptors and gephyrin. <i>Journal of Neuroscience</i> , <b>2005</b> , 25, 594-603	6.6	122
31	The GDP-GTP exchange factor collybistin: an essential determinant of neuronal gephyrin clustering. <i>Journal of Neuroscience</i> , <b>2004</b> , 24, 5816-26	6.6	210
30	The gamma2 subunit of GABA(A) receptors is a substrate for palmitoylation by GODZ. <i>Journal of Neuroscience</i> , <b>2004</b> , 24, 5881-91	6.6	203
29	Regulation of GABAA receptor trafficking, channel activity, and functional plasticity of inhibitory synapses <b>2004</b> , 102, 195-221		226
28	Autoradiographic imaging of altered synaptic alphabeta2 and extrasynaptic alphabeta GABAA receptors in a genetic mouse model of anxiety. <i>Neurochemistry International</i> , <b>2004</b> , 44, 539-47	4.4	18
27	Pre- and post-synaptic mechanisms regulating the clustering of type A gamma-aminobutyric acid receptors (GABAA receptors). <i>Biochemical Society Transactions</i> , <b>2003</b> , 31, 889-92	5.1	43
26	The gamma 2 subunit of GABA(A) receptors is required for maintenance of receptors at mature synapses. <i>Molecular and Cellular Neurosciences</i> , <b>2003</b> , 24, 442-50	4.8	221
25	Hypothalamic somatostatin and growth hormone-releasing hormone mRNA expression depend upon GABA(A) receptor expression in the developing mouse. <i>Neuroendocrinology</i> , <b>2002</b> , 76, 93-8	5.6	2
24	GABAergic terminals are required for postsynaptic clustering of dystrophin but not of GABA(A) receptors and gephyrin. <i>Journal of Neuroscience</i> , <b>2002</b> , 22, 4805-13	6.6	131
23	Subcellular localization and regulation of GABAA receptors and associated proteins. <i>International Review of Neurobiology</i> , <b>2001</b> , 48, 31-64	4.4	9
22	Rescue of gamma2 subunit-deficient mice by transgenic overexpression of the GABAA receptor gamma2S or gamma2L subunit isoforms. <i>European Journal of Neuroscience</i> , <b>2000</b> , 12, 2639-43	3.5	32
21	Behavioural changes produced by transgenic overexpression of gamma2L and gamma2S subunits of the GABAA receptor. <i>European Journal of Neuroscience</i> , <b>2000</b> , 12, 2634-8	3.5	34
20	Role of the GABA(A) receptor gamma2 subunit in the development of gonadotropin-releasing hormone neurons in vivo. <i>European Journal of Neuroscience</i> , <b>2000</b> , 12, 3488-96	3.5	19
19	Single-channel properties of neuronal GABAA receptors from mice lacking the 2 subunit. <i>Journal of Physiology</i> , <b>2000</b> , 527 Pt 1, 11-31	3.9	56

18	Postsynaptic clustering of gamma-aminobutyric acid type A receptors by the gamma3 subunit in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 12860-5	11.5	62
17	Decreased GABAA-receptor clustering results in enhanced anxiety and a bias for threat cues. <i>Nature Neuroscience</i> , <b>1999</b> , 2, 833-9	25.5	468
16	Postsynaptic clustering of major GABAA receptor subtypes requires the gamma 2 subunit and gephyrin. <i>Nature Neuroscience</i> , <b>1998</b> , 1, 563-71	25.5	709
15	GABA(A)-receptor assembly in vivo: lessons from subunit mutant mice. <i>Life Sciences</i> , <b>1998</b> , 62, 1611-5	6.8	14
14	Neuronal subtype-specific expression directed by the GABA(A) receptor delta subunit gene promoter/upstream region in transgenic mice and in cultured cells. <i>Molecular Brain Research</i> , <b>1997</b> , 51, 197-211		18
13	Activation of the GABA(A)-receptor delta-subunit gene promoter following pentylentetrazole-induced seizures in transgenic mice. <i>Molecular Brain Research</i> , <b>1997</b> , 51, 212-9		12
12	Brain cell type specificity and gliosis-induced activation of the human cytomegalovirus immediate-early promoter in transgenic mice. <i>Journal of Neuroscience</i> , <b>1996</b> , 16, 2275-82	6.6	48
11	Heterogeneity of GABAA-receptors: cell-specific expression, pharmacology, and regulation. <i>Neurochemical Research</i> , <b>1995</b> , 20, 631-6	4.6	80
10	Tissue-specific expression of a FMR1/beta-galactosidase fusion gene in transgenic mice. <i>Human Molecular Genetics</i> , <b>1995</b> , 4, 359-66	5.6	66
9	Benzodiazepine-insensitive mice generated by targeted disruption of the gamma 2 subunit gene of gamma-aminobutyric acid type A receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1995</b> , 92, 7749-53	11.5	353
8	Histone-specific RNA 3Tprocessing in nuclear extracts from mammalian cells. <i>Methods in Enzymology</i> , <b>1990</b> , 181, 74-89	1.7	14
7	Transcription factor AP-4 contains multiple dimerization domains that regulate dimer specificity. <i>Genes and Development</i> , <b>1990</b> , 4, 1741-52	12.6	279
6	Regulation of transcription factor AP-2 by the morphogen retinoic acid and by second messengers. <i>Genes and Development</i> , <b>1989</b> , 3, 1507-17	12.6	224
5	Cloning and expression of AP-2, a cell-type-specific transcription factor that activates inducible enhancer elements. <i>Genes and Development</i> , <b>1988</b> , 2, 1557-69	12.6	503
4	RNA 3? processing regulates histone mRNA levels in a mammalian cell cycle mutant. A processing factor becomes limiting in G1-arrested cells.. <i>EMBO Journal</i> , <b>1987</b> , 6, 1721-1726	13	77
3	A signal regulating mouse histone H4 mRNA levels in a mammalian cell cycle mutant and sequences controlling RNA 3? processing are both contained within the same 80-bp fragment.. <i>EMBO Journal</i> , <b>1986</b> , 5, 3297-3303	13	41
2	Faithful cell-cycle regulation of a recombinant mouse histone H4 gene is controlled by sequences in the 3Tterminal part of the gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1985</b> , 82, 4389-93	11.5	133
1	Membrane protein topology: amino acid residues in a putative transmembrane .alpha.-helix of bacteriorhodopsin labeled with the hydrophobic carbene-generating reagent 3-(trifluoromethyl)-3-(m-[125I]iodophenyl)diazirine. <i>Biochemistry</i> , <b>1985</b> , 24, 5422-5430	3.2	47

