

John R. Evans

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7841067/john-r-evans-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

14,995
citations

62
h-index

121
g-index

160
ext. papers

17,156
ext. citations

6
avg, IF

7.01
L-index

#	Paper	IF	Citations
150	Mesophyll conductance is unaffected by expression of Arabidopsis PIP1 aquaporins in the plasmalemma of Nicotiana.. <i>Journal of Experimental Botany</i> , 2022 ,	7	1
149	Wheat physiology predictor: predicting physiological traits in wheat from hyperspectral reflectance measurements using deep learning. <i>Plant Methods</i> , 2021 , 17, 108	5.8	4
148	Stomatal, mesophyll conductance, and biochemical limitations to photosynthesis during induction. <i>Plant Physiology</i> , 2021 , 185, 146-160	6.6	22
147	A reporting format for leaf-level gas exchange data and metadata. <i>Ecological Informatics</i> , 2021 , 61, 101232	4.2	11
146	A consensus on the Aquaporin Gene Family in the Allotetraploid Plant,. <i>Plant Direct</i> , 2021 , 5, e00321	3.3	1
145	Mesophyll conductance: walls, membranes and spatial complexity. <i>New Phytologist</i> , 2021 , 229, 1864-1876	9.8	20
144	Effect of leaf temperature on the estimation of photosynthetic and other traits of wheat leaves from hyperspectral reflectance. <i>Journal of Experimental Botany</i> , 2021 , 72, 1271-1281	7	7
143	Uncovering candidate genes involved in photosynthetic capacity using unexplored genetic variation in Spring Wheat. <i>Plant Biotechnology Journal</i> , 2021 , 19, 1537-1552	11.6	8
142	Wah Soon Chow, a teacher, a friend and a colleague. <i>Photosynthesis Research</i> , 2021 , 149, 253-258	3.7	1
141	AusTraits, a curated plant trait database for the Australian flora. <i>Scientific Data</i> , 2021 , 8, 254	8.2	6
140	Root phenotypes at maturity in diverse wheat and triticale genotypes grown in three field experiments: Relationships to shoot selection, biomass, grain yield, flowering time, and environment. <i>Field Crops Research</i> , 2020 , 255, 107870	5.5	13
139	A Decrease in Mesophyll Conductance by Cell-Wall Thickening Contributes to Photosynthetic Downregulation. <i>Plant Physiology</i> , 2020 , 183, 1600-1611	6.6	10
138	Genome-wide identification and characterisation of Aquaporins in Nicotiana tabacum and their relationships with other Solanaceae species. <i>BMC Plant Biology</i> , 2020 , 20, 266	5.3	14
137	Deep Soil Water-Use Determines the Yield Benefit of Long-Cycle Wheat. <i>Frontiers in Plant Science</i> , 2020 , 11, 548	6.2	10
136	Effect of N supply on the carbon economy of barley when accounting for plant size. <i>Functional Plant Biology</i> , 2020 , 47, 368-381	2.7	3
135	Genetic variation for photosynthetic capacity and efficiency in spring wheat. <i>Journal of Experimental Botany</i> , 2020 , 71, 2299-2311	7	20
134	Predicting dark respiration rates of wheat leaves from hyperspectral reflectance. <i>Plant, Cell and Environment</i> , 2019 , 42, 2133-2150	8.4	32

133	Internal transport of CO from the root-zone to plant shoot is pH dependent. <i>Physiologia Plantarum</i> , 2019 , 165, 451-463	4.6	4
132	Effects of mesophyll conductance on vegetation responses to elevated CO concentrations in a land surface model. <i>Global Change Biology</i> , 2019 , 25, 1820-1838	11.4	17
131	The nitrogen cost of photosynthesis. <i>Journal of Experimental Botany</i> , 2019 , 70, 7-15	7	98
130	Embracing 3D Complexity in Leaf Carbon-Water Exchange. <i>Trends in Plant Science</i> , 2019 , 24, 15-24	13.1	32
129	Fast winter wheat phenology can stabilise flowering date and maximise grain yield in semi-arid Mediterranean and temperate environments. <i>Field Crops Research</i> , 2018 , 223, 12-25	5.5	43
128	Mesophyll conductance does not contribute to greater photosynthetic rate per unit nitrogen in temperate compared with tropical evergreen wet-forest tree leaves. <i>New Phytologist</i> , 2018 , 218, 492-503	9.8	21
127	Hyperspectral reflectance as a tool to measure biochemical and physiological traits in wheat. <i>Journal of Experimental Botany</i> , 2018 , 69, 483-496	7	127
126	Phosphorus deficiency alters scaling relationships between leaf gas exchange and associated traits in a wide range of contrasting Eucalyptus species. <i>Functional Plant Biology</i> , 2018 , 45, 813-826	2.7	5
125	Genotype × management strategies to stabilise the flowering time of wheat in the south-eastern Australian wheatbelt. <i>Crop and Pasture Science</i> , 2018 , 69, 547	2.2	16
124	Genetic gains in NSW wheat cultivars from 1901 to 2014 as revealed from synchronous flowering during the optimum period. <i>European Journal of Agronomy</i> , 2018 , 98, 1-13	5	32
123	Physiological and structural tradeoffs underlying the leaf economics spectrum. <i>New Phytologist</i> , 2017 , 214, 1447-1463	9.8	222
122	Water and temperature stress define the optimal flowering period for wheat in south-eastern Australia. <i>Field Crops Research</i> , 2017 , 209, 108-119	5.5	86
121	Biochemical model of C photosynthesis applied to wheat at different temperatures. <i>Plant, Cell and Environment</i> , 2017 , 40, 1552-1564	8.4	26
120	Leaf water storage increases with salinity and aridity in the mangrove <i>Avicennia marina</i> : integration of leaf structure, osmotic adjustment and access to multiple water sources. <i>Plant, Cell and Environment</i> , 2017 , 40, 1576-1591	8.4	40
119	Effects of reduced carbonic anhydrase activity on CO ₂ assimilation rates in <i>Setaria viridis</i> : a transgenic analysis. <i>Journal of Experimental Botany</i> , 2017 , 68, 299-310	7	33
118	Light Quality Affects Chloroplast Electron Transport Rates Estimated from Chl Fluorescence Measurements. <i>Plant and Cell Physiology</i> , 2017 , 58, 1652-1660	4.9	16
117	Carbon dioxide and water transport through plant aquaporins. <i>Plant, Cell and Environment</i> , 2017 , 40, 938-961	8.4	67
116	Strong thermal acclimation of photosynthesis in tropical and temperate wet-forest tree species: the importance of altered Rubisco content. <i>Global Change Biology</i> , 2017 , 23, 2783-2800	11.4	59

115	Leaf-level photosynthetic capacity in lowland Amazonian and high-elevation Andean tropical moist forests of Peru. <i>New Phytologist</i> , 2017 , 214, 1002-1018	9.8	62
114	Association between water and carbon dioxide transport in leaf plasma membranes: assessing the role of aquaporins. <i>Plant, Cell and Environment</i> , 2017 , 40, 789-801	8.4	20
113	Online CO ₂ and H ₂ O oxygen isotope fractionation allows estimation of mesophyll conductance in C ₄ plants, and reveals that mesophyll conductance decreases as leaves age in both C ₄ and C ₃ plants. <i>New Phytologist</i> , 2016 , 210, 875-89	9.8	75
112	Temperature responses of photosynthesis and respiration in a sub-Antarctic megaherb from Heard Island. <i>Functional Plant Biology</i> , 2015 , 42, 552-564	2.7	1
111	Effects of elevated atmospheric CO ₂ concentrations, clipping regimen and differential day/night atmospheric warming on tissue nitrogen concentrations of a perennial pasture grass. <i>AoB PLANTS</i> , 2015 , 7,	2.9	4
110	Temperature responses of mesophyll conductance differ greatly between species. <i>Plant, Cell and Environment</i> , 2015 , 38, 629-37	8.4	188
109	Global variability in leaf respiration in relation to climate, plant functional types and leaf traits. <i>New Phytologist</i> , 2015 , 206, 614-36	9.8	244
108	PrometheusWiki Gold Leaf Protocol: gas exchange using LI-COR 6400. <i>Functional Plant Biology</i> , 2014 , 41, 223-226	2.7	29
107	Drought increases heat tolerance of leaf respiration in Eucalyptus globulus saplings grown under both ambient and elevated atmospheric [CO ₂] and temperature. <i>Journal of Experimental Botany</i> , 2014 , 65, 6471-85	7	25
106	Trait correlation networks: a whole-plant perspective on the recently criticized leaf economic spectrum. <i>New Phytologist</i> , 2014 , 201, 378-382	9.8	93
105	Exploiting transplastomically modified Rubisco to rapidly measure natural diversity in its carbon isotope discrimination using tuneable diode laser spectroscopy. <i>Journal of Experimental Botany</i> , 2014 , 65, 3759-67	7	10
104	Temperature response of carbon isotope discrimination and mesophyll conductance in tobacco. <i>Plant, Cell and Environment</i> , 2013 , 36, 745-56	8.4	147
103	The cyanobacterial CCM as a source of genes for improving photosynthetic CO ₂ fixation in crop species. <i>Journal of Experimental Botany</i> , 2013 , 64, 753-68	7	138
102	High-resolution temperature responses of leaf respiration in snow gum (<i>Eucalyptus pauciflora</i>) reveal high-temperature limits to respiratory function. <i>Plant, Cell and Environment</i> , 2013 , 36, 1268-84	8.4	75
101	Improving photosynthesis. <i>Plant Physiology</i> , 2013 , 162, 1780-93	6.6	205
100	Measurement of Mesophyll Conductance in Tobacco, Arabidopsis and Wheat Leaves with Tunable Diode Laser Absorption Spectroscopy. <i>Advanced Topics in Science and Technology in China</i> , 2013 , 751-755 ^{0.2}		1
99	Using a mathematical framework to examine physiological changes in winter wheat after livestock grazing: 2. Model validation and effects of grazing management. <i>Field Crops Research</i> , 2012 , 136, 127-137 ^{5.5}	5.5	25
98	Using a mathematical framework to examine physiological changes in winter wheat after livestock grazing. <i>Field Crops Research</i> , 2012 , 136, 116-126	5.5	22


97	Antisense reductions in the PsbO protein of photosystem II leads to decreased quantum yield but similar maximal photosynthetic rates. <i>Journal of Experimental Botany</i> , 2012 , 63, 4781-95	7	28
96	Using tunable diode laser spectroscopy to measure carbon isotope discrimination and mesophyll conductance to CO ₂ diffusion dynamically at different CO ₂ concentrations. <i>Plant, Cell and Environment</i> , 2011 , 34, 580-91	8.4	116
95	Temperature response of mesophyll conductance in cultivated and wild <i>Oryza</i> species with contrasting mesophyll cell wall thickness. <i>Plant, Cell and Environment</i> , 2011 , 34, 1999-2008	8.4	115
94	Dual-purpose cereals: can the relative influences of management and environment on crop recovery and grain yield be dissected?. <i>Crop and Pasture Science</i> , 2011 , 62, 930	2.2	71
93	Recovery dynamics of rainfed winter wheat after livestock grazing 1. Growth rates, grain yields, soil water use and water-use efficiency. <i>Crop and Pasture Science</i> , 2011 , 62, 947	2.2	41
92	Functional analysis of corn husk photosynthesis. <i>Plant Physiology</i> , 2011 , 156, 503-13	6.6	44
91	Recovery dynamics of rainfed winter wheat after livestock grazing 2. Light interception, radiation-use efficiency and dry-matter partitioning. <i>Crop and Pasture Science</i> , 2011 , 62, 960	2.2	32
90	The importance of energy balance in improving photosynthetic productivity. <i>Plant Physiology</i> , 2011 , 155, 70-8	6.6	296
89	Effects of growth and measurement light intensities on temperature dependence of CO ₂ assimilation rate in tobacco leaves. <i>Plant, Cell and Environment</i> , 2010 , 33, 332-43	8.4	115
88	Nitrogen fertilization enhances water-use efficiency in a saline environment. <i>Plant, Cell and Environment</i> , 2010 , 33, 344-57	8.4	39
87	Food security requires genetic advances to increase farm yields. <i>Nature</i> , 2010 , 464, 831	50.4	15
86	Photosynthesis at an extreme end of the leaf trait spectrum: how does it relate to high leaf dry mass per area and associated structural parameters?. <i>Journal of Experimental Botany</i> , 2010 , 61, 3015-28	7	54
85	Enhancing C ₃ photosynthesis. <i>Plant Physiology</i> , 2010 , 154, 589-92	6.6	92
84	Growth of the C ₄ dicot <i>Flaveria bidentis</i> : photosynthetic acclimation to low light through shifts in leaf anatomy and biochemistry. <i>Journal of Experimental Botany</i> , 2010 , 61, 4109-22	7	93
83	The solar action spectrum of photosystem II damage. <i>Plant Physiology</i> , 2010 , 153, 988-93	6.6	100
82	Grazing winter wheat relieves plant water stress and transiently enhances photosynthesis. <i>Functional Plant Biology</i> , 2010 , 37, 726	2.7	43
81	Effects of growth temperature on photosynthetic gas exchange characteristics and hydraulic anatomy in leaves of two cold-climate <i>Poa</i> species. <i>Functional Plant Biology</i> , 2010 , 38, 54-62	2.7	11
80	A unique web resource for physiology, ecology and the environmental sciences: PrometheusWiki. <i>Functional Plant Biology</i> , 2010 , 37, 687	2.7	13

79	Chapter 8 Nitrogen and Water Use Efficiency of C4 Plants. <i>Advances in Photosynthesis and Respiration</i> , 2010 , 129-146	1.7	19
78	Leaf mesophyll diffusion conductance in 35 Australian sclerophylls covering a broad range of foliage structural and physiological variation. <i>Journal of Experimental Botany</i> , 2009 , 60, 2433-49	7	104
77	Influence of leaf dry mass per area, CO ₂ , and irradiance on mesophyll conductance in sclerophylls. <i>Journal of Experimental Botany</i> , 2009 , 60, 2303-14	7	129
76	Light and CO ₂ do not affect the mesophyll conductance to CO ₂ diffusion in wheat leaves. <i>Journal of Experimental Botany</i> , 2009 , 60, 2291-301	7	109
75	Potential errors in electron transport rates calculated from chlorophyll fluorescence as revealed by a multilayer leaf model. <i>Plant and Cell Physiology</i> , 2009 , 50, 698-706	4.9	44
74	Changes in nutritional value of cyanogenic trifolium repens grown at elevated atmospheric CO ₂ . <i>Journal of Chemical Ecology</i> , 2009 , 35, 476-8	2.7	22
73	Nitrogen in cell walls of sclerophyllous leaves accounts for little of the variation in photosynthetic nitrogen-use efficiency. <i>Plant, Cell and Environment</i> , 2009 , 32, 259-70	8.4	82
72	Stomatal crypts may facilitate diffusion of CO ₂ to adaxial mesophyll cells in thick sclerophylls. <i>Plant, Cell and Environment</i> , 2009 , 32, 1596-611	8.4	58
71	Growth and nutritive value of cassava (<i>Manihot esculenta</i> Cranz.) are reduced when grown in elevated CO ₂ . <i>Plant Biology</i> , 2009 , 11 Suppl 1, 76-82	3.7	73
70	Resistances along the CO ₂ diffusion pathway inside leaves. <i>Journal of Experimental Botany</i> , 2009 , 60, 2235-48	7	391
69	Estimating mesophyll conductance to CO ₂ : methodology, potential errors, and recommendations. <i>Journal of Experimental Botany</i> , 2009 , 60, 2217-34	7	241
68	The apparent temperature response of leaf respiration depends on the timescale of measurements: a study of two cold climate species. <i>Plant Biology</i> , 2008 , 10, 185-93	3.7	9
67	Effects of elevated atmospheric CO ₂ , cutting frequency, and differential day/night atmospheric warming on root growth and turnover of Phalaris swards. <i>Global Change Biology</i> , 2007 , 13, 1040-1052	11.4	41
66	Resolving methane fluxes. <i>New Phytologist</i> , 2007 , 175, 1-4	9.8	22
65	A comment on the quantitative significance of aerobic methane release by plants. <i>Functional Plant Biology</i> , 2006 , 33, 521-530	2.7	93
64	Construction costs, chemical composition and payback time of high- and low-irradiance leaves. <i>Journal of Experimental Botany</i> , 2006 , 57, 355-71	7	148
63	Effects of water availability, nitrogen supply and atmospheric CO concentrations on plant nitrogen natural abundance values. <i>Functional Plant Biology</i> , 2006 , 33, 219-227	2.7	16
62	Phosphorus availability and elevated CO ₂ affect biological nitrogen fixation and nutrient fluxes in a clover-dominated sward. <i>New Phytologist</i> , 2006 , 169, 157-67	9.8	54

61	Photosynthesis within isobilateral Eucalyptus pauciflora leaves. <i>New Phytologist</i> , 2006 , 171, 771-82	9.8	57
60	Phosphorus status determines biomass response to elevated CO ₂ in a legume : C ₄ grass community. <i>Global Change Biology</i> , 2005 , 11, 051013014052003-???	11.4	10
59	Faster Rubisco is the key to superior nitrogen-use efficiency in NADP-malic enzyme relative to NAD-malic enzyme C ₄ grasses. <i>Plant Physiology</i> , 2005 , 137, 638-50	6.6	179
58	Chloroplast to Leaf. <i>Ecological Studies</i> , 2004 , 107-132	1.1	9
57	Chloroplast to Leaf. <i>Ecological Studies</i> , 2004 , 15-41	1.1	34
56	Does greater night-time, rather than constant, warming alter growth of managed pasture under ambient and elevated atmospheric CO ₂ ?. <i>New Phytologist</i> , 2004 , 162, 397-411	9.8	22
55	A simple new equation for the reversible temperature dependence of photosynthetic electron transport: a study on soybean leaf. <i>Functional Plant Biology</i> , 2004 , 31, 275-283	2.7	134
54	Phosphorus acquisition from soil by white lupin (<i>Lupinus albus</i> L.) and soybean (<i>Glycine max</i> L.), species with contrasting root development. <i>Plant and Soil</i> , 2003 , 248, 271-283	4.2	46
53	Profiles of 14C fixation through spinach leaves in relation to light absorption and photosynthetic capacity. <i>Plant, Cell and Environment</i> , 2003 , 26, 547-560	8.4	97
52	Phosphorus acquisition from soil by white lupin (<i>Lupinus albus</i> L.) and soybean (<i>Glycine max</i> L.), species with contrasting root development 2003 , 271-283		2
51	N ₂ fixation by Acacia species increases under elevated atmospheric CO ₂ . <i>Plant, Cell and Environment</i> , 2002 , 25, 567-579	8.4	30
50	Profiles of light absorption and chlorophyll within spinach leaves from chlorophyll fluorescence. <i>Plant, Cell and Environment</i> , 2002 , 25, 1313-1323	8.4	144
49	Photosynthetic acclimation of plants to growth irradiance: the relative importance of specific leaf area and nitrogen partitioning in maximizing carbon gain. <i>Plant, Cell and Environment</i> , 2001 , 24, 755-767	8.4	717
48	Acquisition and Diffusion of CO ₂ in Higher Plant Leaves. <i>Advances in Photosynthesis and Respiration</i> , 2000 , 321-351	1.7	116
47	Leaf respiration of snow gum in the light and dark. Interactions between temperature and irradiance. <i>Plant Physiology</i> , 2000 , 122, 915-23	6.6	226
46	Would C ₄ rice produce more biomass than C ₃ rice?***Sheehy JE, Mitchell PL, Hardy B, editors. 2000. Redesigning rice photosynthesis to increase yield. Proceedings of the Workshop on The Quest to Reduce Hunger: Redesigning Rice Photosynthesis, 30 Nov.-3 Dec. 1999, Los Baños, Philippines. Makati City (Philippines): International Rice Research Institute and Amsterdam (The Netherlands).		13
45	The impact of elevated atmospheric CO ₂ and nitrate supply on growth, biomass allocation, nitrogen partitioning and N ₂ fixation of Acacia melanoxylon. <i>Functional Plant Biology</i> , 1999 , 26, 737	2.7	23
44	Linking development and determinacy with organic acid efflux from proteoid roots of white lupin grown with low phosphorus and ambient or elevated atmospheric CO ₂ concentration. <i>Plant Physiology</i> , 1999 , 120, 705-16	6.6	189

43	Proteoid roots. Physiology and development. <i>Plant Physiology</i> , 1999 , 121, 317-24	6.6	193
42	Leaf anatomy enables more equal access to light and CO ₂ between chloroplasts. <i>New Phytologist</i> , 1999 , 143, 93-104	9.8	171
41	The response of fast- and slow-growing Acacia species to elevated atmospheric CO ₂ : an analysis of the underlying components of relative growth rate. <i>Oecologia</i> , 1999 , 120, 544-554	2.9	75
40	Photosynthetic nitrogen-use efficiency of species that differ inherently in specific leaf area. <i>Oecologia</i> , 1998 , 116, 26-37	2.9	405
39	Variation in the components of relative growth rate in 10 Acacia species from contrasting environments. <i>Plant, Cell and Environment</i> , 1998 , 21, 1007-1017	8.4	48
38	Relationship between the inhibition of leaf respiration by light and enhancement of leaf dark respiration following light treatment. <i>Functional Plant Biology</i> , 1998 , 25, 437	2.7	123
37	Photosynthesis is strongly reduced by antisense suppression of chloroplastic cytochrome b _f complex in transgenic tobacco. <i>Functional Plant Biology</i> , 1998 , 25, 445	2.7	43
36	Carbon Dioxide Diffusion Inside C ₃ Leaves 1998 , 3463-3466		1
35	Regulation of CO ₂ Assimilation Rate by the Chloroplast Cytochrome BF Complex 1998 , 3643-3648		
34	Is a Low Internal Conductance to CO ₂ Diffusion a Consequence of Succulence in Plants with Crassulacean Acid Metabolism?. <i>Functional Plant Biology</i> , 1997 , 24, 777	2.7	51
33	Carbon Dioxide Diffusion inside Leaves. <i>Plant Physiology</i> , 1996 , 110, 339-346	6.6	329
32	The relationship between CO ₂ -assimilation rate, Rubisco carbamylation and Rubisco activase content in activase-deficient transgenic tobacco suggests a simple model of activase action. <i>Planta</i> , 1996 , 198, 604-613	4.7	89
31	Developmental Constraints on Photosynthesis: Effects of Light and Nutrition 1996 , 281-304		16
30	Specific reduction of chloroplast glyceraldehyde-3-phosphate dehydrogenase activity by antisense RNA reduces CO ₂ assimilation via a reduction in ribulose biphosphate regeneration in transgenic tobacco plants. <i>Planta</i> , 1995 , 195, 369-78	4.7	113
29	Rubisco: the consequences of altering its expression and activation in transgenic plants. <i>Journal of Experimental Botany</i> , 1995 , 46, 1293-1300	7	40
28	Carbon Fixation Profiles Do Reflect Light Absorption Profiles in Leaves. <i>Functional Plant Biology</i> , 1995 , 22, 865	2.7	24
27	Chloroplast Cytochrome b ₆ /f and ATP Synthase Complexes in Tobacco: Transformation With Antisense RNA Against Nuclear-Encoded Transcripts for the Rieske FeS and ATP Polypeptides. <i>Functional Plant Biology</i> , 1995 , 22, 285	2.7	29
26	The Regulation of Rubisco Catalysis by Rubisco Activase 1995 , 3909-3914		

25	The Relationship Between CO ₂ Transfer Conductance and Leaf Anatomy in Transgenic Tobacco With a Reduced Content of Rubisco. <i>Functional Plant Biology</i> , 1994 , 21, 475	2.7	204
24	Specific reduction of chloroplast carbonic anhydrase activity by antisense RNA in transgenic tobacco plants has a minor effect on photosynthetic CO ₂ assimilation. <i>Planta</i> , 1994 , 193, 331-340	4.7	172
23	The kinetics of ribulose-1,5-bisphosphate carboxylase/oxygenase in vivo inferred from measurements of photosynthesis in leaves of transgenic tobacco. <i>Planta</i> , 1994 , 195, 88-97	4.7	325
22	Changes in the Photosynthetic Properties of Australian Wheat Cultivars Over the Last Century. <i>Functional Plant Biology</i> , 1994 , 21, 169	2.7	49
21	Photosynthetic Acclimation and Nitrogen Partitioning Within a Lucerne Canopy. I. Canopy Characteristics. <i>Functional Plant Biology</i> , 1993 , 20, 55	2.7	55
20	Reduction of ribulose biphosphate carboxylase activase levels in tobacco (<i>Nicotiana tabacum</i>) by antisense RNA reduces ribulose biphosphate carboxylase carbamylation and impairs photosynthesis. <i>Plant Physiology</i> , 1993 , 102, 1119-28	6.6	115
19	Photosynthetic light-response curves. <i>Planta</i> , 1993 , 189, 182	4.7	220
18	Photosynthetic light-response curves. <i>Planta</i> , 1993 , 189, 191	4.7	91
17	Photoinhibition of Photosynthesis in situ in Six Species of Eucalyptus. <i>Functional Plant Biology</i> , 1992 , 19, 223	2.7	27
16	Reduction of ribulose-1,5-bisphosphate carboxylase/oxygenase content by antisense RNA reduces photosynthesis in transgenic tobacco plants. <i>Plant Physiology</i> , 1992 , 98, 294-302	6.6	228
15	Determination of the Average Partial Pressure of CO ₂ in Chloroplasts From Leaves of Several C ₃ Plants. <i>Functional Plant Biology</i> , 1991 , 18, 287	2.7	194
14	Partitioning of Nitrogen Between and Within Leaves Grown Under Different Irradiances. <i>Functional Plant Biology</i> , 1989 , 16, 533	2.7	85
13	Photosynthesis and nitrogen relationships in leaves of C plants. <i>Oecologia</i> , 1989 , 78, 9-19	2.9	2422
12	Acclimation by the Thylakoid Membranes to Growth Irradiance and the Partitioning of Nitrogen Between Soluble and Thylakoid Proteins. <i>Functional Plant Biology</i> , 1988 , 15, 93	2.7	59
11	Absolute absorption and relative fluorescence excitation spectra of the five major chlorophyll-protein complexes from spinach thylakoid membranes. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1987 , 892, 75-82	4.6	28
10	The Relationship Between Electron Transport Components and Photosynthetic Capacity in Pea Leaves Grown at Different Irradiances. <i>Functional Plant Biology</i> , 1987 , 14, 157	2.7	51
9	The Dependence of Quantum Yield on Wavelength and Growth Irradiance. <i>Functional Plant Biology</i> , 1987 , 14, 69	2.7	108
8	Effects of Nitrogen Nutrition on Electron Transport Components and Photosynthesis in Spinach. <i>Functional Plant Biology</i> , 1987 , 14, 59	2.7	78

7	The specific activity of ribulose-1,5-bisphosphate carboxylase in relation to genotype in wheat. <i>Planta</i> , 1986 , 167, 344-50	4.7	43
6	The relationship between carbon-dioxide-limited photosynthetic rate and ribulose-1,5-bisphosphate-carboxylase content in two nuclear-cytoplasm substitution lines of wheat, and the coordination of ribulose-bisphosphate-carboxylation and electron-transport capacities. <i>Planta</i> , 1986 , 167, 351-8	4.7	108
5	Carbon Isotope Discrimination measured Concurrently with Gas Exchange to Investigate CO ₂ Diffusion in Leaves of Higher Plants. <i>Functional Plant Biology</i> , 1986 , 13, 281	2.7	333
4	Differences between Wheat Genotypes in Specific Activity of Ribulose-1,5-bisphosphate Carboxylase and the Relationship to Photosynthesis. <i>Plant Physiology</i> , 1984 , 74, 759-65	6.6	121
3	Nitrogen and Photosynthesis in the Flag Leaf of Wheat (<i>Triticum aestivum</i> L.). <i>Plant Physiology</i> , 1983 , 72, 297-302	6.6	562
2	Uncovering candidate genes involved in photosynthetic capacity using unexplored genetic variation in Spring Wheat		1
1	AusTraits  curated plant trait database for the Australian flora		1