

# Martin J Prince

## List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/7841236/publications.pdf](https://exaly.com/author-pdf/7841236/publications.pdf)

Version: 2024-02-01

391  
papers

41,361  
citations

6442

81  
h-index

3018

188  
g-index

445  
all docs

445  
docs citations

445  
times ranked

48587  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global prevalence of dementia: a Delphi consensus study. <i>Lancet, The</i> , 2005, 366, 2112-2117.	12.1	4,560
2	The global prevalence of dementia: A systematic review and metaanalysis. <i>Alzheimer's and Dementia</i> , 2013, 9, 63.	0.7	3,784
3	No health without mental health. <i>Lancet, The</i> , 2007, 370, 859-877.	12.1	2,840
4	The Lancet Commission on global mental health and sustainable development. <i>Lancet, The</i> , 2018, 392, 1553-1598.	12.1	1,723
5	The burden of disease in older people and implications for health policy and practice. <i>Lancet, The</i> , 2015, 385, 549-562.	12.1	1,474
6	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2129-2143.	12.1	1,045
7	Alzheimer's disease and vascular dementia in developing countries: prevalence, management, and risk factors. <i>Lancet Neurology, The</i> , 2008, 7, 812-826.	10.4	982
8	The worldwide economic impact of dementia 2010. <i>Alzheimer's and Dementia</i> , 2013, 9, 1.	0.7	804
9	The worldwide costs of dementia 2015 and comparisons with 2010. <i>Alzheimer's and Dementia</i> , 2017, 13, 1-7.	0.7	798
10	Recent global trends in the prevalence and incidence of dementia, and survival with dementia. <i>Alzheimer's Research and Therapy</i> , 2016, 8, 23.	6.4	604
11	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017, 16, 30-40.	9.6	554
12	Frailty: An Emerging Public Health Priority. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 188-192.	2.6	516
13	Dementia diagnosis in developing countries: a cross-cultural validation study. <i>Lancet, The</i> , 2003, 361, 909-917.	12.1	499
14	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. <i>PLoS Medicine</i> , 2012, 9, e1001359.	8.4	444
15	Epidemiology of Dementias and Alzheimer's Disease. <i>Archives of Medical Research</i> , 2012, 43, 600-608.	3.5	410
16	Contribution of chronic diseases to disability in elderly people in countries with low and middle incomes: a 10/66 Dementia Research Group population-based survey. <i>Lancet, The</i> , 2009, 374, 1821-1830.	12.1	385
17	Prevalence of dementia in Latin America, India, and China: a population-based cross-sectional survey. <i>Lancet, The</i> , 2008, 372, 464-474.	12.1	365
18	Prevalence of multimorbidity in community settings: A systematic review and meta-analysis of observational studies. <i>Journal of Comorbidity</i> , 2019, 9, 2235042X1987093.	3.6	324

#	ARTICLE	IF	CITATIONS
19	Reducing the treatment gap for mental disorders: a WPA survey. <i>World Psychiatry</i> , 2010, 9, 169-176.	9.6	311
20	Research priorities to reduce the global burden of dementia by 2025. <i>Lancet Neurology</i> , The, 2016, 15, 1285-1294.	10.4	299
21	The protocols for the 10/66 dementia research group population-based research programme. <i>BMC Public Health</i> , 2007, 7, 165.	3.0	298
22	Obsessive-Compulsive Disorder: Prevalence, Comorbidity, Impact, and Help-Seeking in the British National Psychiatric Morbidity Survey of 2000. <i>American Journal of Psychiatry</i> , 2006, 163, 1978-1985.	8.7	293
23	Dementia incidence and mortality in middle-income countries, and associations with indicators of cognitive reserve: a 10/66 Dementia Research Group population-based cohort study. <i>Lancet</i> , The, 2012, 380, 50-58.	12.1	265
24	Challenges and Opportunities for Implementing Integrated Mental Health Care: A District Level Situation Analysis from Five Low- and Middle-Income Countries. <i>PLoS ONE</i> , 2014, 9, e88437.	2.5	264
25	Mental health and the built environment: Cross-sectional survey of individual and contextual risk factors for depression. <i>British Journal of Psychiatry</i> , 2002, 180, 428-433.	3.6	263
26	Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations. <i>PLoS Medicine</i> , 2011, 8, e1001122.	8.4	252
27	Levels of anxiety and depression as predictors of mortality: the HUNT study. <i>British Journal of Psychiatry</i> , 2009, 195, 118-125.	3.6	236
28	Anxiety, Depression, and Cause-Specific Mortality: The HUNT Study. <i>Psychosomatic Medicine</i> , 2007, 69, 323-331.	2.1	233
29	Care arrangements for people with dementia in developing countries. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 170-177.	2.7	232
30	Detecting perinatal common mental disorders in Ethiopia: Validation of the self-reporting questionnaire and Edinburgh Postnatal Depression Scale. <i>Journal of Affective Disorders</i> , 2008, 108, 251-262.	4.2	227
31	CONCURRENT AND CONSTRUCT VALIDITY OF THE AUDIT IN AN URBAN BRAZILIAN SAMPLE. <i>Alcohol and Alcoholism</i> , 2005, 40, 584-589.	1.7	219
32	Prevalence of depressive symptoms and syndromes in later life in ten European countries. <i>British Journal of Psychiatry</i> , 2007, 191, 393-401.	3.6	218
33	Ageing and mental health in a developing country: who cares? Qualitative studies from Goa, India. <i>Psychological Medicine</i> , 2001, 31, 29-38.	5.2	216
34	A Population-Based Cohort Study of the Effect of Common Mental Disorders on Disability Pension Awards. <i>American Journal of Psychiatry</i> , 2006, 163, 1412-1418.	8.7	185
35	The Effectiveness of a Home Care Program for Supporting Caregivers of Persons with Dementia in Developing Countries: A Randomised Controlled Trial from Goa, India. <i>PLoS ONE</i> , 2008, 3, e2333.	2.5	185
36	Body mass index in midlife and dementia: Systematic review and meta-regression analysis of 589,649 men and women followed in longitudinal studies. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 8, 165-178.	2.6	182

#	ARTICLE	IF	CITATIONS
37	Public health significance of mixed anxiety and depression: beyond current classification. <i>British Journal of Psychiatry</i> , 2008, 192, 171-177.	3.6	177
38	Economic burden of multimorbidity among older adults: impact on healthcare and societal costs. <i>BMC Health Services Research</i> , 2016, 16, 173.	2.2	170
39	Economic barriers to better mental health practice and policy. <i>Health Policy and Planning</i> , 2006, 21, 157-170.	2.8	149
40	Diabetes, Common Mental Disorders, and Disability: Findings From the UK National Psychiatric Morbidity Survey. <i>Psychosomatic Medicine</i> , 2007, 69, 543-550.	2.1	148
41	Prevalence, Distribution, and Impact of Mild Cognitive Impairment in Latin America, China, and India: A 10/66 Population-Based Study. <i>PLoS Medicine</i> , 2012, 9, e1001170.	8.4	148
42	Aerobic Oxidative Heck/Dehydrogenation Reactions of Cyclohexenones: Efficient Access to <i>meta</i> -Substituted Phenols. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3672-3675.	14.8	143
43	Common mental disorders among those attending primary health clinics and traditional healers in urban Tanzania. <i>British Journal of Psychiatry</i> , 2003, 183, 349-355.	3.6	142
44	Mental disorder and the outcome of HIV/AIDS in low-income and middle-income countries. <i>Aids</i> , 2012, 26, S117-S135.	2.2	141
45	Prevalence of stroke and related burden among older people living in Latin America, India and China. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1074-1082.	6.0	140
46	Validity of brief screening questionnaires to detect depression in primary care in Ethiopia. <i>Journal of Affective Disorders</i> , 2015, 186, 32-39.	4.2	139
47	Excess mortality in severe mental illness: 10-year population-based cohort study in rural Ethiopia. <i>British Journal of Psychiatry</i> , 2015, 206, 289-296.	3.6	136
48	Fear of crime, mobility and mental health in inner-city London, UK. <i>Social Science and Medicine</i> , 2005, 61, 1678-1688.	4.0	134
49	Impact of antenatal common mental disorders upon perinatal outcomes in Ethiopia: the MaMiE population-based cohort study. <i>Tropical Medicine and International Health</i> , 2009, 14, 156-166.	2.0	133
50	Risk factors for mental disorders in women survivors of human trafficking: a historical cohort study. <i>BMC Psychiatry</i> , 2013, 13, 204.	2.7	133
51	Maternal psychological morbidity and low birth weight in India. <i>British Journal of Psychiatry</i> , 2006, 188, 284-285.	3.6	132
52	Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 12-29.	2.3	127
53	Prevalence of Dementia in People Aged 60 Years and Above: Results from the WiSE Study. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 1127-1138.	2.7	122
54	Dental health, nutritional status and recent-onset dementia in a Korean community population. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 850-855.	2.7	121

#	ARTICLE	IF	CITATIONS
55	Prevalence of dementia in mainland China, Hong Kong and Taiwan: an updated systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2018, 47, 709-719.	2.0	121
56	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2013, 8, e63545.	2.5	116
57	Outcome of major depression in Ethiopia. <i>British Journal of Psychiatry</i> , 2006, 189, 241-246.	3.6	113
58	Understanding the effect of ethnic density on mental health: multi-level investigation of survey data from England. <i>BMJ: British Medical Journal</i> , 2010, 341, c5367-c5367.	5.6	112
59	The comparative validity of screening scales for postnatal common mental disorder in Kintampo, Ghana. <i>Journal of Affective Disorders</i> , 2009, 113, 109-117.	4.2	111
60	Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: Results from the EURODEP concerted action. <i>Journal of Affective Disorders</i> , 2014, 155, 266-272.	4.2	111
61	Prevalence and predictors of undernutrition among infants aged six and twelve months in Butajira, Ethiopia: The P-MaMiE Birth Cohort. <i>BMC Public Health</i> , 2010, 10, 27.	3.0	110
62	Belief models in first episode schizophrenia in South India. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 446-451.	3.4	108
63	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. <i>BMC Public Health</i> , 2008, 8, 219.	3.0	108
64	Case-control study of suicide in Karachi, Pakistan. <i>British Journal of Psychiatry</i> , 2008, 193, 402-405.	3.6	108
65	Genome-wide linkage analysis of a composite index of neuroticism and mood-related scales in extreme selected sibships. <i>Human Molecular Genetics</i> , 2004, 13, 2173-2182.	3.0	107
66	Population ageing and health. <i>Lancet, The</i> , 2012, 379, 1295-1296.	12.1	106
67	Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. <i>BMC Medicine</i> , 2015, 13, 138.	5.7	106
68	Population level mental distress in rural Ethiopia. <i>BMC Psychiatry</i> , 2014, 14, 194.	2.7	102
69	Development of a scalable mental healthcare plan for a rural district in Ethiopia. <i>British Journal of Psychiatry</i> , 2016, 208, s4-s12.	3.6	99
70	"The contribution of chronic diseases to the prevalence of dependence among older people in Latin America, China and India: a 10/66 Dementia Research Group population-based survey". <i>BMC Geriatrics</i> , 2010, 10, 53.	2.8	98
71	Prevalence of anxiety and its correlates among older adults in Latin America, India and China: cross-cultural study. <i>British Journal of Psychiatry</i> , 2011, 199, 485-491.	3.6	98
72	Long-term predictors of cognitive outcome in a cohort of older people with hypertension. <i>British Journal of Psychiatry</i> , 2000, 177, 66-71.	3.6	94

#	ARTICLE	IF	CITATIONS
73	Physical health, depression and cognitive function as correlates of disability in an older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 160-167.	2.7	92
74	Measuring disability across cultures – the psychometric properties of the WHODAS II in older people from seven low- and middle-income countries. The 10/66 Dementia Research Group population-based survey. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 1-17.	2.3	92
75	Evaluation of district mental healthcare plans: The PRIME consortium methodology. <i>British Journal of Psychiatry</i> , 2016, 208, s63-s70.	3.6	92
76	Male gender preference, female gender disadvantage as risk factors for psychological morbidity in Pakistani women of childbearing age - a life course perspective. <i>BMC Public Health</i> , 2011, 11, 745.	3.0	91
77	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> , 2012, 201, 282-290.	3.6	91
78	What constitutes health-related quality of life in dementia? Development of a conceptual framework for people with dementia and their carers. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 889-895.	2.7	90
79	Helping carers to care – The 10/66 dementia research group's randomized control trial of a caregiver intervention in Russia. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 347-354.	2.7	87
80	Care participation and burden among informal caregivers of older adults with care needs and associations with dementia. <i>International Psychogeriatrics</i> , 2016, 28, 221-231.	1.1	87
81	Population normative data for the 10/66 Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. <i>BMC Neurology</i> , 2009, 9, 48.	1.8	86
82	Psychometric properties of EURO-D, a geriatric depression scale: a cross-cultural validation study. <i>BMC Psychiatry</i> , 2015, 15, 12.	2.7	86
83	The impact of maternal experience of violence and common mental disorders on neonatal outcomes: a survey of adolescent mothers in Sao Paulo, Brazil. <i>BMC Public Health</i> , 2007, 7, 209.	3.0	85
84	Dietary fish and meat intake and dementia in Latin America, China, and India: a 10/66 Dementia Research Group population-based study. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 392-400.	4.6	85
85	Chronic disease prevalence and care among the elderly in urban and rural Beijing, China - a 10/66 Dementia Research Group cross-sectional survey. <i>BMC Public Health</i> , 2009, 9, 394.	3.0	84
86	Ethnicity and excess mortality in severe mental illness: a cohort study. <i>Lancet Psychiatry</i> , 2017, 4, 389-399.	7.6	84
87	The impact of physical activity on healthy ageing trajectories: evidence from eight cohort studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 92.	4.5	84
88	Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. <i>BMC Health Services Research</i> , 2011, 11, 153.	2.2	83
89	Hypertension prevalence, awareness, treatment and control among older people in Latin America, India and China. <i>Journal of Hypertension</i> , 2012, 30, 177-187.	0.5	83
90	Measuring the built environment: validity of a site survey instrument for use in urban settings. <i>Health and Place</i> , 2001, 7, 283-292.	3.4	82

#	ARTICLE	IF	CITATIONS
91	Strain and its correlates among carers of people with dementia in low-income and middle-income countries. A 10/66 Dementia Research Group population-based survey. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 670-682.	2.7	81
92	Behavioral symptoms and caregiver burden in dementia. <i>Indian Journal of Psychiatry</i> , 2009, 51, 45.	0.7	81
93	Screening women for high risk of postnatal depression. <i>Journal of Psychosomatic Research</i> , 1994, 38, 539-545.	2.9	80
94	Revealing a hidden problem. An evaluation of a community dementia case-finding program from the Indian 10/66 dementia research network. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 222-225.	2.7	80
95	Late-life depression in Peru, Mexico and Venezuela: the 10/66 population-based study. <i>British Journal of Psychiatry</i> , 2009, 195, 510-515.	3.6	80
96	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. <i>Lancet Psychiatry</i> , 2019, 6, 174-186.	7.6	80
97	The Lancet's Series on Global Mental Health: 1 year on. <i>Lancet</i> , 2008, 372, 1354-1357.	12.1	79
98	Outcome of first-episode schizophrenia in India: longitudinal study of effect of insight and psychopathology. <i>British Journal of Psychiatry</i> , 2010, 196, 454-459.	3.6	79
99	ExposiÃ§Ã£o Ã violÃªncia e problemas de saÃºde mental em paÃses em desenvolvimento: uma revisÃ£o da literatura. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, S49-S57.	1.9	77
100	Effects of education and culture on the validity of the Geriatric Mental State and its AGE-CAT algorithm. <i>British Journal of Psychiatry</i> , 2004, 185, 429-436.	3.6	76
101	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. <i>British Journal of Psychiatry</i> , 2016, 208, s47-s54.	3.6	76
102	Rural-urban migration and depression in ageing family members left behind. <i>British Journal of Psychiatry</i> , 2009, 195, 54-60.	3.6	74
103	Packages of Care for Dementia in Low- and Middle-Income Countries. <i>PLoS Medicine</i> , 2009, 6, e1000176.	8.4	73
104	Alzheimer Disease International's 10/66 Dementia Research Group "One model for action research in developing countries. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 178-181.	2.7	72
105	Self-rated health and its association with mortality in older adults in China, India and Latin America: a 10/66 Dementia Research Group study. <i>Age and Ageing</i> , 2017, 46, 932-939.	1.6	70
106	Validation of the World Health Organization Disability Assessment Schedule in people with severe mental disorders in rural Ethiopia. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 64.	2.4	68
107	Child and adolescent psychopathology in a developing country: testing the validity of the Strengths and Difficulties Questionnaire (Urdu version). <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 158-166.	2.3	66
108	Ageing and dementia in low and middle income countries "Using research to engage with public and policy makers. <i>International Review of Psychiatry</i> , 2008, 20, 332-343.	2.9	66

#	ARTICLE	IF	CITATIONS
109	Dementia severity and weight loss: A comparison across eight cohorts. The 10/66 study. <i>Alzheimer's and Dementia</i> , 2013, 9, 649-656.	0.7	65
110	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: The P-MaMiE population-based cohort study. <i>Journal of Affective Disorders</i> , 2012, 136, 340-349.	4.2	63
111	Mortality and suicide after self-harm: community cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2011, 198, 31-36.	3.6	62
112	Maternal common mental disorders and infant development in Ethiopia: the P-MaMiE Birth Cohort. <i>BMC Public Health</i> , 2010, 10, 693.	3.0	61
113	The effect of maternal common mental disorders on infant undernutrition in Butajira, Ethiopia: The P-MaMiE study. <i>BMC Psychiatry</i> , 2010, 10, 32.	2.7	61
114	Identification of Dementia Cases in the Community: A Brazilian Experience. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1738-1742.	2.9	59
115	Redesigning care for older people to preserve physical and mental capacity: WHO guidelines on community-level interventions in integrated care. <i>PLoS Medicine</i> , 2019, 16, e1002948.	8.4	59
116	Measurement validity in cross-cultural comparative research. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 211-220.	1.3	58
117	Postnatal mental distress in relation to the sociocultural practices of childbirth: An exploratory qualitative study from Ethiopia. <i>Social Science and Medicine</i> , 2009, 69, 1211-1219.	4.0	58
118	The Blackfriars Consensus on brain health and dementia. <i>Lancet</i> , The, 2014, 383, 1805-1806.	12.1	58
119	Perinatal mental distress and infant morbidity in Ethiopia: a cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011, 96, F59-F64.	3.1	57
120	Exploring the Ethnic Density Effect: A Qualitative Study of a London Electoral Ward. <i>International Journal of Social Psychiatry</i> , 2006, 52, 376-391.	3.3	56
121	Cohort Profile: The 10/66 study. <i>International Journal of Epidemiology</i> , 2017, 46, dyw056.	2.0	56
122	Prediction of dementia risk in low-income and middle-income countries (the 10/66 Study): an independent external validation of existing models. <i>The Lancet Global Health</i> , 2020, 8, e524-e535.	6.3	56
123	Obsessive-compulsive disorder and personality disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 862-867.	3.4	54
124	Socioeconomic Factors and All Cause and Cause-Specific Mortality among Older People in Latin America, India, and China: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001179.	8.4	54
125	Social network typologies and mortality risk among older people in China, India, and Latin America: A 10/66 Dementia Research Group population-based cohort study. <i>Social Science and Medicine</i> , 2015, 147, 134-143.	4.0	54
126	Is the GDS-30 better than the GHQ-12 for screening depression in elderly people in the community? The Bambui Health Aging Study (BHAS). <i>International Psychogeriatrics</i> , 2006, 18, 493.	1.1	53



#	ARTICLE	IF	CITATIONS
127	Perceptions about psychosis and psychiatric services: a qualitative study from Vellore, India. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 231-238.	3.4	53
128	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the BambuÃ Cohort Study, Brazil. <i>Journal of Sleep Research</i> , 2011, 20, 303-310.	3.3	53
129	Reproductive period, endogenous estrogen exposure and dementia incidence among women in Latin America and China; A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0192889.	2.5	53
130	Age variation in life events and their relationship with common mental disorders in a national survey population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 611-616.	3.4	52
131	The Epidemiology of Dependence in Older People in Nigeria: Prevalence, Determinants, Informal Care, and Health Service Utilization. A 10/66 Dementia Research Group Cross-sectional Survey. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1620-1627.	2.9	52
132	Intrinsic capacity and its associations with incident dependence and mortality in 10/66 Dementia Research Group studies in Latin America, India, and China: A population-based cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003097.	8.4	52
133	Marital satisfaction in Pakistan: A pilot investigation. <i>Sexual and Relationship Therapy</i> , 2005, 20, 195-209.	1.4	51
134	Helping carers to care: the 10/66 dementia research group's randomized control trial of a caregiver intervention in Peru. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 47-54.	1.9	51
135	Markers of inflammation and cognitive decline in an African-Caribbean population. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 966-973.	2.7	50
136	Validity across translations of short survey psychiatric diagnostic instruments: CIDI-SF and CIS-R versus SCID-I/NP in four European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 1149-1159.	3.4	50
137	â€œWe lost all we had in a secondâ€ coping with grief and loss after a natural disaster. <i>World Psychiatry</i> , 2013, 12, 69-75.	9.6	50
138	Association of Antenatal Depression with Adverse Consequences for the Mother and Newborn in Rural Ghana: Findings from the DON Population-Based Cohort Study. <i>PLoS ONE</i> , 2014, 9, e116333.	2.5	50
139	Late-life depression symptom dimensions and cognitive functioning in the Longitudinal Aging Study Amsterdam (LASA). <i>Journal of Affective Disorders</i> , 2016, 201, 171-178.	4.2	50
140	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2020, 130, 103466.	3.3	50
141	The Prevalence and Correlates of Frailty in Urban and Rural Populations in Latin America, China, and India: A 10/66 Population-Based Survey. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 287-295.e4.	2.6	49
142	The need for research on dementia in developing countries. <i>Tropical Medicine and International Health</i> , 1997, 2, 993-1000.	2.0	48
143	Women in post-trafficking services in moldova: diagnostic interviews over two time periods to assess returning women's mental health. <i>BMC Public Health</i> , 2011, 11, 232.	3.0	48
144	Burden of mental disorders and unmet needs among street homeless people in Addis Ababa, Ethiopia. <i>BMC Medicine</i> , 2014, 12, 138.	5.7	48

#	ARTICLE	IF	CITATIONS
145	Depression and mortality in a high-risk population. <i>British Journal of Psychiatry</i> , 2002, 181, 123-128.	3.6	47
146	Incidence and persistence of sleep complaints in a community older population. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 37-45.	2.7	47
147	Between life and death: exploring the sociocultural context of antenatal mental distress in rural Ethiopia. <i>Archives of Women's Mental Health</i> , 2010, 13, 385-393.	2.8	47
148	DETERMINANTS OF POSTNATAL DEPRESSION IN RURAL GHANA: FINDINGS FROM THE DON POPULATION BASED COHORT STUDY. <i>Depression and Anxiety</i> , 2015, 32, 108-119.	4.2	47
149	Understanding the explanatory model of the patient on their medically unexplained symptoms and its implication on treatment development research: a Sri Lanka Study. <i>BMC Psychiatry</i> , 2008, 8, 54.	2.7	46
150	Alcohol use in a rural district in Uganda: findings from community-based and facility-based cross-sectional studies. <i>International Journal of Mental Health Systems</i> , 2018, 12, 12.	2.8	46
151	Diagnosis of Dementia by Machine learning methods in Epidemiological studies: a pilot exploratory study from south India. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 77-86.	3.4	45
152	Explanatory models of depression in sub-Saharan Africa: Synthesis of qualitative evidence. <i>Social Science and Medicine</i> , 2020, 246, 112760.	4.0	45
153	Assessing insight in schizophrenia: East meets West. <i>British Journal of Psychiatry</i> , 2007, 190, 243-247.	3.6	44
154	Diagnostic Procedures, Revascularization, and Inpatient Mortality After Acute Myocardial Infarction in Patients With Schizophrenia and Bipolar Disorder. <i>Psychosomatic Medicine</i> , 2013, 75, 52-59.	2.1	44
155	The prevalence of diagnoses, impairments, disabilities and handicaps in a population of elderly people living in a defined geographical area: the Gospel Oak project. <i>Age and Ageing</i> , 1998, 27, 707-714.	1.6	43
156	Postâ€Plasma Grafting of AEMA as a Versatile Tool to Biofunctionalise Polyesters for Tissue Engineering. <i>Macromolecular Bioscience</i> , 2010, 10, 1484-1494.	4.5	43
157	Prevalence and determinants of antenatal depression among pregnant women in a predominantly rural population in Ghana: The DON population-based study. <i>Journal of Affective Disorders</i> , 2014, 165, 1-7.	4.2	43
158	Associations of smoking and alcohol consumption with healthy ageing: a systematic review and meta-analysis of longitudinal studies. <i>BMJ Open</i> , 2018, 8, e019540.	2.1	43
159	Homelessness and severe mental illness in low- and middle-income countries: scoping review. <i>BJPsych Open</i> , 2019, 5, e57.	0.7	43
160	Under detection of depression in primary care settings in low and middle-income countries: a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2022, 11, 21.	11.6	43
161	Prevalence of International Classification of Diseases, 10th Revision Common Mental Disorders in the Elderly in a Brazilian Community: The Bambui Health Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 17-27.	1.1	42
162	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. <i>Trials</i> , 2016, 17, 76.	1.7	42

#	ARTICLE	IF	CITATIONS
163	The impact associated with caring for a person with dementia: a report from the 10/66 Dementia Research Group's Indian network. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 182-184.	2.7	41
164	The validity of the Parental Bonding Instrument as a measure of maternal bonding among young Pakistani women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 276-282.	3.4	41
165	The epidemiology of dependency among urban-dwelling older people in the Dominican Republic; a cross-sectional survey. <i>BMC Public Health</i> , 2008, 8, 285.	3.0	40
166	Food insecurity, mental health and quality of life among people living with HIV commencing antiretroviral treatment in Ethiopia: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 37.	2.4	40
167	Healthy ageing trajectories and lifestyle behaviour: the Mexican Health and Aging Study. <i>Scientific Reports</i> , 2019, 9, 11041.	3.4	40
168	Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. <i>International Journal of Epidemiology</i> , 2021, 50, 880-892.	2.0	40
169	Age, Vascular Risk, and Cognitive Decline in an Older, British, African-Caribbean Population. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1547-1553.	2.9	39
170	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. <i>BMC Psychiatry</i> , 2009, 9, 34.	2.7	39
171	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 457.	1.7	39
172	Multimorbidity and care dependence in older adults: a longitudinal analysis of findings from the 10/66 study. <i>BMC Public Health</i> , 2019, 19, 585.	3.0	39
173	Recognition of depression by primary care clinicians in rural Ethiopia. <i>BMC Family Practice</i> , 2017, 18, 56.	2.9	38
174	Engaging and staying engaged: a phenomenological study of barriers to equitable access to mental healthcare for people with severe mental disorders in a rural African setting. <i>International Journal for Equity in Health</i> , 2017, 16, 156.	3.6	38
175	Association between probable postnatal depression and increased infant mortality and morbidity: findings from the DON population-based cohort study in rural Ghana. <i>BMJ Open</i> , 2015, 5, e006509.	2.1	37
176	Depression and Incidence of Frailty in Older People From Six Latin American Countries. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1072-1079.	1.1	37
177	A journey without mapsâ€”Understanding the costs of caring for dependent older people in Nigeria, China, Mexico and Peru. <i>PLoS ONE</i> , 2017, 12, e0182360.	2.5	37
178	Is Chronic Low-Level Lead Exposure in Early Life an Etiologic Factor in Alzheimerâ€™s Disease?. <i>Epidemiology</i> , 1998, 9, 618-621.	3.0	36
179	Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. <i>Alzheimer's and Dementia</i> , 2018, 14, 271-279.	0.7	36
180	Diagnosing dementia in a developing nation: an evaluation of the GMSâ€™AGECAT algorithm in an older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 331-336.	2.7	35

#	ARTICLE	IF	CITATIONS
181	The impact of quality and quantity of social support on help-seeking behavior prior to deliberate self-harm. <i>General Hospital Psychiatry</i> , 2011, 33, 37-44.	2.5	35
182	Impact of district mental health care plans on symptom severity and functioning of patients with priority mental health conditions: the Programme for Improving Mental Health Care (PRIME) cohort protocol. <i>BMC Psychiatry</i> , 2018, 18, 61.	2.7	35
183	Does Social Activity Influence the Accuracy of Subjective Memory Deficit? Findings from a British Community Survey. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 1108-1113.	2.9	34
184	The association between common physical impairments and dementia in low and middle income countries, and, among people with dementia, their association with cognitive function and disability. A 10/66 Dementia Research Group population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 511-519.	2.7	34
185	The importance of global mental health for the Sustainable Development Goals. <i>Journal of Mental Health</i> , 2014, 23, 283-286.	2.2	34
186	Functional disability and death wishes in older Europeans: results from the EURODEP concerted action. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1475-1482.	3.4	34
187	A review of the 10/66 dementia research group. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1-10.	3.4	34
188	The experience of abuse and mental health in the young Thai population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 955-963.	3.4	33
189	Midlife Hypertensive Status and Cognitive Function 20 Years Later: The <i>S</i> outhall and <i>B</i> rent Revisited Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1489-1498.	2.9	33
190	A community-based study of case fatality proportion among those who carry out suicide acts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1005-1011.	3.4	32
191	Predictors of mortality among elderly people living in a south Indian urban community; a 10/66 Dementia Research Group prospective population-based cohort study. <i>BMC Public Health</i> , 2010, 10, 366.	3.0	32
192	Non-fatal suicidal behaviour in rural Ethiopia: a cross-sectional facility- and population-based study. <i>BMC Psychiatry</i> , 2016, 16, 75.	2.7	32
193	Progress on dementia—leaving no one behind. <i>Lancet, The</i> , 2017, 390, e51-e53.	12.1	32
194	Resource utilisation for neuropsychiatric disorders in developing countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 218-227.	3.4	31
195	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Ethiopia. <i>BMJ Global Health</i> , 2019, 3, e001108.	5.5	31
196	Loneliness Among Older Adults in Latin America, China, and India: Prevalence, Correlates and Association With Mortality. <i>International Journal of Public Health</i> , 2021, 66, 604449.	2.4	31
197	Cognitive impairment and social distress as different pathways to depression in the elderly: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 1997, 12, 995-1000.	2.7	30
198	Associations between diagnoses, impairments, disability and handicap in a population of elderly people. <i>International Journal of Epidemiology</i> , 1998, 27, 261-268.	2.0	30

#	ARTICLE	IF	CITATIONS
199	Vascular risk factors and atherosclerosis as risk factors for cognitive decline and dementia. <i>Journal of Psychosomatic Research</i> , 1995, 39, 525-530.	2.9	29
200	Commentary: Two-phase surveys. A death is announced; no flowers please. <i>International Journal of Epidemiology</i> , 2003, 32, 1078-1080.	2.0	29
201	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2010, 196, 31-35.	3.6	29
202	Dementia prevalence, care arrangement, and access to care in Lebanon: A pilot study. <i>Alzheimer's and Dementia</i> , 2017, 13, 1317-1326.	0.7	29
203	The association between, depression, anxiety, and mortality in older people across eight low- and middle-income countries: Results from the 10/66 cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 29-36.	2.7	29
204	The Predictive Validity of the 10/66 Dementia Diagnosis in Chennai, India: A 3-Year Follow-up Study of Cases Identified at Baseline. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 296-302.	1.3	28
205	Reducing the scarcity in mental health research from low and middle income countries: A success story from Sri Lanka. <i>International Review of Psychiatry</i> , 2011, 23, 77-83.	2.9	28
206	The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. <i>BMC Geriatrics</i> , 2017, 17, 261.	2.8	28
207	“When someone becomes old then every part of the body too becomes old”: Experiences of living with dementia in Kintampo, rural Ghana. <i>Transcultural Psychiatry</i> , 2019, 56, 895-917.	1.7	28
208	Sex differences in mortality: results from a population-based study of 12 longitudinal cohorts. <i>Cmaj</i> , 2021, 193, E361-E370.	4.1	28
209	The development and initial validation of a telephone-administered cognitive test battery (TACT). <i>International Journal of Methods in Psychiatric Research</i> , 1999, 8, 49-57.	2.3	27
210	Depression and mortality in a high-risk population. <i>British Journal of Psychiatry</i> , 2002, 181, 123-128.	3.6	27
211	Beyond Rates: The Tragedy of Suicide in Pakistan. <i>Tropical Doctor</i> , 2003, 33, 67-69.	0.5	27
212	Measuring common mental disorders in women in Ethiopia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 653-9.	3.4	27
213	The Prevalence, Correlates, Detection and Control of Diabetes among Older People in Low and Middle Income Countries. A 10/66 Dementia Research Group Population-Based Survey. <i>PLoS ONE</i> , 2016, 11, e0149616.	2.5	27
214	Associations of Lifestyle Behaviour and Healthy Ageing in Five Latin American and the Caribbean Countries: A 10/66 Population-Based Cohort Study. <i>Nutrients</i> , 2018, 10, 1593.	4.2	27
215	The relationship between common mental disorders (CMDs), food insecurity and domestic violence in pregnant women during the COVID-19 lockdown in Cape Town, South Africa. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 37-46.	3.4	27
216	Migration of Children and Impact on Depression in Older Parents in Rural Thailand, Southeast Asia. <i>JAMA Psychiatry</i> , 2013, 70, 226.	11.4	26

#	ARTICLE	IF	CITATIONS
217	Social support network typologies and health outcomes of older people in low and middle income countries – A 10/66 Dementia Research Group population-based study. <i>International Review of Psychiatry</i> , 2014, 26, 476-485.	2.9	26
218	Equitable access to integrated primary mental healthcare for people with severe mental disorders in Ethiopia: a formative study. <i>International Journal for Equity in Health</i> , 2016, 15, 121.	3.6	26
219	Sociocultural practices in Ethiopia: association with onset and persistence of postnatal common mental disorders. <i>British Journal of Psychiatry</i> , 2010, 197, 468-475.	3.6	25
220	Interactions between genetic admixture, ethnic identity, APOE genotype and dementia prevalence in an admixed Cuban sample; a cross-sectional population survey and nested case-control study. <i>BMC Medical Genetics</i> , 2011, 12, 43.	2.0	25
221	Does childhood adversity account for poorer mental and physical health in second-generation Irish people living in Britain? Birth cohort study from Britain (NCDS). <i>BMJ Open</i> , 2013, 3, e001335.	2.1	25
222	Development of a brief assessment and algorithm for ascertaining dementia in low-income and middle-income countries: the 10/66 short dementia diagnostic schedule. <i>BMJ Open</i> , 2016, 6, e010712.	2.1	25
223	The psychosis treatment gap and its consequences in rural Ethiopia. <i>BMC Psychiatry</i> , 2019, 19, 325.	2.7	25
224	Partnerships in a Global Mental Health Research Programme – the Example of PRIME. <i>Global Social Welfare</i> , 2019, 6, 159-175.	2.0	25
225	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0134763.	2.5	25
226	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. <i>European Journal of Ageing</i> , 2004, 1, 26-36.	2.7	24
227	Exploring the economic and social effects of care dependence in later life: protocol for the 10/66 research group INDEP study. <i>SpringerPlus</i> , 2014, 3, 379.	1.2	24
228	Dependence- and Disability-Free Life Expectancy Across Eight Low- and Middle-Income Countries: A 10/66 Study. <i>Journal of Aging and Health</i> , 2020, 32, 401-409.	1.9	24
229	Epidemiology of Suicide in Pakistan: Determining Rates in Six Cities. <i>Archives of Suicide Research</i> , 2008, 12, 155-160.	2.6	23
230	No Association between Fish Intake and Depression in over 15,000 Older Adults from Seven Low and Middle Income Countries – The 10/66 Study. <i>PLoS ONE</i> , 2012, 7, e38879.	2.5	23
231	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , 2019, 6, 506-517.	7.6	23
232	Tobacco smoking and risk for dementia: evidence from the 10/66 population-based longitudinal study. <i>Aging and Mental Health</i> , 2020, 24, 1796-1806.	2.8	23
233	Factors related with sarcopenia and sarcopenic obesity among low- and middle-income settings: the 10/66 DRG study. <i>Scientific Reports</i> , 2020, 10, 20453.	3.4	23
234	The association between frailty and incidence of dementia in Beijing: findings from 10/66 dementia research group population-based cohort study. <i>BMC Geriatrics</i> , 2020, 20, 138.	2.8	23

#	ARTICLE	IF	CITATIONS
235	Determinants of common mental disorder, alcohol use disorder and cognitive morbidity among people coming for <sc>HIV</sc> testing in <sc>G</sc>oa, <sc>I</sc>ndia. Tropical Medicine and International Health, 2015, 20, 397-406.	2.0	22
236	The Societal Cost of Dementia in Singapore: Results from the WiSE Study. Journal of Alzheimer's Disease, 2016, 51, 439-449.	2.7	22
237	WHO's proposal for a decade of healthy ageing. Lancet, The, 2019, 394, 2152-2153.	12.1	22
238	Genes Related to Vascular Disease (APOE, VLDL-R, DCP-1) and Other Vascular Factors in Late-Life Depression. American Journal of Geriatric Psychiatry, 2004, 12, 202-210.	1.1	21
239	Ruralâ€urban migration, illicit drug use and hazardous/harmful drinking in the young Thai population. Addiction, 2008, 103, 91-100.	4.8	21
240	Validation of the 10/66 Dementia Research Group Diagnostic Assessment for Dementia in Arabic. Journal of Geriatric Psychiatry and Neurology, 2014, 27, 282-290.	2.6	21
241	Development and validation of a contextual measure of functioning for people living with severe mental disorders in rural Africa. BMC Psychiatry, 2016, 16, 311.	2.7	21
242	Reviving the â€double jeopardyâ€™ hypothesis: Physical health inequalities, ethnicity and severe mental illness. British Journal of Psychiatry, 2016, 209, 183-185.	3.6	21
243	Associations between Depression, Depressive Symptoms, and Incidence of Dementia in Latin America: A 10/66 Dementia Research Group Study. Journal of Alzheimer's Disease, 2019, 69, 433-441.	2.7	21
244	Dental caries experience and associated factors in adults: a cross-sectional community survey within Ethiopia. BMC Public Health, 2021, 21, 180.	3.0	21
245	Neurological Disorders. , 2016, , 87-107.		21
246	Developing a measure of mental health service satisfaction for use in low income countries: a mixed methods study. BMC Health Services Research, 2017, 17, 183.	2.2	20
247	Behavioral and psychological symptoms of dementia: prevalence, symptom groups and their correlates in community-based older adults with dementia in Singapore. International Psychogeriatrics, 2017, 29, 1363-1376.	1.1	20
248	Allocating Family Responsibilities for Dependent Older People in Mexico and Peru. Journal of Development Studies, 2018, 54, 682-701.	2.1	20
249	Equitable access to mental healthcare integrated in primary care for people with severe mental disorders in rural Ethiopia: a community-based cross-sectional study. International Journal of Mental Health Systems, 2019, 13, 78.	2.8	20
250	The Clinical Interview Schedule â€Sinhala version: validation in a community setting in Sri Lanka. International Journal of Methods in Psychiatric Research, 2002, 11, 169-177.	2.3	19
251	Quality of accommodation and risk of depression in later life: An analysis of prospective data from the Gospel Oak Project. International Journal of Geriatric Psychiatry, 2002, 17, 1091-1098.	2.7	19
252	Chronic diseases among older people and co-resident psychological morbidity: a 10/66 Dementia Research Group population-based survey. International Psychogeriatrics, 2011, 23, 1489-1501.	1.1	19

#	ARTICLE	IF	CITATIONS
253	Identifying common impairments in frail and dependent older people: validation of the COPE assessment for non-specialised health workers in low resource primary health care settings. <i>BMC Geriatrics</i> , 2015, 15, 123.	2.8	19
254	A multiple indicators multiple causes model of late-life depression in Latin American countries. <i>Journal of Affective Disorders</i> , 2015, 184, 129-136.	4.2	19
255	ACE genotype and cognitive decline in an African-Caribbean population. <i>Neurobiology of Aging</i> , 2004, 25, 1369-1375.	3.2	18
256	Measuring Physical Characteristics of Housing: The Built Environment Site Survey Checklist (BESSC). <i>Environment and Planning B: Planning and Design</i> , 2005, 32, 265-280.	1.7	18
257	Can urban regeneration programmes assist coping and recovery for people with mental illness? Suggestions from a qualitative case study. <i>Health Promotion International</i> , 2006, 21, 19-26.	2.0	18
258	Tobacco use and dementia: evidence from the 1066 dementia population-based surveys in Latin America, China and India. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 1177-1185.	2.7	18
259	Cross-cultural factorial validation of the Clinical Interview Schedule "Revised" (CIS-R); findings from a nationally representative survey (EMPIRIC). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 229-244.	2.3	18
260	Burden, impact, and needs of caregivers of children living with mental health or neurodevelopmental conditions in low-income and middle-income countries: a scoping review. <i>Lancet Psychiatry</i> , 2021, 8, 919-928.	7.6	18
261	Is there a link between rates of common mental disorder and deficits in social capital in Gospel Oak, London?. <i>Health and Place</i> , 2005, 11, 237-248.	3.4	17
262	Utility of the concept of minor depressive disorder: Evidence from a large rural community sample in a developing country setting. <i>Journal of Affective Disorders</i> , 2007, 104, 111-118.	4.2	17
263	Epidemiology of dementia. <i>Psychiatry (Abingdon, England)</i> , 2007, 6, 488-490.	0.2	17
264	Ethics Review Committee approval and informed consent: an analysis of biomedical publications originating from Sri Lanka. <i>BMC Medical Ethics</i> , 2008, 9, 3.	2.5	17
265	The prevalence and social patterning of chronic diseases among older people in a population undergoing health transition. A 10/66 Group cross-sectional population-based survey in the Dominican Republic. <i>BMC Public Health</i> , 2010, 10, 344.	3.0	17
266	Validity and Reliability of a Taiwan Chinese Version of the Community Screening Instrument for Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 581-588.	1.1	16
267	A premature mortality target for the SDG for health is ageist. <i>Lancet, The</i> , 2015, 385, 2147-2148.	12.1	16
268	A cohort study of the effects of older adult care dependence upon household economic functioning, in Peru, Mexico and China. <i>PLoS ONE</i> , 2018, 13, e0195567.	2.5	16
269	Depression in carers of people with dementia from a minority ethnic background: Systematic review and meta-analysis of randomised controlled trials of psychosocial interventions. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 790-806.	2.7	16
270	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial. <i>Lancet Psychiatry</i> , 2022, 9, 59-71.	7.6	16



#	ARTICLE	IF	CITATIONS
271	Dementia and lower blood pressure in Latin America, India, and China. <i>Neurology</i> , 2013, 81, 228-235.	1.1	15
272	Cohort Profile: The 1934-66 Mysore Birth Records Cohort in South India. <i>International Journal of Epidemiology</i> , 2015, 44, 1833-1841.	2.0	15
273	Impact of maternal common mental disorders on child educational outcomes at 7 and 9 years: a population-based cohort study in Ethiopia. <i>BMJ Open</i> , 2018, 8, e018916.	2.1	15
274	Dementia in Developing Countries. <i>International Psychogeriatrics</i> , 2001, 13, 389-393.	1.1	14
275	Validity of the Concept of Minor Depression in a Developing Country Setting. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 22-28.	1.0	14
276	An interpretative phenomenological analysis (IPA) of coercion towards community dwelling older adults with dementia: findings from Mysore studies of natal effects on ageing and health (MYNAH). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1659-1664.	3.4	14
277	Type 2 diabetes mellitus as a risk factor for dementia in a Mexican population. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1234-1239.	2.4	14
278	Depression and cause-specific mortality in an ethnically diverse cohort from the UK: 8-year prospective study. <i>Psychological Medicine</i> , 2019, 49, 1639-1651.	5.2	14
279	Mortality Rates and Mortality Risk Factors in Older Adults with Dementia from Low- and Middle-Income Countries: The 10/66 Dementia Research Group Population-Based Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 581-593.	2.7	14
280	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. <i>Global Health Action</i> , 2022, 15, 1987044.	2.0	14
281	Concurrent validity of a telephone-administered version of the Gospel Oak instrument (including the Tj ETQq1 1 0,784314 rsgBT /Overlo	2.7	13
282	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. <i>International Psychogeriatrics</i> , 2011, 23, 202-213.	1.1	13
283	Care for bipolar disorder in LMICs needs evidence from local settings. <i>Lancet Psychiatry</i> , 2015, 2, 772-773.	7.6	13
284	Cohort Differences in Cognitive Aging in the Longitudinal Aging Study Amsterdam. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2016, 73, gbw129.	4.2	13
285	Pathways to HIV testing and care in Goa, India: exploring psychosocial barriers and facilitators using mixed methods. <i>BMC Public Health</i> , 2016, 16, 765.	3.0	13
286	The prevalence of late-life depression in a Portuguese community sample: A 10/66 Dementia Research Group study. <i>Journal of Affective Disorders</i> , 2019, 246, 674-681.	4.2	13
287	Validity and Reliability of a Taiwan Chinese Version of the Community Screening Instrument for Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 581-588.	1.1	13
288	The psychological impact of heavy drinking among the elderly on their co-residents: The 10/66 group population based survey in the Dominican Republic. <i>Drug and Alcohol Dependence</i> , 2011, 114, 82-86.	3.3	12

#	ARTICLE	IF	CITATIONS
289	Psychological predictors for attendance of post-HIV test counselling and linkage to care: the Umeed cohort study in Goa, India. <i>BMC Psychiatry</i> , 2014, 14, 188.	2.7	12
290	Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0167103.	2.5	12
291	The Association Between Childhood Seizures and Later Childhood Emotional and Behavioral Problems: Findings From a Nationally Representative Birth Cohort. <i>Psychosomatic Medicine</i> , 2016, 78, 620-628.	2.1	12
292	Liaison psychiatry for older adults in the general hospital: service activity, development and outcomes. <i>BJPsych Bulletin</i> , 2018, 42, 30-36.	1.3	12
293	Socio-demographic and cardiovascular disease risk factors associated with dementia: Results of a cross-sectional study from Lebanon. <i>Preventive Medicine Reports</i> , 2018, 9, 1-5.	1.9	12
294	Comparison of liaison psychiatry service models for older patients. <i>Psychiatric Bulletin</i> , 2004, 28, 171-173.	0.3	11
295	Are inner-city bad for your health? Comparisons of residents' and third parties' perceptions of the urban neighbourhood of Gospel Oak, London. <i>Sociology of Health and Illness</i> , 2005, 27, 44-67.	2.3	11
296	Fatigue as a manifestation of psychosocial distress in a low-income country: a population-based panel study. <i>Tropical Medicine and International Health</i> , 2016, 21, 365-372.	2.0	11
297	Development of a healthy ageing index in Latin American countries - a 10/66 dementia research group population-based study. <i>BMC Medical Research Methodology</i> , 2019, 19, 226.	3.2	11
298	Prevalence and management of constipation in pediatric acute lymphoblastic leukemia in U.S. children's hospitals. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28659.	1.6	11
299	Understanding of research: a Sri Lankan perspective. <i>BMC Medical Ethics</i> , 2010, 11, 7.	2.5	10
300	Rural-Urban Migration and Experience of Childhood Abuse in the Young Thai Population. <i>Journal of Family Violence</i> , 2011, 26, 607-615.	3.6	10
301	Job Strain, Hazardous Drinking, and Alcohol-Related Disorders Among Brazilian Bank Workers. <i>Journal of Studies on Alcohol and Drugs</i> , 2013, 74, 212-222.	1.8	10
302	Comorbid mental disorders and quality of life of people with epilepsy attending primary health care clinics in rural Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0238137.	2.5	10
303	Common Mental Disorder Symptoms among Patients with Malaria Attending Primary Care in Ethiopia: A Cross-Sectional Survey. <i>PLoS ONE</i> , 2014, 9, e108923.	2.5	10
304	The impact of NICE guidelines on the diagnosis and treatment of Alzheimer's disease among general medical hospital inpatients. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 800-802.	2.7	9
305	Incidence of dementia and association with APOE genotype in older Cubans. <i>Dementia E Neuropsychologia</i> , 2014, 8, 356-363.	0.8	9
306	Calibrating EASY-Care independence scale to improve accuracy. <i>Age and Ageing</i> , 2016, 45, 890-893.	1.6	9

#	ARTICLE	IF	CITATIONS
307	Validation of a Latent Construct for Dementia in a Population-Wide Dataset from Singapore. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 823-833.	2.7	9
308	The economic status of older people's households in urban and rural settings in Peru, Mexico and China: a 10/66 INDEP study cross-sectional survey. <i>SpringerPlus</i> , 2016, 5, 258.	1.2	9
309	Alcohol and tobacco consumption concordance and its correlates in older couples in Latin America. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1849-1857.	1.4	9
310	Birth size, risk factors across life and cognition in late life: protocol of prospective longitudinal follow-up of the MYNAH (MYSore studies of Natal effects on Ageing and Health) cohort. <i>BMJ Open</i> , 2017, 7, e012552.	2.1	9
311	Healthy ageing and the prediction of mortality and incidence dependence in low- and middle- income countries: a 10/66 population-based cohort study. <i>BMC Medical Research Methodology</i> , 2019, 19, 225.	3.2	9
312	Alcohol Drinking and Health in Ageing: A Global Scale Analysis of Older Individual Data through the Harmonised Dataset of ATHLOS. <i>Nutrients</i> , 2020, 12, 1746.	4.2	9
313	Measurement in psychiatry. <i>International Review of Psychiatry</i> , 1998, 10, 264-271.	2.9	8
314	A five-year community-based longitudinal survival study of dementia in Beijing, China: a 10/66 Dementia Research Group population-based study. <i>International Psychogeriatrics</i> , 2010, 22, 761-768.	1.1	8
315	Dementia in China: east-west collaboration bears fruit. <i>Lancet, The</i> , 2013, 381, 1967-1968.	12.1	8
316	Cognitive function and disability in late life: an ecological validation of the 10/66 battery of cognitive tests among community-dwelling older adults in South India. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 879-891.	2.7	8
317	Dementia and family burden of care in Lebanon. <i>BJPsych International</i> , 2017, 14, 7-9.	1.7	8
318	Neurological signs as early determinants of dementia and predictors of mortality among older adults in Latin America: a 10/66 study using the NEUROEX assessment. <i>BMC Neurology</i> , 2018, 18, 163.	1.8	8
319	Reliability of a telephone-administered cognitive test battery (TACT) between telephone and face-to-face administration. <i>International Journal of Methods in Psychiatric Research</i> , 2001, 10, 22-28.	2.3	7
320	Epidemiology of dementia. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 11-13.	0.2	7
321	Mental capacity assessments among general hospital inpatients referred to a specialist liaison psychiatry service for older people. <i>International Psychogeriatrics</i> , 2009, 21, 729-737.	1.1	7
322	Symptoms of common mental disorder and cognitive associations with seropositivity among a cohort of people coming for testing for HIV/AIDS in Goa, India: a cross-sectional survey. <i>BMC Public Health</i> , 2013, 13, 204.	3.0	7
323	Validation of the short version of the 10/66 dementia diagnosis in multiethnic Asian older adults in Singapore. <i>BMC Geriatrics</i> , 2017, 17, 94.	2.8	7
324	Health-related quality-of-life assessment in dementia: Evidence of cross-cultural validity in Latin America.. <i>Psychological Assessment</i> , 2019, 31, 1264-1277.	1.3	7

#	ARTICLE	IF	CITATIONS
325	Contextual equipoise: a novel concept to inform ethical implications for implementation research in low-income and middle-income countries. <i>BMJ Global Health</i> , 2020, 5, e003456.	5.5	7
326	Impact of child emotional and behavioural difficulties on educational outcomes of primary school children in Ethiopia: a population-based cohort study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2020, 14, 22.	2.7	7
327	The Value of Four Mental Health Self-Report Scales in Predicting Interview-Based Mood and Anxiety Disorder Diagnoses in Sibling Pairs. <i>Twin Research and Human Genetics</i> , 2005, 8, 101-107.	0.7	6
328	Validation of the 10/66 Dementia Research Group's 10/66 Dementia diagnosis in Iran. <i>International Psychogeriatrics</i> , 2009, 21, 604.	1.1	6
329	10/66 Dementia Research Group: recently published survey data for seven Latin America sites. <i>International Psychogeriatrics</i> , 2010, 22, 158-159.	1.1	6
330	Prevalence and correlates of traumatic brain injury (TBI) in older adults: results from the Well-being of the Singapore Elderly (WISE) study. <i>International Psychogeriatrics</i> , 2017, 29, 1899-1907.	1.1	6
331	UK's role in global health research innovation. <i>Lancet, The</i> , 2018, 391, 721-723.	12.1	6
332	Leg length, skull circumference, and the incidence of dementia in Latin America and China: A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0195133.	2.5	6
333	Perinatal mental distress in a rural Ethiopian community: a critical examination of psychiatric labels. <i>BMC Psychiatry</i> , 2020, 20, 223.	2.7	6
334	Informed consent in Sri Lanka: A survey among ethics committee members. <i>BMC Medical Ethics</i> , 2008, 9, 10.	2.5	5
335	Could reverse causality or selective mortality explain associations between leg length, skull circumference and dementia? A South Indian cohort study. <i>International Psychogeriatrics</i> , 2011, 23, 328-330.	1.1	5
336	The prevalence, correlates and impact of anaemia among older people in Cuba, Dominican Republic, Mexico, Puerto Rico and Venezuela. <i>British Journal of Haematology</i> , 2013, 160, 387-398.	2.7	5
337	Does social disadvantage over the life-course account for alcohol and tobacco use in Irish people? Birth cohort study. <i>European Journal of Public Health</i> , 2014, 24, 594-599.	0.3	5
338	Cross-Sectional Associations of Depressive Symptom Severity and Functioning with Health Service Use by Older People in Low-and-Middle Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 3774-3792.	2.7	5
339	Normative data for the 10/66 dementia research group neuropsychological test battery from Singapore's older adult population. <i>Asian Journal of Psychiatry</i> , 2020, 51, 102019.	2.1	5
340	Teaching psychiatry in Ethiopia. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2006, 3, 43-46.	0.2	4
341	Association of cognitive impairment, activity limitation with latent traits in the GHQ-12 in the older elderly. The Bambui Health and Aging Study (BHAS). <i>Aging Clinical and Experimental Research</i> , 2008, 20, 562-568.	2.9	4
342	Perinatal common mental disorders and child survival in Ethiopia. <i>Journal of Paediatrics and Child Health</i> , 2014, 50, 57-63.	0.8	4

#	ARTICLE	IF	CITATIONS
343	Implementa��o em Portugal de um estudo de preval�ncia da dem�ncia e da depress�o geri�trica: a metodologia do 10/66 Dementia Research Group. Revista Portuguesa De Saude Publica, 2016, 34, 134-143.	0.3	4
344	��elf you can't measure it, you can't manage it�� essential truth, or costly myth?. World Psychiatry, 2018, 17, 1-2.	9.6	4
345	Linkage of Alzheimer disease families with Puerto Rican ancestry identifies a chromosome 9 locus. Neurobiology of Aging, 2021, 104, 115.e1-115.e7.	3.2	4
346	Performance of primary health care workers in detection of mental disorders comorbid with epilepsy in rural Ethiopia. BMC Family Practice, 2021, 22, 204.	2.9	4
347	Common perinatal mental disorders and post�nfancy child development in rural Ethiopia: A population�based cohort study. Tropical Medicine and International Health, 2022, 27, 251-261.	2.0	4
348	A divisive hierarchical clustering methodology for enhancing the ensemble prediction power in large scale population studies: the ATHLOS project. Health Information Science and Systems, 2022, 10, 6.	5.5	4
349	The contribution of cross-cultural research to dementia care and policy:. , 2010, , 163-182.		3
350	The Executive Interview (EXIT25) as a tool for assessing executive functioning in older medical and surgical inpatients referred to a psychiatry service: feasibility of creating a brief version. International Psychogeriatrics, 2014, 26, 935-941.	1.1	3
351	Translation and Validation of 10/66 Dementia Diagnostic Battery in Urdu in Karachi, Pakistan. Alzheimer Disease and Associated Disorders, 2020, 34, 163-169.	1.3	3
352	Ageing and dementia in developing countries �� the work of the 10/66 Dementia Research Group. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 3-6.	0.2	3
353	An overview of psychiatric epidemiology. International Review of Psychiatry, 1998, 10, 258-263.	2.9	2
354	The Development of the EURO-D Scale. , 0, , 159-160.		2
355	Patient Psychological Characteristics Have Minimal Influence on Surgical Prioritization. Psychosomatic Medicine, 2004, 66, 251-257.	2.1	2
356	Global mental health�� call for papers. Lancet, The, 2006, 367, 1471-1472.	12.1	2
357	Impact of perinatal and repeated maternal common mental disorders on educational outcomes of primary school children in rural Ethiopia: population-based cohort study. BJPsych Open, 2019, 5, e87.	0.7	2
358	Validation of the Short Version of the 10/66 Dementia Diagnosis in Urdu in Karachi, Pakistan. Alzheimer Disease and Associated Disorders, 2022, 36, 89-91.	1.3	2
359	Size at birth, lifecourse factors, and cognitive function in late life: findings from the MYsore study of Natal effects on Ageing and Health (MYNAH) cohort in South India. International Psychogeriatrics, 2021, , 1-14.	1.1	2
360	LETTER TO THE EDITOR. Social Support Deficits and Cognitive Impairment. International Journal of Geriatric Psychiatry, 1996, 11, 1119-1120.	2.7	1

#	ARTICLE	IF	CITATIONS
361	The cross-sectional survey. <i>International Review of Psychiatry</i> , 1998, 10, 272-277.	2.9	1
362	The Prueba Cognitiva de Leganes is a valid screening tool for diagnosing dementia in people with low educational level. <i>Evidence-Based Mental Health</i> , 2004, 7, 39-39.	5.5	1
363	Psychological determinants of primary care requests for urgent outpatient appointments in elective referrals. <i>Journal of Evaluation in Clinical Practice</i> , 2007, 13, 236-241.	1.8	1
364	Psychosocial factors. , 2010, , 99-106.		1
365	Back to the future with PACK. <i>BMJ Global Health</i> , 2018, 3, e001231.	5.5	1
366	P1â€625: PREVALENCE AND INCIDENCE OF MILD COGNITIVE IMPAIRMENT AND DEMENTIA IN FRAIL ELDERLY IN LATIN AMERICA, CHINA AND INDIA: A 10/66 POPULATIONâ€BASED SURVEY. <i>Alzheimer's and Dementia</i> , 2018, 14, P580.	0.7	1
367	Pathways into and out of homelessness among people with severe mental illness in rural Ethiopia: a qualitative study. <i>BMC Public Health</i> , 2021, 21, 568.	3.0	1
368	The Crossâ€Cultural Epidemiology of Mental Illness in Old Age. , 2010, , 717-729.		1
369	Health and economic correlates of autonomy among older people in Peru, Mexico and China: The 10/66 INDEP study. <i>Wellcome Open Research</i> , 0, 3, 57.	1.9	1
370	A computer practical. <i>International Review of Psychiatry</i> , 1998, 10, 353-361.	2.9	0
371	A pilot study of sibling resemblance in later life. <i>International Journal of Geriatric Psychiatry</i> , 2000, 15, 125-129.	2.7	0
372	The Aetiology of Late-life Depression. , 0, , 381-386.		0
373	The aging brain and mind: cultural and anthropological perspectives. , 0, , 1-6.		0
374	Infections and dementia: the view from a developing nation. , 0, , 47-54.		0
375	Nutrition and dementia: where is the nexus?. , 0, , 55-62.		0
376	Quality of life in dementia: global perspective and transcultural issues. , 0, , 87-98.		0
377	Care arrangements for patients with dementia: China. , 0, , 107-112.		0
378	Service delivery and management. , 2010, , 113-116.		0

#	ARTICLE	IF	CITATIONS
379	Non-pharmacological approaches: patient-centered approaches. , 0, , 117-122.		0
380	Peru (South America). , 0, , 123-126.		0
381	Alzheimer's Disease International. , 0, , 153-158.		0
382	Perspectives from a developing nation. , 0, , 159-162.		0
383	Response to GPSâ€”1â€”0269. International Journal of Geriatric Psychiatry, 2012, 27, 1316-1316.	2.7	0
384	P3â€”080: APOE Genotype and the Prevalence and Incidence of Dementia in Admixed Cuban Population: A 10/66 Populationâ€”Based Cohort Study. Alzheimer's and Dementia, 2016, 12, P849.	0.7	0
385	Ethnicity, mortality, and severe mental illness â€” Authors' reply. Lancet Psychiatry,the, 2017, 4, 517-518.	7.6	0
386	[P4â€”390]: THE ASSOCIATION BETWEEN HEAD CIRCUMFERENCE WITH DEMENTIA PREVALENCE. Alzheimer's and Dementia, 2017, 13, P1443.	0.7	0
387	[O1â€”13â€”03]: CULTUREâ€”AND EDUCATIONâ€”FAIR 10/66 DEMENTIA DIAGNOSTIC ASSESSMENT: VALIDITY OF THE CORE MEASURES IN SUBâ€”SAHARAN AFRICAN POPULATIONS. Alzheimer's and Dementia, 2017, 13, P226.	0.7	0
388	P1â€”589: THE 1066 SHORT SCHEDULE DEMENTIA DIAGNOSTIC ROUTINE â€”PORTED TO PORTABLE DEVICESâ€”™: A COMPARATIVE STUDY BETWEEN INDIA, THE UNITED STATES, AND SWITZERLAND. Alzheimer's and Dementia, 2018, 14, P562.	0.7	0
389	Abstract dementia risk prediction model development in lowâ€”and middleâ€”income countries: The 10/66 study. Alzheimer's and Dementia, 2020, 16, e042071.	0.7	0
390	A lifecourse approach to the relationship between lung function and cognition function in late life: findings from the Mysore studies of Natal effect on Ageing and Health (MYNAH) in South India. Wellcome Open Research, 0, 7, 25.	1.9	0
391	Nested case control study of prevalence and aetiology of dementia in a rural Ugandan population, and a situational analysis of services available for affected families: a protocol. Part of the DEPEND Uganda study (Dementia EPidemiology, unmet Need and co-Developing Solutions). Wellcome Open Research, 0, 9, 544.	1.9	0