

Xing-Zhen Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7842643/publications.pdf>

Version: 2024-02-01

14
papers

212
citations

1162889

8
h-index

1125617

13
g-index

14
all docs

14
docs citations

14
times ranked

155
citing authors

#	ARTICLE	IF	CITATIONS
1	Isolated systolic hypertension and insulin resistance assessment tools in young and middle-aged Chinese men with normal fasting glucose: a cross-sectional study. <i>Scientific Reports</i> , 2022, 12, 758.	1.6	4
2	Inverted J-Shaped Association of High-Sensitivity C-Reactive Protein with the Levels of Serum Uric Acid: Cross-Sectional and Longitudinal Analyses. <i>Journal of Inflammation Research</i> , 2022, Volume 15, 341-344.	1.6	2
3	Hyperinsulinemia negatively affects the association between insulin resistance and blood pressure. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3359-3366.	1.1	8
4	Associations of Triglyceride-Glucose Index and Its Derivatives with Hyperuricemia Risk: A Cohort Study in Chinese General Population. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	0.6	12
5	Association of triglyceride glucose index and its combination of obesity indices with prehypertension in lean individuals: A cross-sectional study of Chinese adults. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1025-1032.	1.0	38
6	Longitudinal associations between metabolic score for visceral fat and hyperuricemia in non-obese adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1751-1757.	1.1	14
7	Monocyte-to-high-density lipoprotein cholesterol ratio is associated with the presence and size of thyroid nodule irrespective of the gender. <i>Lipids in Health and Disease</i> , 2020, 19, 36.	1.2	12
8	Association of Visceral Adiposity Surrogates with Impaired Fasting Glucose in Nonobese Individuals. <i>Metabolic Syndrome and Related Disorders</i> , 2020, 18, 128-133.	0.5	9
9	Association between cardiovascular risk factors and stage 1 hypertension defined by the 2017 ACC/AHA guidelines. <i>Clinical and Experimental Hypertension</i> , 2020, 42, 483-489.	0.5	4
10	Association between three non-insulin-based indexes of insulin resistance and hyperuricemia. <i>Clinical Rheumatology</i> , 2019, 38, 3227-3233.	1.0	31
11	METS-IR, a novel simple insulin resistance indexes, is associated with hypertension in normal-weight Chinese adults. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1075-1081.	1.0	55
12	The prevalence of obesity and metabolic abnormalities in eastern China: a cross-sectional study. <i>International Journal of Diabetes in Developing Countries</i> , 2019, 39, 685-691.	0.3	6
13	Applying the China-PAR Risk Algorithm to Assess 10-year Atherosclerotic Cardiovascular Disease Risk in Populations Receiving Routine Physical Examinations in Eastern China. <i>Biomedical and Environmental Sciences</i> , 2019, 32, 87-95.	0.2	12
14	Body Roundness Index Is Significantly Associated with Prehypertension and Hypertension in Nonobese Chinese Subjects. <i>Biomedical and Environmental Sciences</i> , 2019, 32, 854-859.	0.2	5