

Zakhar O Shenkarev

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7842990/zakhar-o-shenkarev-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

1,959
citations

26
h-index

40
g-index

99
ext. papers

2,242
ext. citations

3.9
avg, IF

4.29
L-index

#	Paper	IF	Citations
86	Spatial structure and oligomerization of viscotoxin A3 in detergent micelles: Implication for mechanisms of ion channel formation and membrane lysis. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 585, 22-28	3.4	1
85	Voltage-Sensing Domain of the Third Repeat of Human Skeletal Muscle NaV1.4 Channel As a New Target for Spider Gating Modifier Toxins. <i>Acta Naturae</i> , 2021 , 13, 134-139	2.1	
84	Antiviral drug Triazavirin, selectively labeled with H, C, and N stable isotopes. Synthesis and properties. <i>Chemistry of Heterocyclic Compounds</i> , 2021 , 57, 1-4	1.4	1
83	Gausemycins A,B: Cyclic Lipoglycopeptides from <i>Streptomyces</i> sp.**. <i>Angewandte Chemie</i> , 2021 , 133, 18842-18851	3.6	
82	Gausemycins A,B: Cyclic Lipoglycopeptides from <i>Streptomyces</i> sp.*. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 18694-18703	16.4	2
81	Innentitelbild: Gausemycins A,B: Cyclic Lipoglycopeptides from <i>Streptomyces</i> sp. (Angew. Chem. 34/2021). <i>Angewandte Chemie</i> , 2021 , 133, 18498-18498	3.6	1
80	Dodecapeptide Cathelicidins of <i>Cetartiodactyla</i> : Structure, Mechanism of Antimicrobial Action, and Synergistic Interaction With Other Cathelicidins. <i>Frontiers in Microbiology</i> , 2021 , 12, 725526	5.7	1
79	Probing GFP Chromophore Analogs as Anti-HIV Agents Targeting LTR-III G-Quadruplex. <i>Biomolecules</i> , 2021 , 11,	5.9	1
78	SLURP-1 Controls Growth and Migration of Lung Adenocarcinoma Cells, Forming a Complex With α -nAChR and PDGFR/EGFR Heterodimer. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 739391	5.7	0
77	Biochemical Basis of Skin Disease Mal de Meleda: SLURP-1 Mutants Differently Affect Keratinocyte Proliferation and Apoptosis. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2229-2237	4.3	2
76	Human Three-Finger Protein Lypd6 Is a Negative Modulator of the Cholinergic System in the Brain. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 662227	5.7	0
75	Structure Elucidation and Functional Studies of a Novel Hairpin Antimicrobial Peptide from the Marine Polychaeta. <i>Marine Drugs</i> , 2020 , 18,	6	5
74	Human secreted protein SLURP-1 abolishes nicotine-induced proliferation, PTEN down-regulation and α -nAChR expression up-regulation in lung cancer cells. <i>International Immunopharmacology</i> , 2020 , 82, 106303	5.8	8
73	Caloric restriction triggers morphofunctional remodeling of astrocytes and enhances synaptic plasticity in the mouse hippocampus. <i>Cell Death and Disease</i> , 2020 , 11, 208	9.8	19
72	Water-soluble variant of human Lynx1 positively modulates synaptic plasticity and ameliorates cognitive impairment associated with α -nAChR dysfunction. <i>Journal of Neurochemistry</i> , 2020 , 155, 45-61 ⁶		11
71	Bacterial Production and Structural Study of Human Neuromodulator Lynx2. <i>Russian Journal of Bioorganic Chemistry</i> , 2020 , 46, 1261-1269	1	1
70	Betaine π -Heterocyclic Carbene Interconversions of Quinazolin-4-One Imidazolium Mesomeric Betaines. Sulfur, Selenium, and Borane Adduct Formation. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 450-465	3.2	12

69	Structural Diversity and Dynamics of Human Three-Finger Proteins Acting on Nicotinic Acetylcholine Receptors. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
68	Mambalgin-2 Induces Cell Cycle Arrest and Apoptosis in Glioma Cells via Interaction with ASIC1a. <i>Cancers</i> , 2020 , 12,	6.6	10
67	Cell-Free Expression of Sodium Channel Domains for Pharmacology Studies. Noncanonical Spider Toxin Binding Site in the Second Voltage-Sensing Domain of Human Na1.4 Channel. <i>Frontiers in Pharmacology</i> , 2019 , 10, 953	5.6	2
66	Water-soluble variant of human Lynx1 induces cell cycle arrest and apoptosis in lung cancer cells via modulation of $\alpha 7$ nicotinic acetylcholine receptors. <i>PLoS ONE</i> , 2019 , 14, e0217339	3.7	20
65	Recombinant Production and Structure-Function Study of the Ts1 Toxin from the Brazilian Scorpion <i>Tityus serrulatus</i> . <i>Doklady Biochemistry and Biophysics</i> , 2019 , 484, 9-12	0.8	1
64	CombLabel: rational design of optimized sequence-specific combinatorial labeling schemes. Application to backbone assignment of membrane proteins with low stability. <i>Journal of Biomolecular NMR</i> , 2019 , 73, 531-544	3	4
63	Human secreted proteins SLURP-1 and SLURP-2 control the growth of epithelial cancer cells via interactions with nicotinic acetylcholine receptors. <i>British Journal of Pharmacology</i> , 2018 , 175, 1973-1986	8.6	25
62	Crystallomycin revisited after 60 years: aspartocins B and C. <i>MedChemComm</i> , 2018 , 9, 667-675	5	3
61	Spider toxin inhibits gating pore currents underlying periodic paralysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 4495-4500	11.5	13
60	Novel Antimicrobial Peptides from the Arctic Polychaeta Provide New Molecular Insight into Biological Role of the BRICHOS Domain. <i>Marine Drugs</i> , 2018 , 16,	6	14
59	Recombinant Production, Reconstruction in Lipid-Protein Nanodiscs, and Electron Microscopy of Full-Length β Subunit of Human Potassium Channel Kv7.1. <i>Biochemistry (Moscow)</i> , 2018 , 83, 562-573	2.9	2
58	NMR investigation of the isolated second voltage-sensing domain of human Nav1.4 channel. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017 , 1859, 493-506	3.8	9
57	Ligand Binding Properties of the Lentil Lipid Transfer Protein: Molecular Insight into the Possible Mechanism of Lipid Uptake. <i>Biochemistry</i> , 2017 , 56, 1785-1796	3.2	21
56	Dimerization of the antimicrobial peptide arenicin plays a key role in the cytotoxicity but not in the antibacterial activity. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 482, 1320-1326	3.4	17
55	N-Labeling and structure determination of adamantylated azolo-azines in solution. <i>Beilstein Journal of Organic Chemistry</i> , 2017 , 13, 2535-2548	2.5	6
54	Marine antimicrobial peptide arenicin adopts a monomeric twisted hairpin structure and forms low conductivity pores in zwitterionic lipid bilayers. <i>Peptide Science</i> , 2017 , 110, e23093	3	10
53	Towards universal approach for bacterial production of three-finger Ly6/uPAR proteins: Case study of cytotoxin I from cobra <i>N. oxiana</i> . <i>Protein Expression and Purification</i> , 2017 , 130, 13-20	2	16
52	Three-Finger Proteins from the Ly6/uPAR Family: Functional Diversity within One Structural Motif. <i>Biochemistry (Moscow)</i> , 2017 , 82, 1702-1715	2.9	26

51	Recombinant production and structural studies of the human Lypd6 and Lypd6b proteins. <i>Russian Journal of Bioorganic Chemistry</i> , 2017 , 43, 644-652	1	5
50	Divide and conquer approach to the structural studies of multidomain ion channels by the example of isolated voltage sensing domains of human Kv2.1 and Nav1.4 channels. <i>Russian Journal of Bioorganic Chemistry</i> , 2017 , 43, 634-643	1	3
49	Secreted Isoform of Human Lynx1 (SLURP-2): Spatial Structure and Pharmacology of Interactions with Different Types of Acetylcholine Receptors. <i>Scientific Reports</i> , 2016 , 6, 30698	4.9	24
48	Central loop of non-conventional toxin WTX from <i>Naja kaouthia</i> is important for interaction with nicotinic acetylcholine receptors. <i>Toxicon</i> , 2016 , 119, 274-9	2.8	16
47	Human Secreted Ly-6/uPAR Related Protein-1 (SLURP-1) Is a Selective Allosteric Antagonist of $\alpha 7$ Nicotinic Acetylcholine Receptor. <i>PLoS ONE</i> , 2016 , 11, e0149733	3.7	51
46	A novel lipid transfer protein from the pea <i>Pisum sativum</i> : isolation, recombinant expression, solution structure, antifungal activity, lipid binding, and allergenic properties. <i>BMC Plant Biology</i> , 2016 , 16, 107	5.3	44
45	Structural Insight into Specificity of Interactions between Nonconventional Three-finger Weak Toxin from <i>Naja kaouthia</i> (WTX) and Muscarinic Acetylcholine Receptors. <i>Journal of Biological Chemistry</i> , 2015 , 290, 23616-30	5.4	28
44	Structure of membrane-active toxin from crab spider <i>Heriades melloteei</i> suggests parallel evolution of sodium channel gating modifiers in Araneomorphae and Mygalomorphae. <i>Journal of Biological Chemistry</i> , 2015 , 290, 492-504	5.4	12
43	Heterologous expression and solution structure of defensin from lentil <i>Lens culinaris</i> . <i>Biochemical and Biophysical Research Communications</i> , 2014 , 451, 252-7	3.4	14
42	Lipid-protein nanodiscs offer new perspectives for structural and functional studies of water-soluble membrane-active peptides. <i>Acta Naturae</i> , 2014 , 6, 84-94	2.1	12
41	Human SLURP-1 and SLURP-2 Proteins Acting on Nicotinic Acetylcholine Receptors Reduce Proliferation of Human Colorectal Adenocarcinoma HT-29 Cells. <i>Acta Naturae</i> , 2014 , 6, 60-6	2.1	13
40	Lipid-Protein Nanodiscs Offer New Perspectives for Structural and Functional Studies of Water-Soluble Membrane-Active Peptides. <i>Acta Naturae</i> , 2014 , 6, 84-94	2.1	22
39	Human SLURP-1 and SLURP-2 Proteins Acting on Nicotinic Acetylcholine Receptors Reduce Proliferation of Human Colorectal Adenocarcinoma HT-29 Cells. <i>Acta Naturae</i> , 2014 , 6, 60-66	2.1	18
38	Water-soluble LYNX1 residues important for interaction with muscle-type and/or neuronal nicotinic receptors. <i>Journal of Biological Chemistry</i> , 2013 , 288, 15888-99	5.4	38
37	Spin-spin coupling constants ^{13}C - ^{15}N and ^1H - ^{15}N in the investigation of azido-tetrazole tautomerism in a series of 2-azidopyrimidines. <i>Russian Chemical Bulletin</i> , 2013 , 62, 521-528	1.7	15
36	Recombinant production and solution structure of lipid transfer protein from lentil <i>Lens culinaris</i> . <i>Biochemical and Biophysical Research Communications</i> , 2013 , 439, 427-32	3.4	23
35	Lipid-protein nanodiscs promote in vitro folding of transmembrane domains of multi-helical and multimeric membrane proteins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013 , 1828, 776-84	3.8	40
34	Human neuromodulator SLURP-1: bacterial expression, binding to muscle-type nicotinic acetylcholine receptor, secondary structure, and conformational heterogeneity in solution. <i>Biochemistry (Moscow)</i> , 2013 , 78, 204-11	2.9	18

33	Peptaibol antimicrobials: spatial structure, backbone dynamics, interaction with bicelles and lipid-protein nanodiscs, and pore formation in context of barrel-stave model. <i>Chemistry and Biodiversity</i> , 2013 , 10, 838-63	2.5	14
32	Long-range ^1H - ^{15}N J couplings providing a method for direct studies of the structure and azide-tetrazole equilibrium in a series of azido-1,2,4-triazines and azidopyrimidines. <i>Journal of Organic Chemistry</i> , 2013 , 78, 6975-82	4.2	32
31	Lipid-protein nanodiscs for cell-free production of integral membrane proteins in a soluble and folded state: comparison with detergent micelles, bicelles and liposomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012 , 1818, 349-58	3.8	80
30	Recombinant expression and solution structure of antimicrobial peptide aurelin from jellyfish <i>Aurelia aurita</i> . <i>Biochemical and Biophysical Research Communications</i> , 2012 , 429, 63-9	3.4	31
29	N-terminal fusion tags for effective production of G-protein-coupled receptors in bacterial cell-free systems. <i>Acta Naturae</i> , 2012 , 4, 58-64	2.1	3
28	N-Terminal Fusion Tags for Effective Production of G-Protein-Coupled Receptors in Bacterial Cell-Free Systems. <i>Acta Naturae</i> , 2012 , 4, 58-64	2.1	10
27	Molecular mechanism of action of hairpin antimicrobial peptide arenicin: oligomeric structure in dodecylphosphocholine micelles and pore formation in planar lipid bilayers. <i>Biochemistry</i> , 2011 , 50, 6255-65	3.2	63
26	NMR structure and action on nicotinic acetylcholine receptors of water-soluble domain of human LYX1. <i>Journal of Biological Chemistry</i> , 2011 , 286, 10618-27	5.4	68
25	Synthesis of the [^2H , ^{15}N]-labeled antiviral drug ϵ -riavirine. <i>Russian Chemical Bulletin</i> , 2011 , 60, 729-732	1.7	10
24	Lipid-protein nanodiscs as reference medium in detergent screening for high-resolution NMR studies of integral membrane proteins. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5628-9	16.4	75
23	Isolation, structure elucidation, and synergistic antibacterial activity of a novel two-component lantibiotic lichenicidin from <i>Bacillus licheniformis</i> VK21. <i>Biochemistry</i> , 2010 , 49, 6462-72	3.2	57
22	NMR structural and dynamical investigation of the isolated voltage-sensing domain of the potassium channel KvAP: implications for voltage gating. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5630-7	16.4	59
21	Selective (^{15}N)-labeling and analysis of (^{13}C)-(^{15}N) J couplings as an effective tool for studying the structure and azide-tetrazole equilibrium in a series of tetrazolo[1,5-b][1,2,4]triazines and tetrazolo[1,5-a]pyrimidines. <i>Journal of Organic Chemistry</i> , 2010 , 75, 8487-97	4.2	44
20	Molecular dynamics simulation of antimicrobial peptide arenicin-2: beta-hairpin stabilization by noncovalent interactions. <i>Biopolymers</i> , 2009 , 92, 143-55	2.2	31
19	Lipid-protein nanodiscs: possible application in high-resolution NMR investigations of membrane proteins and membrane-active peptides. <i>Biochemistry (Moscow)</i> , 2009 , 74, 756-65	2.9	41
18	Bacterial production and refolding from inclusion bodies of a "weak" toxin, a disulfide rich protein. <i>Biochemistry (Moscow)</i> , 2009 , 74, 1142-9	2.9	16
17	Cell-free Production of the Extracellular Domain of the Nicotinic Acetylcholine Receptor. <i>Acta Naturae</i> , 2009 , 1, 96-8	2.1	
16	Lipid-protein nanoscale bilayers: a versatile medium for NMR investigations of membrane proteins and membrane-active peptides. <i>Journal of the American Chemical Society</i> , 2008 , 130, 2140-1	16.4	51

15	Divalent cation coordination and mode of membrane interaction in cyclotides: NMR spatial structure of ternary complex Kalata B7/Mn ²⁺ /DPC micelle. <i>Journal of Inorganic Biochemistry</i> , 2008 , 102, 1246-56	4.2	52
14	Molecular insight into mechanism of antimicrobial action of the beta-hairpin peptide arenicin: specific oligomerization in detergent micelles. <i>Biopolymers</i> , 2008 , 89, 455-64	2.2	36
13	Antiamoebin I in methanol solution: rapid exchange between right-handed and left-handed 3(10)-helical conformations. <i>Chemistry and Biodiversity</i> , 2007 , 4, 1219-42	2.5	23
12	Bacterial expression, NMR, and electrophysiology analysis of chimeric short/long-chain alpha-neurotoxins acting on neuronal nicotinic receptors. <i>Journal of Biological Chemistry</i> , 2007 , 282, 24784-91	5.4	26
11	Recombinant expression, synthesis, purification, and solution structure of arenicin. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 360, 156-62	3.4	57
10	Conformation and mode of membrane interaction in cyclotides. Spatial structure of kalata B1 bound to a dodecylphosphocholine micelle. <i>FEBS Journal</i> , 2006 , 273, 2658-72	5.7	111
9	1-(Phenylethynyl)pyrene and 9,10-Bis(phenylethynyl)anthracene, Useful Fluorescent Dyes for DNA Labeling: Excimer Formation and Energy Transfer. <i>European Journal of Organic Chemistry</i> , 2004 , 2004, 1298-1307	3.2	68
8	Oligonucleotides containing new fluorescent 1-phenylethynylpyrene and 9,10-bis(phenylethynyl)anthracene uridine-2'-carbamates: synthesis and properties. <i>Tetrahedron</i> , 2004 , 60, 4617-4626	2.4	35
7	zFP538, a yellow fluorescent protein from coral, belongs to the DsRed subfamily of GFP-like proteins but possesses the unexpected site of fragmentation. <i>Biochemistry</i> , 2004 , 43, 4764-72	3.2	19
6	Peptaibol zervamicin IIb structure and dynamics refinement from transhydrogen bond J couplings. <i>Biophysical Journal</i> , 2004 , 86, 3687-99	2.9	12
5	High stability of the hinge region in the membrane-active peptide helix of zervamicin: paramagnetic relaxation enhancement studies. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 325, 1099-105	3.4	12
4	Biosynthetic uniform ¹³ C, ¹⁵ N-labelling of zervamicin IIB. Complete ¹³ C and ¹⁵ N NMR assignment. <i>Journal of Peptide Science</i> , 2003 , 9, 817-26	2.1	9
3	Spatial structure of zervamicin IIB bound to DPC micelles: implications for voltage-gating. <i>Biophysical Journal</i> , 2002 , 82, 762-71	2.9	40
2	NMR structure of the channel-former zervamicin IIB in isotropic solvents. <i>FEBS Letters</i> , 2000 , 466, 333-6	3.8	42
1	NMR spatial structure of alpha-conotoxin Iml reveals a common scaffold in snail and snake toxins recognizing neuronal nicotinic acetylcholine receptors. <i>FEBS Letters</i> , 1999 , 444, 275-80	3.8	52